



[Manuals.plus](#) /

› [T&S Brass](#) /

› T&S Brass B-0102 Pot & Glass Filler Instruction Manual

## T&S Brass B-0102

# T&S Brass B-0102 Pot & Glass Filler Instruction Manual

Model: B-0102

## 1. INTRODUCTION

---

This manual provides essential information for the proper installation, operation, and maintenance of your T&S Brass B-0102 Pot & Glass Filler. Designed for commercial food service environments, this unit features a durable polished chrome plated brass body, a plain end curved nozzle, and a 68-inch flexible stainless steel hose for versatile use.

Please read all instructions carefully before beginning installation or operation to ensure safe and efficient use of the product.



Image 1.1: The T&S Brass B-0102 Pot & Glass Filler, showing the coiled flexible stainless steel hose and the plain end curved nozzle.

## 2. SETUP AND INSTALLATION

---

The T&S Brass B-0102 is designed for wall-mount installation. Professional installation by a qualified plumber is recommended to ensure compliance with local plumbing codes and proper functionality.

### 2.1 Safety Precautions

- Always turn off the main water supply before beginning any installation or maintenance.
- Wear appropriate personal protective equipment (PPE), such as safety glasses and gloves.
- Ensure all connections are secure to prevent leaks.

### 2.2 Required Tools (Not Included)

- Adjustable wrench
- Pipe thread sealant or Teflon tape
- Screwdriver (if mounting bracket requires)
- Level

### 2.3 Installation Steps

1. **Prepare the Installation Area:** Ensure the wall surface is clean, dry, and structurally sound to support the unit. Identify the water supply lines.
2. **Mount the Faucet Body:** Secure the main faucet body to the wall using appropriate mounting hardware (not specified in product details, typically included with the unit or purchased separately). Ensure it is level and tightly fastened.

3. **Connect Water Supply:** Apply pipe thread sealant or Teflon tape to the threaded connections of the water supply lines. Connect the hot and cold water lines to the corresponding inlets on the faucet body. Tighten connections securely with an adjustable wrench, but do not overtighten.
4. **Attach Flexible Hose:** Connect the 68-inch flexible stainless steel hose to the faucet body outlet. Ensure the connection is tight and leak-free.
5. **Attach Nozzle:** Connect the plain end curved nozzle to the end of the flexible hose.
6. **Test for Leaks:** Slowly turn on the main water supply. Check all connections for leaks. If leaks are detected, turn off the water supply, tighten the connection, and retest.



Image 2.1: Components of the T&S Brass B-0102, showing the flexible hose, nozzle, and a sealing ring.

### 3. OPERATING INSTRUCTIONS

---

The T&S Brass B-0102 Pot & Glass Filler is designed for simple and efficient operation.

#### 3.1 Water Flow Control

- To activate water flow, depress the lever handle on the nozzle.
- To stop water flow, release the lever handle.

#### 3.2 Using the Flexible Hose and Nozzle

- The 68-inch flexible stainless steel hose allows for extended reach and maneuverability, making it ideal for filling large pots or multiple glasses.
- Direct the plain end curved nozzle into the container you wish to fill.
- Ensure the nozzle is positioned correctly to prevent splashing.



Image 3.1: The T&S Brass B-0102 with the flexible hose coiled and the plain end curved nozzle extended, ready for use.

## 4. MAINTENANCE

---

Regular maintenance ensures the longevity and optimal performance of your T&S Brass B-0102 Pot & Glass Filler.

### 4.1 Cleaning

- **Exterior Cleaning:** Wipe the polished chrome plated brass body and stainless steel hose with a dry, soft cloth regularly to remove water spots and maintain its finish.
- For stubborn spots, use a mild soap and water solution, then rinse thoroughly and dry immediately.
- *Do not use abrasive cleaners, harsh chemicals, or scouring pads* as these can damage the finish.

### 4.2 Inspection

- Periodically inspect the flexible stainless steel hose for any signs of wear, kinks, or damage. Replace if necessary.
- Check all connections for tightness and signs of leaks. Tighten any loose connections.
- Ensure the lever handle operates smoothly and returns to the off position when released.

## 5. TROUBLESHOOTING

---

Refer to the following table for common issues and their potential solutions.

Problem	Possible Cause	Solution
---------	----------------	----------

Problem	Possible Cause	Solution
No water flow or low water pressure	Main water supply off Clogged supply line Kinked hose	Ensure main water supply is on Check and clear any obstructions in supply lines Straighten the flexible hose
Leaks at connections	Loose connections Damaged O-rings/washers Improperly applied sealant	Tighten connections securely Inspect and replace O-rings/washers if damaged Reapply pipe thread sealant or Teflon tape
Nozzle lever sticks or is difficult to operate	Mineral buildup Internal component wear	Clean the nozzle and lever mechanism Contact T&S Brass support for replacement parts or service

If you encounter issues not listed here or if the suggested solutions do not resolve the problem, please contact T&S Brass customer support.

## 6. SPECIFICATIONS

- **Brand:** T&S Brass
- **Model Number:** B-0102
- **Material:** Polished chrome plated brass body, Plain end outlet, Stainless steel hose
- **Color:** Chrome
- **Installation Type:** Wall-Mount
- **Hose Length:** 68 inches
- **Nozzle Type:** Plain End Curved Nozzle
- **Product Dimensions:** 10 x 11 x 4 inches
- **Item Weight:** 1 pound (16 ounces)
- **UPC:** 802063181258, 405610619565, 013389116064, 671262000574
- **Date First Available:** November 10, 2009

## 7. WARRANTY AND SUPPORT

For specific warranty information regarding your T&S Brass B-0102 Pot & Glass Filler, please refer to the documentation provided at the time of purchase or visit the official T&S Brass website. Warranty terms may vary based on region and retailer.

For technical support, replacement parts, or further assistance, please contact T&S Brass directly through their official customer service channels. You can typically find contact information on their website or by searching for 'T&S Brass customer support'.