

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [U-Line](#) /

› [U Line Wine Captain 1000 Series: 1175WCS-00 24" Built-in Wine Storage with 48-Bottle Capacity, Triple Temperature Zone, Beech-Trimmed Slide-Out Racks, Digital Controls and Glass Door: Stainless Steel Frame, Field Reversible Door](#)

U-Line 1175WCS-00

U-Line Wine Captain 1000 Series User Manual

Model: 1175WCS-00

1. INTRODUCTION AND SAFETY INFORMATION

This manual provides important information regarding the installation, operation, and maintenance of your U-Line Wine Captain 1000 Series model 1175WCS-00. Please read this manual thoroughly before using the appliance to ensure proper operation and to prevent injury or damage.

Important Safety Instructions

- **Read all instructions** before using the appliance.
- **DANGER:** Risk of child entrapment. Before you throw away your old refrigerator or freezer, take off the doors. Leave the shelves in place so that children may not easily climb inside.
- **WARNING:** Use this appliance only for its intended purpose as described in this manual.
- **WARNING:** Do not store explosive substances such as aerosol cans with a flammable propellant in this appliance.
- **WARNING:** Do not damage the refrigerant circuit.
- **WARNING:** Do not use electrical appliances inside the storage compartments of the appliance, unless they are of the type recommended by the manufacturer.
- **WARNING:** This appliance is intended to be used in household and similar applications such as staff kitchen areas in shops, offices and other working environments; farm houses and by clients in hotels, motels and other residential type environments; bed and breakfast type environments; catering and similar non-retail applications.

2. SETUP AND INSTALLATION

Proper installation is crucial for the performance and longevity of your Wine Captain unit.

Unpacking

- Remove all packaging materials, including foam and tape.
- Inspect the unit for any shipping damage. Report any damage immediately to the carrier.
- Allow the unit to stand upright for at least 24 hours before plugging it in to allow the refrigerant to settle.

Location Requirements

- Install the unit on a level, stable surface capable of supporting its weight when fully loaded.
- Ensure adequate ventilation. Do not block the front grille or any ventilation openings.
- Avoid direct sunlight or heat sources (e.g., oven, radiator).
- Maintain proper clearances as specified in the installation guide for built-in applications.

Electrical Requirements

The unit requires a dedicated, grounded 115 Volt, 60 Hz, 15 Amp circuit. Do not use extension cords or adapter plugs. Ensure the electrical outlet is properly grounded.

Door Reversal

The door on your U-Line Wine Captain is field reversible, meaning it can be configured to open from either the left or right side. Refer to the detailed instructions provided in the separate installation guide for the specific steps to reverse the door swing.



Figure 1: U-Line Wine Captain 1175WCS-00, showcasing its sleek design with a glass door and internal beech-trimmed slide-out racks.

3. OPERATING YOUR WINE CAPTAIN

Understanding the controls and features will help you optimize your wine storage.

Digital Controls

The unit features an intuitive digital control panel, typically located at the top interior or exterior of the unit. Use the 'Up' and 'Down' arrows to adjust the desired temperature for each zone. The display will show the set temperature and the actual internal temperature.

Triple Temperature Zone

Your 1175WCS-00 model is equipped with three independent temperature zones, allowing for optimal storage of various wine types:

- **Upper Zone:** Ideal for white wines and champagne, typically set between 45-55°F (7-13°C).
- **Middle Zone:** Suitable for red wines, typically set between 55-65°F (13-18°C).
- **Lower Zone:** Often used for long-term storage or specific serving temperatures, offering flexibility.

Ensure each zone is set to the appropriate temperature for the wines stored within it.

Loading and Storage Tips

- Load bottles carefully onto the beech-trimmed slide-out racks. Ensure bottles do not touch the back wall or obstruct the fan.
- The unit has a 48-bottle capacity, designed for standard 750ml Bordeaux-style bottles. Larger or irregularly shaped bottles may reduce overall capacity.
- For optimal long-term storage, maintain consistent temperatures and humidity.
- Avoid frequent opening of the door to maintain stable internal temperatures.

4. MAINTENANCE

Regular maintenance helps ensure the efficient operation and longevity of your Wine Captain.

Cleaning

- **Interior:** Clean the interior with a mild detergent and warm water solution. Rinse thoroughly and dry. Do not use abrasive cleaners or solvents.
- **Exterior:** Wipe the exterior surfaces with a soft cloth and mild soap. For stainless steel, use a stainless steel cleaner.
- **Condenser:** Periodically clean the condenser coils (located behind the front grille) with a vacuum cleaner or brush to remove dust and debris. This improves efficiency.

Winterization (for extended non-use)

If the unit will be stored or not used for an extended period, especially in an unheated area:

1. Unplug the unit from the power outlet.
2. Remove all bottles.
3. Clean the interior thoroughly.
4. Leave the door slightly ajar to prevent odors and mold growth.

5. TROUBLESHOOTING

Before calling for service, please review the following common issues and their solutions.

Problem	Possible Cause	Solution
Unit does not operate	No power to the unit; circuit breaker tripped; unit unplugged.	Check power cord connection; reset circuit breaker; ensure outlet is functional.
Temperature is not cold enough	Door not closed properly; excessive door openings; warm ambient temperature; condenser coils dirty.	Ensure door is sealed; reduce door openings; ensure proper ventilation; clean condenser coils.
Unit is making unusual noise	Unit not level; fan obstruction; normal operating sounds.	Level the unit; check for obstructions around fan; gurgling/hissing sounds are normal.
Excessive moisture inside	High humidity; door left open; drain tube clogged.	Ensure door is sealed; clean drain tube if accessible.

6. SPECIFICATIONS

Technical details for the U-Line Wine Captain 1000 Series, Model 1175WCS-00.

- **Model:** 1175WCS-00
- **Capacity:** 48 standard 750ml wine bottles
- **Temperature Zones:** Triple Temperature Zone
- **Racks:** Beech-Trimmed Slide-Out Racks
- **Door Type:** Glass Door with Stainless Steel Frame
- **Door Hinge:** Field Reversible
- **Controls:** Digital Controls
- **Electrical:** 115V AC, 60 Hz, 15 Amp dedicated circuit
- **Dimensions (Approximate):** 24 inches (Width) x [Height] x [Depth] *(Specific dimensions should be verified with installation guide)*

7. WARRANTY AND SUPPORT

U-Line stands behind the quality of its products. Your Wine Captain unit is covered by a limited warranty. Please refer to the warranty card included with your appliance for specific terms and conditions, including coverage duration and limitations.

Customer Support

For technical assistance, parts, or service inquiries, please contact U-Line Customer Service. Have your model number (1175WCS-00) and serial number ready when you call.

- **Website:** www.u-line.com
- **Phone:** Refer to U-Line's official website for current contact numbers.
- **Service Locator:** Visit the U-Line website to find an authorized service provider in your area.

Related Documents - 1175WCS-00

	U-Line 2000 Series 2224WC 24" Single Zone Wine Captain User Guide & Service Manual Comprehensive user guide and service manual for the U-Line 2000 Series 2224WC 24" Single Zone Wine Captain, detailing installation procedures for integrated panels and grilles, along with product specifications and company information.
	Hendi Stainless Steel Cookware Maintenance Guide Detailed maintenance instructions for Hendi stainless steel pots, casseroles, and pans from the Profi Line, Kitchen Line, and Budget Line. Learn how to properly clean and care for your cookware to ensure longevity and optimal performance.

	Ranco & Paragon Commercial Refrigeration Temperature and Defrost Controls A comprehensive product knowledge guide covering Ranco and Paragon commercial refrigeration temperature and defrost controls. It details refrigeration system basics, Electronic Temperature Controllers (ETC) features and applications, Defrost Timer Controls (8000 and 9100 series), troubleshooting common error messages and timer failures, manufacturer comparisons, and website resources.
	Schneider Ersatzteilliste International 2023: Spiegelschränke und Lichtspiegel Comprehensive international spare parts list from Schneider for mirror cabinets and illuminated mirrors (2023 edition), detailing components for various product lines like A-Line, ADVANCED Line, and more.
	GasLab Pro Series Multi-Gas Sampling Data Logger Operation Manual Operation manual for the GasLab Pro Series Multi-Gas Sampling Data Logger, covering features, operation, calibration, and troubleshooting.
	U-Line UHNP315-IS81A User Guide & Service Manual Comprehensive user guide and service manual for the U-Line UHNP315-IS81A Nugget Ice Machine, covering installation, operation, maintenance, and troubleshooting.

Documents - U-Line – 1175WCS-00



[\[pdf\]](#) Installation Guide Instructions Guide

U Line U1175wcs00 Installation Instructions Percy s of Worcester MA The Built In Undercounter Leader Since 1962 1000 ADA 29 Series Models LINE COM 1175R 1115R 1175WC 1175BEV INSTALL GUIDE 1075WC 29R 1115WC 1075BEV u line u1175wcs00 installation instructions d1vofmza27mmhi cloudfront net product |||

INSTALL GUIDE 1000, ADA 29 Series Models ADA24R ADA24RG 75F 1115WC 1115R 1075BEV 1175BEV ... -1175BEVS-00 U-1175RB-00 U-1175RB-13 U-1175RS-00 U-1175RS-01 U-1175RW-00 U-1175RW-13 U-1175WCB-00 U-1175WCS-00 U-ADA24RB-13 U-ADA24RGLB-13 U-ADA24RGLS-13 U-ADA24RGLS-15 U-ADA24RS-13 U-ADA24RS-15 ULN-...

lang:en score:38 filesize: 1.61 M page_count: 14 document date: 2012-01-27




[\[pdf\]](#) Installation Guide Instructions Guide

U Line U1075bevs13 Installation Instructions Percy s of Worcester MA cloudfront net PLEASE READ all instructions before installing operating or servicing the appliance Proper installation procedures must be followed when completing an u line u1075bevs13 d1vofmza27mmhi product

INSTALL GUIDE 1000, ADA 29 Series Models ADA24R ADA24RG 75F 1115WC 1115R 1075BEV 1175BEV ... -1175BEVS-00 U-1175RB-00 U-1175RB-13 U-1175RS-00 U-1175RS-01 U-1175RW-00 U-1175RW-13 U-1175WCB-00 U-**1175WCS-00** U-ADA24RB-13 U-ADA24RGLB-13 U-ADA24RGLS-13 U-ADA24RGLS-15 U-ADA24RS-13 U-ADA24RS-15 ULN-...

lang:en **score:30** filesize: 1.68 M page_count: 16 document date: 2012-01-27



[\[pdf\]](#) Installation Guide Specifications Documentation Guide

30279 book cindyj U Line Documentation Download Product Specs User Guides and more

ADA24RGLSSL install 29Rinstall content abt documents 52560 site us appliance s u line media

INSTALLATION GUIDE 1000, ADA 29 SERIES MODELS GLASS DOOR REFRIGERATORS FREEZERS BEVERAGE CENTERS REFRIGERATORS U-ADA24RGLB-13 U-ADA24RGLS-13 U-ADA24RGLS-15 ULN-75FB-00 ULN-75FB-13 ULN-75FWH-00 ULN-75FWH-13 WINE CAPTAIN MODELS U-1075WCS-00 U-1115WCB-00 U-1115WCS-00 U-1175WCB-00 U-1175WCS-...

lang:en **score:30** filesize: 2.69 M page_count: 16 document date: 2013-07-09



[\[pdf\]](#) User Manual Guide

30266 book cindyj BEVERAGE GLASS DOOR MODELS CENTERS REFRIGERATORS USE AND

CARE GUIDE Designer Appliances u line FOR PRODUCT ASSISTANCE CALL 1 800 779 2547


MILWAUKEE WI U S A Model Modele Serial Serie HIGH SIDE DESIGN PRESSURE 300 PSI LOW 140

Congratulations on your purchase of a Line refrigerator For nearly five decades and three generations

continues to be the leader in innovation 1175BEVS13 manual pcrichard images manuals

USE AND CARE GUIDE 1100 ADA SERIES WINE CAPTAIN MODELS BEVERAGE CENTERS REFRIGERATORS GLASS DOOR REFRIGERATORS U-1115WCB-00 U-1115WCB-02 U-1115WCS-00 U-1115WCS-02 U-1115WCS-09 U-1175WCB-00 U-1175WCB-02 U-1175WCB-13 U-**1175WCS-00** U-1175WCS-02 U-1175WCS-13 U-1175WCS-15 U-1175BEVSS-00 U-1175BEV...

lang:en **score:30** filesize: 3.13 M page_count: 22 document date: 2013-11-12



[\[pdf\]](#) User Manual Installation Guide Guide

Provided by ManualsAndMore Download User Manual U Line ADA24RGLB 13 Installation ULine

UADA24RGLB13 manualsandmore |||

INSTALLATION GUIDE 1000, ADA 29 SERIES MODELS GLASS DOOR REFRIGERATORS FREEZERS BEVERAGE CENTERS REFRIGERATORS U-ADA24RGLB-13 U-ADA24RGLS-13 U-ADA24RGLS-15 ULN-75FB-00 ULN-75FB-13 ULN-75FWH-00 ULN-75FWH-13 WINE CAPTAIN MODELS U-1075WCS-00 U-1115WCB-00 U-1115WCS-00 U-1175WCB-00 U-1175WCS-...

lang:en **score:28** filesize: 2.74 M page_count: 16 document date: 2019-07-23



[\[pdf\]](#) Installation Guide Guide

30279 book mootreyjs Installation Guide 29RB15 documents designerappliances

INSTALL GUIDE 1000, ADA 29 Series Models ADA24R ADA24RG 75F 1115WC 1115R 1075BEV 1175BEV ... -1175BEVS-00 U-1175RB-00 U-1175RB-13 U-1175RS-00 U-1175RS-01 U-1175RW-00 U-1175RW-13 U-1175WCB-00 U-**1175WCS-00** U-ADA24RB-13 U-ADA24RGLB-13 U-ADA24RGLS-13 U-ADA24RGLS-15 U-ADA24RS-13 U-ADA24RS-15 ULN-...

lang:en score:27 filesize: 1.67 M page_count: 16 document date: 2011-01-28



[\[pdf\]](#) Specifications Documentation Guide

30266 book cindyj BEVERAGE GLASS DOOR MODELS CENTERS REFRIGERATORS u line FOR PRODUCT ASSISTANCE CALL 1 800 779 2547 MILWAUKEE WI U S A Model Modele Serial Serie HIGH SIDE DESIGN PRESSURE 300 PSI LOW 140 Line Documentation Download Product Specs User Guides and more Use Care Guide 1175BEVS13 ADA24RGLSSL use care 1175BEVS15 documents designerappliances content abt 52559 media

USE AND CARE GUIDE 1100 ADA SERIES WINE CAPTAIN MODELS BEVERAGE CENTERS REFRIGERATORS GLASS DOOR REFRIGERATORS U-1115WCB-00 U-1115WCB-02 U-1115WCS-00 U-1115WCS-02 U-1115WCS-09 U-1175WCB-00 U-1175WCB-02 U-1175WCB-13 U-**1175WCS-00** U-1175WCS-02 U-1175WCS-13 U-1175WCS-15 U-1175BEVSS-00 U-1175BEV...

lang:en score:26 filesize: 3.13 M page_count: 22 document date: 2013-07-09



[\[pdf\]](#) User Manual Installation Guide Guide

Provided by ManualsAndMore Download User Manual U Line 1000 SERIES Install ULine manualsandmore |||

INSTALL GUIDE 1000, ADA 29 Series Models ADA24R ADA24RG 75F 1115WC 1115R 1075BEV 1175BEV ... -1175BEVS-00 U-1175RB-00 U-1175RB-13 U-1175RS-00 U-1175RS-01 U-1175RW-00 U-1175RW-13 U-1175WCB-00 U-**1175WCS-00** U-ADA24RB-13 U-ADA24RGLB-13 U-ADA24RGLS-13 U-ADA24RGLS-15 U-ADA24RS-13 U-ADA24RS-15 ULN-...

lang:en score:26 filesize: 1.72 M page_count: 16 document date: 2019-07-23



[\[pdf\]](#) Installation Guide Guide

30279 book mootreyjs Installation Guide ADA24RGLS13 by U Line Stainless Glass door right hand ADA Series 24 Height Compliant Door Refrigerator Single Zone Convection Cooling System Art s TV Appliance frsnqubsrkk images webfronts cache |||

INSTALL GUIDE 1000, ADA 29 Series Models ADA24R ADA24RG 75F 1115WC 1115R 1075BEV 1175BEV ... -1175BEVS-00 U-1175RB-00 U-1175RB-13 U-1175RS-00 U-1175RS-01 U-1175RW-00 U-1175RW-13 U-1175WCB-00 U-**1175WCS-00** U-ADA24RB-13 U-ADA24RGLB-13 U-ADA24RGLS-13 U-ADA24RGLS-15 U-ADA24RS-13 U-ADA24RS-15 ULN-...

lang:en score:24 filesize: 2.98 M page_count: 16 document date: 2018-10-31



[pdf] Specifications

U Line 48 Bottle Wine Captain Stainless Steel 1175WCS BBQGuysULI 030 1175WCcdn shocho co sc
 specsheets ULI 1175WC 1175WCS00 Specifications Features and BenefitsU 24 Built in Storage with
 Capacity Triple Temperature Zone Beech Trimmed Slide Out Racks Digital Controls Glass Door Frame
 Field ReversiblU BBQGuysSpecifications Benefits 1175WCS00ULI 1175WCdocuments

designerappliances 1175WCS00cdn |||

117 5 W C Stainless Black WINE C AP TAIN MODEL S 1175WC FEATURES 1000
 Se rie s Lock model PE ... 3-15/16 60.6 23-1/2 59.6 25-3/8 64.4 132 lbs 53 kg 134 lbs
 60 kg 1175WC Stainless U-**1175WCS-00** Black U-1175WCB-00 Stainless RH, with
 lock U-1175WCS-13 Stainless LH, with lock U-117...

lang:en **score:17** filesize: 448.55 K page_count: 2 document date: 2011-07-16



[pdf] Installation Guide Guide

30279 book mootreyjs INSTALLATION U Line 24 in 5 3 cu ft Compact Counter Depth Full Refrigerator
 Stainless Steel Ferguson 4102267 889440 installation fergusonprod a bigcontent io v1 static |||
 INSTALL GUIDE 1000, ADA 29 Series Models ADA24R ADA24RG 75F 1115WC
 1115R 1075BEV 1175BEV ... -1175BEVS-00 U-1175RB-00 U-1175RB-13 U-
 1175RS-00 U-1175RS-01 U-1175RW-00 U-1175RW-13 U-1175WCB-00
 U-**1175WCS-00** U-ADA24RB-13 U-ADA24RGLB-13 U-ADA24RGLS-13 U-
 ADA24RGLS-15 U-ADA24RS-13 U-ADA24RS-15 ULN-...


lang:en **score:14** filesize: 2.4 M page_count: 16 document date: 2013-06-20



[pdf] Installation Guide Guide

30279 book mootreyjs INSTALLATION U Line 20 13 16 in 3 5 cu ft Compact Counter Depth and Full
 Refrigerator Black Ferguson 2960871 890165 installation fergusonprod a bigcontent io v1 static |||
 INSTALL GUIDE 1000, ADA 29 Series Models ADA24R ADA24RG 75F 1115WC
 1115R 1075BEV 1175BEV ... -1175BEVS-00 U-1175RB-00 U-1175RB-13 U-
 1175RS-00 U-1175RS-01 U-1175RW-00 U-1175RW-13 U-1175WCB-00
 U-**1175WCS-00** U-ADA24RB-13 U-ADA24RGLB-13 U-ADA24RGLS-13 U-
 ADA24RGLS-15 U-ADA24RS-13 U-ADA24RS-15 ULN-...

lang:en **score:14** filesize: 2.4 M page_count: 16 document date: 2013-06-20



[\[pdf\]](#) Installation Guide Guide

30279 book mootreyjs INSTALLATION U Line 14 15 16 in 3 cu ft Compact Counter Depth Full Undercounter Refrigerator Stainless Steel Black Ferguson 2960905 889987 installation fergusonprod a bigcontent io v1 static |||

INSTALL GUIDE 1000, ADA 29 Series Models ADA24R ADA24RG 75F 1115WC 1115R 1075BEV 1175BEV ... -1175BEVS-00 U-1175RB-00 U-1175RB-13 U-1175RS-00 U-1175RS-01 U-1175RW-00 U-1175RW-13 U-1175WCB-00 U-**1175WCS-00** U-ADA24RB-13 U-ADA24RGLB-13 U-ADA24RGLS-13 U-ADA24RGLS-15 U-ADA24RS-13 U-ADA24RS-15 ULN-...

lang:en score:14 filesize: 2.4 M page_count: 16 document date: 2013-06-20



[\[pdf\]](#) Installation Guide Guide

30279 book mootreyjs Install 1175BEVSSRHLOCK content abt 80 documents 37917

INSTALL GUIDE 1000, ADA 29 Series Models ADA24R ADA24RG 75F 1115WC 1115R 1075BEV 1175BEV ... -1175BEVS-00 U-1175RB-00 U-1175RB-13 U-1175RS-00 U-1175RS-01 U-1175RW-00 U-1175RW-13 U-1175WCB-00 U-**1175WCS-00** U-ADA24RB-13 U-ADA24RGLB-13 U-ADA24RGLS-13 U-ADA24RGLS-15 U-ADA24RS-13 U-ADA24RS-15 ULN-...

lang:en score:10 filesize: 1.6 M page_count: 14 document date: 2010-07-22



[\[pdf\]](#) Installation Guide Guide

30279 book mootreyjs 1075wcs 00 cmicdataservices resourcefiles uline install

INSTALL GUIDE 1000, ADA 29 Series Models ADA24R ADA24RG 75F 1115WC 1115R 1075BEV 1175BEV ... -1175BEVS-00 U-1175RB-00 U-1175RB-13 U-1175RS-00 U-1175RS-01 U-1175RW-00 U-1175RW-13 U-1175WCB-00 U-**1175WCS-00** U-ADA24RB-13 U-ADA24RGLB-13 U-ADA24RGLS-13 U-ADA24RGLS-15 U-ADA24RS-13 U-ADA24RS-15 ULN-...

lang:en score:10 filesize: 2.97 M page_count: 16 document date: 2011-06-29