Bugaboo 80401MC02

Bugaboo Cameleon Car Seat Adapter Instruction Manual

Model: 80401MC02

1. Introduction

This instruction manual provides essential information for the safe and correct use of your Bugaboo Cameleon Car Seat Adapter. This adapter is designed to create a secure connection between specific infant car seats and your Bugaboo Cameleon, Cameleon 3, or Cameleon 3 Plus stroller, enabling a convenient travel system.

Please read this manual thoroughly before installation and retain it for future reference.

2. Safety Information

- Always ensure the car seat is securely attached to the adapters and the adapters are securely attached to the stroller chassis before placing a child in the car seat.
- Never leave a child unattended in the car seat or stroller.
- Do not use the car seat adapter if any parts are damaged or missing.
- Always follow the instructions provided by the car seat manufacturer for proper use and safety.
- The car seat adapter is intended for use with infant car seats only. Do not use with toddler car seats or other accessories.
- Regularly inspect the adapters for wear and tear. Discontinue use if any damage is observed.
- Ensure the stroller's brake is engaged when attaching or detaching the car seat.

3. Package Contents

Your Bugaboo Cameleon Car Seat Adapter package should contain the following items:

- 1x Left Car Seat Adapter (marked "L")
- 1x Right Car Seat Adapter (marked "R")



Image 1: Top view of the Bugaboo Cameleon Car Seat Adapters. Two black adapters with white bands are shown, each featuring a small icon indicating car seat attachment.



Image 2: Angled view of the Bugaboo Cameleon Car Seat Adapters. The adapters are black with white bands, showing the attachment points for the car seat and the stroller.

4. Compatibility

This adapter is compatible with the following Bugaboo strollers:

- Bugaboo Cameleon
- Bugaboo Cameleon 3
- Bugaboo Cameleon 3 Plus

The adapter is designed to work with select infant car seats from the following brands:

- Maxi-Cosi
- Cybex
- BeSafe
- Kiddy
- Nuna (including Bugaboo Turtle and Turtle Air by Nuna)

For a complete list of compatible car seat models, please refer to the official Bugaboo website or contact customer support.

5. Setup and Installation

5.1 Attaching Adapters to the Stroller

1. Ensure your Bugaboo Cameleon stroller is unfolded and the brake is engaged.
2. Identify the "L" (Left) and "R" (Right) markings on the adapters. These correspond to the left and right sides of the stroller when viewed from behind (pushing position).
3. Align the "L" adapter with the left attachment point on the stroller chassis and push down firmly until it clicks into place.
4. Repeat for the "R" adapter on the right attachment point.
5. Verify that both adapters are securely fastened by gently pulling upwards on them. They should not detach.

5.2 Attaching the Car Seat to the Adapters

1. With the adapters securely installed on the stroller, position your compatible infant car seat above the adapters.
2. Align the car seat's attachment points with the corresponding slots on the adapters.
3. Lower the car seat onto the adapters, applying even pressure, until you hear a distinct "click" on both sides. This indicates a secure connection.
4. Gently lift the car seat by its handle to confirm it is firmly locked into place. It should not wobble or lift off the adapters.
5. Ensure the car seat is facing the correct direction as per your car seat and stroller manual (typically rear-facing towards the parent).

6. Operating Instructions

6.1 Detaching the Car Seat from Adapters

1. Engage the stroller's brake.
2. Locate the car seat release buttons or levers on your infant car seat (these are typically on the sides or back of the car seat, not on the adapters themselves).
3. Press or pull the car seat release mechanism(s) while simultaneously lifting the car seat upwards from the adapters. You may need to apply slight pressure to the stroller frame with your foot for leverage, as noted by some users.
4. Once the car seat is removed, you can use your stroller in its standard configuration or leave the adapters attached for future use.

6.2 Detaching Adapters from the Stroller

1. Ensure the car seat has been removed from the adapters.
2. Locate the release buttons or levers on the Bugaboo adapters where they connect to the stroller chassis.
3. Press the release button(s) and pull the adapter upwards to remove it from the stroller.
4. Repeat for the other adapter.

7. Maintenance and Care

- Clean the adapters with a damp cloth and mild soap. Do not use harsh chemicals or abrasive cleaners.
- Allow adapters to air dry completely before storage or next use.
- Store the adapters in a dry place, away from direct sunlight and extreme temperatures.
- Regularly check all connection points for any signs of wear, damage, or loose parts.

8. Troubleshooting

Problem	Possible Cause	Solution

Problem	Possible Cause	Solution
Car seat does not click securely onto adapters.	Incorrect alignment; adapters not fully engaged; incompatible car seat.	Ensure car seat is correctly aligned with both adapters. Verify adapters are fully clicked onto the stroller. Confirm car seat model is listed as compatible.
Adapters do not click securely onto the stroller.	Incorrect orientation (L/R); obstruction; not pushed down firmly enough.	Check "L" and "R" markings and ensure correct side. Remove any debris. Push down firmly until a click is heard.
Difficulty detaching car seat from adapters.	Incorrect release method; car seat mechanism stiff.	Ensure you are pressing the **car seat's** release buttons/levers, not the adapter's. For some car seats (e.g., Maxi-Cosi Prezi), you may need to pull the grey release bar on the back of the car seat. Applying slight foot pressure to the stroller frame while lifting the car seat can also help. Practice removal a few times.
Car seat appears tilted when attached.	Normal variation; car seat design.	Some car seats may sit at a slight angle. Consult your car seat manual for acceptable angles. If concerned, contact Bugaboo customer support.

9. Specifications

- **Model Number:** 80401MC02
- **Product Dimensions:** 3.94 x 7.48 x 3.15 inches
- **Item Weight:** 7.2 ounces
- **Material Type:** BPA Free, Latex Free, Lead Free, Phthalate Free
- **Target Gender:** Unisex

10. Warranty and Support

Bugaboo products are manufactured to high-quality standards. For information regarding warranty coverage, please refer to the warranty card included with your purchase or visit the official Bugaboo website.

If you encounter any issues or have questions not covered in this manual, please contact Bugaboo Customer Service through their official website or the retailer where the product was purchased.

Official Bugaboo Website: www.bugaboo.com

© 2023 Bugaboo International B.V. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question