

[Manuals.plus](#) /

> [Simplicity](#) /

> [Simplicity New Look Sewing Pattern 6016 Toddler's Separates Instruction Manual](#)

## Simplicity 6016

# Simplicity New Look Sewing Pattern 6016 Toddler's Separates Instruction Manual

## 1. INTRODUCTION

---

### About This Pattern

This instruction manual provides guidance for using the New Look Sewing Pattern 6016 to create a collection of toddler's separates. The pattern includes designs for a jumper, a purse, a knit top, and leggings, offering a total of six distinct looks.

- **Pattern Number:** New Look Pattern #6016
- **Sizes Included:** A (1/2, 1, 2, 3, 4)
- **Number of Looks:** 6 unique designs
- **Languages:** Instructions are provided in English, Spanish, and French.

### Pattern Overview

The pattern allows for the creation of various garments suitable for toddlers. These include a long-sleeved knit top (A), leggings (B), a sleeveless jumper with pockets (C), a sleeveless jumper with floral appliques (D), a sleeveless jumper with horizontal trim (E), a sleeveless jumper with diagonal trim (F), and a small purse (G).



Figure 1: Front and back line drawings of all garment variations included in New Look Pattern 6016. This image illustrates the different styles for the knit top, leggings, jumpers, and purse.

## 2. SETUP AND PREPARATION

---


### Materials Required

Before beginning, ensure you have all necessary materials. Refer to the pattern envelope for specific yardage requirements based on garment view and size.


- **Suggested Fabrics:**

- For Views A, B (Knit Top & Leggings): Sized for stretch knits only such as Cotton Interlock, Jerseys, Lightweight Double Knits, Velour. Consult the Pick-A-Knit Rule. Suitable for Overlock/Serger.
  - For Views C, D, E, F, G (Jumpers & Purse): Cotton and Cotton Blends, Gingham, Baby Cord, Calico, Chambray.
- **Notions:** Specific notions vary by garment view. Common notions include 1/2" wide elastic, 3/8" wide novelty braid, 1/4" wide ribbon, 5/8" wide ribbon, 1/2" wide single fold bias tape, 1/4" wide single fold bias tape, 7" zipper, and various buttons or snaps. Refer to the pattern envelope for exact requirements.


**15 PIECES/PIEZAS**  
Métrages et instructions de couture en Français à l'intérieur de l'enveloppe.




A



B



C F



E D

**TODDLERS' FIVE SIZES IN ONE**

Sizes	1/2	1	2	3	4	
Chest	19	20	21	22	23	In
Waist	19	19½	20	20½	21	"
Height	26½	31	35	38	41	"

**A- Sized for stretch knits only**  
60"\*\*\*

**B- Sized for stretch knits only**  
60"\*\*\*

C	1/2	1	2	3	4	
45"***	¾	1	1	1	1	Yd
60"***	¾	¾	¾	¾	¾	"

D,E,F	1/2	1	2	3	4	
45"***	¾	¾	¾	1	1	Yd
60"***	¾	¾	¾	¾	¾	"

**C,D,E,F Interfacing** ½ yd. of 20" to 25" lightweight fusible

**G** ½ yd. of 45" or 60"\*\*\*; **Lining** ¾ yd. of 45"\*\*\*  
**Interfacing** 1 yd. of 20" to 25" lightweight fusible

**GARMENT MEASUREMENTS**

B Side Length	15	16½	18	19½	21	In
Finished back length from base of neck:						
C,D,E,F	18½	19½	20½	21½	22½	In

**SUGGESTED FABRICS**  
A,B Sized for stretch knits only: Cotton Interlock, Jerseys, Lightweight Double Knits, Velour. See Pick-A-Knit® Rule. Suitable for Overlock/Serger. C,D,E,F,G in Cotton and Cotton Blends, Gingham, Baby Cord, Calico, Chambray, Lightweight Denim, Pinwale Corduroy, Pique. Not suitable for sleepwear. Allow extra fabric for matching plaids or stripes.

**REQUIREMENTS**  
B: ¾ yd. of ½" wide elastic. C,D,E,F: Two ¾" buttons, one pkg. of ½" wide single fold bias tape. C: 1½ yd. of ¾" wide novelty braid. D: 1½ yd. of 1½" wide ribbon, seventeen rosettes. E Ribbon ¾" wide: 3 yd. of first color, 1½ yd. of second color. F: One 5" zipper, one 22" zipper, ½ yd. of ¾" wide ribbon. G: One pkg. of ½" wide double fold bias tape, five rosettes (opt.).

6016

SIZE A 1/2-4

**PETIT ENFANT: PATRON CINQ TAILLES**  
**NIÑOS PEQUEÑOS: PATRÓN CINCO TALLAS**

Tailles / Tallas	1/2	1	2	3	4	
Poitrine / Pecho	48	51	53	56	58	cm
Taille / Cintura	48	50	51	52	53	"
Hauteur / Altura	67.5	76.5	89	96.5	104	"

**A- En Jerseys extensibles seulement/ A- En Mallas estirables solamente**  
150cm\*\*

**B- En Jerseys extensibles seulement/ B- En Mallas estirables solamente**  
150cm\*\*

**C**  
115cm\*\*

**D,E,F**  
115cm\*\*

**C,D,E,F Entoilage** 0.40m de 51cm à 64cm, léger, thermocollant  
**C,D,E,F Entretela** 0.40m de 51cm à 64cm, légère, adhésive

**G** – 0.40m de 115cm ou 150cm\*\*;  
**Doubleure** 0.30m de 115cm\*\*;  
**Entoilage** 0.90m de 51cm à 64cm, léger, thermocollant / **G** – 0.40m de 115cm ou 150cm\*\*;  
**Forro** 0.30m de 115cm\*\*;  
**Entretela** 0.90m de 51cm à 64cm, légère, adhésive

**TISSUS SUGGÉRÉS:** A,B En Jerseys extensibles seulement: Coton Interlock, Jerseys fins, Jerseys Doubles légers, Velours de Coton. Ces modèles conviennent pour la machine Overlock/Surjeteuse. C,D,E,F,G en Coton et Cotonnades, Vichy, Piqué très fin, Calicot, Chambray, Denim léger, Velours Milleraies, Piqué. Voyez la Règle-Pour-Châssin-un jersey. Ces modèles ne conviennent pas pour vêtements de nuit. Prévoyez davantage de tissu pour raccorder les écosseaux ou rayures.

**MERCERIE:** B: 0.70m d'élastique de 1.3cm de large. C,D,E,F: Deux boutons de 2cm, un paquet de ruban de biais simple de 1.3cm de large. C: 1.10m de soutache fantaisie de 2cm de large. D: 1.10m de ruban de 3.8cm de large, dix-sept rosettes en ruban. E Ruban de 1.5cm de large: 2.70m de la première couleur, 1.40m de la seconde couleur. F: une glissière de 12cm, une glissière de 55cm, 0.60m de ruban de 2.2cm de large. G: Un paquet de ruban de biais double de 1.3cm de large, cinq rosettes en ruban (facult.).

**TELAS SUGERIDAS:** A,B En Mallas estirables solamente: Algodón Interlock, Mallas finas, Mallas Dobles ligeras, Terciopelo de Algodón. Estos modelos convienen para la máquina Overlock/Sobrehiladora. C,D,E,F,G en Algodón y Mezclas de Algodones, Guingán, Piqué muy fino, Calico, Chambray, Dril ligero, Terciopelo Mirrayas, Piqué. Veá la Regla-para-Escoger-Mallas. Estos modelos no convienen para ropa de dormir. Se necesita tela extra para casar cuadros o rayas.

**MERCERÍA:** B: 0.70m de elástico de 1.3cm de ancho. C,D,E,F: Dos botones de 2cm, un paquete de cinta de biés sencillo de 1.3cm de ancho. C: 1.10m de galón asagado de fantasía de 2cm de ancho. D: 1.10m de cinta de 3.8cm de ancho, diecisiete rosas de cinta. E Cinta de 1.5cm de ancho: 2.70m del primero color, 1.40m del segundo color. F: una cremallera de 12cm, una cremallera de 55cm, 0.60m de cinta de 2.2cm de ancho. G: Un paquete de cinta de biés doble de 1.3cm de ancho, cinco rosas de cinta (opcional).

\*without nap \*\*with nap \*\*\*with or without nap

\*sans sens \*\*avec sens \*\*\*avec ou sans sens

\*sin pelusa \*\*con pelusa \*\*\*con o sin pelusa

Figure 2: The back of the pattern envelope details fabric suggestions, required notions (such as elastic, buttons, and ribbon), and a comprehensive body measurement chart for sizes 1/2 to 4.

## Pattern Piece Preparation

1. **Unfold and Press:** Carefully unfold all pattern pieces and press them with a dry iron on a low setting to remove creases.
2. **Identify Pieces:** Match each pattern piece to its corresponding number and name as indicated in the instruction sheet.
3. **Select Size:** Based on the toddler's measurements, select the appropriate size. If measurements fall between sizes, consider blending sizes for a better fit.
4. **Cut Pattern Pieces:** Carefully cut out the required pattern pieces for your chosen garment view and size.
5. **Fabric Preparation:** Pre-wash and dry your fabric according to its care instructions to prevent shrinkage after the garment is made. Press the fabric smooth.
6. **Layout and Pin:** Lay out your fabric as directed in the pattern's cutting layout diagrams. Pin the pattern pieces securely to the fabric, ensuring grainlines are correctly aligned.
7. **Cut Fabric:** Carefully cut out all fabric pieces, following the pattern edges precisely. Transfer all markings (notches, dots, darts, etc.) from the pattern to the fabric using tailor's chalk or a fabric marker.

## 3. SEWING INSTRUCTIONS

---

## General Sewing Guidelines

This pattern assumes basic sewing knowledge. For best results, always read through all instructions before you begin sewing. Use a sewing machine needle appropriate for your fabric type (e.g., ballpoint for knits, universal for wovens). Test stitch settings on a scrap piece of your fabric before sewing on the actual garment pieces.

- **Seam Allowances:** Unless otherwise specified, use the seam allowances indicated on the pattern pieces.
- **Pressing:** Press seams after each step to ensure a professional finish.
- **Finishing Seams:** Consider finishing raw edges with a serger or zigzag stitch to prevent fraying and improve durability.

## Specific Garment Assembly

The pattern envelope contains detailed, step-by-step instructions for assembling each garment view (A, B, C, D, E, F, G). Follow these instructions carefully, paying close attention to diagrams and specific notes for each step. The instructions are typically organized by garment view and numbered sequentially.

For knit garments (Views A and B), ensure you use a stretch stitch or a serger to maintain the fabric's elasticity. For woven garments (Views C, D, E, F, G), standard straight stitching is appropriate.

---

## 4. CARE AND STORAGE

### Pattern Care

- **Storage:** After use, carefully fold the pattern pieces and return them to their original envelope. Store the envelope in a dry, cool place away from direct sunlight to prevent damage and yellowing.
- **Handling:** Handle pattern pieces gently to avoid tearing. If a piece tears, repair it with clear tape.

### Garment Care

Care instructions for the finished garments will depend on the fabric chosen. Always follow the care instructions for your specific fabric. As a general guideline:

- **Washing:** Machine wash cold with like colors on a gentle cycle.
- **Drying:** Tumble dry low or hang dry to preserve fabric quality and garment shape.
- **Ironing:** Iron on a low to medium setting, avoiding direct heat on any embellishments or elastic.

---

## 5. COMMON SEWING ISSUES

Encountering challenges during sewing is normal. Here are some common issues and general troubleshooting tips:

- **Uneven Stitches:** Check your machine's tension settings. Ensure the bobbin is wound correctly and inserted properly. Use the correct needle size for your fabric.
- **Fabric Puckering:** This can be caused by incorrect tension, using the wrong needle, or pulling the fabric while sewing. Adjust tension, use a new needle, and guide the fabric gently.
- **Skipped Stitches:** Often due to a bent or dull needle, or using the wrong type of needle for the fabric (especially with knits). Replace the needle and ensure it's inserted correctly.
- **Fabric Feeding Issues:** Check if the feed dogs are engaged. Ensure the presser foot pressure is

appropriate for your fabric. Clean any lint from the feed dog area.

- **Pattern Pieces Don't Match:** Double-check that you cut the correct size and that all notches and markings were transferred accurately. Ensure fabric was laid out correctly according to the grainline.

## 6. PRODUCT SPECIFICATIONS

---

Specification	Detail
Brand	Simplicity
Model Number	6016
Size	A (1/2-1-2-3-4)
Material (Suggested)	Cotton, Cotton Blends, Stretch Knits
UPC	039363460169
Manufacturer	Simplicity Creative Patterns
Item Weight	80 Grams

## 7. SUPPORT INFORMATION

---

For further assistance or specific questions regarding this sewing pattern, please refer to the contact information provided on the pattern envelope or visit the official Simplicity website. Additional resources, tutorials, and FAQs may be available online to help with your sewing projects.

**Online Resources:** [Visit the Simplicity Store on Amazon](#)