

DELTA RP62283

Delta Faucet Single-Spray Shower Head Instruction Manual

Model: RP62283 | Brand: DELTA

INTRODUCTION

This manual provides essential information for the installation, operation, and maintenance of your Delta Faucet Single-Spray Shower Head. Replacing your shower head is one of the quickest, simplest upgrades you can make to your shower. Our shower heads feature a wide range of styles and innovations, and install in less than 20 minutes - no special tools required.

KEY FEATURES

- **Intensely Powerful Spray:** Experience a steady, intensely powerful full body spray with forceful streams of water.
- **DIY Installation:** Designed for quick and simple installation in just a few minutes. (Shower arm and flange sold separately).
- **Easy to Clean:** Features Touch-Clean spray holes that allow for easy wiping away of calcium and lime build-up with a touch of a finger, eliminating the need for soaking or chemical cleaners. The SpotShield finish resists water spots and fingerprints.
- **Durable Finish:** Delta finishes are designed for long-lasting durability, guaranteed not to corrode, tarnish, or discolor, ensuring a like-new appearance for life.

SETUP AND INSTALLATION

The Delta Faucet Single-Spray Shower Head is designed for straightforward installation. No special tools are required, and the process typically takes less than 20 minutes.

Before You Begin:

- Ensure you have a compatible shower arm and flange (sold separately).

- Turn off the main water supply to your shower.
- Gather basic tools such as plumber's tape and an adjustable wrench.

Installation Steps:

1. Remove your old shower head by unscrewing it counter-clockwise from the shower arm.
2. Clean any old plumber's tape or debris from the threads of the shower arm.
3. Wrap new plumber's tape clockwise around the threads of the shower arm, ensuring a tight seal.
4. Screw the new Delta shower head onto the shower arm clockwise until hand-tight.
5. Use an adjustable wrench to tighten an additional quarter turn, being careful not to overtighten.
6. Turn on the main water supply and check for leaks.




Figure 1: Product Dimensions and Installation Overview. Note that the shower arm is not included.

OPERATING INSTRUCTIONS

Your Delta Faucet Single-Spray Shower Head provides a consistent and powerful full body spray for a satisfying shower experience.

Using Your Shower Head:

- Turn on your shower's water supply using the shower handle.
- Adjust the water temperature to your preference.
- The shower head delivers a single, intensely powerful full body spray. There are no adjustable spray settings on this model.



Figure 2: Shower Head in Operation, demonstrating the full body spray.



Figure 3: The Delta Faucet Single-Spray Shower Head in Chrome.

Official Product Video:

Your browser does not support the video tag.

Video 1: Official product overview of the Delta Faucet RP62283BL Single-Setting Raincan Shower Head, showcasing its features and spray pattern.

MAINTENANCE AND CARE

Maintaining your Delta Faucet Single-Spray Shower Head is simple, thanks to its Touch-Clean spray holes and durable finish.

Cleaning Instructions:

- To remove calcium and lime build-up from the spray holes, simply wipe them with your finger or a soft cloth. No harsh chemical cleaners or soaking are required.
- For general cleaning of the shower head's exterior, use a soft, damp cloth and mild soap. Avoid abrasive cleaners, scouring pads, or chemicals that could damage the finish.
- The SpotShield finish helps resist water spots and fingerprints, reducing the frequency of cleaning needed to maintain its appearance.

TROUBLESHOOTING

If you encounter any issues with your Delta Faucet Single-Spray Shower Head, please refer to the common solutions below:

Problem	Possible Cause	Solution
Low Water Pressure	Mineral buildup in spray holes or restricted water flow.	Wipe the Touch-Clean spray holes to remove mineral deposits. Ensure the main water supply is fully open.
Leaking from Connection	Improperly sealed connection to shower arm.	Ensure plumber's tape is properly applied and the shower head is tightened securely. Do not overtighten.
Uneven Spray Pattern	Clogged spray holes.	Clean the Touch-Clean spray holes by wiping them with your finger or a soft cloth.

If the issue persists, please contact Delta Faucet customer support for further assistance.

SPECIFICATIONS

Attribute	Detail
Brand	DELTA
Model Number	RP62283
Style	Contemporary
Shape	Square
Material	Plastic
Finish Type	Chrome
Setting Type	Full Body
Installation Type	Wall Mounted
Flow Rate	2.5 Gallons Per Minute (GPM)
Product Dimensions	3.13"L x 6.5"W
Number of Settings	1
Item Weight	6.6 ounces
Country of Origin	China
Date First Available	December 7, 2010

WARRANTY AND SUPPORT

This Delta Faucet Single-Spray Shower Head is backed by **Delta Faucet's Lifetime Limited Warranty**. You can install with confidence, knowing your product is covered against defects in material and workmanship for as long as the original consumer purchaser owns the home in which the shower head is first installed.

For warranty claims, technical support, or additional information, please visit the official Delta Faucet website or contact their customer service department.

Online Support: www.deltafaucet.com

© 2025 Delta Faucet Company. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B004YK5Q9C>

More documents and user manuals: <https://manuals.plus/>