

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Franke](#) /

› [Franke Ellipse EODB33229-1 Mocha Granite Dual Mount Double Bowl Kitchen Sink Instruction Manual](#)

### Franke EODB33229-1

## Franke Ellipse EODB33229-1 Mocha Granite Dual Mount Double Bowl Kitchen Sink Instruction Manual



### 1. PRODUCT OVERVIEW

The Franke Ellipse kitchen sink is designed for durability and ease of maintenance. Constructed from 80% quartz, a highly durable component of granite, and bonded with 20% acrylic resin, this sink offers a long-lasting focal point for your kitchen. Its classic style and enduring color options are engineered for practical use.



*This image displays the Franke Ellipse double bowl kitchen sink in a mocha granite finish. It features two distinct bowls, with the left bowl appearing larger and deeper than the right. Both bowls are equipped with stainless steel drain assemblies. A single pre-drilled faucet hole is visible in the deck area between the two bowls, towards the back right.*

## 2. SAFETY INFORMATION

---

- Always wear appropriate personal protective equipment (PPE) such as safety glasses and gloves during installation.
- Ensure the water supply is turned off before beginning any plumbing work.
- Exercise caution when lifting the sink due to its weight (approximately 42 pounds). Seek assistance if necessary.
- Follow all local plumbing and building codes during installation.
- Avoid using harsh chemicals or abrasive cleaners that could damage the sink's surface.

## 3. PACKAGE CONTENTS

---

Verify that all components are present before beginning installation:

- Franke Ellipse Kitchen Sink
- Cut-Out Template
- Installation Clips

## 4. INSTALLATION (SETUP)

---

This Franke Ellipse sink is designed for dual mount installation, allowing for either top-mount or undermount configurations. A template and hardware are included to facilitate a safe and straightforward installation process.

### Faucet Hole Preparation:

The sink is provided with one pre-drilled hole for a faucet. Three additional holes can be knocked out if required for accessories such as a soap dispenser or sprayer. Refer to the included template for precise locations and instructions on knocking out additional holes.

### General Installation Steps:

1. Prepare the countertop opening according to the provided cut-out template.
2. Apply a continuous bead of silicone sealant around the perimeter of the sink opening on the countertop.
3. Carefully lower the sink into the opening.
4. Secure the sink using the provided installation clips, ensuring even pressure.
5. Connect plumbing fixtures, including the faucet and drain assemblies, following manufacturer instructions and local codes.
6. Allow sealant to cure completely before using the sink.

## 5. OPERATION

---

The Franke Ellipse double bowl sink is designed for everyday kitchen tasks. The dual bowls allow for multi-tasking, such as washing dishes in one bowl while rinsing in the other. The pre-drilled faucet hole accommodates standard kitchen faucets. Ensure proper drainage by keeping the drain clear of debris.

## 6. MAINTENANCE AND CARE

---

To maintain the appearance and longevity of your Franke Ellipse granite sink, follow these care instructions:

- **Daily Cleaning:** Wipe the sink with a dry cloth after each use to prevent water spots and mineral buildup.
- **Regular Cleaning:** Use a mild dish soap and a soft sponge or cloth for routine cleaning. Rinse thoroughly and dry.
- **Stain Resistance:** The composite granite material is designed to be stain-resistant. For stubborn stains, use a non-abrasive cleaner specifically designed for granite or composite sinks.
- **Heat Resistance:** The sink is heat-resistant up to 536°F (280°C). However, it is recommended to use trivets or hot pads for extremely hot pots and pans to prevent potential thermal shock or discoloration over time.
- **Scratch Resistance:** The granite composite material offers excellent scratch resistance. Avoid using sharp objects directly on the sink surface.
- **Sanitized Protection:** The built-in protective barrier actively fights bacteria during and after cleaning cycles, contributing to a more hygienic kitchen environment.
- **Avoid:** Do not use abrasive cleaners, steel wool, harsh chemicals (e.g., oven cleaner, paint remover), or strong acids/alkalis, as these can damage the sink's finish.

## 7. TROUBLESHOOTING

---

- **Slow Drainage:** Check the drain stopper for debris. If clear, the issue may be in the plumbing trap or further down the drain line. Use a plunger or a plumbing snake if necessary.
- **Water Spots/Dull Appearance:** This is often due to mineral deposits from hard water. Regularly wipe the sink dry after use. For existing spots, use a solution of white vinegar and water, then rinse and dry.
- **Minor Leaks:** Inspect all plumbing connections under the sink. Tighten any loose fittings. If the leak persists, check the sealant around the drain or faucet base and reapply if necessary.
- **Surface Discoloration:** Ensure you are following the recommended cleaning guidelines. Avoid leaving highly pigmented foods or liquids in the sink for extended periods.

## 8. SPECIFICATIONS

---

<b>Brand</b>	Franke
<b>Model Number</b>	EODB33229-1
<b>Color</b>	Mocha
<b>Material</b>	Granite Composite
<b>Product Dimensions (D x W x H)</b>	22" x 33" x 9"
<b>Left Bowl Depth</b>	9 inches
<b>Right Bowl Depth</b>	8 inches
<b>Installation Type</b>	Dual Mount (Undermount)
<b>Hole Count</b>	1 (with 3 additional knock-out options)
<b>Item Weight</b>	42 Pounds
<b>Heat Resistance</b>	Up to 536°F (280°C)
<b>UPC</b>	039487151202

## 9. WARRANTY AND SUPPORT


This Franke Ellipse kitchen sink comes with a Limited Lifetime Warranty. For specific details regarding warranty coverage, please refer to the warranty documentation included with your purchase or visit the official Franke website.


### Customer Support:

For technical assistance, installation questions, or warranty claims, please contact Franke customer service through their official website or the contact information provided in your product packaging.




### Related Documents - EODB33229-1

	<p><a href="#"><u>Franke Sinks: Global Contacts and Installation Guide</u></a></p> <p>Find Franke kitchen sink contact information worldwide and access installation and maintenance guidance, including product details for the Franke Maris MRX 110-40.</p>
	<p><a href="#"><u>Franke BOX CENTER Stainless Steel Sinks - Installation Guide</u></a></p> <p>Comprehensive installation manual for Franke BOX CENTER stainless steel kitchen sinks, including models BWX 220 54-27 TL, BWX 220 41-27, BWX 210/110 27, and BWX 120 41-27. Covers Slimtop, Flushmount, and Undermount installation methods with detailed diagrams and dimensions.</p>
	<p><a href="#"><u>Franke MYX210-70B Mythos Kitchen Sink - Dimensions &amp; Installation Guide</u></a></p> <p>Detailed information and installation guide for the Franke MYX210-70B Mythos kitchen sink, including dimensions, features, and available accessories. Learn about its topmount/flushmount installation, bowl size, and material.</p>
	<p><a href="#"><u>Franke FEX Series Stainless Steel Sinks Installation Guide</u></a></p> <p>Comprehensive installation and user manual for Franke FEX series stainless steel kitchen sinks, detailing Inset, Flushmount, and Undermount installation methods with technical specifications and care instructions.</p>



Franke Kubus 2 Undermount Sink Installation Guide

Comprehensive installation and user guide for Franke Kubus 2 undermount sinks, detailing model specifications, dimensions, and step-by-step fitting instructions for Fragranite sinks.



## Franke P2X 110-21" SI Sink Installation Guide

Detailed installation document for the Franke P2X 110-21" SI sink, including dimensions and technical specifications.

Documents - Franke – EODB33229-1

[\[pdf\]](#) Instructions Reference Guide Accessories Borchure

2022 Collection Franke 21 gen — instructions for use and follow the s Chef Center gives you power  
Copper \$740 DW16065 Bronze DW16080 Satin Nickel Canada EN force true franke content dam  
corporate ca en ks brochures |||



2C0o2II2ection RefQeuriencnkce Accessories DisWpaossteers DisSpoeanspers  
Filtration Faucets F ... resents designation for the color code Ellipse Granite  
EOOX33229-1-CA 4 pre-scored faucet holes **EODB33229-1-CA** 4 pre-scored faucet  
holes EOCH33229-1-CA 4 pre-scored faucet holes EOSG33229-1-CA...  
lang:en score:23 filesize: 13.52 M page\_count: 160 document date: 2022-04-28



[pdf] Specifications Warranty Accessories

EOXX33229 1 492 KB Specification Sheetsfranke content dam franke us en home solutions documents  
2022 spec sheets sinks ellipse III

ELLIPSE TECHNICAL FEATURES Overall Sink Size OD 33 x 22 Bowl Size ID 293/4 x 187/8 x 16 ... 33229-1 114.0167.355 Stone Grey EOSG33229-1 114.0637.901 Polar White EOPW33229-1 114.0643.363 Mocha **EODB33229-1** 114.0155.299 Onyx EOOX33229-1 114.0087.734 Oyster EOOY33229-1 114.0637.900 Matte Black ...  
lang:en **score:19** filesize: 492.32 K page\_count: 1 document date: 2024-02-27

**ELLIPSE**

GRANITE 33" SINGLE BOWL SINK Model EO33229-1

Maximum durability meets efficient design in the Ellipse Series. Available in several configurations, there's an Ellipse sink that's perfect for your space.

**FEATURES**

- Treated with Glastone, which helps to reduce bacterial staining growth, giving the sink lasting protection.
- Made from a variety of warm, natural stone materials.
- Made from 80% quartz and 20% hand acrylic resin, granite sinks are durable, resistant to scratches, stains and heat.
- Thanks to the UV-protected coating, the beautiful color of the granite sink is protected and ensures long-lasting use.

**TECHNICAL FEATURES**

Overall Sink Size (OD)	33" x 22"
Bowl Size (ID)	29 1/8" x 18 1/8" x 16 1/8"
Bowl Depth (D)	9" / 8"
Cabinet Width	255 mm
Minimum Cabinet Size	36"
Installation Type	Dual Mount
Weight	42 lbs
Warranty	Limited Lifetime

**AVAILABLE FINISHES**

EOOX33229-1	Onyx
EOOB33229-1	Mocha
EOOC33229-1	Oyster
EOCH33229-1	Champagne
EOSG33229-1	Stone Grey
EOPW33229-1	Polar White

**OPTIONAL ACCESSORIES**

Bottom Grid	FPG1316 & FPG0314
Anti-Accessory System	400.100 / AU/S200 / AU/S300
Cabinet Shrover	900.300
Strainer Assembly	1145 / 1145SN

**Product Catalog**  
Stainless Steel  
Composite Granite  
Tectonite®  
Accessories  
[www.franke.us/ks](http://www.franke.us/ks)

FRANKE

**FRANKE**

Enhancing the simple moments of your everyday life...

**Product Catalog**  
Stainless Steel  
Composite Granite  
Tectonite®  
Accessories  
[www.franke.us/ks](http://www.franke.us/ks)

[\[pdf\]](#) **Specifications** **Warranty** **Accessories**

Specification Sheets Ellipse EO33229 1 Spec Sheet 2022 franke content dam us en home solutions documents1 spec sheets sinks ellipse |||

**ELLIPSE GRANITE 33 SINGLE BOWL SINK Model EO33229-1 Maximum durability** meets efficient design in ... ype Dual Mount Weight 42 lbs Warranty Limited Lifetime

**AVAILABLE FINISHES** EOOX33229-1 Onyx **EODB33229-1** Mocha EOOY33229-1

Oyster EOCH33229-1 Champagne EOSG33229-1 Stone Grey EOPW33229-...

lang:en **score:19** filesize: 424.71 K page\_count: 1 document date: 2022-08-04

[\[pdf\]](#) **Declaration of Conformity** **Accessories Catalog**

FRANKE SGR3322 1 100093407 McLendon Hardware 100068639 Catalog assets unilogcorp 187 ITEM DOC |||

Quality. Innovation. Value. From Franke, the world's foremost innovator of intelligent kitchen syst ... Mocha FPO3322-1 Onyx FPW3322-1 White Shown in Champagne

**DUAL MOUNT** EOCH33229-1 Champagne **EODB33229-1** Mocha EOOX33229-1

Onyx Shown in Onyx **DUAL MOUNT** Minimum Cabinet Width: 36 Comes...

lang:en **score:18** filesize: 4.94 M page\_count: 44 document date: 2013-03-14

**FRANKE**

**COLLECTIONS 2024**

[\[pdf\]](#) **User Manual** **Accessories** **Borchure** **Catalog**

V ol 202 4 2025 13 feb 2024 — \*Always refer to the installation manual Polished Chrome TIGE CUBE R E G A T 903 INOX CREAM UV 36RM Sinks and Franke CA English franke content dam ca en home solutions documents catalogs brochures core |||

**FAMILIES** 12 Mythos 20 Maris **PRODUCT CATEGORIES** Sinks 32 Stainless Steel

110 Granite 152 Fireclay Fa ... 9.568 795 Champagne EOCH33229-1-CA

114.0296.196 795 Oyster EOOY33229-1-CA 114.0637.940 795 Mocha **EODB33229-1-CA** 114.0296.195 795 O1 Bottom Grid 11 x 14 Stainless FBGG1114 112.0185.330 155 O2 ...

lang:en **score:18** filesize: 31.6 M page\_count: 136 document date: 2024-02-13

Ellipse EODB33229-1 Granite Mocha Kitchen Sink  
 Maximum durability meets efficient design in the Ellipse Granite series. Available in several configurations, there's an ellipse sink perfect for your space.  
 FEATURES  
 • Easy to Maintain: Made from 80% quartz and 20% natural granite, granite sinks are durable, resistant to stains, and easy to clean. The natural stone grain adds a touch of elegance to any kitchen.  
 • Hygienic: Our integrated antimicrobial SunGuard technology helps to keep your granite granite sink a clean space. Reduces odors and reduces daily protection against bacteria are all included in our sink.  
 • Quick and Easy Installation: Our Ellipse sinks are designed for a quick and easy drop-in installation. No need for a professional plumber.  
 • Dual Mount Installation: Provides versatility, installing as a undermount or a drop-in with an integrated sink and faucet.  
 • Available in: Freshwater, Oyster, Mocha, Onyx, Charcoal, Stone Grey, Polar White.

Product Picture	Product Dimensions
	Length overall: 34" Width overall: 22" Length of base bowl: 13 1/2" Width of base bowl: 19" Depth of base bowl: 9" Length of small bowl: 12" Width of small bowl: 14 1/8" Depth of small bowl: 8" Minimum Cabinet Size: 30"
General Information	
Type of Material:	Granite
Number of bowls:	2
Front- or rear-mounted:	Front-scored
Installation Options:	Yes
Cut Out Template:	

FRANKE

Franke Home Solutions | 27.05.2022 | 1/2

[\[pdf\]](#)

Spec SheetFranke Ellipse EODB33229 1 Granite Mocha Kitchen Sink — RiseFranke spec sheetcdn shopify s files 0513 0564 4209 Franke sheet v 1653652819 |||

Franke Home Solutions 27.05.2022 1 / 2 Franke Home Solutions 27.05.2022 2 / 2 ...

lang:en **score:17** filesize: 499.88 K page\_count: 2 document date: 2022-05-27




[\[pdf\]](#) Accessories Borchure Catalog

Untitled 2023 Franke Collection CA EN franke content dam ca en home solutions documents catalogs and brochures core |||

COLLE CTIONS 2023 2 2023 Collection COLLECTIONS 2023 FAMILIES 12 Mythos 20 Maris PRODUCT ... 7.797 755 Champagne EOCH33229-1-CA 114.0296.196 755 Oyster EOOY33229-1-CA 114.0637.940 755 Mocha **EODB33229-1-CA** 114.0296.195 755 O1 Bottom Grid 11 x 14 Stainless FBGG1114 112.0185.330 145 O2 ...

lang:en **score:13** filesize: 28.23 M page\_count: 134 document date: 2023-06-26



[\[pdf\]](#) Accessories Catalog

Franke PKG12 36RM Catalog markssupply ca ASSETS DOCUMENTS ITEMS EN |||

2017 COLLECTION 2 franke.us/ks MAKE IT WONDERFUL DISCOVER THE

WONDERS OF A FRANKE KITCHEN At Fran ... ipse Granite Ellipse Granite 18 7/8 16 7/8 22 ELLIPSE EOOX33229-1 1 faucet hole; 3 predrilled **EODB33229-1** 1 faucet hole; 3 predrilled EOCH33229-1 1 faucet hole; 3 predrilled Onyx 519 Moc...

lang:en **score:13** filesize: 22.51 M page\_count: 127 document date: 2016-12-20



[\[pdf\]](#) Reference Guide Accessories Borchure Catalog

Catalogs Brochures 2022 Franke Catalog Spreads franke content dam us en home solutions documents1 catalogs and brochures core ||| ||| Franke Kitchen Systems, LLC 800 Aviation Parkway Smyrna, TN 37167 800-626-5771 franke.us Part No. FCAT0222 Print 2/2022 2022 Franke Kitchen Systems, LLC All rights reserved. Printe

Franke Kitchen Systems, LLC 800 Aviation Parkway Smyrna, TN 37167 800-626-5771 franke.us Part No. FC ... SN 33 xxxx 9 DEEP 14 1/4 9 DEEP 14 1/4 Ellipse Granite EOOX33229-1 4 pre-scored faucet holes **EODB33229-1** 4 pre-scored faucet holes EOCH33229-1 4 pre-scored faucet holes EOSG33229-1 4 pre-s...

lang:en **score:13** filesize: 12.91 M page\_count: 159 document date: 2022-09-08

[\[pdf\]](#) Reference Guide Declaration of Conformity Accessories Catalog



Franke Kitchen Systems LLC 800 Aviation Parkway Smyrna TN Making something wonderful rarely happens overnight and has been pushing the boundaries for over 100 years Founded in 1911 was built on a FRANKE AG150 Catalogassets unilogcorp 267 ITEM DOC FRANKE Catalog |||

Franke Kitchen Systems, LLC 800 Aviation Parkway Smyrna, TN 37167 800-626-5771 franke.us Part No. FC ... SN 33 xxxx 9 DEEP 14 1/4 9 DEEP 14 1/4 Ellipse Granite EOX33229-1 4 pre-scored faucet holes **EODB33229-1** 4 pre-scored faucet holes EOCH33229-1 4 pre-scored faucet holes EOSG33229-1 4 pre-s...

lang:en **score:13** filesize: 12.91 M page\_count: 159 document date: 2022-09-08



[\[pdf\]](#) Accessories Catalog

2021 COLLECTION PF Valente Associates Inc 14 mar — Dispensers Filtration Faucets Granite Sinks Fireclay FRANKE US 3 2 Collection On the cover PTX110 28 sink with FFPD4450 faucet

2021FrankeCatalogUSA pfvalente manufacturers franke |||

2021 COLLECTION Quick Reference Accessories Waste Disposers Soap Dispensers Filtration Faucet ... Dual Mount EDCH33229-1 33 9 DEEP 14 1/4 9 DEEP 14 1/4 EOX33229-1 1 faucet hole; 3 predrilled **EODB33229-1** 1 faucet hole; 3 predrilled EOCH33229-1 1 faucet hole; 3 predrilled NEW EOSG33229-1 ...

lang:en **score:13** filesize: 20.66 M page\_count: 194 document date: 2021-01-25



[\[pdf\]](#) Reference Guide Declaration of Conformity Warranty Accessories Catalog

2022 Collection UnilogFWDJ75B \$645 e HP Disposer FEATURES AND BENEFITS Horsepower Feed Continuous RPM 2700 Silverguard® Warranty 10 Year Bio Shield® FRANKE MA 40S Catalogassets unilogcorp 267 ITEM DOC FRANKE Catalog |||

2C0o2II2ection RefQeuriecnkce Accessories DisWpaossteers DisSpoeanspers Filtration Faucets F ... resents designation for the color code Ellipse Granite EOX33229-1-CA 4 pre-scored faucet holes **EODB33229-1-CA** 4 pre-scored faucet holes EOCH33229-1-CA 4 pre-scored faucet holes EOSG33229-1-CA...

lang:en **score:12** filesize: 13.52 M page\_count: 160 document date: 2022-04-28



[\[pdf\]](#) Accessories Borchure

2021 COLLECTION Franke 02 16 — design that fits over the edge of sink to direct water back into Pictured PRX11021 CA with FF3450 faucet and SD 580N soap dispenser CANADA English force true franke content dam corporate ca en ks brochures |||

2021 COLLECTION RefQeuriecnkce Accessories DisWpaossteers DisSpoeanspers Filtration Faucets ... 9 22.9 cm DEEP 14 1/4 36.2 cm Ellipse Granite EOX33229-1-CA 1 faucet hole; 3 predrilled **EODB33229-1-CA** 1 faucet hole; 3 predrilled EOCH33229-1-CA 1 faucet hole; 3 predrilled NEW EOSG33...

lang:en **score:12** filesize: 10.44 M page\_count: 147 document date: 2021-02-04



[\[pdf\]](#) Accessories Borchure Catalog

Catalogs Brochures 2023 Franke USA V3 4 26 23 franke content dam us en home solutions documents1 catalogs and brochures core |||

COLLE CTONS 2023 2 2023 Collection COLLECTIONS 2023 FAMILIES 12 Mythos 20 Maris PRODUCT ... 14.0697.797 640 Champagne EOCH33229-1 114.0167.355 640 Oyster EOOY33229-1 114.0637.900 640 Mocha **EODB33229-1** 114.0155.299 640 O1 Bottom Grid 11 x 14 Stainless FBGG1114 112.0185.330 130 O2 Bot... lang:en **score:12** filesize: 36.74 M page\_count: 236 document date: 2023-04-26



[\[pdf\]](#) Specifications Warranty

FrankeUSA PrList 8 19 11 qxp Layout 1 Shelley Carpenter frankeusa s3322 specsheet 12 14 13 ed33229 3 4 5 s2 img b 80 build mediabase specifications 798677 s1

QUALITY, INNOVATION VALUE FRANKEUSA FrankeUSA products are all about quality, innovation and val ... ow holes to be added on-site FBGG1014 65.00 FBGG1316 75.00 EOOX33229-1 - Onyx FUN# 114.0087.734 **EODB33229-1** - Mocha FUN# 114.0155.299 EOCH33229-1 - Champagne FUN# 114.0167.355 Dual Installation ...

lang:en **score:10** filesize: 2.15 M page\_count: 20 document date: 2011-09-15



[\[pdf\]](#) Specifications Warranty

FrankeUSA PrList 8 19 11 qxp Layout 1 Shelley Carpenter frankeusa The newly redesigned sinks have smaller radius corners resulting in larger bowl capacity These provide up to 13% more usable frankeusa fss604nb specsheet 21s1 img b build mediabase specifications frankeusa 798671 21 |||

QUALITY, INNOVATION VALUE FRANKEUSA FrankeUSA products are all about quality, innovation and val ... ow holes to be added on-site FBGG1014 65.00 FBGG1316 75.00 EOOX33229-1 - Onyx FUN# 114.0087.734 **EODB33229-1** - Mocha FUN# 114.0155.299 EOCH33229-1 - Champagne FUN# 114.0167.355 Dual Installation ...

lang:en **score:10** filesize: 2.15 M page\_count: 20 document date: 2011-09-15