

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Frost King](#) /

› [Frost King 1000'L Bulk Manual Roll Out Drain Away User Manual](#)

### Frost King 4202-5502

## Frost King 1000'L Bulk Manual Roll Out Drain Away

Model: 4202-5502

### 1. PRODUCT OVERVIEW

---

The Frost King 1000'L Bulk Manual Roll Out Drain Away is a versatile and durable solution designed for efficient water management. This non-perforated tubing is ideal for directing water away from structures, managing runoff, or lining low-flow irrigation ditches. Its robust construction ensures longevity and ease of use.



Image: A large roll of green, flexible drain tubing, partially unrolled to show its flat, collapsible nature.

## 2. PACKAGE CONTENTS

---

Verify that all components are present in the package:

- 1000'L Bulk Manual Roll Out Drain Away, Green

*Note: Additional fastening materials such as twist ties or cable ties are not included and must be acquired separately.*

## 3. KEY FEATURES

---

- **Non-perforated Tubing:** Ensures efficient water conveyance without seepage.
- **UV Inhibited Polyethylene Construction:** Provides durability and resistance to environmental degradation.
- **Versatile Fit:** Accommodates maximum 15" circumference, plus 2" x 3", 3" x 4", and 4" round downspouts or outlets.
- **Easy Installation:** Designed for straightforward setup using common fastening methods.

- **Seasonal Storage:** Recommended to remove and store during freezing temperatures to prolong product life.

## 4. SETUP INSTRUCTIONS

---

1. **Prepare the Area:** Clear the path where the drain tubing will be laid. Ensure the ground is relatively level or sloped appropriately for water flow.
2. **Unroll the Tubing:** Carefully unroll the desired length of the drain tubing from the bulk roll.
3. **Connect to Source:** Attach the tubing to the water source (e.g., downspout, drain outlet). The tubing is designed to fit various shapes including maximum 15" circumference, 2" x 3", 3" x 4", and 4" round outlets.
4. **Secure the Tubing:** Fasten the tubing securely to the water source using twist ties, cable ties, or other appropriate securing methods (not included). Ensure a snug fit to prevent leaks at the connection point.
5. **Position the Tubing:** Lay the tubing along the desired path, ensuring it is positioned to effectively direct water away from the area you wish to protect. For optimal drainage, maintain a slight downward slope if possible.

## 5. OPERATING GUIDELINES

---

Once installed, the Frost King Drain Away tubing operates passively by gravity, directing water flow. No active operation is required.

- **Water Diversion:** The non-perforated design ensures that water is contained within the tubing and directed to a desired discharge point, preventing saturation of unwanted areas.
- **Monitoring:** Periodically check the tubing during heavy rainfall to ensure water is flowing freely and there are no blockages or disconnections.

## 6. MAINTENANCE

---

- **Regular Inspection:** Inspect the tubing periodically for any signs of damage, punctures, or blockages.
- **Cleaning:** If debris accumulates inside the tubing, flush it with water to clear the obstruction.
- **Winter Storage:** During freezing temperatures, it is highly recommended to remove the tubing, drain any residual water, and store it in a dry, protected area to prevent damage from ice expansion.
- **Repair:** Small punctures may be repaired using appropriate waterproof tape or patching kits designed for polyethylene materials.

## 7. TROUBLESHOOTING

---

Problem	Possible Cause	Solution
Water not flowing or backing up	Blockage inside tubing; insufficient slope; tubing kinked.	Clear any debris; adjust tubing position to ensure proper slope; straighten any kinks.
Tubing leaks	Puncture or tear; loose connection at source.	Inspect for damage and repair with waterproof tape; re-secure connection point.
Tubing blows around in wind	Not adequately secured along its length.	Use additional stakes, weights, or ties to secure the tubing at intervals along its path.

## 8. SPECIFICATIONS

---

<b>Model Number</b>	4202-5502
<b>Material</b>	Polyethylene (PE)
<b>Color</b>	Green
<b>Product Dimensions</b>	1" L x 1" W (when flat, before unrolling)
<b>Item Length</b>	1000 Feet
<b>Item Weight</b>	0.01 Ounces (Note: This weight may refer to a sample or packaging; the full 1000ft roll will weigh more.)
<b>UPC</b>	077578057583
<b>Manufacturer</b>	THERMWELL PRODUCTS CO INC
<b>Date First Available</b>	October 2, 2011

## 9. WARRANTY AND SUPPORT

For specific warranty information and customer support regarding your Frost King 1000'L Bulk Manual Roll Out Drain Away, please contact the manufacturer directly:


**Manufacturer:** THERMWELL PRODUCTS CO INC

Refer to the product packaging or the manufacturer's official website for the most current contact details and warranty terms.

© 2024 Frost King. All rights reserved.

### Related Documents - 4202-5502

	<p><a href="#"><u>KING INDUSTRIAL H-1000L Wood Lathe User Manual and Operation Guide</u></a></p> <p>Comprehensive user manual for the KING INDUSTRIAL H-1000L Wood Lathe, covering assembly, operation, safety, electrical requirements, and limited warranty information. Includes parts identification and operational adjustments.</p>
	<p><a href="#"><u>Cisco NCS 4202 Hardware Installation Guide</u></a></p> <p>Comprehensive guide for installing Cisco NCS 4202 Network Convergence Systems, covering site preparation, hardware mounting, connections, and initial configuration for network access platforms.</p>
	<p><a href="#"><u>Granberg EX 4202 Touchscreen Compatible Assembly Winter Gloves   ART. 107.4202</u></a></p> <p>Durable, touchscreen-compatible winter assembly gloves from Granberg (ART. 107.4202) featuring MicroSkin Shield, PROTEX™ membrane, and fleece lining for cold weather protection. Compliant with EN 388, EN 511, and EN ISO 21420 standards.</p>

 <p><b>POWER KING</b> OWNER'S MANUAL AND OPERATIONS GUIDE <b>WARNING:</b> This product contains a lead-acid battery which contains Cadmium, an ingredient known to the State of California to cause cancer and birth defects or other reproductive harm. For recycling information, go to <a href="http://www.PowerKing.org">www.PowerKing.org</a> © 2018 E-Z-GO COMMERCIAL INC. ALL RIGHTS RESERVED.</p>	<p><a href="#"><u>Power King PK0803-GTB Stump Grinder Owner's Manual and Operations Guide</u></a></p> <p>This guide provides comprehensive instructions for operating, maintaining, and troubleshooting the Power King PK0803-GTB Stump Grinder with Green Teeth Compatible Wheel. It includes safety precautions, operational procedures, fuel and oil specifications, maintenance guidelines, transportation information, and a detailed parts list.</p>
	<p><a href="#"><u>W-KING D8 Outdoor Wireless Speaker User Manual</u></a></p> <p>User manual for the W-KING D8 Outdoor Wireless Speaker, covering features like Bluetooth pairing, audio input, phone charging, TWS pairing, controls, LED indicators, product care, and FCC compliance.</p>
 <p><b>ENSTO</b> ECO500  ENSTO ECO500 Frost Protection Thermostat - Installation and Operating Instructions ENSTO ECO500 is an electronic thermostat designed for frost protection of pipes and drain pipes. This document provides installation, operation, safety, and technical specifications.</p>	<p><a href="#"><u>Ensto ECO500 Frost Protection Thermostat - Installation and Operating Instructions</u></a></p> <p>ENSTO ECO500 is an electronic thermostat designed for frost protection of pipes and drain pipes. This document provides installation, operation, safety, and technical specifications.</p>