

[Manuals+](#)

[Q & A](#) | [Deep Search](#) | [Upload](#)

Canarm IOL156BK

Canarm IOL156BK Treehouse 3-Light Outdoor Post-Light User Manual

Model: IOL156BK | Brand: Canarm

PRODUCT OVERVIEW

The Canarm IOL156BK Treehouse 3-Light Outdoor Post-Light is designed to add welcoming illumination and character to the exterior of your home. This post lamp features a transitional style with a black finish and clear glass, suitable for various outdoor settings. It requires three 100W Type A bulbs (not included).



Figure 1: Front view of the Canarm IOL156BK Treehouse 3-Light Outdoor Post-Light, showcasing its black finish and clear glass lanterns.

SAFETY INFORMATION

Always follow basic safety precautions when installing, operating, and maintaining electrical fixtures. Failure to do so may result in fire, electric shock, or personal injury.

- Ensure power is turned off at the circuit breaker before installation or maintenance.
- Consult a qualified electrician if you are unsure about the installation process.
- Use only bulbs of the specified wattage and type (3 x 100W Type A).
- This fixture is rated for wet locations, but proper sealing during installation is crucial.
- Do not attempt to modify the fixture.

PACKAGE CONTENTS

Verify that all components are present before beginning installation. If any parts are missing or damaged, do not proceed with installation and contact Canarm customer support.

- Post Light Fixture (Main Assembly)
- Clear Glass Panels (Pre-installed or separate, verify upon unboxing)
- Mounting Hardware (Included Components)
- Instruction Manual (This document)

Note: Bulbs are not included and must be purchased separately.

SETUP AND INSTALLATION

This outdoor post light requires a stable base for installation. Professional installation is recommended for optimal safety and performance, especially if a new concrete base is required.

Tools Required (Not Included):

- Screwdriver (Phillips and Flathead)
- Wire Strippers
- Electrical Tape
- Adjustable Wrench
- Safety Glasses
- Work Gloves

Installation Steps:

1. **Prepare the Installation Area:** Ensure the power supply to the installation location is turned off at the main circuit breaker. Clear the area around the existing post or prepare a new concrete base according to local building codes.
2. **Mount the Fixture:** Secure the post light base to the prepared mounting surface using the provided mounting hardware. Ensure the fixture is level and stable.
3. **Wire the Fixture:** Connect the electrical wires from the fixture to the main power supply wires according to standard electrical codes (black to black, white to white, ground to ground). Use wire nuts to secure connections and electrical tape for added insulation.
4. **Install Bulbs:** Carefully screw three 100W Type A incandescent bulbs (or equivalent LED/CFL bulbs) into the sockets.
5. **Secure Glass Panels (if applicable):** If glass panels are not pre-installed, carefully insert them into the fixture's lantern sections.
6. **Test Operation:** Restore power at the circuit breaker and test the light fixture.



Figure 2: The Canarm IOL156BK post light installed in an outdoor setting, demonstrating its aesthetic integration into a home's exterior.

OPERATING INSTRUCTIONS

The Canarm IOL156BK Treehouse Post-Light operates via a standard electrical switch (Push Button Switch Type, as per specifications) connected to its power source. There are no complex controls or settings on the fixture itself.

- **Turning On/Off:** Use the wall switch or external timer/sensor connected to the light's circuit to turn the light on or off.
- **Bulb Replacement:** To replace bulbs, ensure power is off at the circuit breaker. The bottom of the light "globe" is open, allowing for easy access to change light bulbs. Unscrew the old bulb and screw in a new 100W Type A bulb (or equivalent).



Figure 3: A close-up view of one of the light fixtures, illustrating the clear glass and the bulb socket for easy replacement.

MAINTENANCE

Regular maintenance will help preserve the appearance and functionality of your outdoor post light.

- **Cleaning:** Periodically clean the fixture with a soft, damp cloth. Avoid abrasive cleaners or solvents that could damage the finish or glass. Ensure the power is off before cleaning.
- **Bulb Check:** Inspect bulbs regularly and replace them as needed.
- **Structural Integrity:** Occasionally check the mounting and overall structure for any signs of loosening or damage. Tighten screws if necessary.
- **Glass Condition:** Inspect glass panels for cracks or damage. Replace if necessary to maintain weather resistance.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Light does not turn on.	No power to the fixture. Loose wiring connection. Faulty bulb. Faulty switch.	Check circuit breaker. Verify all wire connections are secure (power off first). Replace bulb. Test or replace switch.
Light flickers.	Loose bulb. Loose wiring. Incorrect bulb type/wattage.	Tighten bulb. Check wiring connections (power off first). Ensure correct bulb type and wattage are used.
Water inside fixture.	Improper sealing during installation. Damaged glass or seals.	Re-seal connections and mounting points. Inspect and replace damaged glass or seals.

If the problem persists after attempting these solutions, contact a qualified electrician or Canarm customer support.

SPECIFICATIONS

Attribute	Detail
Brand	Canarm
Model Number	IOL156BK
Style	Treehouse

Attribute	Detail
Color	Black
Material	Steel/Aluminum Diecast
Product Dimensions (H x W x D)	82" H x 28.5" W x 28.5" D
Indoor/Outdoor Usage	Outdoor
Power Source	Corded Electric
Installation Type	Semi Flush Mount
Light Source Type	Incandescent
Shade Material	Glass (Clear)
Number of Light Sources	3
Voltage	120 Volts
Bulb Base	E26 Medium
Max Wattage per Bulb	100W (Type A)
Water Resistance Level	Water Resistant (Rated for wet locations)
Assembly Required	No (Fixture is Non Removable)
Item Weight	17.21 pounds
UPC	062345276830, 735090178772

WARRANTY AND SUPPORT

The Canarm IOL156BK Treehouse 3-Light Outdoor Post-Light comes with a **1-year warranty** from the date of purchase. This warranty covers defects in materials and workmanship under normal use.




For warranty claims, technical support, or missing parts, please contact Canarm customer service. Keep your proof of purchase for warranty validation.

Canarm Customer Support:


- Visit the official Canarm website for contact information.
- Refer to the packaging or included documentation for specific contact details.

Note: The warranty does not cover damage caused by improper installation, misuse, accidents, or unauthorized modifications.

Related Documents

	<p>Canarm LED Surface Mount Light Installation Instructions</p> <p>Comprehensive installation guide for Canarm LED Surface Mount Lights, including models DL-11C-15FC, DL-11C-22FC, DL-15A-30FC, and DL-15C-30FC. Covers safety precautions, maintenance, preparation, and step-by-step assembly.</p>
	<p>CANARM XFS Light Commercial Wall Exhaust Fans Instruction Manual</p> <p>Comprehensive instruction manual for CANARM XFS series light commercial wall exhaust fans, covering installation, operation, maintenance, specifications, and warranty information.</p>
	<p>Canarm Commercial Circulating Fans - PBKD, WMKD, CCU Series</p> <p>Explore Canarm/LFI's high-velocity commercial circulating fans, including PBKD, WMKD, and CCU series. Features include 3-speed motors, durable construction, and various mounting options for efficient air movement.</p>
	<p>Canarm DC Industrial Ceiling Fan - Features, Specifications, and Controls</p> <p>Explore the features, specifications, and control options for Canarm's DC Industrial Ceiling Fans. Learn about their energy efficiency, performance, and installation requirements, including the necessary RREM-DCQ014-W wall control.</p>

Documents - Canarm – IOL156BK



TREE HOUSE
3 Light Outdoor Lantern
part # IOL156BK

General
Size of fixture: 28 1/2" W x 82" H
Finish: Black
Glass: clear glass
Size of glass: 3 3/8" W x 6 3/4" H
Lamping: 3x 100W A-bulb (not included)
Mounting: standard

Dimensions
Cable size: 17.72" x 17.72" x 22.00" (45 x 45 x 56mm)
Made in: USA
Pieces per master: 1
Weight: 25.4 lbs.

Warranty, & Sales, & Returns
Warranty: 1 year
CSA/UL

Prepared for: _____
Contact: _____
Date: _____
Prepared by: _____
Review: _____

[\[pdf\] Warranty](#)

Cutsheet IOL156BK canarm 80 UserFiles Documents Product

TREE HOUSE 3 Light Outdoor Lantern part # **IOL156BK** CANARM LTD. PO Box 367, 2157 Parkedale Avenue, Brockville, Ontario K6V5V6 Tel: 613-342-5424 Fax: 1-800-263-4598 2555 Rue Bernard Lefebvre, Laval, Quebec H7C 0A5 Tel: 1-450-665-2535 Fax: 1-450-665-1910 808 Commerce Park Drive, Ogdensburg, New Yo...
lang:en score:36 filesize: 189.71 K page_count: 1 document date: 2013-09-05

CANARM

**TREE HOUSE
3 Light Outdoor Lantern**
part # IOL156BK

CANARM LTD.
P.O. Box 367, 2157 Parkedale Avenue, Brockville, Ontario K6V5V6
Tel: 613-342-5424 | Fax: 1-800-263-5424
2555 Rue Bernard Lefebvre, Laval, Quebec H7C 0A5
Tel: 1-450-665-2535 | Fax: 1-450-665-2535
808 Commerce Park Drive, Ogdensburg, New York, USA 13626
Tel: 1-450-665-2535 | Fax: 1-450-665-2535
www.canarm.com

Details
Size of fixture: 28 1/2" W x 82" H
Finish: Black
Glass: clear glass
Size of glass: 3 3/8" W x 8 3/4" H
Lamping: 3 x 100W A bulbs (not included)
Mounting: downlight

Dimensions
Cable box: 17 1/2" x 17 1/2" x 22 1/2" (442 x 442 x 569mm)
Cable box weight: 26.4 lbs (12.0 kg)
Master box: N/A

Warranty & Safety
Warranty: 1 year
UL/ETL
Suitable for wet locations

Prepared for:
Contact:
Date:
Prepared by:
Revised:

WARNING: The use of this product on water or in wet locations requires special attention. Read the instructions carefully. Do not use this product in wet locations unless it is specifically designed for such use. For more information, please contact your local distributor or the manufacturer.



[\[pdf\]](#) Warranty

Download harmonizedhome IOL156BK 3 Light 82 Inch Matte Black And Clear Glass Treehouse Outdoor Post at Sutherlands Cutsheet canarm media assets product documents |||

TREE HOUSE 3 Light Outdoor Lantern part #**IOL156BK** CANARM LTD. PO Box 367, 2157 Parkedale Avenue, Brockville, Ontario K6V5V6 Tel: 613-342-5424 Fax: 1-800-263-4598 2555 Rue Bernard Lefebvre, Laval, Quebec H7C 0A5 Tel: 1-450-665-2535 Fax: 1-450-665-0910 808 Commerce Park Drive, Ogdensburg, New Yo...
lang:en score:32 filesize: 194.22 K page_count: 1 document date: 2019-10-17

CANARM

**TREE HOUSE
3 Light Outdoor Lantern**
part # IOL156BK

CANARM LTD.
P.O. Box 367, 2157 Parkedale Avenue, Brockville, Ontario K6V5V6
Tel: 613-342-5424 | Fax: 1-800-263-5424
2555 Rue Bernard Lefebvre, Laval, Quebec H7C 0A5
Tel: 1-450-665-2535 | Fax: 1-450-665-2535
808 Commerce Park Drive, Ogdensburg, New York, USA 13626
Tel: 1-450-665-2535 | Fax: 1-450-665-2535
www.canarm.com

Details
Size of fixture: 28 1/2" W x 82" H
Finish: Black
Glass: clear glass
Size of glass: 3 3/8" W x 8 3/4" H
Lamping: 3 x 100W A bulbs (not included)
Mounting: downlight

Dimensions
Cable box: 17 1/2" x 17 1/2" x 22 1/2" (442 x 442 x 569mm)
Master box: N/A
Pieces per master: 1
Shipping: 26.4 lbs

Warranty & Safety
Warranty: 1 year
UL/ETL
Suitable for wet locations

Prepared for:
Contact:
Date:
Prepared by:
Revised:



[\[pdf\]](#) Specifications Warranty

Specification SheetCanarm IOL156BK Treehouse 3 Light 82 High Outdoor Post Ferguson Homecanarm iol156 specification sheets1 img b build mediabase specifications canarm 1283128 sheet |||

TREE HOUSE 3 Light Outdoor Lantern part #**IOL156BK** CANARM LTD. PO Box 367, 2157 Parkedale Avenue, Brockville, Ontario K6V5V6 Tel: 613-342-5424 Fax: 1-800-263-4598 2555 Rue Bernard Lefebvre, Laval, Quebec H7C 0A5 Tel: 1-450-665-2535 Fax: 1-450-665-1910 808 Commerce Park Drive, Ogdensburg, New Yo...
lang:en score:32 filesize: 189.71 K page_count: 1 document date: 2013-09-05