

EARTHQUAKE Q10B

EARTHQUAKE Sound Q10B Tactile Transducer Instruction Manual

Model: Q10B | Brand: EARTHQUAKE Sound

1. INTRODUCTION

The EARTHQUAKE Sound Q10B is a low-frequency effects tactile transducer designed to enhance immersive experiences in home theater, gaming, and virtual reality (AR/VR) systems. This device allows users to physically feel low-frequency audio, adding a new dimension to digital entertainment. The Q10B features premium grade neodymium magnets and patented technology for powerful, accurate, and sensitive tactile feedback.

2. PACKAGE CONTENTS

Please verify that all items are present in your package:

- Q10B Tactile Transducer
- Mounting Bracket
- Mounting Hardware
- Product Manual (this document)
- Warranty Information

3. SAFETY INFORMATION

Read all instructions before operating the device. Keep this manual for future reference.

- **Electrical Safety:** Ensure the device is connected to an appropriate power source as specified in the technical data. Avoid exposing the device to water or excessive moisture.
- **Placement:** Mount the transducer securely to a stable surface to prevent accidental detachment during operation.
- **Ventilation:** Ensure adequate airflow around the unit to prevent overheating. Do not block ventilation openings.
- **Handling:** Handle the device with care. Avoid dropping or subjecting it to strong impacts.
- **Proposition 65 Warning:** This product may expose you to chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov.

4. SETUP

4.1 Mounting the Q10B

The Q10B is designed for universal mounting to various seating types, including theater chairs, recliners, sofas, or gaming chairs. A mounting bracket and hardware are included for direct attachment.

General Mounting Guidelines:

- Identify a strong, stable joist or brace within the furniture structure for secure attachment.
- Use the provided mounting bracket and hardware to firmly secure the Q10B.
- Ensure the transducer is mounted in a location that maximizes vibration transfer to the user without causing structural damage to the furniture.



Figure 1: Q10B Tactile Transducer with Mounting Bracket.

For optimal performance, ensure the mounting surface is solid and free from any obstructions that could dampen vibrations.




Figure 2: Recommended mounting position on seating structure.

An optional PB-1 Torque Amplification Bracket (sold separately) can be used for enhanced performance and mounting flexibility.



Figure 3: Optional PB-1 Torque Amplification Bracket.

4.2 Electrical Connections

The Q10B Tactile Transducer requires connection to an amplifier capable of delivering 40-1000 Watts of power into an 8-Ohm load. Connect the transducer to the low-frequency output (e.g., subwoofer output) of your audio system or amplifier using appropriate speaker wire.

Connection Steps:

1. Ensure your amplifier is powered off before making any connections.
2. Connect the positive (+) terminal of the Q10B to the positive (+) terminal of the amplifier's low-frequency output.
3. Connect the negative (-) terminal of the Q10B to the negative (-) terminal of the amplifier's low-frequency output.
4. Verify all connections are secure to prevent short circuits or signal loss.

For a visual guide on connecting a tactile transducer, please refer to the video below:

Video 1: Overview of a Bass Shaker Tactile Subwoofer Transducer, demonstrating general connection principles. (Source: Douk Audio Direct)

Another general product overview for a similar tactile transducer is provided here:

Video 2: BST-1 Product Overview, showing general features and potential installation methods for tactile transducers. (Source: Parts Express)

5. OPERATING THE Q10B

Once properly installed and connected, the Q10B will convert low-frequency audio signals into physical vibrations. This allows you to feel the bass and effects from your audio content, enhancing immersion without necessarily increasing audible volume.

- **Audio Source:** The Q10B responds to low-frequency audio from movies, music, and games.
- **Adjusting Intensity:** The intensity of the tactile feedback is controlled by the volume level of the low-frequency output from your amplifier. Start with a low setting and gradually increase it to your preferred level.
- **Optimized Experience:** The Q10B is particularly effective for AR/VR systems, gaming simulations, and cinematic special effects, providing a realistic physical response to on-screen or in-game events.

6. MAINTENANCE

The Q10B Tactile Transducer features a maintenance-free design with a rugged aluminum alloy construction for thermal stability. It contains only one moving part and integrated thermal protection circuitry.

- **Cleaning:** Use a soft, dry cloth to clean the exterior of the unit. Do not use liquid cleaners or solvents.
- **Inspection:** Periodically check the mounting hardware and electrical connections to ensure they remain

secure.

- **Storage:** If storing the unit for an extended period, keep it in a cool, dry place away from direct sunlight and extreme temperatures.

7. TROUBLESHOOTING

If you experience issues with your Q10B Tactile Transducer, please refer to the following common solutions:

- **No Vibration:**

- Check all electrical connections between the transducer and the amplifier. Ensure they are secure and correctly polarized (+ to + and - to -).
- Verify that the amplifier is powered on and receiving an audio signal.
- Confirm that the amplifier's volume for the low-frequency output is turned up.
- Ensure the audio source contains sufficient low-frequency content.

- **Weak Vibration:**

- Increase the volume level of the low-frequency output from your amplifier.
- Check the mounting. A loose mount or an unsuitable mounting surface can reduce vibration transfer. Ensure the transducer is firmly attached to a solid part of the furniture.

- **Distorted Vibration:**

- Reduce the amplifier's volume. Overdriving the transducer can cause distortion.
- Ensure the amplifier's output impedance matches the transducer's 8-Ohm impedance.

If the problem persists after attempting these steps, please contact customer support.

8. SPECIFICATIONS

Feature	Detail
Model Name	Q10B
Brand	EARTHQUAKE
Mounting Type	Universal
Material	Aluminum
Speaker Type	Gaming or home theater tactile transducer
Special Feature	Optimized for use with AR/VR systems, Universal Mount
Recommended Uses	For Gaming Consoles, Music Players, Surround Sound Systems, Televisions, AR/VR systems
Compatible Devices	Universal
Surround Sound Channel Configuration	5.1
Color	Silver
Product Dimensions	3.54"D x 6.22"W x 3.54"H

Item Weight	5.08 Pounds
Waterproof	No
Control Method	Touch
Wireless Communication Technology	No Wireless Communication Technology
Speaker Size	2 Inches
Power Source	Corded Electric
Woofer Diameter	6.22 Inches
Audio Driver Type	Dynamic Driver
Subwoofer Connectivity Technology	Wired
Speaker Maximum Output Power	1000 Watts
Frequency Response	70 Hz (Note: Tactile transducers often operate effectively below audible frequencies, down to 5Hz as per product description)
Connectivity Technology	Wired
Audio Output Mode	Surround

9. WARRANTY AND SUPPORT

The EARTHQUAKE Sound Q10B Tactile Transducer comes with a Limited Warranty. Please refer to the included warranty information in your package for specific terms and conditions.

For technical support, service, or warranty inquiries, please contact:

Earthquake Sound Corporation

2727 McCone Avenue

Hayward, CA 94545

Phone: (510) 732-1000

Fax: (510) 732-1095




Website: www.earthquakesound.com






Figure 4: Manufacturer Contact Information.

© 2023 EARTHQUAKE Sound Corporation. All rights reserved.

Related Documents - Q10B

	<p>Earthquake E43WC Power Drill and Engine Assembly Instructions and Parts List</p> <p>Comprehensive assembly instructions and detailed parts lists for the Earthquake E43WC Power Drill and its E43CCV Viper Engine, including exploded view diagrams and component descriptions.</p>
	<p>Earthquake String Mower M200 Operator's Manual</p> <p>Operator's manual for the Earthquake String Mower M200, detailing parts breakdown, engine and pulley attachment, mower head components, and base unit assembly.</p>
	<p>Earthquake MC43E & MC43 Mini Cultivator & Dethatcher Operator's Manual</p> <p>This manual provides comprehensive operating, safety, and maintenance instructions for the Earthquake MC43E and MC43 Mini Cultivator and Dethatcher, including parts lists and troubleshooting guides.</p>

	<p>Earthquake Victory Rear Tine Tiller 39381 Operator Manual</p> <p>Operator manual for the Earthquake Victory Rear Tine Tiller (Model 39381). Contains instructions on safety, assembly, operation, maintenance, and troubleshooting. Covers features, controls, and specifications for safe and effective use.</p>
	<p>Earthquake 40314 Lawnmower Illustrated Parts Breakdown</p> <p>Comprehensive illustrated parts breakdown for the Earthquake 40314 lawnmower. Find detailed part numbers, descriptions, and quantities for ground-breaking power equipment manufactured by Ardisam.</p>
	<p>Earthquake E43 Powerhead & Auger Assembly Instructions and Parts List</p> <p>Detailed assembly instructions and comprehensive parts list for the Earthquake E43 Powerhead and Auger, including exploded views and part numbers for easy identification and ordering.</p>

Documents - EARTHQUAKE – Q10B



[\[pdf\]](#) User Manual Instructions Specifications Dimension Guide Documentation Warranty

XJ 700DSP Manual Earthquake Sound Shop This documentation contains general safety installa tion and operating instructions for the 700DSP amplifier It is important to read this user s manual Web srsItid AfmBOoph9W13FIY23b LK6aKfIEwUOkxzIQ5uCkEwD9GfBIG2j9AnRZS earthquakesoundshop 2023 07

|||

XJ-700DSP LFE MONO BLOCK 700 WATTS CLASS J AMPLIFIER USER MANUAL
Earthquake Sound Corp. 510 73 ... 800 576-7944 www.earthquakesound.com
Connecting Your XJ-700DSP To Power 1 THOR IW-SUB10 or 1 **Q10BT** Transducer
The XJ-700DSP has two speaker output terminals. A subwoofer can be connected to eith...

lang:en score:39 filesize: 2.96 M page_count: 19 document date: 2023-07-13


[\[pdf\]](#) User Manual Instructions Specifications Dimension Guide Warranty

XJ 700DSp Manual Earthquake Sound ShopXJ 700DSP a high power LFE mono block amplifier designed for powering large subwoofers or tactile transducers suited both professional and home useXJ Webearthquakesoundshop 2023 07 Web srsltid AfmBOoozaPKEfB3UosnrftkKCYyE9uhj3 dKTL5KRSge sA01Ld0spvs WebXJ sA01Ld0spvsearthquakesoundshop AfmBOOpBPDCf 4LyqOtOxhq3UyVvR10yrJX0FL3rmkQ ZUV80LnqcrC7 AfmBOooGMpxqWYO1TK8gHqFXNe68Abiwh5n7aqtamTIF9XXo N iXXumeearthquakesoundshop ZUV80LnqcrC7earthquakesoundshop AfmBOoog1E GYPOiZCbv1IzBBkjsyQMcp4ydbVd90Gxu6pU42d5WMfLF

AfmBOoqgbDmtA12K9s9odZVIGO4KG07fpgFG9n0nGds SvHbaJ6nKssearchquakesoundshop AfmBOopq4kDybbvc27KOY9dy5H8heM3PpPvUC6wWZ9SlqO4lqTZ9Xk13earthquakesoundshop AfmBOopgANz3ZkWXoQbJMEtV4WE Mq6aCvLqMn8FvK0yBFncpKsfSxlVearthquakesoundshop ||| ||| XJ-700DSP LFE MONO BLOCK 700 WATTS CLASS J AMPLIFIER USER MANUAL Earthquake Sound Corp. 510 732-1000 U.S. Toll Free: 800 576-7944 www.earthquakesound.com Table of Contents About Earthquake Sound Corporation . 3 Safety Instructions . 4 - 5 I ||| XJ-700DSP LFE MONO BLOCK 700 WATTS CLASS J AMPLIFIER USER MANUAL Earthquake Sound Corp. 510 732-1000 U.S. Toll Free: 800 576-7944 www.earthquakesound.com Table of Contents About Earthquake Sound Corporation . 3 Safety Instructions . 4 - 5 I ||| XJ-700DSP LFE MONO BLOCK 700 WATTS CLASS J AMPLIFIER USER MANUAL Earthquake Sound Corp. 510 732-1000 U.S. Toll Free: 800 576-7944 www.earthquakesound.com Table of Contents About Earthquake Sound Corporation . 3 Safety Instructions . 4 - 5 I ||| XJ-700DSP LFE MONO BLOCK 700 WATTS CLASS J AMPLIFIER USER MANUAL Earthquake Sound Corp. 510 732-1000 U.S. Toll Free: 800 576-7944 www.earthquakesound.com Table of Contents About Earthquake Sound Corporation . 3 Safety Instructions . 4 - 5 I ||| XJ-700DSP LFE MONO BLOCK 700 WATTS CLASS J AMPLIFIER USER MANUAL Earthquake Sound Corp. 510 732-1000 U.S. Toll Free: 800 576-7944 www.earthquakesound.com Table of Contents About Earthquake Sound Corporation . 3 Safety Instructions . 4 - 5 I ||| XJ-700DSP LFE MONO BLOCK 700 WATTS CLASS J AMPLIFIER USER MANUAL Earthquake Sound Corp. 510 732-1000 U.S. Toll Free: 800 576-7944 www.earthquakesound.com Table of Contents About Earthquake Sound Corporation . 3 Safety Instructions . 4 - 5 I

XJ-700DSP LFE MONO BLOCK 700 WATTS CLASS J AMPLIFIER USER MANUAL Earthquake Sound Corp. 510 73 ... 800 576-7944 www.earthquakesound.com Connecting Your XJ-700DSP To Power 1 THOR IW-SUB10 or 1 **Q10BT** Transducer The XJ-700DSP has two speaker output terminals. A subwoofer can be connected to eith...

lang:en score:36 filesize: 2.96 M page_count: 19 document date: 2023-07-13



[\[pdf\]](#) User Manual Installation Guide Instructions Specifications Documentation

XJ 300 FR Radio Parts Specifications are subject to change without notice 300FR Manual 3 Safety Instructions 1 Read these instructions in their entirety 2 Store this manual and packaging a safe place Heed all warnings 4 Follow do not take short cuts 5 Do use apparatus near water 6 Clean only with dry cloth 7 block any ventilation openings Install accordance the US radioparts au files manuals XJ-300 FR 2 Channel or Monoblock Class J Amplifier User s Manual Earthquake Sound Corp. 510 73 ... rence. 6 Crossover Setting: As a rule of thumb: A If you are powering the THOR In-Wall SUB10, the **Q10B** tactile transducer, or a large subwoofer 12 - 18 , set the crossover to 50Hz - 100Hz. B If ...


lang:en score:35 filesize: 2.18 M page_count: 20 document date: 2011-08-04



[\[pdf\]](#) User Manual Instructions Specifications Dimension Guide Documentation
Warranty

untitled XJ 700 DSP Manual US v2 earthquakesound dk 2021 03 700DSP Earthquake Sound 31 mars — This documentation contains general safety installa tion and operating instructions for the amplifier It is important to read this user s manual SoundXJ SoundThey can be used one at a time or both same as shown in next section of There no need search Bluetooth signal the 31 manual544ed59b fe05 4906 8a3a 06bfedd7d69dEarthquake LFE Class J 700W Subwoofer Amplifier USER MANUALdocs ebay document 544ed59b 06bfedd7d69dearthquakesound v2earthquakesound v2manual internal 2023 08 MANUAL ||| XJ-700DSP LFE MONO BLOCK 700 WATTS CLASS J AMPLIFIER USER MANUAL Earthquake Sound Corp. 510 732-1000 U.S. Toll Free: 800 576-7944 www.earthquakesound.com Table of Contents About Ea ||| XJ-700DSP LFE MONO BLOCK 700 WATTS CLASS J AMPLIFIER USER MANUAL Earthquake Sound Corp. 510 732-1000 U.S. Toll Free: 800 576-7944 www.earthquakesound.com Table of Contents About Earthquake Sound Corporation . 3 Safety Instructions . 4 - 5 I XJ-700DSP LFE MONO BLOCK 700 WATTS CLASS J AMPLIFIER USER MANUAL Earthquake Sound Corp. 510 73 ... 800 576-7944 www.earthquakesound.com Connecting Your XJ-700DSP To Power 1THOR IW-SUB10 or 1 **Q10B**Transducer The XJ-700DSP has two speaker output terminals. A subwoofer can be connected to eith...


lang:en **score:33** filesize: 473.15 K page_count: 18 document date: 2021-03-31



[\[pdf\]](#) User Manual Instructions Specifications Documentation

Untitled 2 EQ Tech XJ 300ST Radio Parts User s Manual Specifications are subject to change without notice 3 Safety Instruction Store this manual and packaging in a safe place 1 Read these instructions their entirety Heed all warnings 4 Follow do not take short cuts 5 Do use apparatus near water 6 Clean only with dry cloth Earthquake Sound Corp 510 732 1000 earthquakesound Channel or Monoblock Class J Amplifier XJ300STManual 49190 radioparts au Files fb fobis ru files product earthquakeeurope Products Home Audio Amplifiers 80 index en gaming audio task callelement format raw item id 3140 element 70048553 3d83 4f97 8ea7 03993cb5ac28 method digitalworld nz 2019 02 The Sound That Will Move You XJ-300ST 2 Channel or Monoblock Class J Amplifier User s Manual XJ-3 ... plifier is set to LOWPASS . As a rule of thumb: a If you are powering the THOR In-Wall SUB10, the **Q10B** tactile transducer, or a large subwoofer 12-inch - 18-inch , set the crossover to 50Hz - 100Hz...

lang:en **score:31** filesize: 1.11 M page_count: 20 document date: 2016-04-28



[\[pdf\]](#) User Manual Instructions

Provided by ManualsAndMore Download User Manual EarthQuake XJ 700R XJ700R manualsandmore ||| The Sound That Will Move You XJ-700R LFE MONO BLOCK 700 WATTS CLASS J AMPLIFIER 32 BOUNDARY R L ... Earthquake Sound Corp. 800 576-7944 www.earthquakesound.com To Power 1 THOR IW-SUB10 or 1 **Q10B** Transducer The XJ-700R has two speaker output terminals. A subwoofer can be connected to eithe... lang:en **score:30** filesize: 1.01 M page_count: 16 document date: 2019-07-23




[pdf] User Manual Instructions

Kistos plc cloudfront net instructions as described in the CREST manual All messages relating to appointment of a proxy or an instruction previously appointed c117755CCL d1ssu070pg2v9i pex kistos 2021 04 20224201

THIS DOCUMENT IS IMPORTANT AND REQUIRES YOUR IMMEDIATE ATTENTION. If you are in any doubt about the ... ng for oil to commence in 2021 Appraisal - development drilling programme to commence in Q1 2022 in **Q10B** Field and Q3 2021 in Q11-B Field. Netherlands M10a Tulip Oil and M11 Netherlands 60 Discov...

lang:en score:28 filesize: 14.64 M page_count: 619 document date: 2021-04-20




[pdf] User Manual Instructions Specifications Documentation

XJ300ST Manual Updated Earthquake Sound XJ 300ST Monoblock Class J Amplifier Users Manualmanual internal 2023 07 |||

The Sound That Will Move You XJ-300ST 2 Channel or Monoblock Class J Amplifier User s Manual ... ier is set to LOWPASS . As a rule of thumb: a If you are powering the THOR In-Wall SUB10, the **Q10B** tactile transducer, or a large subwoofer 12-inch - 18-inch , set the crossover to 50Hz - 100Hz...

lang:en score:28 filesize: 1013.18 K page_count: 10 document date: 2023-07-27



[pdf]

Untitled 1 EQuakeSound Q10B Earthquake Sound Tactile Transducer With Bracket 1000W Wagner Online Electronic Stores wagneronline au attachments |||

SOUND The Sound That Will Move You **Q10B** Quake Patented Tactile Transducers Each comes complete with mounting bracket and screws H Height W Width D Depth 6-3/16 158mm 3-9/16 90mm 3-9/16 90mm OBJECTIVE W __.v,D D Width Depth Supplied Bracket 3-3/4 95mm 8-1/8 207mm 3-15/...

lang:en score:27 filesize: 715.49 K page_count: 1 document date: 2024-07-03



Earthquake Sound XJ-300ST Modular Class 'J' Amplifier User Manual

Comprehensive user manual for the Earthquake Sound XJ-300ST Modular Class 'J' Stereo or Mono Amplifier, covering safety, installation, connections, specifications, and warranty.

lang:en score:27 filesize: 1.4 M page_count: 10 document date: 2023-11-29

[\[pdf\]](#) User Manual

Q10B MQB1 MANUAL HP Administrator Radio Parts SoundApproach Users Manual Sound That Will Move You earthquakesound By now you may have some knowledge about Tactile Transducers To help clarify this application further please read on What is a Transducer A tactile transducer or bass shaker device which made the Earthquake MQB 1 Page 2 principle that low frequencies can be felt as well heard XJ 300R R L 110 120V manual US 49134 A10wNnaSRfL radioparts au files manuals fobis ru product images na ssl amazon I earthquakeeurope How Connect to an Amplifier 600R CONNECTION OPTIONS Receiver Pre amp LFE Subwoofer Out CH2 CH1 Speaker Outputs Ohm Parallel Application Products Home Audio BassShakerAndAccesories Pdf 80 manu «Préparatif de ma salle pincez moi je rêve! Game Over p21 31» 29892824 sur le forum «Installations HC dédiées» 1085 du site Homecinema fr Endlich! Das Wohnkinozimmer ohne Limits! Von der Planung bis zum fertigen Kino Seite 4 Heimkino Bau Forum Beisammen Quake Körperschallwandler max Power 1000W 8 Impedanz Ein Kanal Yamaha ist in Lage Quakes Parallelschaltung ausreichend zu befeuern So lief das hier erfolgreich Jahre lang MANUALearthquakesound MANUALQ10B earthquakeeuropeQ10B PartsQ10B SoundApproachQ10B Parts«Préparatif frEndlich! langHow ApplicationUsers theIn Gaming Applications transducers are explosive way generate massive vibration brings players into video game Mounting in Earthquake someA AHow ApplicationQ10B USQ10B US49134 USMQB USearthquakesound MANUALearthquakeeurope USradioparts srsItid AfmBOoq0kA62vLccJBgp2kxRFeeuqNUGIPVjO4gBQN8mG3zb0NYoi149radioparts USfobis USimages A10wNnaSRfLearthquakeeurope USearthquakeeurope in In AfmBOormafh7wA6JyFcSQL9qlBiTTY2fJ9S9 V0 SCxX7 0c6wn6s5radioparts in Then sit chair couch where attached with 300 amplifier close at hand and adjust Phase Control so sound and Earthquake AfmBOoo X lJkQqGsra DxAUjnebAbJrVhR3EzvAT yDMJw7pbac6DPHradioparts ||| Earthquake Tactile Transducers Sound That Will Move You. **Q10B** MQB-1 Users Manual www.earthquakesound.com Earthquake Tactile Transducers Basic Information By now, you may have some knowledge about Tactile Transducers. To help clarify this application further, please read on: What is a Tactil... lang:en score:26 filesize: 1.05 M page_count: 12 document date: 2009-03-17

Earthquake Tactile Transducers




Users Manual



www.earthquakesound.com

[\[pdf\]](#) User Manual Instructions Specifications

Edgeless Manual EQ Tech Sound That Will Move You Radio Parts in this manual closely and carefully to insure optimal performance operation longevity The EWS Features Frameless design for reduced visibility Long excursion kevlar speaker woofer cones 1 25mm silk dome NEO swiveling tweeters \pm 3dB bass treble controls Elaborate crossover networks Installation earthquakesound It is very important follow all installation mounting instructions recommendations range US 49119 600 530C radioparts au files manuals fobis ru product 80 index en home audio division products walls ceilings task callelement format raw item id 2907 element 70048553 3d83 4f97 8ea7 03993cb5ac28 method 2909 easyounge Produits 4204b33f c7bc 4591 9a05 928be4ebdbc0 dee75198 d103 427b 9eac b346e4c8f98b Sound That Will Move You EWS Edgeless High Fidelity In-Wall Speaker Series Sound That Will Move You ... play volume at moderate levels. EWS800 EWS800 IW-SUB10 EWS530C EWS800 THOR IW-SUB10 EWS800 **Q10B** Tactile Transducer Figure 2 2 Specifications are subject to change without notice www.earthq... lang:en score:26 filesize: 211.07 K page_count: 4 document date: 2012-07-11



Q10B & MQB-1

Quake Patented Tactile Transducers

Model Q10B

Model MQB-1

Each comes complete with mounting bracket and screws

S-shaped bracket also available model no. PB-1 MSRP \$59pc

INTENDED USE

- Contractors, Custom Installers & Retailers
- Sofas, Recliners, Theater Seats, Gaming Chairs, Rotating Chairs, Platforms and More
- Home Theater & Cinema Music Systems
- Mobile Audio Applications

SPECIAL FEATURES & HIGHLIGHTS

- Tactile performance all the way down to 5Hz
- Extended low frequency extension for home theater 5.1 and 2-channel music systems
- Patented design exclusive to Earthquake
- Platform mounting for expanded applications
- Flat top mounting (see PB-1)
- Thermal protection
- Rugged cast aluminum heat sink

OBJECTIVE

The Quake Series of Tactile Transducers is an all-in-one, self-contained unit designed for special effects enhancement. You can now add super low-frequency effects without using costly hydraulics or bulky and expensive subwoofers. The Quake Tactile Transducers are designed for superior music quality, the Quake Tactile Transducers deliver to the seat for both accurate low-frequency response and maximum tactile effect to your home theater.

One (1) Q10B bass shaker can easily replace three, four or even five typical shakers. Moving two or three theater seats or even a swivel chair is an easy task for the Q10B. And don't be fooled by the size of the MQB-1, as it can shake your seat and give you that tactile effect you'll need for your audio experience.

With only one (1) moving part and a cast aluminum heat sink for excellent heat dissipation and protection from damage, the Quake Series of Tactile Transducers are maintenance free and practically indestructible.

SPECIFICATIONS

	Q10B	MQB-1
Frequency Response	5 - 400Hz	15 - 500Hz
Power Handling	Up to 1000 Watts	Up to 1000 Watts
Impedance	8 Ohm	
MSRP	\$179.99pc	\$199.99pc

Earthquake Sound Corp. | www.earthquakesound.com
 Registration 50 551-0000 | Office: 408 280-8007 | sales@earthquakesound.com

[pdf]

Quake cs EU cdr HP Administrator Q10B earthquakeeurope 80 Products Home Audio

BassShakerAndAccessories Pdf

Sound That Will Move You Model: **Q10B** Model: MQB-1 Each comes complete with mounting bracket and screws S-Shaped bracket also available model no. PB-1 MSRP 59/pc INTENDED USE P Contractors, Custom Installers Retailers P Sofas, Recliners, Theater Seats, Gaming Chairs, Rotating Chairs, Platform...

lang:en score:23 filesize: 689.49 K page_count: 1 document date: 2012-06-22

Q10B Tactile Transducer

Product Release

[pdf]

Q10B Product Release HP Administrator pr US earthquakeeurope 80 Products Home Audio

BassShakerAndAccessories Pdf

Sound That Will Move You. MSRP: 599.00 Unparalleled Tactile Performance The **Q10B** is a powerful tactile transducer-- a subwoofer that emits vibration instead of sound. This generates amazing special effects to any movie watching experience. Use the **Q10B** to enhance your subwoofer or replace it. With...

lang:en score:23 filesize: 395.8 K page_count: 1 document date: 2010-06-10

Q10B Tactile Transducer

Mounting Information

Q10B Platform

The diagram below is a set-up option for the Q10B. Multiple bracketing options offer different set-up options depending on the desired effect. The S-shaped bracket, or PB-1, can be used instead of the supplied bracket to intensify the tactile effect.

Q10B Specifications

Rev. Amplifier Power: 40 - 1000 Watts

Impedance: 8 Ohm

Frequency Response: 5 - 400Hz

Dimensions (inches):

- H = 3.50" - 40.40" (91.4mm)
- W = 8.50" - 40.40" (215.9mm)
- D = 3.50" - 40.40" (91.4mm)

Earthquake Sound Corp. | www.earthquakesound.com | 17377 McCabe Avenue, Hayward CA 94545 USA
 U.S. Toll Free: (800) 576-7664 | Office: (510) 723-1000 | Fax: (510) 723-1665


[pdf] Specifications Dimension Guide Diagram

Q10B platform HP Administrator mountingInfo US earthquakeeurope 80 Products Home Audio

BassShakerAndAccessories Pdf

Q10B Tactile Transducer Mounting Information **Q10B** Platform The diagram below is a set-up option for the **Q10B**. Multiple bracketing options offer different set-up options depending on the desired effect. The S shaped bracket, or PB-1 can be used instead of the supplied bracket to intensify the tacti...

lang:en score:23 filesize: 239.31 K page_count: 1 document date: 2011-04-20



[\[pdf\]](#) User Manual Instructions Documentation

XJ 300FR manual US cdr Oana EU earthquakeeurope Products Home Audio Amplifiers Pdf

XJ-300 FR 2 Channel or Monoblock Class J Amplifier User s Manual Earthquake Europe Tlf: 45 2043 ... rence. 6 Crossover Setting: As a rule of thumb: A If you are powering the THOR In-Wall SUB10, the **Q10B** tactile transducer, or a large subwoofer 12 - 18 , set the crossover to 50Hz - 100Hz. B If ...

lang:en **score:23** filesize: 2.31 M page_count: 20 document date: 2014-08-26


[\[pdf\]](#) User Manual Specifications

Untitled 1 EQ Tech Earthquake Tactile Transducers Installation Manual earthquakesound Earthquake® Basic Information By now you may have some knowledge about To help clarify this application further please read Quake Manual1 content dk 2018 11 02104610 02105859 80 index en gaming simulations products tactile transducers task callelement format raw item id 1027 element 70048553 3d83 4f97 8ea7 03993cb5ac28 method home audio division 1034 ~earthqv2 component zoo digitalworld nz 2019 02 on 2 Specifications are subject to change without notice What is a Transducer earthquakesoundshop 2020 01 easylounge Produits f6849250 3ae6 4c4d b570 5876715da54a 06 resources2 2991 87b002c7 5c56 4e79 9690 f52b69346192 Manuel d utilisation Download MQB MiniQuake Vibreurs de canapé sur EasyLounge Q10B Open Box Sound Shop proaudiopro 5 juil — A transducer or bass shaker device which made the principle that low frequencies can be felt as well heard Patent No US 7 449 803 B2 768 160 B1 859 144 3 In Music Applications recording immensely enhanced by allowing EasyLoungeA heard5 heardEarthquake® TransducerEarthquake® allowingEarthquake® allowingearthquakesound readQ10B ShopMQB ShopQuake Manual1Quake ManualQuake 1Quake Manualeasylounge Manual1earthquakesoundshop srsItid AfmBOoqCkYD7kHly fkyvzKT6FmHMekSfACvRBbgIVikiSIYcEu9sHdRcontent Manualearthquakesound methodearthquakesound methodcontent methodearthquakesoundshop Manualcontent Manualearthquakesoundshop Manual1digitalworld 1earthquakesound methodeasylounge Manual1earthquakesound ManualEarthquake readMQB EarthquakeSound euQ10B Manual1content Manual81EnWIFdICLeasylounge methodmanual internal 2022 10 81EnWIFdICL Manual81EnWIFdICL 1easylounge 81EnWIFdICLmanual |||

The Sound That Will Move You Earthquake Tactile Transducers **Q10B** MQB-1 Installation Manual www.earthquakesound.com Earthquake Tactile Transducers Basic Information By now, you may have some knowledge about Tactile Transducers. To help clarify this application further, please read on: What is a...

lang:en **score:22** filesize: 360.37 K page_count: 12 document date: 2017-02-25






[pdf] User Manual Instructions Documentation

XJ300FR Manual earthquakesound 80 index en gaming products task callelement format raw item id 1 element db923418 6a06 4713 b357 7da7086f1072 method

XJ-300 FR 2 Channel or Monoblock Class J Amplifier User s Manual Earthquake Sound Corp. 510 73 ... rence. 6 Crossover Setting: As a rule of thumb: A If you are powering the THOR In-Wall SUB10, the **Q10B** tactile transducer, or a large subwoofer 12 - 18 , set the crossover to 50Hz - 100Hz. B If ...

lang:en score:21 filesize: 1.98 M page_count: 20 document date: 2013-11-11




[pdf] Dimension Guide

Quake10 Q10B Dimensions HP Administrator productDimensions US earthquakeeurope Products Home Audio BassShakerAndAccesories Pdf 80

QUAKE 10.0 **Q10B** Product Dimensions 3-1/16 77mm 2-5/16 58mm 5-1/8 128mm 6-3/16 158mm 3-9/16 90mm 3-9/16 90mm Earthquake Sound Corporation 2727 McCone Avenue Hayward, CA 94545 Phone: 800.576.7944 Fax: 510.732.1095 www.earthquakesound.com ...

lang:en score:21 filesize: 29.33 K page_count: 1 document date: 2011-08-17




[pdf]

Q10B Product Release EQ Sales earthquakesound index en browse products task callelement format raw item id 1034 element c12a81f5 2931 4224 aa0f 9f8712230400 method 80 home audio division tactile transducers content dk 2018 11 02104611

MSRP: 599.00 Unparalleled Tactile Performance The **Q10B** is a powerful tactile transducer-- a subwoofer that emits vibration instead of sound. This generates amazing special effects to any movie watching experience. Use the **Q10B** to enhance your subwoofer or replace it. With two different brackets, th...

lang:en score:21 filesize: 555.57 K page_count: 1 document date: 2012-12-27




[pdf] Datasheet

Quakes EQ Tech Quake Tactile Transducers Nov 16 2024 — One 1 Q10B bass shaker can easily replace three four or even five typical shakers Moving two theater seats a sizeable platform is an hstc 82560137 a5531651a132262dd89d92e52f15aec0 1731715200166 1731715200167 1731715200168 hs cdn docs av iq dataSheet hssc 1731715200169 hspf 1760752211 |||

The Sound That Will Move You Model: **Q10B** Model: MQB-1 Each comes complete with mounting bracket and screws S-Shaped bracket also available model no. PB-1 MSRP 59/pc INTENDED USE P Contractors, Custom Installers Retailers P Sofas, Recliners, Theater Seats, Gaming Chairs, Rotating Chairs, Plat...


lang:en score:20 filesize: 587.88 K page_count: 1 document date: 2012-12-27



[\[pdf\]](#) User Manual Instructions Specifications Dimension Guide Warranty

untitled XJ 700DSP Manual earthquakesound index en home audio division products amplifiers task
callelement format raw item id 3285 element 70048553 3d83 4f97 8ea7 03993cb5ac28 method
XJ-700DSP LFE MONO BLOCK 700 WATTS CLASS J AMPLIFIER USER MANUAL
Earthquake Sound Corp. 510 73 ... 800 576-7944 www.earthquakesound.com
Connecting Your XJ-700DSP To Power 1THOR IW-SUB10 or 1 **Q10B** Transducer
The XJ-700DSP has two speaker output terminals. A subwoofer can be connected to
eith...

lang:en score:20 filesize: 477.91 K page_count: 18 document date: 2020-07-23



[\[pdf\]](#) User Manual Instructions Specifications

ImageX Manual v7 Joseph earthquakesound index en home audio division products in walls ceilings task
callelement format raw item id 2898 element 70048553 3d83 4f97 8ea7 03993cb5ac28 method
Sound That Will Move You IMGE-X High Fidelity In-Wall Speaker Series Sound That
Will Move You Earth ... ation Steps In-Wall Speakers IMGE-8X IMGE-8X IW-SUB10
IMGE-C25X IMGE-8X THOR IW-SUB10 IMGE-8X **Q10B** Tactile Transducer Figure 2
1 LOCATE MARK THE 2x4 s Outline the hole using the supplied spea...

lang:en score:20 filesize: 961.44 K page_count: 4 document date: 2011-11-07

[\[pdf\]](#) Specifications Borchure


Home Theater Earthquake Sound Shop is proud to introduce its first WiFi high quality audio module AR
300 Acoustic Array System Design a technology combining higher Brochure srsltid
AfmBOop4NaAAWUa1N 2puANpuliUEgLSSXb1G4FOppZxMt1oU4vJ2ADr earthquakesoundshop 2020
06 ShopEarthquake higher Home
2puANpuliUEgLSSXb1G4FOppZxMt1oU4vJ2ADrearthquakesoundshop ShopHome higher Titan Theia
the center speaker of Titan line designed perfectly 1200W peal 600W RMS peak 1000W peak Home
2puANpuliUEgLSSXb1G4FOppZxMt1oU4vJ2ADrHome Brochureearthquakesoundshop
AfmBOor1KwyMwD2K4MTwNjzP8ybcQ7B4ne57diQxfSUoEHpaXeLAI2Fp peak mighty Cinénova Grande
advanced bridging capabilities and The CP 8 s output level match typical satellite systems enhance
the Home BrochureHome
AfmBOor1KwyMwD2K4MTwNjzP8ybcQ7B4ne57diQxfSUoEHpaXeLAI2Fpearthquakesoundshop
AfmBOoqIReJ9PPvzWmhrFkCbiNzXhs5g4rvvTA1pNndTL3BJTVRzLrkz ShopSpecifications subject
changeEarthquake
AfmBOoqIReJ9PPvzWmhrFkCbiNzXhs5g4rvvTA1pNndTL3BJTVRzLrkzearthquakesoundshop
AfmBOoprGcZ1dIlNkIUu4kmqzA4N1n4FP5rVyf cphL850X1JHqejjH changeSpecifications AfmBOoqGr
JitgHWFnC5QYoW64ACVc6fkAlztP XI LHiZhoNQoKYm2dearthquakesoundshop
cphL850X1JHqejjHearthquakesoundshop AfmBOoov9
Gxh1kfEKfGKXH9NdrYTGLxRZsD5QBO1vBOpOHppyl48W J Jearthquakesoundshop
AfmBOop0ORRak0ETQ BJGnshHaYpgtoaXNi mUuhjmlJ NWicfR51KG AfmBOopLRr W0jDh gPSk99
ijNVFoDsT1pXopHHFashyrhg9H LJtwmearthquakesoundshop
AfmBOoqcqdaV7QqwHw053DLc2qtRbhVduFPLo hWb3ldXMT9 Bvf0 3earthquakesoundshop
NWicfR51KGearthquakesoundshop AfmBOoqEu 219vHztQQRqdXGCCx8IQ9h33
eJCwr2SNHAVLhxFRgALU6 AfmBOoqmZ1743NpLmlKANR
xZtxAbkPHSsqEMJoww7gYGzFZg7veKDRANearthquakesoundshop
AfmBOoo64YVgF9pTnUtNtkYcWIAyWd DPU56cCIN60EXYHaEg7aN19Qvearthquakesoundshop
eJCwr2SNHAVLhxFRgALU6earthquakesoundshop
AfmBOopcldxsE2Rlp8VWAJbay5RFChRddX6TkPTfcuXn21gJQ5xbxbw90
AfmBOopCtBn4UQ2D4ZFySndj5Q5xKsymE7VSyJ5vgesYNVFNolZOOQVbGearthquakesoundshop
AfmBOooz2742JfxTpSWZGCBER6jnq6XqJWtZxbbcEMoZheWtIJ M38JQearthquakesoundshop

THEATER Specifications subject to change without notice 1 EARTHQUAKE Engineered by audiophiles
for audiophiles, Earthquake Sound s amplifiers and speakers are meticulously crafted to reproduce each
and every single note perf ||| EARTHQUAKE HOME THEATER Specifications subject to change without
notice 1 EARTHQUAKE Engineered by audiophiles for audiophiles, Earthquake Sound s amplifiers and
speakers are meticulously crafted to reproduce each and every single note perf ||| EARTHQUAKE HOME
THEATER Specifications subject to change without notice 1 EARTHQUAKE Engineered by audiophiles
for audiophiles, Earthquake Sound s amplifiers and speakers are meticulously crafted to reproduce each
and every single note perf ||| EARTHQUAKE HOME THEATER Specifications subject to change without
notice 1 EARTHQUAKE Engineered by audiophiles for audiophiles, Earthquake Sound s amplifiers and
speakers are meticulously crafted to reproduce each and every single note perf ||| EARTHQUAKE HOME
THEATER Specifications subject to change without notice 1 EARTHQUAKE Engineered by audiophiles
for audiophiles, Earthquake Sound s amplifiers and speakers are meticulously crafted to reproduce each
and every single note perf ||| EARTHQUAKE HOME THEATER Specifications subject to change without
notice 1 EARTHQUAKE Engineered by audiophiles for audiophiles, Earthquake Sound s amplifiers and
speakers are meticulously crafted to reproduce each and every single note perf

lang:en score:20 filesize: 15.17 M page_count: 32 document date: 2020-06-01

XJ700R Manual 2015 EQ Tech Earthquake Sound Corporation does not assume liability for damages resulting from the direct use of audio products and urges users to play 2 XJ 700R For over 28 years has been producing a variety high quality products that have impressed audiophile communities around world It all started in 1984 when Joseph Sahyoun music freak The That Will Move You Corp 510 732 1000 U S Toll Free 800 576 7944 earthquakesound LFE MONO BLOCK 700 WATTS CLASS J AMPLIFIER radioparts au Files fb index en component zoo task callelement format raw item id 2857 element

The Sound That Will Move You XJ-700R LFE MONO BLOCK 700 WATTS CLASS J
AMPLIFIER 32 BOUNDARY R L ... Earthquake Sound Corp. 800 576-7944
www.earthquakesound.com To Power 1 THOR IW-SUB10 or 1 **Q10B** Transducer The
XJ-700R has two speaker output terminals. A subwoofer can be connected to eithe...
lang:en score:20 filesize: 1003.18 K page count: 16 document date: 0000-00-00





[pdf] Installation Guide

Oana Earthquake s own PB 1 bracket can be modified for use in Installing Sounds 39 tactile devices

There are 3 different ways to transfer the effects from device your sofa or chair EQ Tactiles content earthquakesound dk 2018 01 04133229 |||

Installing Earthquake Sounds s tactile devices There are 3 different ways to transfer the effects fr ... g it in the center of the furniture s skeleton gives the best result, as it is not possible for the **Q10B** to be mounted on armrests, etc. Mounting can also be done by using a bracket, either L-shaped o...

lang:en score:18 filesize: 148.67 K page_count: 2 document date: 2018-01-04



[pdf]

XJ HP Administrator Sound That Will Move You OBJECTIVE Earthquake Corporation 2727 McCone Avenue Hayward CA 94545 Phone 800 576 7944 Fax 510 732 1095 earthquakesound 600R cs US content dk 2018 10 09080737 |||

Sound That Will Move You Model: XJ-300R Model: XJ-600R INTENDED USE P Contractors, Custom Installe ... the room EQ. Additionally, the XJ Series amplifiers are optimized to work in conjunction with the **Q10B** and MQB-1 tactile transducers as well as the Thor in-wall subwoofers. The XJ-300R can easily po...

lang:en score:18 filesize: 238.44 K page_count: 1 document date: 2010-02-25



[pdf] Datasheet Press Release

Cutsheet Datasheet Template Earthquake Sound ShopCLASS J CIRCUITRY Engineered with patented Class circuitry the XJ 700DSP amplifier delivers clarity of a A B efficiency DXJ press releasearthquakesoundshop 2023 07 release srsltid

AfmBOOpZlx2ZTBzQSEdeltTURZTa1J0fcRj0LCITU93twHJ WChv wM |||

XJ-700DSP LFE MONO BLOCK AMPLIFIER WITH BUILT-IN DSP MODULE

Earthquake s XJ-700DSP is the newest ... long with the room EQ. The XJ700DSP can also power multiple tactile transducers like Earthquake s **Q10B**, as well as high response subwoofers like the patented THOR in-wall shallow subwoofer making it...

lang:en score:16 filesize: 1.1 M page_count: 2 document date: 2023-07-13

[pdf] Datasheet

XJ 700DSP Alex POWER CONTROL AND VERSATILITYXJ Data Sheetprimebuy product Sheet srsLtd

AfmBOOpWUM6tvGpCDtNEVk8283Re1kJTjy7Cx7NsieoGb k6 7 mGIm VERSATILITYPOWER SheetXJ

mGImprimebuy AfmBOOpdHX7OgA1RShqkv BoQXIFRT1kpzXjHgbP5rPOttXtiAZlflkR7

AfmBOOpBeR0F1FQAIRmFgtrC5JTpHfkEv8lWoAHnpJmg8Y2EzAwBTXzdprimebuy

BoQXIFRT1kpzXjHgbP5rPOttXtiAZlflkR7primebuy AfmBOOpFf46a07epVE HT03JcJ KcmFnF98X

rRDp4h841tqrUTUZ2N AfmBOOpStqGhbIKlOaqKWRUu85c oOXjZP0 6i7Uih0OpIz4Fj6AJuihprimebuy

rRDp4h841tqrUTUZ2Nprimebuy AfmBOoo5ku6z7wM5brQ2r9YMQ2UeU8EwFAA9C kJdk

NtZtpj5bmQdFd ||| ||| XJ-700DSP LFE MONO BLOCK AMPLIFIER WITH BUILT-IN DSP MODULE

Earthquake s XJ-700DSP is the newest addition to the XJ Series of home and professional audio ampli

cation. Like the XJ-700R, it addresses the need to correctly adjust a room to pr ||| XJ-700DSP LFE MONO

BLOCK AMPLIFIER WITH BUILT-IN DSP MODULE Earthquake s XJ-700DSP is the newest addition to

the XJ Series of home and professional audio ampli cation. Like the XJ-700R, it addresses the need to

correctly adjust a room to pr ||| XJ-700DSP LFE MONO BLOCK AMPLIFIER WITH BUILT-IN DSP

MODULE Earthquake s XJ-700DSP is the newest addition to the XJ Series of home and professional

audio ampli cation. Like the XJ-700R, it addresses the need to correctly adjust a room to pr ||| XJ-700DSP

LFE MONO BLOCK AMPLIFIER WITH BUILT-IN DSP MODULE Earthquake s XJ-700DSP is the newest

addition to the XJ Series of home and professional audio ampli cation. Like the XJ-700R, it addresses the

need to correctly adjust a room to pr ||| XJ-700DSP LFE MONO BLOCK AMPLIFIER WITH BUILT-IN DSP

MODULE Earthquake s XJ-700DSP is the newest addition to the XJ Series of home and professional

audio ampli cation. Like the XJ-700R, it addresses the need to correctly adjust a room to pr

XJ-700DSP LFE MONO BLOCK AMPLIFIER WITH BUILT-IN DSP MODULE

Earthquake s XJ-700DSP is the newest ... long with the room EQ. The XJ700DSP

can also power multiple tactile transducers like Earthquake s **Q10B**, as well as high

response subwoofers like the patented THOR in-wall shallow subwoofer making it...

lang:en score:16 filesize: 571.1 K page_count: 2 document date: 2020-07-23

EARTHQUAKE SOUND
Q10B & MQB-1
Quake Patented Tactile Transducers

Model Q10B
Model MQB-1

Each comes complete with mounting bracket and screws

S-Shaped bracket also available (model no. PB-1) MSRP \$199

INTENDED USE

- Contractors, Custom Installers & Retailers
- Game Descriptions, Theater Seats, Gaming Chairs, Racing Chairs, Platforms and more
- Home Theater & Cinema Room Systems
- Mobile Audio Applications

SPECIAL FEATURES & HIGHLIGHTS

- Tactile performance all the way down to 20Hz
- 20+ pounds low frequency performance
- 100% duty cycle
- Patented design exclusive to Earthquake
- Platform mounting for expedient installation
- That won't distort mid-bass
- Thermal protection
- Rugged cast aluminum heat sink

SPECIFICATIONS

Model	Q10B	MQB-1
Frequency Response	5 - 40Hz	10 - 100Hz
Power Handling	10 to 100 Watts	10 to 100 Watts
Impedance	8 Ohm	8 Ohm
Dimensions	6 1/2" x 6 1/2" x 4 1/2"	6 1/2" x 6 1/2" x 4 1/2"

Earthquake Sound Inc. www.earthquakesound.com
800-855-5940 (Toll Free) 949-255-0000 (Orange County)
1-800-855-5940 (Toll Free) 949-255-0000 (Orange County)

EARTHQUAKE SOUND
SIMXPERIENCE
The Most Immersive VR Racing Experience

Booth# 20600 South Hall 1 LVCC

Do you ever feel that VR systems lack that realistic feeling? Earthquake Sound would like to announce that we are bringing up with SimXperience the year at CES 2019 to make your virtual world an actual world.

Beyond the standard 2.1 setup, Earthquake's Q10B and MQB-1 tactile transducers will be placed on the simulator to provide you with the most immersive racing experience you will ever have by simulating road noise, directional impact, PFC and more.

SimXperience will reveal their new Q10B and MQB-1 added presence in that 8.5 foot wide and 4 foot high, as if you were in a real racing car. The Stage 414 paired with Earthquake's Q10B and MQB-1 will give you the most realistic racing experience that they can't be compared. This will be a professional quality racing simulator in a show stop for our booth by the most for you if you have not had before.

Earthquake will have its own personal booth with some of our products to further enhance the virtual racing experience such as the HP Power 8 and audio-sensing Supernova MKVI.

Supernova MKVI

Earthquake Sound Corp. 27777 McCune Ave. Newark, CA 94568 USA, www.earthquakesound.com
U.S. Toll Free: (800) 855-5944 Fax: (916) 752-1095

[pdf]

MQB1 cs EU cdr HP Administrator OBJECTIVE Sound That Will Move You SPECIAL FEATURES

HIGHLIGHTS The Quake Series of Tactile Transducers is an awe inspiring sub harmonics unit designed

for special effects MQB 1 earthquakeurope Products Home Audio BassShakerAndAccessories Pdf |||

Sound That Will Move You Model: **Q10B** Model: MQB-1 Each comes complete with

mounting bracket and screws S-Shaped bracket also available model no. PB-1 MSRP

59/pc INTENDED USE P Contractors, Custom Installers Retailers P Sofas, Recliners,

Theater Seats, Gaming Chairs, Rotating Chairs, Platform...

lang:en score:15 filesize: 694.17 K page_count: 1 document date: 2012-06-22

[pdf] Press Release

EQ SIMXPERIENCE CES Press Release Sound content earthquakesound dk 2019 02 06085940

Do you ever feel that VR systems lack that realistic feeling Earthquake Sound would

like to announc ... such as the MPower-8 and award-winning Supernova MKVI.

Beyond the standard 2.1 setup, Earthquake s **Q10B** and MQB-1 tactile transducers

will be placed on the simulator to provide you with the most imme...


lang:en score:14 filesize: 1.17 M page_count: 1 document date: 2018-12-18



[pdf]


Speakers and Transducers Bass Shakers Tactile Sound From powerful bass shakers that move floors chairs in movie theaters to subtle bone conduction transducers haptic feedback technologies there is a Audio Express earthquakesound dk 2021 04

ax Speakers and Transducers Bass Shakers and Tactile Sound By Mike Klasco Menlo Scientific, Ltd. ... w of the Earthquake MQB-1 Tactile Transducer, which uses the same technology as its big brother the **Q10B** at only 3 1/2 tall and 3 1/8 in diameter. Earthquake Sound Earthquake Sound is widely recogn... lang:en score:14 filesize: 4 M page_count: 7 document date: 2020-11-24



[pdf] Borchure Catalog

EarthquakeHomeTheaterBrochure 2013 earthquakeeurope Catalog Home Audio Earthquake HOME AUDIO welcome Engineered by audiophiles for audiophiles, Earthquake speakers are m ... tcot tcotchacnngaengweitwhiotuhtonutotniocetice Couch Potato: CP8 Powered Subwoofer XJ-300R Mono Amp **Q10B** Tactile transducer iQuake-52 Powered Speakers cinnova ir16 This 16 channel, 8 zone amplifier i... lang:en score:14 filesize: 4.92 M page_count: 15 document date: 2011-05-20



[pdf] User Manual Instructions Specifications Documentation

XJ300ST_Manual (Updated) XJ-300ST_Manual earthquakesound index en gaming-simulations gaming-products amplifiers task callelement&format raw&item_id 3140&element 70048553-3d83-4f97-8ea7-03993cb5ac28&method download home-audio-division home-products home-amplifiers The Sound That Will Move You Earthquake Sound reserves the right to amend details of the specificati ... plifier is set to LOWPASS . As a rule of thumb: a If you are powering the THOR In-Wall SUB10, the **Q10B** tactile transducer, or a large subwoofer 12-inch - 18-inch , set the crossover to 50Hz - 100Hz... lang:en score:13 filesize: 1004.68 K page_count: 10 document date: 2020-08-19




[\[pdf\]](#) Borchure Catalog

HOME AUDIO EarthquakeHomeTheaterBrochure 2015 earthquakeeurope Catalog Home Audio

EARTHQUAKE HOME AUDIO WELCOME Engineered by audiophiles for audiophiles, Earthquake speakers are m ...

WA.RETAHRQTUHAQKUEASKOEUSNODU.NCDO.MCOM 21 TACTILE TRANSDUCERS POWER THAT WILL SHAKE YOUR SENSES **Q10B** WIRING OPTIONS For 1# **Q10B** use the XJ-300FR For 1 or 2**Q10B** use the XJ-700R WHAT IS A TACTILE ...

lang:en **score:13** filesize: 21.65 M page_count: 15 document date: 2015-01-30



[\[pdf\]](#) Declaration of Conformity

Abraham CE QUAKE10 0 EU earthquakeeurope Products Home Audio DiscontinuedProducts Quake 10 MARK

Declaration of Conformity Council Directive 89/336/EEC EMC- Directive Standards to which conformit ... Address: Type of Equipment: Model Number: EARTHQUAKE SOUND ODENSE C, , DENMARK TRANSDUCER SPEAKERS. **Q10B**, QUAKE 10.0, MINIQUEAKE, MQB1 I, the undersigned, hereby declare that the equipment specified a...

lang:en **score:13** filesize: 272.96 K page_count: 1 document date: 2010-10-21



[\[pdf\]](#) Specifications Borchure

Home Theater Brochure earthquakesound index en resources2 task callelement format raw item id 3131 element 87b002c7 5c56 4e79 9690 f52b69346192 method

EARTHQUAKE HOME THEATER Specifications subject to change without notice 1 EARTHQUAKE Engineered by ... ey become rack mountable. Specifications subject to change without notice 25 TACTILE TRANSDUCERS **Q10B** MQB1 WHAT IS A TACTILE TRANSDUCER Tactile Transducers are subwoofers that emit vibration inst...

lang:en **score:13** filesize: 41.22 M page_count: 32 document date: 2017-04-18



[\[pdf\]](#) Specifications Borchure

Specifications subject to change without notice 1 Home Theater Brochure earthquakesoundshop 2020 06

|||

EARTHQUAKE HOME THEATER Specifications subject to change without notice 1 EARTHQUAKE Engineered by ... ey become rack mountable. Specifications subject to change without notice 25 TACTILE TRANSDUCERS **Q10B** MQB1 WHAT IS A TACTILE TRANSDUCER Tactile Transducers are subwoofers that emit vibration inst...

lang:en **score:13** filesize: 15.17 M page_count: 32 document date: 2020-06-01



[\[pdf\]](#) Borchure Catalog

2012 CT BROCH NEW HP Administrator ct broch new WELCOME For over 25 years Earthquake Sound has been producing a variety of high quality audio products that have impressed the audiophile communities throughout world From mobile to EarthquakeCustomTheaterBrochure earthquakeeurope Catalog Home Audio

EARTHQUAKE CUSTOM HOME THEATER The Sound That Will Move You WELCOME For over 25 years, Earthquake ... ASS CROSSOVER WITH BYPASS SWITCH RECOMMENDED USE WITH: - ROCK / THOR SPEAKERS SUBWOOFERS - MQB1 **Q10B** TACTILE TRANSDUCERS BUILT-IN INTERLOCKING MECHANISM WHERE TWO 2 XJ-300FR CAN BE CONNECTED SI...

lang:en **score:13** filesize: 7.42 M page_count: 20 document date: 2012-08-22



[\[pdf\]](#) Datasheet

XJ 700DSP Alex Datasheet earthquakesound index en home audio division products amplifiers task callelement format raw item id 3285 element db923418 6a06 4713 b357 7da7086f1072 method XJ-700DSP LFE MONO BLOCK AMPLIFIER WITH BUILT-IN DSP MODULE Earthquake s XJ-700DSP is the newest ad ... along with the room EQ. The XJ700DSP can also power multiple tactile transducers like Earthquake s **Q10B**, as well as high response subwoofers like the patented THOR in-wall shallow subwoofer making it...

lang:en **score:13** filesize: 571.1 K page_count: 2 document date: 2020-07-23



[\[pdf\]](#) Specifications Dimension Guide

MQB 1 Product Release HP Administrator pr US earthquakeeurope Products Home Audio

BassShakerAndAccesories Pdf

MSRP: 325.00 Sound That Will Move You. Whether you are at home enjoying your favorite movies and mu ... gration or gaming experience. The MQB-1 uses the same impeccable technology as its big brother, the **Q10B**, which allows it to be the most powerful, accurate, and sensitive Mini Tactile Transducer on th...

lang:en score:12 filesize: 157.88 K page_count: 1 document date: 2010-06-10