

Air King AK100D

Air King AK100D Energy Star Qualified Dual Speed Exhaust Bath Fan

Model: AK100D | Brand: Air King

1. INTRODUCTION

The Air King AK100D Dual Speed Exhaust Bath Fan is designed to provide efficient and quiet ventilation. This Energy Star qualified unit offers dual-speed operation for continuous whole-house ventilation at a low speed and local exhaust at a high speed. It is suitable for various room sizes and features a discreet, low-profile design.



The Air King AK100D exhaust fan, showcasing its white low-profile grill, metal housing, and the 4-inch round duct connector.

Key Features:

- Dual speed operation: 100 CFM (high) or 50 CFM (low) airflow.
- Quiet operation: 0.5 Sones on low speed, 1.5 Sones on high speed.
- Energy Star certified for energy efficiency.
- HVI-certified performance.
- Suitable for installation over a tub or shower on a GFCI circuit.
- Low-profile contoured grill blends with ceiling.
- Includes back damper for backdraft protection and 4-inch duct collar.



The Energy Star certification logo, highlighting the fan's energy-efficient operation at 26.4 Watts and 0.31 Amps.

2. SAFETY INFORMATION

Read all instructions carefully before installation and use to prevent injury or property damage. Keep this manual for future reference.

- **WARNING:** To reduce the risk of fire, electric shock, or injury to persons, observe the following:
- Use this unit only in the manner intended by the manufacturer. If you have questions, contact the manufacturer.

- Before servicing or cleaning unit, switch power off at service panel and lock the service disconnecting means to prevent power from being switched on accidentally. When the service disconnecting means cannot be locked, securely fasten a prominent warning device, such as a tag, to the service panel.
- Installation work and electrical wiring must be done by qualified person(s) in accordance with all applicable codes and standards, including fire-rated construction codes and standards.
- Sufficient air is needed for proper combustion and exhausting of gases through the flue (chimney) of fuel burning equipment to prevent back-drafting. Follow the heating equipment manufacturer’s guideline and safety standards such as those published by the National Fire Protection Association (NFPA), and the American Society for Heating, Refrigeration and Air Conditioning Engineers (ASHRAE), and the local code authorities.
- When cutting or drilling into wall or ceiling, do not damage electrical wiring and other hidden utilities.
- Ducted fans must always be vented to the outdoors.
- This unit is UL listed for installation over a tub or shower on a GFCI (Ground Fault Circuit Interrupter) protected branch circuit.

3. INCLUDED COMPONENTS

Verify that all components are present before beginning installation:


- Exhaust Fan Unit (Housing, Motor, Blower)
- Contoured Grill
- Mounting Hanger Bars
- Back Damper
- 4-inch Round Duct Collar
- User Manual

4. SPECIFICATIONS

Detailed technical specifications for the Air King AK100D exhaust fan:

Model	AK100D
Air Flow Capacity (High)	100 CFM
Air Flow Capacity (Low)	50 CFM
Noise Level (High)	1.5 Sones
Noise Level (Low)	0.5 Sones
Wattage (High)	29.9 Watts
Wattage (Low)	26.9 Watts
Voltage	120 Volts
Product Dimensions (D x W x H)	11" x 13.75" x 8.38"
Duct Size	4-inch Round
Item Weight	10.25 Pounds
Finish	White
Certification	Energy Star, HVI, UL Listed

Fits 11¹/₈" x 9⁵/₈" Openings




4" Round Duct Collar

A detailed diagram providing the dimensions of the Air King AK100D exhaust fan, including its 11-inch depth, 13.75-inch width, 8.38-inch height, and the 4-inch round duct collar.

Room Size

Perfect for larger
bathrooms up to
100 sq. ft.

Powder rooms
or other spaces
up to
125 sq. ft.



50 / 100 CFM Airflow

A diagram indicating the fan's suitability for bathrooms up to 100 square feet and other rooms, such as powder rooms, up to 125 square feet, with 50/100 CFM airflow.

5. INSTALLATION

This section provides general guidelines for installing the Air King AK100D exhaust fan. Professional installation is recommended for electrical wiring and ductwork.

5.1 Pre-Installation Checks

- Ensure power is OFF at the circuit breaker before starting any electrical work.
- Verify the ceiling or wall opening size is appropriate (recommended 11 inches x 9.5 inches with at least 8 inches of clearance).
- Confirm all necessary tools and materials are available (e.g., screwdriver, wire nuts, duct tape, mounting hardware).

5.2 Mounting the Fan Housing

1. Position the fan housing into the prepared ceiling opening.

2. Extend the included mounting hanger bars to span between ceiling joists.
3. Securely fasten the hanger bars to the joists using appropriate fasteners. Ensure the fan housing is level and firmly supported.

5.3 Ducting Connection

1. Connect a 4-inch round duct to the fan's duct collar.
2. Secure the duct to the collar using duct tape or a clamp to ensure an airtight seal.
3. Route the ductwork to the exterior of the building, ensuring it is as straight and short as possible to maximize airflow.
4. Ensure the back damper is free to open and close, preventing backdrafts.

5.4 Electrical Wiring

1. Connect the fan's electrical wiring to the household wiring according to local electrical codes.
2. Ensure all connections are secure and properly insulated.
3. This fan is designed for 120-volt AC operation.
4. If installing over a tub or shower, the circuit must be GFCI protected.

5.5 Grill Installation

1. Once the fan housing is mounted and wired, attach the contoured grill to the fan housing.
2. Ensure the grill is flush with the ceiling for a clean, integrated appearance.



Low Profile Grill Blends Into the Ceiling

An installed Air King bath fan, demonstrating how its low-profile grill integrates discreetly into a bathroom ceiling.

6. OPERATION

The Air King AK100D features dual-speed operation, allowing for flexible ventilation control.

6.1 Dual Speed Functionality

- **Low Speed (50 CFM, 0.5 Sones):** This setting is ideal for continuous whole-house ventilation, quietly maintaining air quality by removing stale air and moisture.
- **High Speed (100 CFM, 1.5 Sones):** Activate this setting for local exhaust when higher ventilation is needed, such as during or after showering, to quickly remove humidity and odors.

The fan's speed can be controlled via a compatible wall switch (not included) that supports dual-speed fan operation.

How quiet is your Air King Bath Fan?



Sone (/sōn/)
unit of perceived
loudness for an
average listener



Traffic	6.0 Sones	
Restaurant	5.0 Sones	
TV/radio	4.0 Sones	
Conversation	3.0 Sones	
Calm office	2.0 Sones	
Bath Fan	2.0 Sones	
Quiet refrigerator	1.0 Sone	
Whisper	<1 Sone	

A chart illustrating Sone levels, defining Sone as a unit of perceived loudness. It compares the fan's noise level (2.0 Sones) to other sounds like traffic (6.0 Sones), restaurant (5.0 Sones), conversation (3.0 Sones), and a quiet refrigerator (1.0 Sone).

7. MAINTENANCE

Regular maintenance ensures optimal performance and longevity of your exhaust fan.

7.1 Cleaning the Grill


1. Turn off power to the fan at the circuit breaker.
2. Carefully remove the fan grill from the housing.
3. Wash the grill with mild soap and water. Rinse thoroughly and allow it to dry completely before reattaching.
4. Wipe down the visible parts of the fan housing with a damp cloth.

7.2 Cleaning the Fan Interior (Annual)

1. Turn off power to the fan at the circuit breaker.

- 2. Remove the grill.
- 3. Carefully detach the motor and blower assembly (refer to installation diagrams if needed).
- 4. Use a soft brush or vacuum cleaner with a brush attachment to remove dust and debris from the fan blades and motor housing. Do not use water directly on electrical components.
- 5. Reassemble the motor and blower, then reattach the grill.
- 6. Restore power to the fan.

Do not lubricate the motor; it is permanently lubricated.



A close-up image of the fan's white, low-profile grill, designed to blend seamlessly with ceiling surfaces.

8. TROUBLESHOOTING

If your fan is not operating correctly, consult the following troubleshooting guide before contacting support.

Problem	Possible Cause	Solution
Fan does not turn on.	No power to the fan. Faulty switch. Loose wiring connection.	Check circuit breaker and wall switch. Verify electrical connections are secure. Consult a qualified electrician if necessary.
Fan is noisy.	Loose mounting. Debris in blower wheel. Ductwork obstruction. Improper duct size.	Ensure fan housing is securely mounted. Clean blower wheel and housing (refer to Maintenance section). Check ductwork for obstructions or kinks. Verify 4-inch round duct is used.

Poor airflow.	Blocked grill or duct. Back damper stuck closed. Fan running on low speed when high is needed.	Clean grill and check ductwork for obstructions. Inspect back damper for free movement. Ensure fan is set to high speed for maximum airflow.
---------------	--	--



9. WARRANTY AND SUPPORT


The Air King AK100D Energy Star Qualified Dual Speed Exhaust Bath Fan comes with a**5-year limited warranty**.

For warranty claims, technical assistance, or further inquiries, please contact Air King customer support. Refer to the contact information provided on the product packaging or the official Air King website.

© 2023 Air King. All rights reserved.

Related Documents

	Air King EWF180 Through the Wall Exhaust Fan - Installation and Operating Manual Comprehensive installation, operation, and safety instructions for the Air King EWF180 Through the Wall Exhaust Fan. Includes troubleshooting and warranty information.
	Air King SEV28S Power Pack Ventilation Hood Specifications and Installation Guide Detailed specifications, installation instructions, operation, maintenance, and troubleshooting for the Air King SEV28S Power Pack ventilation hood. Includes product dimensions, performance data, safety warnings, and warranty information.
	Air King 9175 30-Inch Oscillating Industrial Pedestal Fan Specifications Detailed specifications for the Air King 9175 30-inch oscillating industrial pedestal fan, including motor, controls, power, coating, compliance, dimensions, and performance data.
	Air King Exhaust Fan Installation and Operation Manual Comprehensive guide for installing, operating, and maintaining Air King exhaust fans, including safety information, troubleshooting, and warranty details for models AS50, AS60, AS70, and AS54.



Relevance to Air King Ventilation Fan Model Crossover Guide											
Model	Size	Flow	Power	Efficiency	Sound	Price	Model	Size	Flow	Power	Efficiency
Model 1	10" x 10"	100 CFM	100 Watts	0.50	55 dBA	\$100	Model 1	10" x 10"	100 CFM	100 Watts	0.50
Model 2	12" x 12"	120 CFM	120 Watts	0.55	58 dBA	\$120	Model 2	12" x 12"	120 CFM	120 Watts	0.55
Model 3	14" x 14"	140 CFM	140 Watts	0.60	60 dBA	\$140	Model 3	14" x 14"	140 CFM	140 Watts	0.60
Model 4	16" x 16"	160 CFM	160 Watts	0.65	62 dBA	\$160	Model 4	16" x 16"	160 CFM	160 Watts	0.65
Model 5	18" x 18"	180 CFM	180 Watts	0.70	65 dBA	\$180	Model 5	18" x 18"	180 CFM	180 Watts	0.70
Model 6	20" x 20"	200 CFM	200 Watts	0.75	68 dBA	\$200	Model 6	20" x 20"	200 CFM	200 Watts	0.75
Model 7	22" x 22"	220 CFM	220 Watts	0.80	70 dBA	\$220	Model 7	22" x 22"	220 CFM	220 Watts	0.80
Model 8	24" x 24"	240 CFM	240 Watts	0.85	72 dBA	\$240	Model 8	24" x 24"	240 CFM	240 Watts	0.85
Model 9	26" x 26"	260 CFM	260 Watts	0.90	75 dBA	\$260	Model 9	26" x 26"	260 CFM	260 Watts	0.90
Model 10	28" x 28"	280 CFM	280 Watts	0.95	78 dBA	\$280	Model 10	28" x 28"	280 CFM	280 Watts	0.95
Model 11	30" x 30"	300 CFM	300 Watts	1.00	80 dBA	\$300	Model 11	30" x 30"	300 CFM	300 Watts	1.00
Model 12	32" x 32"	320 CFM	320 Watts	1.05	82 dBA	\$320	Model 12	32" x 32"	320 CFM	320 Watts	1.05
Model 13	34" x 34"	340 CFM	340 Watts	1.10	85 dBA	\$340	Model 13	34" x 34"	340 CFM	340 Watts	1.10
Model 14	36" x 36"	360 CFM	360 Watts	1.15	88 dBA	\$360	Model 14	36" x 36"	360 CFM	360 Watts	1.15
Model 15	38" x 38"	380 CFM	380 Watts	1.20	90 dBA	\$380	Model 15	38" x 38"	380 CFM	380 Watts	1.20
Model 16	40" x 40"	400 CFM	400 Watts	1.25	92 dBA	\$400	Model 16	40" x 40"	400 CFM	400 Watts	1.25
Model 17	42" x 42"	420 CFM	420 Watts	1.30	95 dBA	\$420	Model 17	42" x 42"	420 CFM	420 Watts	1.30
Model 18	44" x 44"	440 CFM	440 Watts	1.35	98 dBA	\$440	Model 18	44" x 44"	440 CFM	440 Watts	1.35
Model 19	46" x 46"	460 CFM	460 Watts	1.40	100 dBA	\$460	Model 19	46" x 46"	460 CFM	460 Watts	1.40
Model 20	48" x 48"	480 CFM	480 Watts	1.45	102 dBA	\$480	Model 20	48" x 48"	480 CFM	480 Watts	1.45
Model 21	50" x 50"	500 CFM	500 Watts	1.50	105 dBA	\$500	Model 21	50" x 50"	500 CFM	500 Watts	1.50
Model 22	52" x 52"	520 CFM	520 Watts	1.55	108 dBA	\$520	Model 22	52" x 52"	520 CFM	520 Watts	1.55
Model 23	54" x 54"	540 CFM	540 Watts	1.60	110 dBA	\$540	Model 23	54" x 54"	540 CFM	540 Watts	1.60
Model 24	56" x 56"	560 CFM	560 Watts	1.65	112 dBA	\$560	Model 24	56" x 56"	560 CFM	560 Watts	1.65
Model 25	58" x 58"	580 CFM	580 Watts	1.70	115 dBA	\$580	Model 25	58" x 58"	580 CFM	580 Watts	1.70
Model 26	60" x 60"	600 CFM	600 Watts	1.75	118 dBA	\$600	Model 26	60" x 60"	600 CFM	600 Watts	1.75
Model 27	62" x 62"	620 CFM	620 Watts	1.80	120 dBA	\$620	Model 27	62" x 62"	620 CFM	620 Watts	1.80
Model 28	64" x 64"	640 CFM	640 Watts	1.85	122 dBA	\$640	Model 28	64" x 64"	640 CFM	640 Watts	1.85
Model 29	66" x 66"	660 CFM	660 Watts	1.90	125 dBA	\$660	Model 29	66" x 66"	660 CFM	660 Watts	1.90
Model 30	68" x 68"	680 CFM	680 Watts	1.9	128 dBA	\$680	Model 30	68" x 68"	680 CFM	680 Watts	1.9

[\[pdf\]](#) User Manual Instructions

Provided by ManualsAndMore Download User Manual Air King AK100D Operating manualsandmore |||

IMPORTANT INSTRUCTIONS OPERATING MANUAL Models: **AK100D** Exhaust Fan READ AND SAVE THESE INSTRUCTIONS READ CAREFULLY BEFORE ATTEMPTING TO ASSEMBLE, INSTALL, OPERATE OR MAINTAIN THE PRODUCT DESCRIBED. PROTECT YOURSELF AND OTHERS BY OBSERVING ALL SAFETY INFORMATION. FAILURE TO COMPLY WITH INSTRUCTION...

lang:en score:40 filesize: 477.96 K page count: 12 document date: 2019-07-23

[\[pdf\]](#) User Manual Instructions

Air King AK100D Installation Manual Air 100 CFM 2 Speed Bathroom Exhaust Fan 4 Duct AK100Dair king

52591da6598fe5bfd1848c0dc04bd325powerequipmentdirect manuals air 52591da6598fe5bfd1848c0dc04bd325 ||

IMPORTANT INSTRUCTIONS OPERATING MANUAL Models: **AK100D, AK100DH** Exhaust Fan
READ AND SAVE THESE INSTRUCTIONS READ CAREFULLY BEFORE ATTEMPTING TO
ASSEMBLE, INSTALL, OPERATE OR MAINTAIN THE PRODUCT DESCRIBED. PROTECT
YOURSELF AND OTHERS BY OBSERVING ALL SAFETY INFORMATION. FAILURE TO
COMPLY WITH IN...

lang:en score:37 filesize: 187.57 K page_count: 8 document date: 2018-11-09

[\[pdf\]](#) User Manual Instructions Catalog

ENERGY STAR Certified Quiet 100 CFM Dual Speed Ceiling Bathroom Exhaust Fan Instructions Assembly Air King

AK100D 083162940841 0083162940841 1000540075 7379921f 1c53 48be b0a0 fafae3e52150 images thdstatic

catalog Images 73 |||

IMPORTANT INSTRUCTIONS OPERATING MANUAL Models: **AK100D** Exhaust Fan READ AND SAVE THESE INSTRUCTIONS READ CAREFULLY BEFORE ATTEMPTING TO ASSEMBLE, INSTALL, OPERATE OR MAINTAIN THE PRODUCT DESCRIBED. PROTECT YOURSELF AND OTHERS BY OBSERVING ALL SAFETY INFORMATION. FAILURE TO COMPLY WITH INSTRUCTION...

lang:en score:36 filesize: 647.79 K page_count: 12 document date: 2012-06-25

[\[pdf\]](#) Guide

AirKing to ReVent Ventilaiton Fans Crossover Guide 060322 Dan Air King Ven la on Fan Model air king model cfm sone

installation lighting selectable title 24 humidity sensing ashrae wsec energy star revert Comparison revertfans info |||

to Air King Venlaon Fan Model Crossover Guide AIR KING MODEL CFM SONE INSTALLATION

LIGHTING LI ... MODELS AK110LS 110 AK110LS6 110 E110S 110 FAN ONLY MODELS

AK150LS 150 FAN ONLY MODELS FRA**K100D** 50,100 FRAKV 30,50,80,100 **AK100D** 50,110

AKV 30,50,80,100 AK150D 80,150 SINGLE SPEED...

lang:i-klingon score:32 filesize: 131.5 K page count: 3 document date: 2022-06-03



[\[pdf\]](#) User Manual Instructions Catalog


ENERGY STAR Certified Quiet 100 CFM Dual Speed Ceiling Bathroom Exhaust Fan Use and Care Manual Air King

AK100D 083162940841 0083162940841 1000540075 f0ddfdad e107 4ca5 a5fe ff10971527f0 images thdstatic catalog

Images f0 |||

IMPORTANT INSTRUCTIONS OPERATING MANUAL Models: **AK100D** Exhaust Fan READ AND SAVE THESE INSTRUCTIONS READ CAREFULLY BEFORE ATTEMPTING TO ASSEMBLE, INSTALL, OPERATE OR MAINTAIN THE PRODUCT DESCRIBED. PROTECT YOURSELF AND OTHERS BY OBSERVING ALL SAFETY INFORMATION. FAILURE TO COMPLY WITH INSTRUCTION...

lang:en score:31 filesize: 179.35 K page_count: 8 document date: 2016-01-15



[\[pdf\]](#) Specifications Dimension Guide


AK100DSpec021216 Cut Sheet Air King AK100D Deluxe Exhaust Fan Light 100 50 CFM Rexel USA air king

ak100dspec cutsheet i ODB264B0 E581 41DA AC28 FFC0481F1FE5 rexel cdn products |||

100 CFM/2.0 Sones 0.10 SP. 83 CFM 0.25 SP. 50 CFM/0.4 Sones 0.10 SPECIFICATIONS

AK100D DUAL SPEED EXHAUST FANS Grill White, polymeric grill secured in place with torsion springs; easily removed if necessary, dimensions - 11 x 13 3/4 . 93/8 107/8 Blower Wheel Balanced polymeric dual...

lang:en score:28 filesize: 424.9 K page_count: 1 document date: 2016-02-17




[\[pdf\]](#) User Manual Instructions

AK100DH Instructions Model Dual Speed Humidity Sensing Quiet Exhaust Fan Lasko Family of Products laskoproducts

zendesk hc en us article attachments 19671026576781 |||

IMPORTANT INSTRUCTIONS - OPERATING MANUAL **AK100D**, **AK100DH** Exhaust Fan READ AND SAVE THESE INSTRUCTIONS READ CAREFULLY BEFORE ATTEMPTING TO ASSEMBLE, INSTALL, OPERATE OR MAINTAIN THE PRODUCT DESCRIBED. PROTECT YOURSELF AND OTHERS BY OBSERVING ALL SAFETY INFORMATION. FAILURE TO COMPLY WITH INSTRUCT...

lang:en score:27 filesize: 706.73 K page_count: 8 document date: 2022-08-24



[pdf] Specifications Dimension Guide

AK100DSpec Air King Ventilation Energy Star Exhaust Fan Specification SheetAK100D 100 50 CFM Green Electrical SupplyAir AK100D Specscdn shopify s files 1 0604 6600 4212 Specs v 1750788660 |||

SPECIFICATIONS AK100D DUAL SPEED EXHAUST FANS 100 CFM/2.0 Sones 0.10 SP. 83 CFM 0.25 SP. 50 CFM/0.4 Sones 0.10 93/8 Grill White, polymeric grill secured in place with torsion springs; easily removed if necessary, dimensions - 11 x 133/4 . Blower Wheel Balanced polymeric dual inlet blow...

lang:en score:22 filesize: 191.64 K page_count: 1 document date: 2024-05-23



[pdf] User Manual Specifications Borchure Catalog

LED NEW 3 way capable with manual push button for temporary or continuous override of automatic programming LCD display screen Rated Fluorescent lights Motors up to 1 2 HP 15A Brochure cesco resources Air King AK80MBG ID BRO v1 ExhaustFanCatalog ideadigitalcontent files 11502 Ventilation Products LED NEW MODELS AVAILABLE www.airkinglimited.com Introduction DL4 Series E ... 4 107/8 W x 93/8 D x 77/8 H AK110PN 100 83 2.0 26.4 N/A UL 4 107/8 W x 93/8 D x 77/8 H **AK100D** 100 / 50 83 2.0 / 0.4 26.4 N/A UL 4 107/8 W x 93/8 D x 77/8 H LEDAK100 100 83 2.0 2...

lang:en score:21 filesize: 3.56 M page_count: 24 document date: 2017-03-07



[pdf] Specifications Accessories Catalog

Air King® AS50 Inesco Distributing UNI2019GPJ093 Broc insco ASSETS DOCUMENTS ITEMS EN ||| Indoor Air Quality Catalog 6 TIME ENERGY STAR PARTNER OF THE YEAR 2019, 2014 Partner of the Year - S ... A ETL 4 9 W x 9 D x 77/8 H AK110PN 100 83 2.0 26.4 N/A UL 4 107/8 W x 93/8 D x 77/8 H **AK100D** 100 / 50 83 2.0 / 0.4 26.4 N/A UL 4 107/8 W x 93/8 D x 77/8 H AKV 30-100 82 0.3 - 2....

lang:en score:19 filesize: 3.55 M page_count: 0 document date: 0000-00-00



[\[pdf\]](#) Specifications Borchure

Brochure Air King AK912 1 southernpipe ASSETS DOCUMENTS CMS EN |||

Ventilation Products Introduction Model AKF80H - 80 CFM/0.5 Sones ENERGY STAR Qualified Humidity S ... ventilation. The fan can be activated to high speed through any wall mounted device. DUAL SPEED * **AK100D** 100 / 50 86 1.5 / 0.5 29.9 / 26.9 4 YES Whole Building / Local Ventilation 107/8 W x 93/8 D ...

lang:en score:19 filesize: 2.89 M page_count: 36 document date: 2015-01-09



[\[pdf\]](#) Specifications Declaration of Conformity Accessories Catalog

Air King® ASLC50 Insko Distributing King Catalog assets unilogcorp 267 ITEM DOC |||

Indoor Air Quality Catalog 7 TIME ENERGY STAR PARTNER OF THE YEAR 2020, 2019, 2014 Partner of the Ye ... A ETL 4 9 W x 9 D x 77/8 H AK110PN 100 83 2.0 26.4 N/A UL 4 107/8 W x 93/8 D x 77/8 H **AK100D** 100 / 50 83 2.0 / 0.4 26.4 N/A UL 4 107/8 W x 93/8 D x 77/8 H LEDAK100 100 83 2.0 ...

lang:en score:18 filesize: 9.39 M page_count: 24 document date: 2020-04-03



[\[pdf\]](#) Specifications Accessories Catalog

Air King® ASLC50 Insko Distributing King Catalog insco ASSETS DOCUMENTS ITEMS EN |||

Indoor Air Quality Catalog 6 TIME ENERGY STAR PARTNER OF THE YEAR 2019, 2014 Partner of the Year - S ... A ETL 4 9 W x 9 D x 77/8 H AK110PN 100 83 2.0 26.4 N/A UL 4 107/8 W x 93/8 D x 77/8 H **AK100D** 100 / 50 83 2.0 / 0.4 26.4 N/A UL 4 107/8 W x 93/8 D x 77/8 H AKV 30-100 82 0.3 - 2....

lang:en score:18 filesize: 3.51 M page_count: 28 document date: 2019-07-25




[\[pdf\]](#) Datasheet Guide Accessories Catalog

Download Datasheet Air King FA50T Contractor Pack Motor Housing Damper City Electric Supply airkingve datasheet fa50t cesonline azureedge net media airkingvent documents |||

INDOOR AIR QUALITY PRODUCT CATALOG airkinglimited.com Table of Contents FAN SELECTION GUIDE Selec ... ster Bath Local - Full Bath Local - Powder Room Local - Kitchen Local - Laundry Fresh Air Standard **AK100D** BFQ90 AS54 AV1303 AS54 FAS ENERGY STAR Certified EVD AK80LS-1 BFQ50 EB30WH BFQ50 QFAMD ENER...

lang:en score:18 filesize: 13.89 M page_count: 48 document date: 2022-05-25



[\[pdf\]](#) Specifications Borchure Catalog

Catalog Page Air King BFQF50 AIRKING 50 CFM 0.5 SONES *** Discontinued PLATT ELECTRIC SUPPLY air king exhaustfancatalog brochure i 9D283F4D BF47 44E2 8501 4CBB42AEB0C7 rexel cdn products ||| Ventilation Products 3 Introduction Model ESF80H - 80 CFM/ 0.3 Sones ENERGY STAR Qualified Humidit ... s see page 33 for details EXHAUST FANS DUAL SPEED * MODEL AK50 AK80LS-1 AK80 AK90 AK110PN **AK100D** Air Movement: CFM .1 SP 50 80 80 90 100 100 / 50 Air Movement: CFM .25 SP 32 68...

lang:en score:18 filesize: 5.63 M page_count: 36 document date: 2014-08-21



[\[pdf\]](#) Specifications Declaration of Conformity Accessories Catalog

Air King® AS50 Inco Distributing UNI2019GPJ093 Broc assets unilogcorp 267 ITEM DOC ||| Indoor Air Quality Catalog 6 TIME ENERGY STAR PARTNER OF THE YEAR 2019, 2014 Partner of the Year - S ... A ETL 4 9 W x 9 D x 77/8 H AK110PN 100 83 2.0 26.4 N/A UL 4 107/8 W x 93/8 D x 77/8 H **AK100D** 100 / 50 83 2.0 / 0.4 26.4 N/A UL 4 107/8 W x 93/8 D x 77/8 H AKV 30-100 82 0.3 - 2....

lang:en score:18 filesize: 3.55 M page_count: 28 document date: 2019-04-16



[\[pdf\]](#) Specifications Catalog

Catalog Air King AK55L 3 southernpipe ASSETS DOCUMENTS CMS EN ||| Ventilation Products 2014 Sustained Excellence Climate Communications 2013 2012 Partner of the ... 4 107/8 W x 93/8 D x 77/8 H AK110PN 100 86 1.5 29.9 N/A UL 4 107/8 W x 93/8 D x 77/8 H **AK100D** 100 / 50 86 / 32 1.5 / 0.5 29.9 / 26.9 N/A UL 4 107/8 W x 93/8 D x 77/8 H QUIET EXHAUS...

lang:en score:18 filesize: 2.19 M page_count: 32 document date: 2015-01-09



[\[pdf\]](#) Specifications Catalog

Catalog Air King AS50 AKAS50 1 southernpipe ASSETS DOCUMENTS CMS EN ||| Ventilation Products 2014 Sustained Excellence Climate Communications 2013 2012 Partner of the ... 4 107/8 W x 93/8 D x 77/8 H AK110PN 100 86 1.5 29.9 N/A UL 4 107/8 W x 93/8 D x 77/8 H **AK100D** 100 / 50 86 / 32 1.5 / 0.5 29.9 / 26.9 N/A UL 4 107/8 W x 93/8 D x 77/8 H QUIET EXHAUS...

lang:en score:18 filesize: 2.19 M page_count: 32 document date: 2015-01-09



[\[pdf\]](#) Specifications Borchure

Brochure Air King AK917 AK80 1 southernpipe ASSETS DOCUMENTS CMS EN |||

Ventilation Products 2014 Sustained Excellence Climate Communications 2013 2012 Partner of the ... 4 107/8 W x 93/8 D x 77/8 H AK110PN 100 86 1.5 29.9 N/A UL 4 107/8 W x 93/8 D x 77/8 H **AK100D** 100 / 50 86 / 32 1.5 / 0.5 29.9 / 26.9 N/A UL 4 107/8 W x 93/8 D x 77/8 H QUIET EXHAUS...

lang:en score:18 filesize: 2.19 M page_count: 32 document date: 2015-01-09



[\[pdf\]](#) Specifications

VENTILATION PRODUCTS HomeProducts For an Ever Evolving Market Air King is a leader in the ventilation industry constantly introducing new and innovative products to market2cb5697e8e3f71b8b1a2b6ce20dca883d8cb2ccmedia distributordatasolutions csv 5As 2018q2 2cb5697e8e3f71b8b1a2b6ce20dca883d8cb2cce |||

Ventilation Products 5 TIME ENERGY STAR PARTNER OF THE YEAR 2018, 2017, 2013 and 2012 Partner of th ... A ETL 4 9 W x 9 D x 77/8 H AK110PN 100 83 2.0 26.4 N/A UL 4 107/8 W x 93/8 D x 77/8 H **AK100D** 100 / 50 83 2.0 / 0.4 26.4 N/A UL 4 107/8 W x 93/8 D x 77/8 H AKV 30-100 82 0.3 - 2....

lang:en score:17 filesize: 3.63 M page_count: 28 document date: 2018-04-11



[\[pdf\]](#) Specifications

air king aslc70 article 1365597439770 en cc1 resource bakerdist is content Watscocom Gemaire

Ventilation Products 4 TIME ENERGY STAR PARTNER OF THE YEAR 2017, 2013 and 2012 Partner of the Year ... A ETL 4 9 W x 9 D x 77/8 H AK110PN 100 83 2.0 26.4 N/A UL 4 107/8 W x 93/8 D x 77/8 H **AK100D** 100 / 50 83 2.0 / 0.4 26.4 N/A UL 4 107/8 W x 93/8 D x 77/8 H LEDAK100 100 83 2.0 ...

lang:en score:17 filesize: 3.31 M page_count: 24 document date: 2017-10-10



[\[pdf\]](#) Specifications Borchure

VENTILATION PRODUCTS SupplyHouse Air King s products are engineered to be the perfect answer your Indoor Quality IAQ needs with full lines of ENERGY STAR qualified exhaust fans AS60 brochure s3 supplyhouse product files Ventilation Products Introduction Model AKF80H - 80 CFM/0.5 Sones ENERGY STAR Qualified Humidity S ... ventilation. The fan can be activated to high speed through any wall mounted device. DUAL SPEED * **AK100D** 100 / 50 86 1.5 / 0.5 29.9 / 26.9 4 YES Whole Building / Local Ventilation 107/8 W x 93/8 D ...

lang:en score:17 filesize: 4.94 M page_count: 36 document date: 2013-04-26



[\[pdf\]](#) Guide Accessories Catalog

INDOOR AIR QUALITY DigitalOcean Air King s combination heaters provide effective ventilation as well supplemental heat for bathrooms All functions can be wired to operate independently 103317432 Catalog supplyhog nyc3 cdn digitaloceanspaces orgill docs |||

INDOOR AIR QUALITY PRODUCT CATALOG airkinglimited.com Table of Contents FAN SELECTION GUIDE Selec ... ster Bath Local - Full Bath Local - Powder Room Local - Kitchen Local - Laundry Fresh Air Standard **AK100D** BFQ90 AS54 AV1303 AS54 FAS ENERGY STAR Certified EVD AK80LS-1 BFQ50 EB30WH BFQ50 QFAM16 ENE...

lang:en score:17 filesize: 10.86 M page_count: 48 document date: 2021-07-13



[\[pdf\]](#) Guide Declaration of Conformity Accessories Catalog

INDOOR AIR QUALITY UnilogPros Simple installation typically the lowest cost way to meet minimum requirements The MD624 motorized damper mounts inline with ducting Air Air King BFQ75T Catalogassets unilogcorp 267 ITEM DOC Air Catalog |||

INDOOR AIR QUALITY PRODUCT CATALOG airkinglimited.com Table of Contents FAN SELECTION GUIDE Selec ... ster Bath Local - Full Bath Local - Powder Room Local - Kitchen Local - Laundry Fresh Air Standard **AK100D** BFQ90 AS54 AV1303 AS54 FAS ENERGY STAR Certified EVD AK80LS-1 BFQ50 EB30WH BFQ50 QFAM16 ENE...

lang:en score:17 filesize: 10.86 M page_count: 48 document date: 2021-07-13



[\[pdf\]](#) User Manual Specifications Datasheet Accessories Borchure Catalog

Download the complete Ventilation CatalogDownload Data Sheet URLProduct BrochureAnderson Bolds Air King ProductsAnderson ProductsAir BDD4R Exhaust Fan Ducting Accessories City Electric SupplyAir ASHSG Buy Online Westway BFQ90 User

ManualExhaustFanCatalogExhaustFanCatalogExhaustFanCatalogExhaustFanCatalogExhaustFanCatalogairkinglimited catalogs ExhaustFanCatalogairkinglimited ExhaustFanCatalog |||

Ventilation Products 3 Introduction Model AKF80H - 80 CFM/1.0 Sones ENERGY STAR Qualified Humidity ... ventilation. The fan can be activated to high speed through any wall mounted device. DUAL SPEED * **AK100D** 100 / 50 86 1.5 / 0.5 29.9 / 26.9 4 YES Whole Building / Local Ventilation 107/8 W x 93/8 D ...

lang:en score:17 filesize: 4.9 M page_count: 36 document date: 2013-08-15




[\[pdf\]](#) Specifications Borchure

Ventilation Products SupplyHouse 2 airkinglimited For an Ever Evolving Market Air King is a leader in the ventilation industry constantly introducing new and innovative products to market ESB80SH brochure s3 supplyhouse product files |||

Ventilation Products Climate Communicator 3 Introduction Model ESF80H - 80 CFM/ 0.3 Sones ENERGY S ... ivated by any wall mounted device. * MODEL AK80LS AK110LS AK50 AK80LS-1 AK80 AK90 AK110PN **AK100D** Air Movement: CFM .1 SP 80 110 50 80 80 90 100 100 / 50 Air Movement: CFM .25 S...

lang:en score:16 filesize: 5.57 M page_count: 36 document date: 2014-04-16




[\[pdf\]](#) Specifications Guide Accessories Catalog

Catalog Page Air King ECQ306 30 WHITE RANGE HOOD BLACK PLATT ELECTRIC SUPPLY hoodcatalog1 i 4D32E658 CCE9 44A0 B2D0 040E1BC445DC rexel cdn products |||

RANGE HOOD PRODUCT CATALOG airkinglimited.com Table of Contents RANGE HOOD SELECTION GUIDE Select ... ster Bath Local - Full Bath Local - Powder Room Local - Kitchen Local - Laundry Fresh Air Standard **AK100D** BFQ90 AS54 AV1303 AS54 FAS ENERGY STAR Certified EVD AK80LS-1 BFQ50 EB30WH BFQ50 QFAM16 ENE...

lang:en score:16 filesize: 6.59 M page_count: 36 document date: 2021-07-19



[\[pdf\]](#) Specifications Dimension Guide

AK100DSpec SPECIFICATION 100 CFM Bathroom Exhaust Fan in White Air King America Inc Ferguson 7064686 3365942 specification fergusonprod a bigcontent io v1 static |||

SPECIFICATIONS **AK100D** DUAL SPEED EXHAUST FANS 100 CFM/2.0 Sones 0.10 SP. 83 CFM 0.25 SP. 50 CFM/0.4 Sones 0.10 Grill White, polymeric grill secured in place with torsion springs; easily removed if necessary, dimensions - 11 x 13 3/4 . 93/8 107/8 4 Blower Wheel Balanced polymeric...

lang:en score:16 filesize: 579.55 K page_count: 1 document date: 2017-08-15



[\[pdf\]](#) Specifications Accessories Catalog

Indoor Air Quality Catalog Dec 31 2020 — King offers a wide array of ventilation solutions including ENERGY STAR® certified ASHRAE 62 2 options fans to be used comply with California Title air king ledak80 article 751517925049720 en cc1 resource gemaire is content Watscom Gemaire |||

Indoor Air Quality Catalog 6 TIME ENERGY STAR PARTNER OF THE YEAR 2019, 2014 Partner of the Year - S ... A ETL 4 9 W x 9 D x 77/8 H AK110PN 100 83 2.0 26.4 N/A UL 4 107/8 W x 93/8 D x 77/8 H **AK100D** 100 / 50 83 2.0 / 0.4 26.4 N/A UL 4 107/8 W x 93/8 D x 77/8 H AKV 30-100 82 0.3 - 2....

lang:en score:15 filesize: 3.55 M page_count: 28 document date: 2019-07-05



[pdf] Specifications Accessories Catalog

air king bqf70 catalog page i 38C6B697 881B 4A4F 8F3B AFF4371B36BB rexel cdn products |||

Ventilation Products www.airkinglimited.com Table of Contents ENERGY STAR CERTIFIED EXHAUST FANS ... 4 107/8 W x 93/8 D x 77/8 H AK110PN 100 83 2.0 26.4 N/A UL 4 107/8 W x 93/8 D x 77/8 H **AK100D** 100 / 50 83 2.0 / 0.4 26.4 N/A UL 4 107/8 W x 93/8 D x 77/8 H AKF100 100 83 2.0 26...

lang:en score:15 filesize: 2.4 M page_count: 20 document date: 2017-02-24




[pdf] User Manual Instructions

AK100DIO1 airkinglimited 2020 09 |||

IMPORTANT INSTRUCTIONS OPERATING MANUAL Models: **AK100D, AK100DH** Exhaust Fan READ AND SAVE THESE INSTRUCTIONS READ CAREFULLY BEFORE ATTEMPTING TO ASSEMBLE, INSTALL, OPERATE OR MAINTAIN THE PRODUCT DESCRIBED. PROTECT YOURSELF AND OTHERS BY OBSERVING ALL SAFETY INFORMATION. FAILURE TO COMPLY WITH IN...

lang:en score:15 filesize: 187.57 K page_count: 8 document date: 2018-11-09



[pdf] User Manual Instructions Specifications

Installation SheetAir King AK100D 100 CFM 2 Sone Dual Speed Energy Star Rated Exhaust Fan Buildair king ak100d

installation sheets1 img b build mediabase specifications air 420942 sheet |||

IMPORTANT INSTRUCTIONS OPERATING MANUAL Models: AK50S, AK80LS-1, AK80, AK90, AK110PN, AK110, AK130 Exhaust Fan READ AND SAVE THESE INSTRUCTIONS READ CAREFULLY BEFORE ATTEMPTING TO ASSEMBLE, INSTALL, OPERATE OR MAINTAIN THE PRODUCT DESCRIBED. PROTECT YOURSELF AND OTHERS BY OBSERVING ALL SAFETY INF...

lang:en score:15 filesize: 162.36 K page_count: 8 document date: 2016-04-22



[pdf] Specifications Catalog

Ventilation Products media suthlbr VENTILATION PRODUCTS Selecting Your FanSelecting Fan 4 airkinglimited Specifications subject to change without notice Air King offers a wide array of ventilation solutions including ENERGY STAR® certified ASHRAE 62.2 options fans be used comply with California Title 24 requirements as well UL555C and UL263 Fire Rated fit almost 25 mai 2021 — For an Ever Evolving Market is leader in the industry constantly introducing new innovative products market 100005112 Catalog images vendor 18446 |||

Ventilation Products 5 TIME ENERGY STAR PARTNER OF THE YEAR 2018, 2017, 2013 and 2012 Partner of th ... A ETL 4 9 W x 9 D x 77/8 H AK110PN 100 83 2.0 26.4 N/A UL 4 107/8 W x 93/8 D x 77/8 H **AK100D** 100 / 50 83 2.0 / 0.4 26.4 N/A UL 4 107/8 W x 93/8 D x 77/8 H AKV 30-100 82 0.3 - 2....

lang:en score:15 filesize: 3.65 M page_count: 28 document date: 2018-06-08



[pdf] Specifications Accessories Borchure Catalog

Catalog Page Air King AS90 *** Discontinued Rexel USA 9337466brochureurl i C15F6965 76DF 4CD6 814C DD9126B4A862 rexel cdn products |||

Ventilation Products www.airkinglimited.com Table of Contents ENERGY STAR CERTIFIED EXHAUST FANS ... 4 107/8 W x 93/8 D x 77/8 H AK110PN 100 83 2.0 26.4 N/A UL 4 107/8 W x 93/8 D x 77/8 H **AK100D** 100 / 50 83 2.0 / 0.4 26.4 N/A UL 4 107/8 W x 93/8 D x 77/8 H AKF100 100 83 2.0 26...

lang:en score:15 filesize: 3.02 M page_count: 20 document date: 2016-07-29



[pdf] Catalog

Catalog Page Air King AKX 1A AK 1 SEALED HOUSING Rexel USA akakx 1a i B4BA4EFA 56C0 4AD5 AA7E C18EFDEB4CE3 rexel cdn products |||

Contractor Packs Contractor Packs Sold in bulk packs for larger projects, contractor packs allow th ... astic AK80 12 AK90MBG 4 90/1.5 4 plastic AK90 12 AK110PNT 4 100/2.0 4 plastic AK110PN 12 **AK100DA** AK-1DT 4 100/2.0 4 plastic **AK100D** 12 BFQHSG BFQ50T 4 50/0.6 4 plastic BFQ50 14 BFQ...

lang:i-klington score:15 filesize: 148.56 K page_count: 1 document date: 2019-06-06



[\[pdf\]](#) Specifications Guide Accessories Catalog

RANGE HOOD airkinglimited Specifications subject to change without notice 3 Air King offers a wide array of range hood solutions including ENERGY STAR® certified options Selecting the perfect 7 Approved for indoor use as well covered outdoor kitchens Professional grade stainless steel dishwasher safe baffles capture grease and debris from HoodCatalog1 2020 09 |||

RANGE HOOD PRODUCT CATALOG airkinglimited.com Table of Contents RANGE HOOD SELECTION GUIDE Select ... ster Bath Local - Full Bath Local - Powder Room Local - Kitchen Local - Laundry Fresh Air Standard **AK100D** BFQ90 AS54 AV1303 AS54 FAS ENERGY STAR Certified EVD AK80LS-1 BFQ50 EB30WH BFQ50 QFAMD ENER...

lang:en score:14 filesize: 8.25 M page_count: 36 document date: 2022-03-29



[\[pdf\]](#) Specifications Declaration of Conformity Accessories Catalog

AIR KING VENTILATION PRODUCTS ShopKoopmanAir King 100062995 Catalogcx1 unilogcorp cx1 view catalogs api asset v1 dam assets ITEM DOC file 187 Air Catalog |||

Ventilation Products www.airkinglimited.com Table of Contents ENERGY STAR CERTIFIED EXHAUST FANS ... 4 107/8 W x 93/8 D x 77/8 H AK110PN 100 83 2.0 26.4 N/A UL 4 107/8 W x 93/8 D x 77/8 H **AK100D** 100 / 50 83 2.0 / 0.4 26.4 N/A UL 4 107/8 W x 93/8 D x 77/8 H AKF100 100 83 2.0 26...

lang:en score:14 filesize: 2.4 M page_count: 20 document date: 2017-02-24




[\[pdf\]](#) Specifications Dimension Guide

air king ak80ls1t article 1471636678631 en ss resource gemaire is content Watscocom Gemaire |||

SPECIFICATIONS AK50S EXHAUST FAN 50 CFM/0.5 Sones 0.10 SP. 40 CFM 0.25 SP. Grill White, poly ... 8048 Canada: Brampton, Ontario Tel: 905-456-2033 Fax: 905 456-1015 Updated 2-18 SPECIFICATIONS **AK100D** DUAL SPEED EXHAUST FANS 100 CFM/2.0 Sones 0.10 SP. 83 CFM 0.25 SP. 50 CFM/0.4 Sones 0...

lang:en score:14 filesize: 2.55 M page_count: 6 document date: 2018-03-23



[\[pdf\]](#) Installation Guide

ASHRAE 62 2 WinsupplyAK100D 100 50 1 5 Very Quiet N A YES Other Rooms Whole Building Local UL 4 107 8 W x 93 D 77 H 15 BFQ50 YESAK150LS 08316221502 CUTpimmedia winsupplyinc pim CUT 102019 AK150LS |||

ASHRAE 62.2 Making Sense Of ASHRAE 62.2 Air King has a large selection of ASHRAE 62.2 solutions for ... N/A YES Other Rooms Local UL 4 AK110PN 100 1.5 Quiet N/A YES Other Rooms Local UL 4 **AK100D** 100/50 1.5/0.5 Very Quiet N/A YES Other Rooms Whole Building/Local UL 4 BFQ50 50 0.5 V...

lang:en score:14 filesize: 591.35 K page_count: 4 document date: 2013-07-01



08316290302 CUTpimmedia winsupplyinc pim CUT 122017 AIR |||

Exhaust Fans FEATURES 4 Round duct connector with damper protects against back drafts UL Listed ... N/A YES Other Rooms Local UL 4 AK110PN 100 1.5 Quiet N/A YES Other Rooms Local UL 4 **AK100D** 100/50 1.5/0.5 Very Quiet N/A YES Other Rooms Whole Building/Local UL 4 BFQ50 50 0.5 V...

lang:en score:13 filesize: 395.37 K page count: 2 document date: 2013-07-01



Explore the comprehensive Air King product catalog featuring ENERGY STAR certified exhaust fans, combination heaters, and fresh air systems designed to enhance indoor air quality and meet ASHRAE 62.2 standards. Find detailed specifications and solutions for residential and commercial ventilation needs.

lang:en score:13 filesize: 14.03 M page count: 48 document date: 2023-03-24



Bath Fan Comparison SupplyHouseAK100D 50 80 100 Yes 2 x 4 6 1 5v1supplyhouse product files Fantech SMPL80L

Brochure srsItid AfmBOOpD2x9 Ptl00BN4XTic 410EE974qFA2Sktqpru5 Jxwtjsfage |||

Bath Fan Comparison Simple name. Simple selection. OUR MOST DIVERSE PORTFOLIO
 EVER Introducing ba ... 0/PCLP100XP AK100L - Select Fit Series bathfan SF50-80-100 FV-
 0510VS1 - SIG80-110, ELT80-110 **AK100D** - Select Fit Series bathfan SF50-80-100L FV-
 0510VSL1 - SIG80-110LED, ELT80-110LED -- ...

lang:en score:13 filesize: 4.91 M page count: 4 document date: 2023-05-16



INDOOR AIR QUALITY ExhaustFanCatalog1 airkinglimited 2020 09 |||

INDOOR AIR QUALITY PRODUCT CATALOG airkinglimited.com Table of Contents FAN
SELECTION GUIDE Selec ... ster Bath Local - Full Bath Local - Powder Room Local - Kitchen
Local - Laundry Fresh Air Standard **AK100D** BFG90 AS54 AV1303 AS54 FAS ENERGY STAR
Certified EVD AK80LS-1 BFG50 EB30WH BFG50 QFAMD ENER...

lang:en score:12 filesize: 13.89 M page count: 48 document date: 2022-03-30



[pdf] Specifications Guide Accessories Catalog

INDOOR AIR QUALITY ExhaustFanCatalog airkinglimited 2024 09 |||

INDOOR AIR QUALITY PRODUCT CATALOG airkinglimited.com Table of Contents FAN

SELECTION GUIDE Selec ... nstone glass light lens with INCLUDED LED lamp MODEL AK50S

AK80LS-1 AK80 AK80H AK90 AK110PN AK100H **AK100D** LEDAK50 LEDAK80 LEDAK100

LEDAK100H LED**AK100D** CFM .1 SP 50 80 80 80 90 100 100 50 / 100 50 ...

lang:en score:12 filesize: 10.35 M page_count: 40 document date: 2024-09-02



[pdf] Specifications

Primary Spec Sheet AIR ATL18HSG 50 60 70 4 D Energy Avenue 2cb5697e8e3f71b8b1a2b6ce20dca883d8cb2cce

media distributordatasolutions CodaleManualScape 2018q4 |||

Ventilation Products 5 TIME ENERGY STAR PARTNER OF THE YEAR 2018, 2017, 2013 and

2012 Partner of th ... A ETL 4 9 W x 9 D x 77/8 H AK110PN 100 83 2.0 26.4 N/A UL 4 107/8 W x

93/8 D x 77/8 H **AK100D** 100 / 50 83 2.0 / 0.4 26.4 N/A UL 4 107/8 W x 93/8 D x 77/8 H AKV 30-

100 82 0.3 - 2....

lang:en score:12 filesize: 3.65 M page_count: 28 document date: 2018-06-08