

[Manuals.plus](#) /

> [LIFETIME](#) /

> Lifetime 60057 Outdoor Storage Shed, 7 x 4.5 ft. Instruction Manual

LIFETIME 60057

Lifetime 60057 Outdoor Storage Shed Instruction Manual

Model: 60057 | Brand: LIFETIME

PRODUCT OVERVIEW

The Lifetime 60057 Outdoor Storage Shed, measuring 7 ft. x 4.5 ft., is designed for outdoor storage. It features steel-reinforced construction and is made from double-wall high-density polyethylene. This shed includes a floor, a full-length roof cap skylight, and a latch with a padlock loop. It offers 30.68 square feet (184.8 cubic feet) of storage capacity.



Image: The Lifetime 60057 Outdoor Storage Shed with its double doors open, revealing the interior storage area. A woman and child are walking out of the shed, carrying gardening items.

SAFETY INFORMATION

When assembling this product, handle all heavy components with care. Exercise caution to prevent damage that could void the warranty. Ensure proper installation and grounding for outdoor use. Always follow local building codes and safety regulations.

SETUP AND ASSEMBLY

Assembly of the Lifetime 60057 shed requires careful attention to instructions. It is recommended to have at least two people for assembly, especially during the roof installation. A drill or automatic screwdriver is needed for self-tapping screws. Ensure the shed is installed on a level surface to ensure proper alignment of components, particularly the doors and roof panels.

Preparation

- **Level Surface:** The shed must be built on a completely level foundation. Uneven surfaces can cause misalignment of panels and doors.
- **Unpack Components:** Carefully unpack all parts and verify against the parts list provided in the manual.

- **Tools Required:** Basic hand tools, a drill or automatic screwdriver, and a Phillips driver (often included).

Wall and Roof Installation

During wall and roof assembly, ensure panels are correctly oriented as indicated in the detailed manual. Pay close attention to the roof panel alignment, as this can be challenging. It is advisable to attach the skylight before fully securing all roof panel screws to allow for minor adjustments.

LG07000




Image: Technical drawing illustrating the exterior dimensions of the Lifetime 60057 shed, including height, width, and depth measurements in centimeters.

Anchoring

For stability, especially in windy conditions, anchor the shed to its foundation. The manual recommends using galvanized lag bolts with fender washers in each corner (not included).

Your browser does not support the video tag.

Video: An overview of the Lifetime 60057 Outdoor Storage Shed, highlighting its features and construction. This video demonstrates the shed's design and functionality.

OPERATING INSTRUCTIONS

The shed features double-hinged doors that open wide for easy access to the interior. The doors are equipped with handles and a latch for security, which can be secured with a padlock (not included). The interior includes a full-length skylight for natural light and screened vents for air circulation.



Image: The Lifetime 60057 Outdoor Storage Shed with its double doors closed, showcasing its exterior appearance in a garden setting.

Interior Features

- **Shelving:** The shed comes with one 30" x 10" shelf and two corner shelves to assist with organization. These shelves are reinforced with steel and are customizable.
- **Skylight:** A full-length skylight allows natural light into the shed, reducing the need for artificial lighting during the day.
- **Vents:** Two screened vents promote air circulation and help prevent pest entry.



hoher Lichteinfall durch Skylight am First

Image: An interior view of the shed, looking up towards the roof, highlighting the full-length skylight that provides natural illumination.



Image: A close-up view of one of the interior shelves, demonstrating its size and how it can be used for storage.



Eckregal für zusätzlichen Stauraum

Image: A close-up view of a corner shelf installed inside the shed, providing additional storage options.

MAINTENANCE

The Lifetime 60057 shed is designed for low maintenance. Its high-density polyethylene material is UV-protected and weather-resistant, reducing the need for painting or extensive upkeep. The floor is slip-resistant and resistant to oil, solvents, and stains.

- **Cleaning:** Clean the shed exterior with mild soap and water as needed.
- **Inspection:** Periodically inspect all connections and hardware to ensure they remain secure.
- **Ventilation:** Ensure vents remain clear of debris to maintain proper air circulation.

TROUBLESHOOTING

- **Misaligned Doors/Panels:** If doors or panels do not align correctly, re-check the levelness of the foundation and ensure all connecting hardware is properly seated and tightened. Minor adjustments may be needed.
- **Stripped Screws:** If a screw strips during assembly, contact customer support for oversized replacement screws or use appropriate repair methods. Avoid over-tightening screws, especially with power tools.
- **Warped Parts:** Plastic parts may warp if left exposed to direct sunlight or heat before assembly. Store parts flat and in a cool, shaded area until ready for installation. Warped roof pieces may require a second person to align during installation.

- **Skylight Gaps:** If gaps appear around the skylight, ensure the roof panels were mounted as high as possible during assembly. Silicone caulk can be used to seal minor gaps if necessary.

SPECIFICATIONS

Feature	Detail
Model Number	60057
Product Dimensions (D x W x H)	55.2"D x 80.5"W x 89.7"H (140.3 cm D x 204.5 cm W x 227.9 cm H)
Floor Area	30.68 sq. ft. (2.57 sq. meters)
Material	High Density Polyethylene (HDPE) with Alloy Steel Frame
Color	Desert Sand
Door Style	Double Hinged
Door Width	54 Inches
Door Height	75.5 Inches
Included Components	Full-length skylight, 2 screened vents, 30" x 10" shelf, 2 corner shelves, floor, and installation hardware
Water Resistance Level	Water Resistant
UV Protection	Yes
Required Assembly	Yes

WARRANTY AND SUPPORT

The Lifetime 60057 Outdoor Storage Shed comes with a 10-Year Limited Manufacturer Warranty. For warranty claims, replacement parts, or technical assistance, please refer to the contact information provided in your product packaging or visit the official LIFETIME website.