

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Pantone](#) /

› [Pantone 19-3923 TCX Smart Color Swatch Card User Manual](#)

Pantone 19-3923 TCX

Pantone 19-3923 TCX Smart Color Swatch Card User Manual

Model: 19-3923 TCX | Brand: Pantone

[Instructions](#) [Maintenance](#) [Overview](#) [Setup](#) [Operating](#)
[Troubleshooting](#) [Specifications](#) [Warranty](#) [Support](#)

1. PRODUCT OVERVIEW

The Pantone 19-3923 TCX Smart Color Swatch Card in Navy Blazer is a precise tool designed for color selection, specification, control, and communication in various industries, particularly textiles and fashion. It provides a physical representation of the Pantone Textile Color System (TCX) standard, ensuring consistent and accurate color reproduction.

Key Features:

- Provides the most accurate and effective way to communicate and specify color choices to clients and manufacturers.
- Swatch Cards of the same color can be sent to multiple production sites around the globe and aid in the coordination of multi-component programs.
- Consistent, reproducible color.
- Optimized color constancy.
- Durable colors formulated to maximize color fastness.



Figure 1.1: Pantone 19-3923 TCX Smart Color Swatch Card in Navy Blazer. A close-up view of the Pantone 19-3923 TCX Smart Color Swatch Card, featuring the Navy Blazer color. The swatch is a rectangular piece of fabric, double-folded, with a serrated edge on one side. The top portion of the image shows four labels, each indicating 'PANTONE® 19-3923 TCX Navy Blazer', suggesting the swatch can be cut into smaller pieces while retaining identification.

2. SETUP

The Pantone Smart Color Swatch Card is designed for immediate use. No complex setup or assembly is required.

2.1 Unpacking

1. Carefully remove the swatch card from its packaging.
2. Inspect the swatch card for any signs of damage or discoloration. If any issues are found, contact customer support.

2.2 Preparation for Use

- Ensure your working environment has adequate, consistent lighting for accurate color evaluation. D65 (daylight) illumination is recommended for professional color assessment.
- Handle the swatch card by its edges to avoid transferring oils or dirt from your hands onto the fabric.

3. OPERATING INSTRUCTIONS

The Pantone Smart Color Swatch Card serves as a visual and instrumental reference for color matching and communication.

3.1 Visual Color Evaluation

1. Place the swatch card next to the material or product you wish to color match or compare.
2. Observe both the swatch and the target material under consistent lighting conditions.
3. The double-folded fabric measures 4-inch x 4-inch. For a larger viewing area, unfold the swatch to 4-inch x 8-inch. This provides twice the amount of fabric for optimum color visualization.
4. Compare the color, tone, and saturation. The swatch card provides a benchmark standard for color accuracy.

3.2 Instrumental Evaluation

For precise digital color measurement, the swatch card can be used with spectrophotometers or colorimeters.

- Ensure the swatch is flat and free of wrinkles when taking measurements.
- Follow the instructions provided with your specific color measurement device for calibration and operation.

3.3 Using for Communication and Production

- Each card is identified with four PANTONE Color name and number strips. These strips allow a portion of the swatch to be cut and shared while retaining the color identification.
- Communicate the six-digit PANTONE Textile Number (e.g., 19-3923 TCX) to ensure consistent color reproduction across different locations and manufacturers.

4. MAINTENANCE

Proper care and maintenance will prolong the life and accuracy of your Pantone Smart Color Swatch Card.

4.1 Cleaning

- Avoid direct contact with liquids, oils, and dirt.
- If the fabric becomes dusty, gently brush it with a soft, clean, dry cloth or a lint roller. Do not use water or chemical cleaners, as this may alter the color or texture of the fabric.

4.2 Storage

- Store the swatch card flat in a clean, dry environment, away from direct sunlight or strong artificial light. Prolonged

exposure to light can cause color fading.

- Keep the swatch card in its original protective sleeve or a similar acid-free enclosure to prevent dust accumulation and physical damage.
- Avoid folding or creasing the fabric unnecessarily.

4.3 Handling

- Always handle the swatch card by its edges to prevent contamination from skin oils.
- Do not write on or mark the fabric portion of the swatch card.

5. TROUBLESHOOTING

This section addresses common concerns regarding the Pantone Smart Color Swatch Card.

| Problem | Possible Cause | Solution |
|--|---|---|
| Color appears different than expected. | Inconsistent lighting conditions. | Ensure you are evaluating colors under standardized lighting (e.g., D65 daylight simulator). Avoid direct sunlight or mixed light sources. |
| Swatch card appears dirty or faded. | Improper handling or storage; prolonged light exposure. | Clean gently with a soft, dry cloth. Store in a protective sleeve away from direct light. If significantly faded, consider replacing the swatch for accurate color reference. |
| Difficulty matching color to a physical product. | Differences in material texture or finish. | Color perception can be influenced by surface texture (e.g., matte vs. glossy). While the swatch provides the exact color, the appearance on a different material may vary slightly. Use instrumental measurement for objective comparison. |

6. SPECIFICATIONS

| | |
|-----------------------|--|
| Product Name | Pantone 19-3923 TCX Smart Color Swatch Card, Navy Blazer |
| Brand | Pantone |
| Model Number | 19-3923 TCX |
| Color | Navy Blazer |
| Material | Cotton |
| Dimensions (Folded) | 4 inches x 4 inches (approx.) |
| Dimensions (Unfolded) | 4 inches x 8 inches (approx.) |
| Item Weight | 0.16 ounces |
| UPC | 848826025445 |

7. WARRANTY INFORMATION

Pantone products are manufactured to high standards. Due to the nature of color standards and their use in various environments, specific warranties regarding color fastness over extended periods are not typically provided for individual swatch cards, as their lifespan is dependent on handling, storage, and exposure to light.

However, if you receive a product that is damaged or appears to have a manufacturing defect upon arrival, please contact Pantone customer support immediately for assistance. Keep your proof of purchase.

8. CUSTOMER SUPPORT




For further assistance, technical inquiries, or to report issues with your Pantone Smart Color Swatch Card, please contact Pantone customer support.




- **Online Support:** Visit the official Pantone website for FAQs, resources, and contact forms.
- **Contact Information:** Refer to the packaging or the official Pantone website for the most current contact details, including phone numbers and email addresses.
- When contacting support, please have your product model number (19-3923 TCX) and purchase details ready.




© 2024 Pantone. All rights reserved. Pantone® and other Pantone trademarks are the property of Pantone LLC.

Related Documents - 19-3923 TCX

| | |
|---|--|
|  | <p>Project BBCG: A Better Brand Color Guide</p> <p>A comprehensive tutorial on building accurate brand color guides, covering color basics, naming, measurement, and reproduction for consistent visual identity across digital and print media.</p> |
|  | <p>Kohl's Color Process Guidebook for Vendors and Mill Partners</p> <p>A comprehensive guide detailing Kohl's color evaluation guidelines, submission processes, and color language for vendors and mill partners, covering visual and digital assessment methods for various textile types.</p> |
|  | <p>ViewSonic ColorPro™ Sense Software User Guide</p> <p>User guide for ViewSonic ColorPro™ Sense software, detailing installation, setup, color detection, palette management, and harmony features. Learn to use the ColorPro™ Wheel for precise color workflows.</p> |


| | |
|---|---|
|  | <p>Ford Series 730 Loader Operator's Manual: Operation, Safety, and Maintenance</p> <p>Comprehensive operator's manual for the Ford Series 730 Loader. Learn about safe operation, control functions, attachment usage, maintenance, and detailed specifications for Ford tractor loaders.</p> |
|  | <p>Jandy AquaLink TCX Power Center: Installation and Operation Manual</p> <p>Comprehensive installation and operation manual for the Jandy AquaLink TCX Power Center, detailing setup, wiring, safety guidelines, and system overview for pool automation.</p> |
|  | <p>X-Rite PANTONE SpectraLight SPLQC and Judge LED Color Evaluation Booths</p> <p>Comprehensive solutions for visual color evaluation from X-Rite PANTONE, featuring SpectraLight SPLQC and Judge LED series light booths. Ensure accurate color communication across design, manufacturing, and quality control with industry-leading standard light sources compliant with international standards.</p> |

Documents - Pantone – 19-3923 TCX




[\[pdf\]](#) Guide

Colour guide 2024 new b31c4bf1fd2046c8998854206537b9e3 static xdconnects ProductManuals |||
 colour name colour code anthracite 019 beige 030 black 001 burgundy 007 cloud pink
 039 c ... TCX 19-0303 TCX 19-1724 TCX 11-1408 TCX 12-0717 TCX 12-5410 TCX
 14-0708 TCX 15-3716 TCX 19-5920 TCX **19-3923 TCX** 19-0201 TCX 18-3937 TCX
 17-1318 TCX 17-6009 TCX 14-4202 TCX 18-3912 TCX 15-5205 TCX 12-2...
 lang:en score:34 filesize: 2.27 M page_count: 1 document date: 2024-02-01




[\[pdf\]](#) Guide

Colour guide 2024 new 6e5a216ca14b4e87aa7b1c0b98f631f4 static xdconnects ProductManuals |||
 colour name colour code anthracite 019 beige 030 black 001 burgundy 007 cloud pink
 039 c ... TCX 19-0303 TCX 19-1724 TCX 11-1408 TCX 12-0717 TCX 12-5410 TCX
 14-0708 TCX 15-3716 TCX 19-5920 TCX **19-3923 TCX** 19-0201 TCX 18-3937 TCX
 17-1318 TCX 17-6009 TCX 14-4202 TCX 18-3912 TCX 15-5205 TCX 12-2...
 lang:en score:34 filesize: 2.27 M page_count: 1 document date: 2024-02-01



[\[pdf\]](#) Guide

Colour guide 2024 new 4269a357ba664dabb2a4cac578e74059 static xdconnects ProductManuals |||
colour name colour code anthracite 019 beige 030 black 001 burgundy 007 cloud pink
039 c ... TCX 19-0303 TCX 19-1724 TCX 11-1408 TCX 12-0717 TCX 12-5410 TCX
14-0708 TCX 15-3716 TCX 19-5920 TCX **19-3923 TCX** 19-0201 TCX 18-3937 TCX
17-1318 TCX 17-6009 TCX 14-4202 TCX 18-3912 TCX 15-5205 TCX 12-2...
lang:en score:34 filesize: 2.27 M page_count: 1 document date: 2024-02-01



[\[pdf\]](#) Guide

Colour guide 2024 new ee94d273a3b54b60849f3299929057a9 static xdconnects ProductManuals |||
colour name colour code anthracite 019 beige 030 black 001 burgundy 007 cloud pink
039 c ... TCX 19-0303 TCX 19-1724 TCX 11-1408 TCX 12-0717 TCX 12-5410 TCX
14-0708 TCX 15-3716 TCX 19-5920 TCX **19-3923 TCX** 19-0201 TCX 18-3937 TCX
17-1318 TCX 17-6009 TCX 14-4202 TCX 18-3912 TCX 15-5205 TCX 12-2...
lang:en score:34 filesize: 2.27 M page_count: 1 document date: 2024-02-01



[\[pdf\]](#) Guide

Colour guide 2024 new 097d81a3b5314237998a7861d94a8b0a static xdconnects ProductManuals |||
colour name colour code anthracite 019 beige 030 black 001 burgundy 007 cloud pink
039 c ... TCX 19-0303 TCX 19-1724 TCX 11-1408 TCX 12-0717 TCX 12-5410 TCX
14-0708 TCX 15-3716 TCX 19-5920 TCX **19-3923 TCX** 19-0201 TCX 18-3937 TCX
17-1318 TCX 17-6009 TCX 14-4202 TCX 18-3912 TCX 15-5205 TCX 12-2...
lang:en score:34 filesize: 2.27 M page_count: 1 document date: 2024-02-01



[\[pdf\]](#) Guide


COLOUR GUIDE SS21 12 Copyright © Stanley Stella SA All rights reserved E R and Rue Jules Cockx 8
10 1160 Brussels BE Colour Guide 2021 0121 StanleyStella ColourGuide res cloudinary www
stanleystella.com image upload v1609771839 Marketing Content
COLOURGUIDESS21 COLOUR GUIDE SS21 INDEX New colours SS21 All colours
Go to Go to At Stanley/Ste ... e TCX 16-5114 TCX Pantone C 5493 C CMYK 53-11-
29-06 RGB 141-177-176 Floral - C815 - 5 Pantone TCX **19-3923 TCX** 11-4800 TCX
19-4517 TCX 13-62208 TCX 18-5115 TCX Pantone C 2380 C 7541 C 2215 C 5803 C
4...
lang:en score:34 filesize: 1.68 M page_count: 13 document date: 2021-01-04



[Stanley/Stella Colour Guide SS24](#)

Stanley/Stella's official colour guide for Spring/Summer 2024, providing detailed Pantone TCX, Pantone C, RGB, and CMYK colour equivalences for their knitwear and outerwear collections.

lang:en score:33 filesize: 755.67 K page_count: 10 document date: 2023-10-30



[\[pdf\] Guide](#)

wear iqoniq SS24 Colour guide 2024 new php xindao nl Downloads Iqoniq |||

colour name colour code anthracite 019 beige 030 black 001 burgundy 007 cloud pink 039 c ... TCX 19-0303 TCX 19-1724 TCX 11-1408 TCX 12-0717 TCX 12-5410 TCX 14-0708 TCX 15-3716 TCX 19-5920 TCX **19-3923 TCX** 19-0201 TCX 18-3937 TCX 17-1318 TCX 17-6009 TCX 14-4202 TCX 18-3912 TCX 15-5205 TCX 12-2...

lang:en score:32 filesize: 2.27 M page_count: 1 document date: 2024-02-01



[\[pdf\] Instructions Specifications Datasheet Guide](#)

Data sheet Information Printable sell Product Sell Spec Specification guide TRA218 Tech Technical data information specification fox Regatta High Visibility Pro hi vis classic bomber jacket RG452 Workwear SupermarketRG452 SpecSheetcdn shopify s files 1 0919 1732 0521 SpecSheet ||| Product Specifications Sheet TRA218 Pro Hi-Vis Classic Bomber Jacket Product Information Waterproof ... odity Code 8 China 62104000 COLOURS 1. Yellow/Navy 2.

Orange/Navy PANTONE 207 EN20471 STANDARD / **19-3923 TCX** 5LV EN20471 STANDARD / **19-3923 TCX** CHEST CBL SLEEVE SNP S M L XL 109 115 121 ...

lang:en score:30 filesize: 434.86 K page_count: 1 document date: 2024-09-25



[pdf] Guide

StanleyStella ColourGuideAW22 res cloudinary www stanleystella com image upload v1653388098
 Marketing Content Colour Guide |||
 COLOURGUIDEAW22 08/04/2022 Colour equivalences for AW22 In this colour equivalence table you will ...
 tone 14-4106 TCX CMYK 29-17-12-02 Pantone 537 C RGB 187-193-204 French Navy - C727 - 2 Pantone **19-3923 TCX** CMYK 81-59-34-65 Pantone 4280 C RGB 40-45-60 Dark Washed Indigo - C552 - 2 Pantone 1...
 lang:en score:29 filesize: 1.02 M page_count: 11 document date: 2022-04-08



[pdf] Guide

StanleyStella ColourGuide 2023 res cloudinary www stanleystella com image upload v1668780520
 Marketing Content API SS23 |||
 COLOUR GUIDE 2023 Colour equivalences for SS23 In this colour equivalence table you will find the ...
 tone 18-1613 TCX CMYK 25-63-38-26 Pantone 4095 C RGB 143-094-104 French Navy - C727 - 2 Pantone **19-3923 TCX** CMYK 81-59-34-65 Pantone 4280 C RGB 40-45-60 NEW - Fraiche Peche - C101 - 2 Pantone ...
 lang:en score:21 filesize: 1.27 M page_count: 10 document date: 2022-11-18



[pdf] Instructions Specifications

fox Spec SheetRegatta Hi Vis Softshell Jacket Durable WaterproofRG456 SpecSheetcdn pimber ly public
 asset raw 571f95845f13380f0056d06a e4636642 6204ed068f41ef15c5000013 8b463fdf RG456
 SpecSheet |||
 Product Specifications Sheet TRA722 Pro Hi-Vis Softshell Jacket Product Information
 Warm backed wo ... dity Code 16 China 62019300 COLOURS 1. Yellow/Navy 2.
 Orange/Navy PANTONE 207 EN20471 STANDARD / **19-3923 TCX** 5LV EN20471
 STANDARD / **19-3923 TCX** CHEST CBL SLEEVE SNP S M L XL 102 110 118 ...
 lang:en score:20 filesize: 420.14 K page_count: 1 document date: 2024-09-25

REGATTA PROFESSIONAL Product Specifications Sheet
TRA218 Pro Hi Vis Bomber Jacket

Main Information
 Article No: 2021
 Color: Yellow/Black
 Material: 100% Polyester
 Weight: 1.2 kg
 Length: 70 cm
 Chest: 110 cm
 Sleeve: 66 cm
 This product has no internal logo branding



Specifications
 Size: S, M, L, XL, XXL, XXXL
 Chest: 110, 121, 129, 139, 147, 155
 Sleeve: 66, 66, 66, 66, 66, 66
 Length: 70, 70, 70, 70, 70, 70

Additional Information
 ISO 9001, ISO 14001, ISO 45001, Oeko-Tex 100, REACH, PFC FREE, CUT RESISTANT, THERMOGEN, WATER RESISTANT

Working Instructions
 Care instructions: Machine washable at 40°C. Do not use bleach. Do not iron. Do not dry clean.

[pdf] Specifications

fox More information Regatta Pro Hi Vis Bomber Jacket Yellow Machine Mart 040118512040118519
 dccf75d8gej24 cloudfront net documents |||
 Product Specifications Sheet TRA218 Pro Hi Vis Bomber Jacket Fabric Information
 Special Features P ... avy S CHEST 109 CBL 73.5 SLEEVE SNP 66 Additional
 Information PANTONE EN20471 STANDARD / **19-3923 TCX** EN20471 STANDARD /
19-3923 TCX M L XL XXL XXXL 115 121 129 139 147 73.5 76 ...
 lang:en score:20 filesize: 305.81 K page_count: 1 document date: 2021-08-04

REGATTA PROFESSIONAL Product Specifications Sheet
TRA220 Pro Hi Vis Thermogen Heated Jacket

Main Information
 Article No: 2021
 Color: Yellow/Black
 Material: 100% Polyester
 Weight: 1.5 kg
 Length: 70 cm
 Chest: 110 cm
 Sleeve: 66 cm
 This product has no internal logo branding



Specifications
 Size: S, M, L, XL, XXL, XXXL
 Chest: 110, 121, 129, 139, 147, 155
 Sleeve: 66, 66, 66, 66, 66, 66
 Length: 70, 70, 70, 70, 70, 70

Additional Information
 ISO 9001, ISO 14001, ISO 45001, Oeko-Tex 100, REACH, PFC FREE, CUT RESISTANT, THERMOGEN, WATER RESISTANT

Working Instructions
 Care instructions: Machine washable at 40°C. Do not use bleach. Do not iron. Do not dry clean.

[pdf] Specifications Datasheet

fox Datasheet TRA220 Pro Hi Vis Heated Jacket R23 M Men s Powercell 5000 Thermogen He
 RSA700000011534267docs rs online ca6d A700000011534267 |||
 Product Specifications Sheet TRA220 Pro Hi Vis Thermogen Heated Jacket Fabric
 Information Special F ... rigin Commodity Code 8 China 62104000 COLOURS
 Yellow/Black Orange/Black PANTONE EN20471 STANDARD / **19-3923 TCX**
 EN20471 STANDARD / **19-3923 TCX** CHEST CBL SLEEVE SNP S M L XL XXL
 XXXL 110 118...
 lang:en score:20 filesize: 320.69 K page_count: 1 document date: 2021-08-04

REGATTA PROFESSIONAL Product Specifications Sheet
TRA713 Erasmus 4 in 1 Softshell Jacket

Main Information
 Article No: 2021
 Color: Black/Black
 Material: 100% Polyester
 Weight: 1.0 kg
 Length: 70 cm
 Chest: 110 cm
 Sleeve: 66 cm
 This product has no internal logo branding



Specifications
 Size: S, M, L, XL, XXL, XXXL
 Chest: 110, 121, 129, 139, 147, 155
 Sleeve: 66, 66, 66, 66, 66, 66
 Length: 70, 70, 70, 70, 70, 70

Additional Information
 ISO 9001, ISO 14001, ISO 45001, Oeko-Tex 100, REACH, PFC FREE, CUT RESISTANT, THERMOGEN, WATER RESISTANT

Working Instructions
 Care instructions: Machine washable at 40°C. Do not use bleach. Do not iron. Do not dry clean.

[pdf] Instructions Specifications

fox Spec Sheet Regatta Erasmus 4 in 1 Softshell Jacket Waterproof RG320 SpecSheetcdn pimber ly
 public asset raw 571f95845f13380f0056d06a 859923ae 61e183f0ce60dd117500002d RG320 SpecSheet
 |||
 Product Specifications Sheet TRA713 Erasmus 4 in 1 Softshell Jacket Fabric
 Information Polyester 1 ... S Black Black SealGrey SI Gr Navy Navy CHEST CBL
 SLEEVE SNP PANTONE 19-4008 TCX 19-4104 TCX **19-3923 TCX** S M L 106 114
 122 76.5 76.5 79 66 67 68 XL XXL XXXL 130 140 148 79 8...
 lang:en score:18 filesize: 301.58 K page_count: 1 document date: 2021-07-22



[\[pdf\]](#) Instructions Specifications Datasheet

fox Datasheet TRJ501 Pro Cargo Holster Trouser TRJ500BLKR 38 Trousers Black Reg Leg RS

A700000011534299 docs rs online ee4f |||

Product Specifications Sheet TRJ501 Pro Cargo Holster Trouser Fabric Information Cotton 35 , Polye ... rton Quantity Country of Origin Commodity Code 16 Bangladesh 62034311 COLOURS Navy Black PANTONE **19-3923 TCX** 19-4008 TCX Relaxed Stretched Regular 30 32 34 36 38 40 81 86 91 96 10...

lang:en score:18 filesize: 324.71 K page_count: 1 document date: 2021-07-20




[\[pdf\]](#)

FILE 660e0b2e20ff2 static unpr io media 325 |||

colour name colour code anthracite 019 beige 030 black 001 burgundy 007 cloud pink 039 c ... TCX 19-0303 TCX 19-1724 TCX 11-1408 TCX 12-0717 TCX 12-5410 TCX 14-0708 TCX 15-3716 TCX 19-5920 TCX **19-3923 TCX** 19-0201 TCX 18-3937 TCX 17-1318 TCX 17-6009 TCX 14-4202 TCX 18-3912 TCX 15-5205 TCX 12-2...

lang:en score:17 filesize: 2.27 M page_count: 1 document date: 2024-02-01



[\[pdf\]](#)

FILE 661352984e29d static unpr io media 325 |||

colour name colour code anthracite 019 beige 030 black 001 burgundy 007 cloud pink 039 c ... TCX 19-0303 TCX 19-1724 TCX 11-1408 TCX 12-0717 TCX 12-5410 TCX 14-0708 TCX 15-3716 TCX 19-5920 TCX **19-3923 TCX** 19-0201 TCX 18-3937 TCX 17-1318 TCX 17-6009 TCX 14-4202 TCX 18-3912 TCX 15-5205 TCX 12-2...

lang:en score:17 filesize: 2.27 M page_count: 1 document date: 2024-02-01




[\[pdf\]](#)

FILE 66135281a7986 static unpr io media 325 |||

colour name colour code anthracite 019 beige 030 black 001 burgundy 007 cloud pink 039 c ... TCX 19-0303 TCX 19-1724 TCX 11-1408 TCX 12-0717 TCX 12-5410 TCX 14-0708 TCX 15-3716 TCX 19-5920 TCX **19-3923 TCX** 19-0201 TCX 18-3937 TCX 17-1318 TCX 17-6009 TCX 14-4202 TCX 18-3912 TCX 15-5205 TCX 12-2...

lang:en score:17 filesize: 2.27 M page_count: 1 document date: 2024-02-01




[\[pdf\]](#)

FILE 660e0b31962a0 static unpr io media 325 |||


colour name colour code anthracite 019 beige 030 black 001 burgundy 007 cloud pink 039 c ... TCX 19-0303 TCX 19-1724 TCX 11-1408 TCX 12-0717 TCX 12-5410 TCX 14-0708 TCX 15-3716 TCX 19-5920 TCX **19-3923 TCX** 19-0201 TCX 18-3937 TCX 17-1318 TCX 17-6009 TCX 14-4202 TCX 18-3912 TCX 15-5205 TCX 12-2...

lang:en score:17 filesize: 2.27 M page_count: 1 document date: 2024-02-01



[\[pdf\]](#)

wear iqoniq SS2418 4006 TCX cool grey 10 C 61 52 46 17 102 103 109 black 001 19 53 35 7 127 115
132 white 004 11 0601 1 0FILE 66da67ad35574static unpr io media 325 FILE 66da67ad35574 |||
colour name colour code anthracite 019 beige 030 black 001 burgundy 007 cloud pink
039 c ... TCX 19-0303 TCX 19-1724 TCX 11-1408 TCX 12-0717 TCX 12-5410 TCX
14-0708 TCX 15-3716 TCX 19-5920 TCX **19-3923 TCX** 19-0201 TCX 18-3937 TCX
17-1318 TCX 17-6009 TCX 14-4202 TCX 18-3912 TCX 15-5205 TCX 12-2...
lang:en score:17 filesize: 2.27 M page_count: 1 document date: 2024-02-01



[\[pdf\]](#)

FILE 67ad64e08f492 static unpr io media 325 |||
all colours SS25 undyed heather colours SS25 black 001 anthracite 019 vulcano
heather grey 028 ... TCX 19-0303 TCX 19-1724 TCX 11-1408 TCX 12-0717 TCX 12-
5410 TCX 14-0708 TCX 15-3716 TCX 19-5920 TCX **19-3923 TCX** 19-0201 TCX 18-
3937 TCX 17-1318 TCX 17-6009 TCX 14-4202 TCX 18-3912 TCX 15-5205 TCX 12-
2...
lang:en score:16 filesize: 2.41 M page_count: 2 document date: 2025-01-23



[\[pdf\]](#) Accessories

StanleyStella Lookbook2023 EN media 1702214611 usercontent one wp pfkonzept de 2023 05 |||
LOOKBOOK 2023 Lookbook 2023 About Manifesto Our pillars Our supply chain
Collection Urban splash A ... tone 18-1613 TCX CMYK 25-63-38-26 Pantone 4095 C
RGB 143-094-104 French Navy - C727 - 2 Pantone **19-3923 TCX** CMYK 81-59-34-65
Pantone 4280 C RGB 40-45-60 NEW - Fraiche Peche - C101 - 2 Pantone ...
lang:en score:11 filesize: 29.44 M page_count: 161 document date: 2022-12-22