

## Teka Classic 2C 80

# Teka Classic 2C 80 Stainless Steel Double Bowl Sink

## Instruction Manual

### 1. INTRODUCTION

---

Thank you for choosing the Teka Classic 2C 80 Stainless Steel Double Bowl Sink. This manual provides essential information for the safe and efficient installation, operation, and maintenance of your new sink. Please read these instructions carefully before beginning installation or use, and keep them for future reference.

The Teka Classic 2C 80 is an 80 cm built-in sink featuring two spacious bowls, constructed from high-quality 18/10 stainless steel for durability and resistance to wear and rust. It includes sound insulation for reduced noise and vibration during use, a basket valve, and a siphon for efficient drainage.

### 2. SAFETY INFORMATION

---

- Always ensure the water supply is turned off before beginning any installation or maintenance work.
- Wear appropriate personal protective equipment (e.g., gloves, safety glasses) during installation.
- Handle the sink with care to avoid scratches or damage.
- Ensure all connections are watertight to prevent leaks.
- Do not use abrasive cleaners or harsh chemicals on the stainless steel surface, as this can cause damage.
- If you are unsure about any part of the installation process, consult a qualified professional.

### 3. PACKAGE CONTENTS

---

Verify that all components are present and undamaged before proceeding with installation:

- Teka Classic 2C 80 Double Bowl Sink Unit
- Basket Valve(s)
- Siphon

- Mounting clips/hardware (may vary by region)

## 4. SETUP AND INSTALLATION

---

The Teka Classic 2C 80 sink is designed for built-in (inset) installation. This method involves placing the sink into a pre-cut opening in the countertop and securing it with clips.

### 4.1 Preparing the Countertop

A precise cutout in your countertop is essential for proper installation. Refer to the technical drawing below for the exact dimensions required for the opening. It is recommended to use the provided template (if included) or carefully measure according to the diagram.



This technical diagram provides precise measurements for the Teka Classic 2C 80 sink, indicating an overall width of 800mm and a depth of 500mm. Individual bowl dimensions and spacing are also detailed, essential for countertop cutout during installation.

### 4.2 Sink Placement and Securing

1. Apply a bead of silicone sealant around the edge of the countertop cutout to create a watertight seal.
2. Carefully lower the sink into the prepared opening. Ensure it is properly aligned.
3. From underneath the countertop, attach the mounting clips to the sink's underside and tighten them to secure the sink firmly in place. Do not overtighten.

### 4.3 Plumbing Connections

Install the basket valves into the drain openings of both bowls. Connect the siphon and waste pipes according to standard plumbing practices. Ensure all connections are tight and leak-free. The sink features a pre-drilled faucet hole for easy installation of your chosen kitchen faucet.



An angled perspective of the Teka Classic 2C 80 stainless steel sink, showcasing its two bowls and a modern kitchen faucet installed on the deck between them. This view helps visualize the sink's appearance when installed.

## 5. OPERATING INSTRUCTIONS

---

The Teka Classic 2C 80 sink is designed for everyday kitchen tasks. Its two bowls offer versatility, allowing you to wash dishes in one bowl while rinsing in the other, or to soak items in one while keeping the other free for food preparation.



This image shows a top-down view of the Teka Classic 2C 80 built-in stainless steel sink, featuring two identical rectangular bowls with central drain openings.

- **Water Flow:** Use your kitchen faucet to control the water flow and temperature into the sink bowls.
- **Drainage:** The basket valves allow you to open or close the drain. Ensure they are open for water to drain freely.
- **Sound Insulation:** The integrated sound insulation helps to reduce noise from water flow and dishwashing, providing a quieter kitchen environment.

## 6. MAINTENANCE AND CLEANING

---

Proper care will ensure the longevity and appearance of your stainless steel sink.

- **Daily Cleaning:** Clean the sink regularly with a soft cloth and warm soapy water. Rinse thoroughly and dry with a clean cloth to prevent water spots and streaks.
- **Stubborn Stains:** For more stubborn stains, use a non-abrasive stainless steel cleaner. Always rub in the direction of the grain.
- **Avoid:** Do not use steel wool, abrasive sponges, harsh chemicals (e.g., bleach, strong acids), or cleaners containing chlorides, as these can damage the stainless steel finish.
- **Preventing Scratches:** While stainless steel is durable, it can scratch. Use a sink grid or mat to protect the bottom of the bowls from heavy pots and pans.
- **Drain Maintenance:** Periodically remove the basket valve to clean any food debris or buildup to ensure proper drainage.

## 7. TROUBLESHOOTING

---

Here are some common issues and their potential solutions:

Problem	Possible Cause	Solution
Slow Drainage	Food debris or grease buildup in the drain or siphon.	Remove basket valve and clean thoroughly. Use a drain cleaner suitable for plumbing, or disassemble and clean the siphon.
Water Leaks Around Sink Edge	Inadequate sealant or loose mounting clips.	Check and tighten mounting clips. Reapply silicone sealant if necessary.
Water Leaks from Plumbing Connections	Loose connections or damaged seals.	Check and tighten all pipe connections. Replace washers or seals if they appear damaged.
Water Spots/Streaks on Surface	Hard water residue or improper drying.	Dry the sink thoroughly after each use. For existing spots, use a stainless steel cleaner or a solution of vinegar and water, then rinse and dry.

## 8. SPECIFICATIONS

---

Feature	Specification
Brand	Teka
Model Number	11119006
Material	18/10 Stainless Steel
Style	2 Bowls (2 Senos)
Overall Size	80 cm

Feature	Specification
Product Dimensions (D x W x H)	10f. x 10an. x 10al. millimeters (Note: This dimension seems generic, refer to technical drawing for actual cutout dimensions)
Bowl Depth	190 mm
Installation Type	Built-in (Inset)
Drain Type	Pop-up (Basket Valve)
Number of Faucet Holes	1
Weight	4.8 Kilograms
Sound Insulation	Yes

## 9. WARRANTY AND SUPPORT

---

This Teka sink comes with a **three-year manufacturer's warranty**. Please retain your proof of purchase for warranty claims.

For technical assistance, spare parts, or warranty inquiries, please contact Teka customer support through their official website or the retailer where the product was purchased. Always provide the model number (11119006) and a detailed description of the issue when seeking support.