

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

- › [Bobrick](#) /
- › [Bobrick B-685 Surface-Mounted Toilet Tissue Dispenser User Manual](#)

Bobrick 685

Bobrick B-685 Surface-Mounted Toilet Tissue Dispenser User Manual

Model: B-685

INTRODUCTION

Thank you for choosing the Bobrick B-685 Surface-Mounted Toilet Tissue Dispenser. This manual provides detailed instructions for the proper installation, operation, and maintenance of your new dispenser. Please read this manual thoroughly before installation and keep it for future reference.



Image: The Bobrick B-685 Surface-Mounted Toilet Tissue Dispenser, featuring a sleek chrome finish and a single roll design. It is designed for surface mounting.

SETUP AND INSTALLATION

Tools Required:

- Drill
- Drill bits appropriate for wall material
- Screwdriver (Phillips or flathead, depending on screws)
- Measuring tape
- Pencil

- Level

Installation Steps:

1. **Select Location:** Choose a suitable wall location for the dispenser, ensuring it is at a convenient height and clear of obstructions.
2. **Mark Mounting Holes:** Hold the dispenser against the wall at the desired location. Use a pencil to mark the positions of the mounting holes. Ensure the dispenser is level before marking.
3. **Drill Pilot Holes:** Using the appropriate drill bit for your wall material (e.g., masonry bit for tile/concrete, wood bit for studs, or drywall bit for anchors), drill pilot holes at the marked locations.
4. **Insert Anchors (if necessary):** If drilling into drywall or hollow walls, insert wall anchors into the pilot holes.
5. **Mount Dispenser:** Align the dispenser's mounting holes with the drilled holes (or anchors). Secure the dispenser to the wall using the provided screws. Tighten screws firmly but do not overtighten.
6. **Verify Stability:** Gently tug on the dispenser to ensure it is securely mounted and does not wobble.

OPERATING INSTRUCTIONS

Loading Toilet Tissue:

1. **Remove Empty Roll:** If an empty toilet tissue roll is present, slide it off the dispenser rod.
2. **Prepare New Roll:** Take a standard-sized toilet tissue roll.
3. **Insert New Roll:** Gently compress the spring-loaded rod of the dispenser. Slide the new toilet tissue roll onto the rod. Release the rod, ensuring it seats properly into the dispenser arms.
4. **Dispense:** The dispenser is now ready for use.

MAINTENANCE

Cleaning:

- Clean the dispenser regularly with a soft, damp cloth and mild soap.
- Avoid abrasive cleaners, scouring pads, or harsh chemicals, as these can damage the finish.
- Dry thoroughly with a clean, soft cloth to prevent water spots.

Inspection:

- Periodically check the mounting screws to ensure they remain tight. Retighten if necessary.
- Inspect the spring-loaded rod for smooth operation.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Dispenser feels loose on the wall.	Mounting screws are loose or wall anchors are not secure.	Tighten mounting screws. If problem persists, consider using larger or more appropriate wall anchors.
Toilet tissue roll does not spin freely.	Roll is too wide or rod is not properly seated.	Ensure you are using a standard-sized toilet tissue roll. Re-seat the spring-loaded rod correctly into the dispenser arms.

SPECIFICATIONS

Model: Bobrick B-685

Type: Surface-Mounted Toilet Tissue Dispenser

Material: Plastic, Stainless Steel

Finish: Chrome

Roll Quantity: Single Roll

Product Dimensions: 7.5"L x 0.94"W

Item Weight: 0.32 ounces

Manufacturer: Bobrick

UPC: 802063168518

WARRANTY AND SUPPORT




For warranty information or technical support, please contact Bobrick customer service. Refer to the product packaging or the official Bobrick website for the most current contact details and warranty terms.


Website: www.bobrick.com



© 2023 Bobrick. All rights reserved.

Related Documents - 685

GLAMBERGET  	IKEA GLAMBERGET Extendable Bed Assembly Instructions A comprehensive guide for assembling the IKEA GLAMBERGET extendable bed with storage. Includes step-by-step instructions and a list of all necessary parts and tools.
	Bobrick Designer Series Automatic Soap Dispenser: Installation, Operation & Maintenance Guide Comprehensive guide for installing, operating, and maintaining Bobrick's Designer Series Automatic, Counter-Mounted Soap Dispensers (Models B-850, B-852, B-855, B-856, B-858). Includes troubleshooting, unit diagram, and replacement parts.
	Bobrick SureFlo B-824 Liquid Soap Dispenser: Installation, Operation & Maintenance Guide Comprehensive guide for the Bobrick SureFlo B-824 automatic counter-mounted liquid soap dispenser, covering installation, operation, maintenance, troubleshooting, and AC power conversion.

	Georgia-Pacific Compact Coreless Spindles Placement Guide Find the correct Georgia-Pacific Compact Coreless Spindles for your commercial toilet tissue dispensers. This guide lists compatible dispenser models from manufacturers like Bobrick, Bradley, San Jamar, and A.S.I., along with Compact® Tissue product specifications and spindle kit details.
	SureFlo Automatic Counter-Mounted Soap Dispenser: Installation, Operation & Maintenance Guide Comprehensive guide for the Bobrick SureFlo B-824 automatic, counter-mounted liquid soap dispenser, covering installation, operation, routine maintenance, and troubleshooting.
	Bobrick B-2013 Automatic Soap Dispenser Pump Replacement Instructions Step-by-step instructions for replacing the pump on a Bobrick B-2013 automatic wall-mounted foam or liquid soap dispenser, covering models 2013-25 and 2013-25-L.

Documents - Bobrick – 685



[\[pdf\]](#) Guide

PLANNING GUIDE FOR ACCESSIBLE RESTROOMS PlanningGuide bobrick |||

0 25 PLANNING GUIDE FOR ACCESSIBLE RESTROOMS 48 1220 60 min

tuWrnihneg1e5slc2ph5aacier 48 t 12 ... e surface 35 inches max 890mm if not

mounted over counter or lavatory 33-36 C: 18-27 840-915 455-685 Depending on age

Fig.1a Upper Range of Mounting Heights for Restroom Accessories with Operable ...

lang:en score:35 filesize: 3.61 M page_count: 24 document date: 2019-04-09



[pdf] Instructions Specifications Datasheet Guide Accessories Catalog

WASHROOM ACCESSORIES Bobrick For Technical Data Sheets Guide Specifications CAD Files BIM Objects Installation Instructions and more visit online bobrick Corporate US 2020 Accessories Catalogue EN overallcloud azureedge net citroen air 1605529763 dossier art BOBRICK 836B918116L Extended TrimLineSeries New surface mounted design options Pages 23 31 37 42 B 635 Klutch Mobile Device Holder Holds devices safely

GLOBAL PRODUCT CATALOGUE WASHROOM ACCESSORIES VALUE, REALISED. Realise your vision and make it las ... elves. Cabinet may be inverted for right- or left-hand door swing. Unit B-299 Width 430 Height **685** Depth 130 Projection N/A Accessibility Mounting Height 1630 Unit B-398 430 **685** 85 45 1630... lang:en score:32 filesize: 5.57 M page_count: 56 document date: 2020-02-26


BOBRICK TOILET TISSUE DISPENSERS GUIDE FOR ORDERING REPLACEMENT SPINDLES		
Model Number	Description	Replacement Spindle
B-120	For 1 roll (standard) - 1 spindle	Part No. B-120-1
B-120	For 2 rolls (standard) - 2 spindles	Part No. B-120-2
B-120	For 3 rolls (standard) - 3 spindles	Part No. B-120-3
B-120	For 4 rolls (standard) - 4 spindles	Part No. B-120-4
B-120	For 5 rolls (standard) - 5 spindles	Part No. B-120-5
B-120	For 6 rolls (standard) - 6 spindles	Part No. B-120-6
B-120	For 7 rolls (standard) - 7 spindles	Part No. B-120-7
B-120	For 8 rolls (standard) - 8 spindles	Part No. B-120-8
B-120	For 9 rolls (standard) - 9 spindles	Part No. B-120-9
B-120	For 10 rolls (standard) - 10 spindles	Part No. B-120-10
B-120	For 11 rolls (standard) - 11 spindles	Part No. B-120-11
B-120	For 12 rolls (standard) - 12 spindles	Part No. B-120-12
B-120	For 13 rolls (standard) - 13 spindles	Part No. B-120-13
B-120	For 14 rolls (standard) - 14 spindles	Part No. B-120-14
B-120	For 15 rolls (standard) - 15 spindles	Part No. B-120-15
B-120	For 16 rolls (standard) - 16 spindles	Part No. B-120-16
B-120	For 17 rolls (standard) - 17 spindles	Part No. B-120-17
B-120	For 18 rolls (standard) - 18 spindles	Part No. B-120-18
B-120	For 19 rolls (standard) - 19 spindles	Part No. B-120-19
B-120	For 20 rolls (standard) - 20 spindles	Part No. B-120-20
B-120	For 21 rolls (standard) - 21 spindles	Part No. B-120-21
B-120	For 22 rolls (standard) - 22 spindles	Part No. B-120-22
B-120	For 23 rolls (standard) - 23 spindles	Part No. B-120-23
B-120	For 24 rolls (standard) - 24 spindles	Part No. B-120-24
B-120	For 25 rolls (standard) - 25 spindles	Part No. B-120-25
B-120	For 26 rolls (standard) - 26 spindles	Part No. B-120-26
B-120	For 27 rolls (standard) - 27 spindles	Part No. B-120-27
B-120	For 28 rolls (standard) - 28 spindles	Part No. B-120-28
B-120	For 29 rolls (standard) - 29 spindles	Part No. B-120-29
B-120	For 30 rolls (standard) - 30 spindles	Part No. B-120-30
B-120	For 31 rolls (standard) - 31 spindles	Part No. B-120-31
B-120	For 32 rolls (standard) - 32 spindles	Part No. B-120-32
B-120	For 33 rolls (standard) - 33 spindles	Part No. B-120-33
B-120	For 34 rolls (standard) - 34 spindles	Part No. B-120-34
B-120	For 35 rolls (standard) - 35 spindles	Part No. B-120-35
B-120	For 36 rolls (standard) - 36 spindles	Part No. B-120-36
B-120	For 37 rolls (standard) - 37 spindles	Part No. B-120-37
B-120	For 38 rolls (standard) - 38 spindles	Part No. B-120-38
B-120	For 39 rolls (standard) - 39 spindles	Part No. B-120-39
B-120	For 40 rolls (standard) - 40 spindles	Part No. B-120-40
B-120	For 41 rolls (standard) - 41 spindles	Part No. B-120-41
B-120	For 42 rolls (standard) - 42 spindles	Part No. B-120-42
B-120	For 43 rolls (standard) - 43 spindles	Part No. B-120-43
B-120	For 44 rolls (standard) - 44 spindles	Part No. B-120-44
B-120	For 45 rolls (standard) - 45 spindles	Part No. B-120-45
B-120	For 46 rolls (standard) - 46 spindles	Part No. B-120-46
B-120	For 47 rolls (standard) - 47 spindles	Part No. B-120-47
B-120	For 48 rolls (standard) - 48 spindles	Part No. B-120-48
B-120	For 49 rolls (standard) - 49 spindles	Part No. B-120-49
B-120	For 50 rolls (standard) - 50 spindles	Part No. B-120-50
B-120	For 51 rolls (standard) - 51 spindles	Part No. B-120-51
B-120	For 52 rolls (standard) - 52 spindles	Part No. B-120-52
B-120	For 53 rolls (standard) - 53 spindles	Part No. B-120-53
B-120	For 54 rolls (standard) - 54 spindles	Part No. B-120-54
B-120	For 55 rolls (standard) - 55 spindles	Part No. B-120-55
B-120	For 56 rolls (standard) - 56 spindles	Part No. B-120-56
B-120	For 57 rolls (standard) - 57 spindles	Part No. B-120-57
B-120	For 58 rolls (standard) - 58 spindles	Part No. B-120-58
B-120	For 59 rolls (standard) - 59 spindles	Part No. B-120-59
B-120	For 60 rolls (standard) - 60 spindles	Part No. B-120-60
B-120	For 61 rolls (standard) - 61 spindles	Part No. B-120-61
B-120	For 62 rolls (standard) - 62 spindles	Part No. B-120-62
B-120	For 63 rolls (standard) - 63 spindles	Part No. B-120-63
B-120	For 64 rolls (standard) - 64 spindles	Part No. B-120-64
B-120	For 65 rolls (standard) - 65 spindles	Part No. B-120-65
B-120	For 66 rolls (standard) - 66 spindles	Part No. B-120-66
B-120	For 67 rolls (standard) - 67 spindles	Part No. B-120-67
B-120	For 68 rolls (standard) - 68 spindles	Part No. B-120-68
B-120	For 69 rolls (standard) - 69 spindles	Part No. B-120-69
B-120	For 70 rolls (standard) - 70 spindles	Part No. B-120-70
B-120	For 71 rolls (standard) - 71 spindles	Part No. B-120-71
B-120	For 72 rolls (standard) - 72 spindles	Part No. B-120-72
B-120	For 73 rolls (standard) - 73 spindles	Part No. B-120-73
B-120	For 74 rolls (standard) - 74 spindles	Part No. B-120-74
B-120	For 75 rolls (standard) - 75 spindles	Part No. B-120-75
B-120	For 76 rolls (standard) - 76 spindles	Part No. B-120-76
B-120	For 77 rolls (standard) - 77 spindles	Part No. B-120-77
B-120	For 78 rolls (standard) - 78 spindles	Part No. B-120-78
B-120	For 79 rolls (standard) - 79 spindles	Part No. B-120-79
B-120	For 80 rolls (standard) - 80 spindles	Part No. B-120-80
B-120	For 81 rolls (standard) - 81 spindles	Part No. B-120-81
B-120	For 82 rolls (standard) - 82 spindles	Part No. B-120-82
B-120	For 83 rolls (standard) - 83 spindles	Part No. B-120-83
B-120	For 84 rolls (standard) - 84 spindles	Part No. B-120-84
B-120	For 85 rolls (standard) - 85 spindles	Part No. B-120-85
B-120	For 86 rolls (standard) - 86 spindles	Part No. B-120-86
B-120	For 87 rolls (standard) - 87 spindles	Part No. B-120-87
B-120	For 88 rolls (standard) - 88 spindles	Part No. B-120-88
B-120	For 89 rolls (standard) - 89 spindles	Part No. B-120-89
B-120	For 90 rolls (standard) - 90 spindles	Part No. B-120-90
B-120	For 91 rolls (standard) - 91 spindles	Part No. B-120-91
B-120	For 92 rolls (standard) - 92 spindles	Part No. B-120-92
B-120	For 93 rolls (standard) - 93 spindles	Part No. B-120-93
B-120	For 94 rolls (standard) - 94 spindles	Part No. B-120-94
B-120	For 95 rolls (standard) - 95 spindles	Part No. B-120-95
B-120	For 96 rolls (standard) - 96 spindles	Part No. B-120-96
B-120	For 97 rolls (standard) - 97 spindles	Part No. B-120-97
B-120	For 98 rolls (standard) - 98 spindles	Part No. B-120-98
B-120	For 99 rolls (standard) - 99 spindles	Part No. B-120-99
B-120	For 100 rolls (standard) - 100 spindles	Part No. B-120-100

[pdf] Guide

CSD 06176 Bobrick Washroom Equipment Inc Tech Data 3588 33 Paper Holder Assembly for Products TotalRestroom BOBRICK TOILET TISSUE DISPENSERS GUIDE FOR SPINDLES cdn shopify s files 1 0260 6530 5645 |||

BOBRICK TOILET TISSUE DISPENSERS GUIDE FOR ORDERING REPLACEMENT SPINDLES Model Number Description ... FOR ORDERING REPLACEMENT SPINDLES Model Number Description Replacement Spindle B-2840 B-6669 B-**685** B-2840 For 2 rolls without ashtray shown , 2 spindles Part No. 283-504 Chrome Plated B-663...

lang:en score:30 filesize: 438.53 K page_count: 3 document date: 2024-08-01



[pdf] Guide

Planning Guide file 22911 crop Bobrick Adv ADA Bathroom Layout Thrifty Supply Wholesale Plumbing Heating PlanningGuide snowcrest net thriftysupply |||

0 25 PLANNING GUIDE FOR ACCESSIBLE RESTROOMS 48 220 60 min tuWrnihneg1e5slc2ph5aacier 48 1220 C ... e surface 35 inches max 890mm if not mounted over counter or lavatory 33-36 C: 18-27 840-915 455-**685** Depending on age Fig.1a Upper Range of Mounting Heights for Restroom Accessories with Operable ... lang:en score:29 filesize: 1.26 M page_count: 24 document date: 2013-07-10

[\[pdf\]](#) Accessories

B 685 td Bobrick Advertising s3 absupply net amazonaws |||

Technical Data single-roll TOILET tissue dispenser B-685 B-6857 Specify Finish

Required: Model B-**685** Bright polished finish Model B-**6857** Satin finish 2 50mm Typ.

3-5/16 85mm 7-1/4 185mm 5-1/4 135mm Flange and Mounting Bracket Support Arm

Finish Face of Wall 3-15/16 100mm 1/2 ...

lang:en score:24 filesize: 186.59 K page_count: 1 document date: 2012-02-23

[\[pdf\]](#) Guide

Universal Spindles Placement Guide Page 2 Compact® allow you to double the capacity of most

Commercial tissue dispensers which saves labor 91XB1H0zi0L images na ssl amazon I

Universal Spindles Placement Guide Ask for Compact Coreless Tissue by name.

Compact Spindles allow ... C R3600TBK R3600TBL B-2840 5263 0697-GAL 0697-GL

0697-LGAL 5265 5267 5268 5269 B-663 B-6637 B-667 B-**685** 0263-1 0263-1A 0263-

1A2 710 5084 5061 0263-12 0263-1A B-7**685** B-264 B-273 B-2730 B-6677 B-7**685**7

B...

lang:en score:24 filesize: 757.29 K page_count: 3 document date: 2018-05-04

[\[pdf\]](#) Guide Accessories Borchure Catalog

RestroomAccessoryCatalog Bobrick Washroom Equipment Inc Catalog Information Table of Contents

Numerical Product Index KB110 SSRE 38 SSWM KB200 00 01SS 05SS Planning Guide for Accessible

Restrooms Healthcare Products Brochure Page 2 BobrickWashroomEquipment 00001 2 3 18 19CAT

cdnimages opentip Docs CIO |||

Portfolio of Values Catalog Information Numerical Product Index Architects,

developers and facili ... -676 32 B-677 35 B-6777 35 B-6806 Series 30 B-68137 31 B-

682 36 B-6827 36 B-683 32 B-**685** 21 B-**6857** 21 B-686 21 B-6861 31 B-68616 31 B-

6867 21 B-687 32 MODEL PAGE NO. NO....

lang:en score:24 filesize: 1.05 M page count: 2 document date: 2019-11-11

[\[pdf\]](#) Tech Sheet Accessories

Technical Sheet Bobrick B 685 Toilet Roll Holder 6857 Stainless Steel 16263437931487953837 toilet roll

holder intelligenthanddryers |||


Technical Data single-roll TOILET tissue dispenser B-685 B-6857 Specify Finish

Required: Model B-**685** Bright polished finish Model B-**6857** Satin finish 2 50mm Typ.

3-5/16 85mm 7-1/4 185mm 5-1/4 135mm Flange and Mounting Bracket Support Arm

Finish Face of Wall 3-15/16 100mm 1/2 ...

lang:en score:23 filesize: 215 K page count: 1 document date: 2009-04-22



[pdf] Accessories

B 685 r506 pmd Jenni PARTS Bobrick SGL ROLL TISSUE DISP Ferguson 1623860 1173251 parts

fergusonprod a bigcontent io v1 static |||

SINGLE-ROLL TOILET TISSUE DISPENSER B-685 B-6857 Specify Finish Required:

ModelB-685 Bright polished finish ModelB-6857 Satin finish 2 50mm Typ. 3-5/16

85mm 7-1/4 185mm 5-1/4 135mm Flange and Mounting Bracket Support Arm Finish

Face of Wall 3-15/16 100mm 1/2 13mm 2 50mm S ...

lang:en score:22 filesize: 160.48 K page_count: 1 document date: 2006-06-30



[pdf] Specifications Warranty

Bobrick B685 Toilet Roll Holder Polished Stainless Steel Download Product B 685 Access Hardware Door

accesshardware au product file id 7266 name |||


Bobrick B685 Toilet Roll Holder - Polished Stainless Steel SKU BOB685 MPNB-685

Architectural Hardware Security Solutions DESCRIPTION Bobrick B685 Surface

Mounted Toilet Tissue Dispenser for Single Roll Material Stainless Steel Finish Bright

polished stainless steel Features Support-arm flanges I...

lang:en score:22 filesize: 530.31 K page_count: 2 document date: 2024-04-10



[pdf]

B 685 6857 r107 td DE bobrick |||


Technische Daten 2 50mm Typ. 3-5/16 85mm 7-1/4 185mm 5-1/4 135mm Flange and

Mounting Bracket Support Arm Finish Face of Wall 3-15/16 100mm 1/2 13mm 2

50mm S Typ. S Concealed Wall Plate Locking Setscrew w Recommended Mounting

Height Off Floor For Universal / Barrier-Free D...

lang:de score:21 filesize: 1.22 M page_count: 1 document date: 2007-05-15




[pdf] Accessories

B 685 td cdn11 bigcommerce s 6en05n3m content |||

Technical Data single-roll TOILET tissue dispenser B-685 B-6857 Specify Finish Required: Model B-685 Bright polished finish Model B-6857 Satin finish 2 50mm Typ. 3-5/16 85mm 7-1/4 185mm 5-1/4 135mm Flange and Mounting Bracket Support Arm Finish Face of Wall 3-15/16 100mm 1/2 ...

lang:en score:19 filesize: 151.95 K page_count: 1 document date: 2016-04-20



[pdf] Specifications Accessories

B 685 td akufera b webstaurantstore documents specsheets |||

Technical Data SINGLE-ROLL TOILET TISSUE DISPENSER B-685 B-6857 Specify Finish Required: Model B-685 Bright polished finish Model B-6857 Satin finish 2 50mm Typ. 3-5/16 85mm 7-1/4 185mm 5-1/4 135mm Flange and Mounting Bracket Support Arm Finish Face of Wall 3-15/16 100mm 1/2 ...

lang:en score:18 filesize: 55.5 K page_count: 1 document date: 2014-07-15




[pdf] Guide

PlanningGuide Bobrick Adv planningguide bobrick 2019 01 |||

0 25 Planning Guide for Accessible Restrooms 48 1220 60 min tuWrnihneg1e5slc2ph5aacier 48 t 12 ... e surface 35 inches max 890mm if not mounted over counter or lavatory 33-36 C: 18-27 840-915 455-685 Depending on age Fig.1a Upper Range of Mounting Heights for Restroom Accessories with Operable ...

lang:en score:18 filesize: 4.18 M page_count: 24 document date: 2017-10-07




[pdf] Tech Sheet Datasheet Accessories

Technical Data SheetBobrick B 685 Commercial Toilet Tissue Dispenser Surface Mounted Stainless Steel w Bright Polished Finish TotalRestroomBobrick For Single Roll Tech Sheetcdn shopify s files 1 0332 9992 2988 Bobrick Sheet Paper DispenserBobrick SheetB tdcdn 0285 5367 4836 td v 1601492243 Click here to see the technical data sheetTechnical SheetToilet paper dispenser 6857 — Groupe SanikBobrick 0300 2023 9493 1586537372cdn |||

Technical Data single-roll TOILET tissue dispenser B-685 B-6857 Specify Finish Required: Model B-685 Bright polished finish Model B-6857 Satin finish 2 50mm Typ. 3-5/16 85mm 7-1/4 185mm 5-1/4 135mm Flange and Mounting Bracket Support Arm Finish Face of Wall 3-15/16 100mm 1/2 ...

lang:en score:18 filesize: 118.77 K page_count: 1 document date: 2015-05-15




[pdf] Datasheet Accessories

Technical Data Sheet B 685 henryandkemp co nz assets

Technical Data single-roll TOILET tissue dispenser B-685 B-6857 Specify Finish Required: Model B-685 Bright polished finish Model B-6857 Satin finish 2 50mm Typ. 3-5/16 85mm 7-1/4 185mm 5-1/4 135mm Flange and Mounting Bracket Support Arm Finish Face of Wall 3-15/16 100mm 1/2 ...

lang:en score:18 filesize: 183.74 K page_count: 1 document date: 2009-04-22



[pdf] Accessories Catalog

Restroom Accessories Catalog May 2021 Bobrick Washroom Equipment Inc restroomaccessorycatalog bobrick |||

PRODUCT CATALOG WASHROOM ACCESSORIES A SMARTER RESTROOM The restroom can be a source of sustained ... 06 Series..... 40 B-682748 B-683..... 44 B-685.....33 B-68616 Series.....41 B-687.....4...

lang:en score:18 filesize: 8.32 M page_count: 56 document date: 2021-05-05

BOBRICK

By providing this list Bobrick is not expressly or implicitly certifying that the products comply with any particular Country-of-Origin requirement imposed by Federal, state or local governments. This list is provided for information purposes only.

[illegible]

©2010 by Eubank's Western Equipment Inc. Form No. CCR, Issued 7/10 Printed in U.S.A.

Updated 4/9/08

The following numerical list of Bobrick models indicates the percentage content of recycled stainless steel in each product.

[illegible]

BOBRICK
BUILDING VALUE SINCE 1901

By providing this list Bobrick is not expressly or implicitly certifying that the products comply with any particular Country-of-Origin requirement imposed by Federal, state or local governments. This list is provided for informational purposes only.

[illegible]

Page 11

Product Country-of-Origin List Many of Bobrick s products comply with the requirements of the Buy Am ... B-6806 x 30 B-6806 x 36 B-6806 x 42 B-6806 x 48 B-6807 B-68137 B-68137.99 B-682 B-6827 B-683 x 24 B-**685** 2018 by Bobrick Washroom Equipment Inc. Form No. COL Issued 7/10 Printed in U.S.A 4 Country-of... lang:en **score:18** filesize: 217.51 K page_count: 5 document date: 2018-04-13

lang:en score:18 filesize: 52.68 K page_count: 2 document date: 2016-09-19

Product Country-of-Origin List Many of Bobrick s products comply with the requirements of the Buy A ... -6806.99 x 18 B-6806.99 x 24 B-6806.99 x 30 B-6806.99 x 36 B-6806.99 x 42 B-682 B-6827 B-683 x 24 B-**685** B-**6857** B-686 B-6861 B-6861.99 B-68616 B-68616.99 B-6867 B-687 B-6897 B-6897.99 B-697 B-6977 B-69... lang:en **score:18** filesize: 242.7 K page_count: 8 document date: 2021-06-23

Advisory Bulletin

BOBRICK

ADVISING LEED CERTIFIED BUILDERS


TB-88 Washroom Accessories LEED Information

Bobrick uses Type-304 stainless steel in the manufacture of its washroom accessories. The stainless steel material contains a significant amount of post industrial recycled stainless steel content balanced with virgin iron and ferrum alloys.

The recycled stainless steel content varies according to Bobrick sources stainless steel worldwide and Bobrick products are manufactured in different locations.

The following supplemental list of Bobrick models indicates the percentage content of recycled stainless steel in each product.

Model No.	Recycled Stainless Steel
B-1154 Series	60-70%
B-145 Series	50-70%
B-159 Series	50-70%
B-161 Series	60-70%
B-241	50-60%
B-247	60-70%
B-2101	60%
B-2102	60-70%
B-2103	60-70%
B-2104	60-70%
B-2105	60-70%
B-2106	60-70%
B-2107	60-70%
B-2108	60-70%
B-2109	60-70%
B-2110	60-70%
B-2111	60-70%
B-2112	60-70%
B-2113	60-70%
B-2114	60-70%
B-2115	60-70%
B-2116	60-70%
B-2117	60-70%
B-2118	60-70%
B-2119	60-70%
B-2120	60-70%
B-2121	60-70%
B-2122	60-70%
B-2123	60-70%
B-2124	60-70%
B-2125	60-70%
B-2126	60-70%
B-2127	60-70%
B-2128	60-70%
B-2129	60-70%
B-2130	60-70%
B-2131	60-70%
B-2132	60-70%
B-2133	60-70%
B-2134	60-70%
B-2135	60-70%
B-2136	60-70%
B-2137	60-70%
B-2138	60-70%
B-2139	60-70%
B-2140	60-70%
B-2141	60-70%
B-2142	60-70%
B-2143	60-70%
B-2144	60-70%
B-2145	60-70%
B-2146	60-70%
B-2147	60-70%
B-2148	60-70%
B-2149	60-70%
B-2150	60-70%
B-2151	60-70%
B-2152	60-70%
B-2153	60-70%
B-2154	60-70%
B-2155	60-70%
B-2156	60-70%
B-2157	60-70%
B-2158	60-70%
B-2159	60-70%
B-2160	60-70%
B-2161	60-70%
B-2162	60-70%
B-2163	60-70%
B-2164	60-70%
B-2165	60-70%
B-2166	60-70%
B-2167	60-70%
B-2168	60-70%
B-2169	60-70%
B-2170	60-70%
B-2171	60-70%
B-2172	60-70%
B-2173	60-70%
B-2174	60-70%
B-2175	60-70%
B-2176	60-70%
B-2177	60-70%
B-2178	60-70%
B-2179	60-70%
B-2180	60-70%
B-2181	60-70%
B-2182	60-70%
B-2183	60-70%
B-2184	60-70%
B-2185	60-70%
B-2186	60-70%
B-2187	60-70%
B-2188	60-70%
B-2189	60-70%
B-2190	60-70%
B-2191	60-70%
B-2192	60-70%
B-2193	60-70%
B-2194	60-70%
B-2195	60-70%
B-2196	60-70%
B-2197	60-70%
B-2198	60-70%
B-2199	60-70%
B-2200	60-70%
B-2201	60-70%
B-2202	60-70%
B-2203	60-70%
B-2204	60-70%
B-2205	60-70%
B-2206	60-70%
B-2207	60-70%
B-2208	60-70%
B-2209	60-70%
B-2210	60-70%
B-2211	60-70%
B-2212	60-70%
B-2213	60-70%
B-2214	60-70%
B-2215	60-70%
B-2216	60-70%
B-2217	60-70%
B-2218	60-70%
B-2219	60-70%
B-2220	60-70%
B-2221	60-70%
B-2222	60-70%
B-2223	60-70%
B-2224	60-70%
B-2225	60-70%
B-2226	60-70%
B-2227	60-70%
B-2228	60-70%
B-2229	60-70%
B-2230	60-70%
B-2231	60-70%
B-2232	60-70%
B-2233	60-70%
B-2234	60-70%
B-2235	60-70%
B-2236	60-70%
B-2237	60-70%
B-2238	60-70%
B-2239	60-70%
B-2240	60-70%
B-2241	60-70%
B-2242	60-70%
B-2243	60-70%
B-2244	60-70%
B-2245	60-70%
B-2246	60-70%
B-2247	60-70%
B-2248	60-70%
B-2249	60-70%
B-2250	60-70%
B-2251	60-70%
B-2252	60-70%
B-2253	60-70%
B-2254	60-70%
B-2255	60-70%
B-2256	60-70%
B-2257	60-70%
B-2258	60-70%
B-2259	60-70%
B-2260	60-70%
B-2261	60-70%
B-2262	60-70%
B-2263	60-70%
B-2264	60-70%
B-2265	60-70%
B-2266	60-70%
B-2267	60-70%
B-2268	60-70%
B-2269	60-70%
B-2270	60-70%
B-2271	60-70%
B-2272	60-70%
B-2273	60-70%
B-2274	60-70%
B-2275	60-70%
B-2276	60-70%
B-2277	60-70%
B-2278	60-70%
B-2279	60-70%
B-2280	60-70%
B-2281	60-70%
B-2282	60-70%
B-2283	60-70%
B-2284	60-70%
B-2285	60-70%
B-2286	60-70%
B-2287	60-70%
B-2288	60-70%
B-2289	60-70%
B-2290	60-70%
B-2291	60-70%
B-2292	60-70%
B-2293	60-70%
B-2294	60-70%
B-2295	60-70%
B-2296	60-70%
B-2297	60-70%
B-2298	60-70%
B-2299	60-70%
B-2300	60-70%
B-2301	60-70%
B-2302	60-70%
B-2303	60-70%
B-2304	60-70%
B-2305	60-70%
B-2306	60-70%
B-2307	60-70%
B-2308	60-70%
B-2309	60-70%
B-2310	60-70%
B-2311	60-70%
B-2312	60-70%
B-2313	60-70%
B-2314	60-70%
B-2315	60-70%
B-2316	60-70%
B-2317	60-70%
B-2318	60-70%
B-2319	60-70%
B-2320	60-70%
B-2321	60-70%
B-2322	60-70%
B-2323	60-70%
B-2324	60-70%
B-2325	60-70%
B-2326	60-70%
B-2327	60-70%
B-2328	60-70%
B-2329	60-70%
B-2330	60-70%
B-2331	60-70%
B-2332	60-70%
B-2333	60-70%
B-2334	60-70%
B-2335	60-70%
B-2336	60-70%
B-2337	60-70%
B-2338	60-70%
B-2339	60-70%
B-2340	60-70%
B-2341	60-70%
B-2342	60-70%
B-2343	60-70%
B-2344	60-70%
B-2345	60-70%
B-2346	60-70%
B-2347	60-70%
B-2348	60-70%
B-2349	60-70%
B-2350	60-70%
B-2351	60-70%
B-2352	60-70%
B-2353	60-70%
B-2354	60-70%
B-2355	60-70%
B-2356	60-70%
B-2357	60-70%
B-2358	60-70%
B-2359	60-70%
B-2360	60-70%
B-2361	60-70%
B-2362	60-70%
B-2363	60-70%
B-2364	60-70%
B-2365	60-70%
B-2366	60-70%
B-2367	60-70%
B-2368	60-70%
B-2369	60-70%
B-2370	60-70%
B-2371	60-70%
B-2372	60-70%
B-2373	60-70%
B-2374	60-70%
B-2375	60-70%
B-2376	60-70%
B-2377	60-70%
B-2378	60-70%
B-2379	60-70%
B-2380	60-70%
B-2381	60-70%
B-2382	60-70%
B-2383	60-70%
B-2384	60-70%
B-2385	60-70%
B-2386	60-70%
B-2387	60-70%
B-2388	60-70%
B-2389	60-70%
B-2390	60-70%
B-2391	60-70%
B-2392	60-70%
B-2393	60-70%
B-2394	60-70%
B-2395	60-70%
B-2396	60-70%
B-2397	60-70%
B-2398	60-70%
B-2399	60-70%
B-2400	60-70%
B-2401	60-70%
B-2402	60-70%
B-2403	60-70%
B-2404	60-70%
B-2405	60-70%
B-2406	60-70%
B-2407	60-70%
B-2408	60-70%
B-2409	60-70%
B-2410	60-70%
B-2411	60-70%
B-2412	60-70%
B-2413	60-70%
B-2414	60-70%
B-2415	60-70%
B-2416	60-70%
B-2417	60-70%
B-2418	60-70%
B-2419	60-70%
B-2420	60-70%
B-2421	60-70%
B-2422	60-70%
B-2423	60-70%
B-2424	60-70%
B-2425	60-70%
B-2426	60-70%
B-2427	60-70%
B-2428	60-70%
B-2429	60-70%
B-2430	60-70%
B-2431	60-70%
B-2432	60-70%
B-2433	60-70%
B-2434	60-70%
B-2435	60-70%
B-2436	60-70%
B-2437	60-70%
B-2438	60-70%
B-2439	60-70%
B-2440	60-70%
B-2441	60-70%
B-2442	60-70%
B-2443	60-70%
B-2444	60-70%
B-2445	60-70%
B-2446	60-70%
B-2447	60-70%
B-2448	60-70%
B-2449	60-70%
B-2450	60-70%
B-2451	60-70%
B-2452	60-70%
B-2453	60-70%
B-2454	60-70%
B-2455	60-70%
B-2456	60-70%
B-2457	60-70%
B-2458	60-70%
B-2459	60-70%
B-2460	60-70%
B-2461	60-70%
B-2462	60-70%
B-2463	60-70%
B-2464	60-70%
B-2465	60-70%
B-2466	60-70%
B-2467	60-70%
B-2468	60-70%
B-2469	60-70%
B-2470	60-70%
B-2471	60-70%
B-2472	60-70%
B-2473	60-70%
B-2474	60-70%
B-2475	60-70%
B-2476	60-70%
B-2477	60-70%
B-2478	60-70%
B-2479	60-70%
B-2480	60-70%
B-2481	60-70%
B-2482	60-70%
B-2483	60-70%
B-2484	60-70%
B-2485	60-70%
B-2486	60-70%
B-2487	60-70%
B-2488	60-70%
B-2489	60-70%
B-2490	60-70%
B-2491	60-70%
B-2492	60-70%
B-2493	60-70%
B-2494	60-70%
B-2495	60-70%
B-2496	60-70%
B-2497	60-70%
B-2498	60-70%
B-2499	60-70%
B-2500	60-70%
B-2501	60-70%
B-2502	60-70%
B-2503	60-70%
B-2504	60-70%
B-2505	60-70%
B-2506	60-70%
B-2507	60-70%
B-2508	60-70%
B-2509	60-70%
B-2510	60-70%
B-2511	60-70%
B-2512	60-70%
B-2513	60-70%
B-2514	60-70%
B-2515	60-70%
B-2516	60-70%
B-2517	60-70%
B-2518	60-70%
B-2519	60-70%
B-2520	60-70%
B-2521	60-70%
B-2522	60-70%
B-2523	60-70%
B-2524	60-70%
B-2525	60-70%
B-2526	60-70%
B-2527	60-70%
B-2528	60-70%
B-2529	60-70%
B-2530	60-70%
B-2531	60-70%
B-2532	60-70%
B-2533	60-70%
B-2534	60-70%
B-2535	60-70%
B-2536	60-70%
B-2537	60-70%
B-2538	60-70%
B-2539	60-70%
B-2540	60-70%
B-2541	60-70%
B-2542	60-70%
B-2543	60-70%
B-2544	60-70%
B-2545	60-70%
B-2546	60-70%
B-2547	60-70%
B-2548	60-70%
B-2549	60-70%
B-2550	60-70%
B-2551	60-70%
B-2552	60-70%
B-2553	60-70%
B-2554	60-70%
B-2555	60-70%
B-2556	60-70%
B-2557	60-70%
B-2558	60-70%
B-2559	60-70%
B-2560	60-70%
B-2561	60-70%
B-2562	60-70%
B-2563	60-70%
B-2564	60-70%
B-2565	60-70%
B-2566	60-70%
B-2567	60-70%
B-2568	60-70%
B-2569	60-70%
B-2570	60-70%
B-2571	60-70%
B-2572	60-70%
B-2573	60-70%
B-2574	60-70%
B-2575	60-70%
B-2576	60-70%
B-2577	60-70%
B-2578	60-70%
B-2579	60-70%
B-2580	60-70%
B-2581	60-70%
B-2582	60-70%
B-2583	60-70%
B-2584	60-70%
B-2585	60-70%
B-2586	60-70%
B-2587	60-70%
B-2588	60-70%
B-2589	60-70%
B-2590	60-70%
B-2591	60-70%
B-2592	60-70%
B-2593	60-70%
B-2594	60-70%
B-2595	60-70%
B-2596	60-70%
B-2597	60-70%
B-2598	60-70%
B-2599	60-70%
B-2600	60-70%
B-2601	60-70%
B-26	



[pdf] Guide

ADA PlanGuide 060412 indd PlanningGuide bobrick 80 Documents |||

0 25 PLANNING GUIDE FOR ACCESSIBLE RESTROOMS 60 min

tuWrnihneg1e5slc2ph5aacier 48 t 1220 Clea7r ... e surface 35 inches max 890mm if not mounted over counter or lavatory 33-36 C: 18-27 840-915 455-**685** Depending on age Fig.1a Upper Range of Mounting Heights for Restroom Accessories with Operable ...

lang:en score:18 filesize: 4.95 M page_count: 24 document date: 2012-06-02




[pdf] Guide

PlanningGuide bobrick planningguide webstaurantstore documents |||

0 25 Planning Guide for Accessible Restrooms 48 1220 60 min

tuWrnihneg1e5slc2ph5aacier 48 t 12 ... e surface 35 inches max 890mm if not mounted over counter or lavatory 33-36 C: 18-27 840-915 455-**685** Depending on age Fig.1a Upper Range of Mounting Heights for Restroom Accessories with Operable ...

lang:en score:17 filesize: 4.17 M page_count: 24 document date: 2016-03-10



[pdf]

ProdCntryOriginList 2 Bobrick Adv Product Country of Origin List Aug 12 2019 - B 270 United States Page

Updated 8 3571 2909 Series 35715 United bobrick |||

Product Country-of-Origin List Many of Bobrick s products comply with the requirements of the Buy A ... es United States Mexico Mexico Mexico Updated 8/12/19 Product Country-of-Origin List Model No. B-**685** B-**6857** B-686 B-6861 B-667 B-68616 B-6861.99 B-68616.99 B-6867 B-687 B-6897 B-6897.99 B-697 B-697...

lang:en score:17 filesize: 217.01 K page_count: 6 document date: 2019-08-12




[pdf] Accessories Catalog

WA Catalog 2014 Ir Bobbrick Adv Bobrick Catalog2014 absupply net

Restroom Accessory Catalog Portfolio of Values Architects, developers and facility managers have ... 680 28 B-6806 Series 27 B - 6807 28 B - 68137 27 B - 682 32 B - 6827 32 B - 683 28 B - **685** 22 B - **6857** 22 B - 686 22 B - 6861 27 B - 68616 27 B - 6867 22 B - 687 28 B - 6897...

lang:en **score:17** filesize: 2.33 M page_count: 36 document date: 2014-04-16




[pdf] User Manual Specifications Guide Accessories Catalog

Section 102800 Washroom Accessories LF Bobrick Equipment Inc bobbick documents |||

Bobrick Washroom Equipment, Inc. www.bobrick.com Guide Specifications in CSI Format Bobrick offers L. Surface-Mounted Toilet Tissue Dispensers For Single Roll: 1. Basis of Design: Bobrick Model B-**685**. a. Finish: Bright polished finish. b. Spindle: Chrome-plated plastic with heavy-duty internal s...


lang:en **score:17** filesize: 880.4 K page_count: 123 document date: 2021-06-01



Bobrick Washroom Accessories LEED Information: Recycled Stainless Steel Content

Detailed information on the recycled stainless steel content percentage for various Bobrick washroom accessory models, crucial for LEED certification.

lang:en **score:17** filesize: 51 K page_count: 2 document date: 2016-09-19




[pdf] User Manual

Ficha técnica PT Porta Rolos Individual B 685 Projectista 1280316821601a11091132c2 20688769 server projectista pt app 2021 02 |||


Pg. 1-1 B-**685** B-**6857** Reviso 02/2017 PORTA-ROLOS INDIVIDUAL AO INOXIDVEL AISI 304 B-**685** B-**6857** ESPECIFICAES O porta-rolos em ao inoxidvel, AISI 304. A unidade deve acomodar um rolo de papel standard, 140 mm de dimetro 1800 folhas . A flange e o brao de suporte tm espessura de 0.8 mm e esto equ...

lang:es **score:17** filesize: 138.12 K page_count: 1 document date: 2017-10-02



[pdf] Accessories Borchure Catalog

Restroom Accessories Catalog May 2021 Bobrick Washroom Equipment Inc Berl s Commercial SupplyExplore extensive range of Bathroom at bobrick B 4390 Recessed Heavy Duty Soap Dish Bar Type 304 stainless steel matte polished Bobrick 3725 Brochureberls site Brochure srsltid AfmBOOpOYfi6p844 GLeF7ezN8kBXUqlnSSrY HDQX3vSe4tTublp7u |||
 COMMERCIAL SUPPLY BERLS.COM 704 937-2673 129 Oakpark Drive, Unit A, Mooresville, NC 28115 PROD ... 06 Series..... 40 B-682748 B-683..... 44 B-**685**.....33 B-68616 Series.....41 B-687.....4...
 lang:en score:17 filesize: 8.62 M page_count: 56 document date: 2023-03-27




[pdf] Guide

Billboard 2008 Audarena Venue Guide worldradiohistory Archive All Music 00s |||
 Now Isee why this is one of the Top 10 venues in America Wow, that Shakira can sure shake it ... chitect Contact: Heery International, Inc., 100 E. Pratt St., Ste. 2410, Baltimore, MD 21202, 410 **685**-7400, Fax: 410 **685**-2506 50.8 million phase one expansion includes addition of 64 luxury suite...
 lang:en score:17 filesize: 17.38 M page_count: 326 document date: 2021-06-19



[pdf] Guide

PlanningGuide WAXIE Bobrick for Accessible Restrooms cdn2 hubspot net hubfs 43298 |||
 0 25 Planning Guide for Accessible Restrooms 48 1220 60 min
 tuWrnihneg1e5slc2ph5aacier 48 t 12 ... e surface 35 inches max 890mm if not mounted over counter or lavatory 33-36 C: 18-27 840-915 455-**685** Depending on age Fig.1a Upper Range of Mounting Heights for Restroom Accessories with Operable ...
 lang:en score:17 filesize: 4.19 M page_count: 24 document date: 2016-03-10



[pdf] Decleration of Conformity Accessories Catalog

WASHROOM ACCESSORIES BOBRICK B 2111 Catalog assets unilogcorp 267 ITEM DOC |||
 PRODUCT CATALOG WASHROOM ACCESSORIES A SMARTER RESTROOM
 The restroom can be a source of sustained ... 06 Series..... 40 B-682748 B-683..... 44 B-**685**.....33 B-68616 Series.....41 B-687.....4...
 lang:en score:16 filesize: 8.25 M page_count: 56 document date: 2022-01-04

