Manuals+

Q & A | Deep Search | Upload

Spotlight 44501

Spotlight LED Flashlight User Manual

Model: 44501 | Brand: Spotlight

INTRODUCTION

Thank you for choosing the Spotlight LED Flashlight. This compact and durable flashlight is designed for convenience and reliability, providing bright illumination in various conditions. Featuring a 5mm LED, it delivers 15 lumens of light, illuminating up to 4.5 meters. With a burn time of over 60 minutes, it's perfect for everyday use. Its small size and easy-to-use switch make it an ideal portable lighting solution. This manual provides essential information for the proper setup, operation, and maintenance of your flashlight.

PRODUCT OVERVIEW



Image: Spotlight LED Flashlight (Red)

This image displays the red LED flashlight. It features a compact, cylindrical body made of anodized aluminum, with a textured surface for grip. The front end houses the LED light source, emitting a bright white light. The rear end is equipped with a black and silver carabiner clip, allowing for easy attachment to keychains or gear. The word 'spotlight' is visible in white lettering along the side of the flashlight body.

Key Features:

- 5mm LED providing 15 lumens of brightness.
- Illumination range of 4.5 meters.
- Over 60 minutes of continuous burn time.
- Compact size with an easy-to-grip body.
- Includes a mounting ring (carabiner clip) and extra LR521 batteries.
- Durable anodized aluminum body.

SETUP

Your Spotlight LED Flashlight comes ready for use, but it's important to understand its components and initial setup.

Battery Installation:

The flashlight operates on LR521 batteries. While it typically comes with batteries pre-installed, you may need to replace them or install the included extra batteries.

1. Unscrew the head of the flashlight counter-clockwise to open the battery compartment.

- 2. Insert the LR521 batteries, ensuring the correct polarity as indicated inside the compartment.
- 3. Screw the head back on clockwise until it is securely tightened. Overtightening is not necessary.

Attaching the Mounting Ring:

The flashlight includes a carabiner clip for easy attachment.

- Attach the carabiner clip to the small loop at the tail end of the flashlight.
- Ensure the clip is securely fastened before attaching it to keychains, backpacks, or other gear.

OPERATING INSTRUCTIONS

The Spotlight LED Flashlight features a simple twist-on/off mechanism.

- 1. To Turn On: Gently twist the head of the flashlight clockwise until the LED illuminates.
- 2. To Turn Off: Twist the head of the flashlight counter-clockwise until the light turns off.

Note: Do not force the twist mechanism. A gentle turn is sufficient for activation and deactivation.

MAINTENANCE

Proper maintenance ensures the longevity and optimal performance of your flashlight.

- Cleaning: Wipe the flashlight body with a soft, dry cloth. Avoid using abrasive cleaners or solvents.
- Battery Care: If the flashlight will not be used for an extended period, remove the batteries to prevent leakage and potential damage to the device. Dispose of used batteries responsibly according to local regulations.
- Water Resistance: While the flashlight is waterproof, ensure the head is securely tightened to maintain its water resistance. Avoid prolonged submersion in water.

TROUBLESHOOTING

If you encounter issues with your Spotlight LED Flashlight, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Flashlight does not turn on.	Batteries are dead or low. Batteries are inserted incorrectly. Head is not twisted on securely.	Replace batteries with new LR521 cells. Check battery polarity and reinsert correctly. Twist the head clockwise until the light activates.
Light is dim or flickers.	Batteries are low. Loose connection.	Replace batteries. Ensure the head is securely tightened.

SPECIFICATIONS

Feature	Detail
Color	Red
Size	One Size
Weight	18.14 grams

Feature	Detail
Light Source Type	LED (5mm)
Number of Items	1
Power Source	Battery Powered
Batteries Included?	No, but extra LR521 batteries are included in the package.
Brand	Spotlight
Manufacturer	Spotlight
Manufacturer Reference	44501
Product Dimensions	16.26 x 6.6 x 0.25 cm
ASIN	B005FSSWHA
First Available Date	August 6, 2012
Lumen Output	15 lumens
Illumination Range	4.5 meters
Burn Time	Over 60 minutes

WARRANTY AND SUPPORT

Specific warranty information for the Spotlight LED Flashlight is not provided in the product details. For warranty claims or technical support, please refer to the contact information provided on the product packaging or the official Spotlight brand website.

For further assistance, you may also contact the retailer from whom you purchased the product.

© 2024 Spotlight. All rights reserved.

This manual is for informational purposes only. Specifications are subject to change without notice.

Documents - Spotlight - 44501




[pdf] User Manual

Sharp WF 5000W Instruction manual 881090 archive org manualzz id

2010 www.firesafetyusa.com 8 7 7. 6 9 9 . 3 4 7 3 New Items 65 New Items FIRE GRIP T-handle b ... d shoulder strap Light Only system includes shoulder strap 44500 Standard Vulcan System: 85.00 **44501** Standard Vehicle Mount System: 80.00 44511 Standard Vulcan, Light Only: 65.00 44400 Fire...

lang:en score:28 filesize: 15.71 M page count: 35 document date: 2009-12-02



[pdf] Guide

Billboard 2008 Audarena Venue Guide worldradiohistory Archive All Music 00s |||

Now Isee why this is one of the Top 10 venues in America Wow, that Shakira can sure shake it ...: sales aerotechnic.com Web: www.aerotechnic.com SpeciaLite Corp., PO Box 6502, Youngstown, OH, **44501**, 860 Tod Ave., 44502 Pres.: David J. Terpak, VP: Brenda Terpak 330 744-8108, Fax: 330 74...

lang:en score:17 filesize: 17.38 M page_count: 326 document date: 2021-06-19




[pdf] Guide Warranty Technical Bulletin Catalog

Lamps and Ballasts Product Catalog GE Lighting Interlight interlight biz 219 989 0060 gelighting See page E 1 for warranty information Quick reference lamp to ballast selection guide Lamp Type Voltage Fluorescent Ballast 112331 cesco resources 797

Introduction IntroductioInnterlight www.interlight.biz 219-989-0060 gelighting.com Page Updated 04 ... 50 11014 20 11250 10 12723 12724 10 500 49718 10 18344 10 44840 44841 10 500 44500 **44501** 10 500 43760 43761 10 500 43762 43763 10 500 43764 43765 10 500 43115 43116 10 5...

lang:en score:13 filesize: 12.16 M page count: 602 document date: 2013-08-05



[pdf] User Manual Catalog

DEALER DISPLAYS Camco dealer displays camco manufacturing inc net 800 334 2004 Display Catalog 2019 medias Gas Lift Manual Pdf Conventional Mandrels |||

DEALER DISPLAYS CAMCO MANUFACTURING, INC. / WWW.CAMCO.NET / 800-334-2004 PLANNING FOR SUCCESS Wou ... 124 44160 44163 44173 44184 44280 44290 44333 44340 44401 44419 44423 44424 44425 44435 44472 44475 **44501** 44505 44512 44515 44527 44543 44573 44575 44595 44600 44601 44632 44662 45167 45195 45631 4881...

lang:en score:10 filesize: 9.4 M page_count: 76 document date: 2019-09-23