

Elo E107766

Elo 2201L 22-inch IntelliTouch Touchscreen Monitor User Manual

Model: E107766

1. INTRODUCTION

This manual provides essential information for the proper setup, operation, and maintenance of your Elo 2201L 22-inch IntelliTouch Touchscreen Monitor. Please read these instructions carefully before using the product to ensure optimal performance and longevity.



Image 1.1: Front view of the Elo 2201L 22-inch IntelliTouch Touchscreen Monitor. The monitor features a black bezel and stand, with the Elo logo displayed on the screen.

2. SETUP

2.1 Unpacking

1. Carefully remove the monitor and its components from the packaging.
2. Verify that all listed components are present: Elo 2201L monitor, power adapter, power cord, USB cable, DVI cable, VGA cable.
3. Retain the original packaging for future transport or storage.

2.2 Stand Assembly

The Elo 2201L monitor typically comes with a pre-attached stand. If the stand requires assembly, refer to the quick installation guide included in the box. Ensure the stand is securely attached to provide stable support for the monitor.

2.3 Connecting Cables

1. **Power Connection:** Connect the power adapter to the monitor's power input port, then plug the power cord into the adapter and a suitable power outlet.
2. **Video Connection:** Connect one end of the DVI or VGA cable to the corresponding port on the monitor and the other end to your computer's video output port.
3. **USB Touch Connection:** For touch functionality, connect the supplied USB cable from the monitor's USB upstream port to an available USB port on your computer.
4. **Audio Connection (Optional):** If using the built-in speakers, connect an audio cable from your computer's audio output to the monitor's audio input port.



Image 2.1: Angled view of the Elo 2201L 22-inch IntelliTouch Touchscreen Monitor. This image shows the monitor from a side angle, highlighting its slim profile and the integrated stand.

2.4 Driver Installation

For optimal touch performance, especially with older operating systems, it may be necessary to install the Elo touch drivers. These drivers can typically be downloaded from the official Elo website. Follow the on-screen instructions during installation.

3. OPERATING INSTRUCTIONS

3.1 Powering On/Off

Press the power button located on the front or side of the monitor to turn it on or off. The power indicator light will illuminate when the monitor is active.

3.2 Basic Touchscreen Operation

- **Single Touch:** Tap the screen with your finger to select items or activate functions, similar to a mouse click.
- **Drag:** Touch and hold an item, then slide your finger across the screen to move it.
- **Right-Click:** Depending on your operating system and driver settings, a long press may simulate a

right-click. Refer to your operating system's touch settings for customization.

3.3 On-Screen Display (OSD) Menu

The OSD menu allows you to adjust various display settings. Access the OSD menu using the physical buttons on the monitor bezel. Common adjustable settings include:

- **Brightness/Contrast:** Adjust the overall luminance and difference between light and dark areas.
- **Input Source:** Select between DVI and VGA video inputs.
- **Color Settings:** Fine-tune color temperature and individual RGB levels.
- **Audio:** Adjust volume for built-in speakers.

4. MAINTENANCE

4.1 Cleaning the Screen

To clean the touchscreen, power off the monitor and gently wipe the screen with a soft, lint-free cloth dampened with a non-abrasive, ammonia-free glass cleaner. Avoid spraying cleaner directly onto the screen.

4.2 Cleaning the Casing

Wipe the monitor casing with a soft, damp cloth. Do not use harsh chemicals or abrasive materials, as these can damage the finish.

4.3 Storage

If storing the monitor for an extended period, disconnect all cables, power off the unit, and place it back in its original packaging in a dry, temperature-controlled environment.

5. TROUBLESHOOTING

5.1 No Power

- Ensure the power cord is securely connected to both the monitor and the power outlet.
- Verify the power outlet is functional by plugging in another device.
- Check the power adapter for any damage.

5.2 No Display

- Confirm the video cable (DVI or VGA) is securely connected to both the monitor and the computer.
- Ensure the correct input source is selected via the OSD menu.
- Test the monitor with another computer or video source if possible.

5.3 Touch Not Responding

- Verify the USB touch cable is securely connected to both the monitor and the computer.
- Ensure the touch drivers are correctly installed and updated.
- Restart your computer.
- Calibrate the touchscreen through your operating system's settings or the Elo touch utility.

5.4 Image Quality Issues

- Adjust brightness, contrast, and color settings through the OSD menu.
- Ensure your computer's display resolution is set to the monitor's native resolution (1024 x 768).
- Check for any physical damage to the video cable or ports.

6. SPECIFICATIONS

Feature	Description
Model Number	E107766
Screen Size	22 Inches
Resolution	FHD 1080p (Note: Product title indicates 1024x768, please verify native resolution for optimal display)
Aspect Ratio	16:9
Touch Technology	IntelliTouch
Connectivity	USB (for touch), DVI, VGA
Audio	Built-in speakers
Backlighting	LED
Product Dimensions	26.5 x 10.3 x 19.1 inches
Weight	16.48 Pounds
Manufacturer	Elo Touch Solutions, Inc.


7. WARRANTY INFORMATION

The Elo 2201L Touchscreen Monitor comes with **athree-year standard warranty**. This warranty covers defects in materials and workmanship under normal use. For detailed terms, conditions, and limitations of the warranty, please refer to the warranty card included with your product or visit the official Elo website.

8. SUPPORT

For further assistance, technical support, driver downloads, or frequently asked questions, please visit the official Elo Touch Solutions website. You can typically find contact information for customer service and support resources there.

Website: www.elotouch.com

	Elo IntelliTouch/SecureTouch Touchscreen Guide Comprehensive guide to installing, integrating, and troubleshooting Elo IntelliTouch and SecureTouch touchscreen technologies. Covers component installation, technical specifications, and troubleshooting for various Elo controllers.
	Elo 90 Series Open Frame Touchscreen User Manual User manual for Elo 90 Series Open Frame Touchscreens, detailing installation, operation, mounting, safety, technical support, and regulatory compliance. Features IntelliTouch and Projected Capacitive touch technologies.
	19.5-inch Touchscreen Monitor Kit Installation Instructions Detailed installation instructions for the Elo 19.5-inch Touchscreen Monitor Kit by SEL, including component lists, step-by-step assembly, specifications, and technical support information.
	LEHMANN Central Control Panel Flat/Open Frame: Operating Instructions Comprehensive operating instructions for the LEHMANN Central Control Panel (flat/open frame) with RFID lock management, covering installation, configuration, and application usage for secure access control in office environments.
	Elo ET0702L Touch Monitor User Manual Comprehensive user manual for the Elo ET0702L Touch Monitor, covering product description, installation, mounting, operation, technical support, safety, maintenance, regulatory information, and warranty details.
	Elo Touch Monitor User Manual: ET1903LM, ET2203LM, ET2403LM, ET2703LM Comprehensive user manual for Elo Touch Solutions ET1903LM, ET2203LM, ET2403LM, and ET2703LM touch monitors, covering installation, operation, safety, maintenance, technical support, and regulatory information.

Documents - Elo – E107766




[pdf] User Manual Reference Guide Guide

M2GO Presentation Paul pelletier Martin M2Pc Pdf Manual Professional M2PC Reference Guide Rev K martin Files Images Download Products |||

Martin Professional M2GO ...when it takes more than a wing to fly... M2GO Reference Guide Rev K In ... ost in average 500 US Ipad style iTouch : Model #E382790 Bezel style IntelitouchPlus : Model # **E107766** Display o 22 diagonal, Active matrix TFT LCD Aspect ratio o 16:9 Widescreen Monitor...

lang:en score:36 filesize: 3.62 M page_count: 27 document date: 2015-07-17



[\[pdf\]](#) User Manual

Elo TouchSystems 2201L siliconexpert s 2012 12 1 47 16 734 elo manual |||

Elo Touch Solutions -- 2201L 22 Desktop Touchmonitor

<http://www.elotouch.com/Products/LCDs/2201L/> ... telliTouch Plus Interface USB USB

Surface T treatment Clear Clear Part # RoHS Compliant E382790 **E107766** Availability

Worldwide Worldwide 1 of 2 12/12/2012 10:32 AM Elo Touch Solutions -- 2201L...

lang:en **score:33** filesize: 150.7 K page_count: 2 document date: 2012-12-12



[\[pdf\]](#) Reference Guide Guide

PowerPoint Presentation Ulla Jacobsen M1 Reference Guide Rev M martin 80 Files Images Download

Products


Martin M1TM The all-in-one control solution Reference guide Martin M1 All-in-one

solution Foldin ... ost in average 500 US Ipad style iTouch : Bezel style IntelitouchPlus

: Model #E382790 Model # **E107766** Display 22 diagonal, Active matrix TFT LCD

Aspect ratio 16:9 Widescreen Monitor dims...

lang:en **score:28** filesize: 3 M page_count: 22 document date: 2016-11-25



[\[pdf\]](#) Reference Guide Guide

PowerPoint Presentation Ulla Jacobsen M2GO Reference Guide Rev M martin 80 Files Images

Download Products

Martin M2GOTM When it takes more than a wing to fly Reference guide Martin M2GO

Key features Por ... ost in average 500 US Ipad style iTouch : Bezel style

IntelitouchPlus : Model #E382790 Model # **E107766** Display 22 diagonal, Active

matrix TFT LCD Aspect ratio 16:9 Widescreen Monitor dims...

lang:en **score:28** filesize: 3.03 M page_count: 24 document date: 2016-11-24



[\[pdf\]](#) Specifications Datasheet Dimension Guide Warranty Borchure

Tyco Electronics E107766 Product Data Sheet Brochure Elo Desktop Touchmonitors 2201L IntelliTouch

Plus LED monitor 22 touchscreen 1920 x 1080 Full HD 1080p @ 60 Hz 225 cd m² 1000 1 5 ms DVI D

VGA speakers black 254b424b 6891 42c7 b9a6 44ec0dbe7ae3 cdn cnetcontent 25 4b |||


2201L 21.5-inch LCD Touchscreen Monitor Integrated Touch Commercial Grade 3-

Year Warranty Produc ... MI; UL, FCC; CB; RoHS, China RoHS, WEEE, IMERC 3

years 50,000 hours demonstrated For P/N: E382790 **E107766** - Touchmonitor,

TouchTools CD, Quick Install Guide, JP regulatory pamphlet, Cables DVI, VGA...

lang:en **score:27** filesize: 237.43 K page_count: 2 document date: 2019-03-18



[\[pdf\]](#) User Manual Guide

Compatible Peripherals ctsadmin wem p gen Cisco c Configure the Identification as Manual Step 7 Select Operating System Linux from Touch Type field drop down menu 8 Back and then select Yes to save settings Monitors Any monitor with a Mini DisplayPort or HDMI connector will work 2 4 It is recommended that you use 1920 x 1080 resolution Remote Controls 233 IECUG A Append cisco en us td docs video digital media systems IEP Release IEC UserGuide User Guide

A A P P E D I N X Compatible Peripherals Appendix Overview This appendix identifies which peripheral ... 857 E522556 E935808 E188117 E897317 E679610 E896339 E965017 E779866 E945445 E215546 E855244 E808372 **E107766** E382790 E846997 E186354 E667969 E059181 E469590 E100905 E964424 E178661 E864190 E994558 E162...

lang:en score:26 filesize: 163 K page_count: 14 document date: 2016-02-16



[\[pdf\]](#) Specifications Datasheet Dimension Guide Warranty

2201L 21 5 inch LCDThe widescreen LCD touchscreen monitor offers a flexible space saving design Built to meet the durability and aesthetic requirements for a ELO DataSheet4041669 fs1 hubspotusercontent na1 net hubfs 4041669 00 BlueStar Microsite Files elo product ELO DataSheet |||

2201L 21.5-inch LCD Touchscreen Monitor Integrated Touch Commercial Grade 3-Year Warranty Produc ... SMI; UL, FCC; CB; RoHS, China RoHS, WEEE, IMERC 3 years 50,000 hours demonstrated For P/N: E382790, **E107766**, E497002 - Touchmonitor, TouchTools CD, Quick Install Guide, JP regulatory pamphlet, Cables ...

lang:en score:24 filesize: 242.55 K page_count: 2 document date: 2017-03-16



[\[pdf\]](#) Specifications Dimension Guide Warranty

2201L 21 5 inch LCD docs elotouch Suche elo touch solutions 2201l monitor offers a flexible space saving design *While stock is available on first come served basis the has reached End of Life Touch screen display swapping monitors 22 Zoll Touchscreen Monitor Ersetzt durch Modell 2202L Elo® Offizielle Website Elo |||

2201L 21.5-inch LCD Touchscreen Monitor Integrated Touch Commercial Grade 3-Year Warranty Produc ... 4921 5 year warranty coverage AUR - Elo P/N: E895125 50,000 hours demonstrated For P/N: E382790 **E107766** - Touchmonitor, TouchTools CD, Quick Install Guide, JP regulatory pamphlet, Cables DVI, VGA...

lang:en score:23 filesize: 238.94 K page_count: 2 document date: 2021-07-21



[\[pdf\]](#) Specifications Dimension Guide Warranty

2201L 21 5 inch LCD Elo Touch Solutions The widescreen touchscreen monitor offers a flexible space saving design Built to meet the durability and aesthetic requirements for variety of high traffic ELO DS 18041AES00071 Web docs elotouch |||

2201L 21.5-inch LCD Touchscreen Monitor Integrated Touch Commercial Grade 3-Year Warranty Produc ... SMI; UL, FCC; CB; RoHS, China RoHS, WEEE, IMERC 3 years 50,000 hours demonstrated For P/N: E382790, **E107766**, E497002 -

Touchmonitor, TouchTools CD, Quick Install Guide, JP regulatory pamphlet, Cables ...

lang:en score:23 filesize: 242.58 K page_count: 2 document date: 2018-04-05



[\[pdf\]](#) Specifications Dimension Guide Warranty

ELO 2201L DS 17031AES00071 docs elotouch touchscreen monitors wide aspect ratio

2201L 21.5-inch LCD Touchscreen Monitor Integrated Touch Commercial Grade 3-Year Warranty Produc ... SMI; UL, FCC; CB; RoHS, China RoHS, WEEE, IMERC 3 years 50,000 hours demonstrated For P/N: E382790, **E107766**, E497002 -

Touchmonitor, TouchTools CD, Quick Install Guide, JP regulatory pamphlet, Cables ...

lang:en score:23 filesize: 242.55 K page_count: 2 document date: 2017-03-16



[\[pdf\]](#) Specifications Dimension Guide Declaration of Conformity Warranty

Microsoft Word ELO 2201L DS 18041AES00071 Web doc F S 21 5 inch LCD Especificaciones Técnicas fscompras 2019 02 |||

2201L 21.5-inch LCD Touchscreen Monitor Integrated Touch Commercial Grade 3-Year Warranty Produc ... SMI; UL, FCC; CB; RoHS, China RoHS, WEEE, IMERC 3 years 50,000 hours demonstrated For P/N: E382790, **E107766**, E497002 -

Touchmonitor, TouchTools CD, Quick Install Guide, JP regulatory pamphlet, Cables ...

lang:en score:22 filesize: 677.19 K page_count: 2 document date: 2019-02-07



[pdf]

2201L 22 ELO DS 2019080 docs elotouch |||

2201L 22LCD Elo 2201L 1. 2. IntelliTouch Zero bezel IntelliTouch 3. LCD 4. USB DVI VGA 5 ... Standby, NOM, BSMI, UL, FCC, CB, RoHS, China RoHS, WEEE, IMERC 3 50,000 DVIVGAUSBAC-DC 2201L **E107766** E382790 IntelliTouch Dual-Touch IntelliTouch Zero-bezle USB USB MSR E4...

lang:it **score:22** filesize: 491.15 K page_count: 2 document date: 2019-08-19



[pdf] Specifications Dimension Guide Warranty

ELO 2201L v 202012190947 image makewebeasy net makeweb 0 jxlPpOYv8 Document |||

2201L 21.5-inch LCD Touchscreen Monitor Integrated Touch Commercial Grade 3-Year Warranty Produc ... Audio, AC-DC power adapter, NA and EU power cables Ordering Information Model 2201L Part Number **E107766** E382790 E497002 Technology IntelliTouch Dual Touch IntelliTouch ZB PCAP Interface USB USB ...

lang:en **score:21** filesize: 291.75 K page_count: 2 document date: 2022-04-28





[pdf] Confidentiality Request Letter

Planar Elo Competitive Comparison planar 80 reseller R touchscreen

Planar verses Elo Touchscreens ...no c o m p a r i s o n Driverless no drivers needed for basic oper ... itive 19-inch Products No Comparable Surface Capacitive 22-inch Products 2201L - IntelliTouch Plus **E107766** PT1585P Zero Bezel 997-6313-00 PT1785P Zero Bezel 997-6314-00 PT1985P Zero Bezel ...

lang:en **score:21** filesize: 478.05 K page_count: 2 document date: 2011-09-29



[\[pdf\]](#) Warranty Borchure

Spec Sheet Elo 2201L 22 LCD Touchscreen Monitor 16 9 5 ms 1021444201 content etilize Manufacturer Brochure |||

PRODUCT OVERVIEW Sleek and thin design with Built for Touch reliability 60 energy savings usin ... This monitor is sold with an AC-DC power adapter. Ordering Information Model Part Number 2201L **E107766** E382790 E497002 Technology IntelliTouch Plus iTouch Projected capacitive Interface USB USB... lang:en score:20 filesize: 154.9 K page_count: 2 document date: 2016-05-02

[\[pdf\]](#) Specifications Dimension Guide Warranty

2201L 21 5 inch LCD The widescreen touchscreen monitor offers a flexible space saving design Built to meet the durability and aesthetic requirements for variety of high traffic ELO DS 17011AES00071 docs elotouch monitors wide aspect ratio

2201L 21.5-inch LCD Touchscreen Monitor Integrated Touch Commercial Grade 3-Year Warranty Produc ... Audio, AC-DC power adapter, NA and EU power cables Ordering Information Model 2201L Part Number **E107766** E382790 E497002 Technology IntelliTouch Dual Touch IntelliTouch ZB PCAP Interface USB USB ... lang:en score:20 filesize: 242.39 K page_count: 2 document date: 2017-01-30

[\[pdf\]](#) Declaration of Conformity

Elo Touch Computers Hardware Information laptop desktop computers tablets hardware all in one pc for sale cheap gaming notebook workstation server monitor storage software printers scanners CARiD e107766 information images carid elo touch items |||

EU Declaration of Conformity Model Number: Equipment Category: Equipment Class: Product Name: Manufacture Start Year: ET2201L Information Technology and Telecommunications Equipment Commercial and Light Industrial Touch Monitor 2011 We hereby declare under our sole responsibility, that the object...

lang:en score:19 filesize: 500.83 K page_count: 3 document date: 2016-11-11




[pdf] Specifications Dimension Guide Warranty Borchure

o2o2zy5 BrochureEloPRO2201LPT portalimages blob core windows net products s |||

2201L 21.5-inch LCD Touchscreen Monitor Integrated Touch Commercial Grade 3-Year Warranty Produc ... SMI; UL, FCC; CB; RoHS, China RoHS, WEEE, IMERC 3 years 50,000 hours demonstrated For P/N: E382790, **E107766**, E497002 - Touchmonitor, TouchTools CD, Quick Install Guide, JP regulatory pamphlet, Cables ...

lang:en score:17 filesize: 480.08 K page_count: 2 document date: 2018-07-04




[pdf] Specifications

Microsoft Word PMB 697 1 Product Update 2201 ZB SAW docx Index of docs elotouch cn |||

PRODUCT MANAGEMENT BULLETIN July 18th, 2019 Product Manager: Ranil Fernando Product Management Bull ... e a summary below of the available 2201L and 2202L product SKU s. Part Numbers Part Number E382790 **E107766** E351600 Product Description ET2201L-8UWA-0-ZB-GY-G ET2201L-8UWA-0-MT-GY-G ET2202L-2UWA-0-BL...

lang:en score:17 filesize: 340.11 K page_count: 1 document date: 2019-07-17



[pdf] User Manual Specifications Guide Warranty

Cisco Interactive Experience Client 4600 Series User Guide v2 3 1 budgie 231UG0403 cisco c dam en us td docs video digital media systems IEP Release 2 |||

Cisco Interactive Experience Client 4600 Series User Guide Release 2.3.1 April 3, 2015 Americas Hea ... :10 16:10 16:9 16:9 16:9 16:9 16:9 16:9 16:9 16:9 16:9 Part Number E945445 E215546 E855244 E808372 **E107766** E382790 E846997 E186354 E667969 E059181 E469590 E100905 E964424 E178661 E864190 E994558 E162...

lang:en score:17 filesize: 11.87 M page_count: 264 document date: 2015-09-02



- Sleek and thin design with „Built for Touch“-ability
- 60% energy savings using LED technology
- Removable base and VESA mount
- 3-year standard warranty



2201L 22" Desktop Touchmonitor

The Elo Touch Solution 2201L is a flexible, space-saving 40 wide aspect ratio 22" LCD touchmonitor well-suited to meet standard and specialty requirements for retail, office, kiosk, office, bank and more customer applications. The Elo 2201L offers real versatility for a variety of retail and hospitality interactive solutions including:

- **Flexibility of your channel.** Order the Elo 2201L in the most frequent purchase form or order in the store for home delivery or touch for pick up or an available next business day in-stock of your location.
- **Multiple displays for multiple large screens to view enhanced knowledge charts.**
- **Back office solutions integrating labor management and inventory control.**
- **Customer self and self service solutions (Product, Price, Item identification).**
- **Real-time knowledge interactive digital signage displays.**
- **40 wide aspect ratio for flexible display mounting in larger retail/display stores.**

Available with Elo's new patent pending Elo TouchSense without acoustic wave (AWT) touchscreen technology, also patent pending Elo's new PCAP (Projected Capacitive) touch technology. The 2201L is compatible with Windows 7 and 8, and is available in a "half bezel" operation with available single color, resolution, and light transmission for an accurate touch response and clear images. The state-of-the-art LED technology that reduces the energy consumption of the higher energy consumption of CCA's backlighting offers used for other touchmonitors.

Wide aspect displays like the Elo Touch 2201L are ideal for use and incorporate into the workplace from traditional desktop touchmonitors.

Wide-screen format displays allow users to control the screen and are ideal for training and in corporate environments for publishing and data review applications, and are popular in public service environments due to a high-contrast chromatic like appearance.



© 2014 Elo Touch Solutions, Inc. All rights reserved.

PRODUCT OVERVIEW

Features

- Touchscreen technology: TouchSense without acoustic wave (AWT) touchscreen technology, also patent pending Elo's new PCAP (Projected Capacitive) touch technology.
- High definition LCD display offers vibrant HD resolution, clarity and resolution.
- USB touch controller, DVI, VGA, and built-in speakers for rich audio experience.
- Removable base and mounting brackets, including a VESA mounting option for installation flexibility.
- Available in a "half bezel" operation with available single color, resolution, and light transmission for an accurate touch response and clear images.

Applications

- Point-of-sale/information
- Mobile devices
- Counter-top interactive digital signage

About Elo

Elo has been providing the touch screen over 40 years ago. Today, Elo Touch Solutions is a leading global supplier of touch-enabled technology solutions for the industry. The Elo portfolio encompasses the broadest selection of CCA touchscreen components, touchmonitors for the demanding requirements of diverse markets, including gaming machines, hospitality, retail, corporate automation, office equipment, point of sale terminals, whiteboards, and more. The Elo TouchSense has a proven track record for reliability and precision with over 20 million installations worldwide.

[pdf] Warranty

267650 bhphotovideo lit files |||

PRODUCT OVERVIEW Sleek and thin design with Built for Touch reliability 60 energy savings usin ... This monitor is sold with an AC-DC power adapter. Ordering Information Model Part Number 2201L **E107766** E382790 E497002 Technology IntelliTouch Plus iTouch Projected capacitive Interface USB USB...

lang:en **score:16** filesize: 154.91 K page_count: 2 document date: 2016-08-26



- Sleek and thin design with „Built for Touch“-ability
- 60% energy savings using LED technology
- Removable base and VESA mount
- 3-year standard warranty



2201L 22" Desktop Touchmonitor


The Elo Touch Solution 2201L is a flexible, space-saving 40 wide aspect ratio 22" LCD touchmonitor well-suited to meet standard and specialty requirements for retail, office, kiosk, office, bank and more customer applications. The Elo 2201L offers real versatility for a variety of retail and hospitality interactive solutions including:

- **Flexibility of your channel.** Order the Elo 2201L in the most frequent purchase form or order in the store for home delivery or touch for pick up or an available next business day in-stock of your location.
- **Multiple displays for multiple large screens to view enhanced knowledge charts.**
- **Back office solutions integrating labor management and inventory control.**
- **Customer self and self service solutions (Product, Price, Item identification).**
- **Real-time knowledge interactive digital signage displays.**
- **40 wide aspect ratio for flexible display mounting in larger retail/display stores.**

Available with Elo's new patent pending Elo TouchSense without acoustic wave (AWT) touchscreen technology, also patent pending Elo's new PCAP (Projected Capacitive) touch technology. The 2201L is compatible with Windows 7 and 8, and is available in a "half bezel" operation with available single color, resolution, and light transmission for an accurate touch response and clear images. The state-of-the-art LED technology that reduces the energy consumption of the higher energy consumption of CCA's backlighting offers used for other touchmonitors.

Wide aspect displays like the Elo Touch 2201L are ideal for use and incorporate into the workplace from traditional desktop touchmonitors.

Wide-screen format displays allow users to control the screen and are ideal for training and in corporate environments for publishing and data review applications, and are popular in public service environments due to a high-contrast chromatic like appearance.



© 2014 Elo Touch Solutions, Inc. All rights reserved.

PRODUCT OVERVIEW

Features

- Touchscreen technology: TouchSense without acoustic wave (AWT) touchscreen technology, also patent pending Elo's new PCAP (Projected Capacitive) touch technology.
- High definition LCD display offers vibrant HD resolution, clarity and resolution.
- USB touch controller, DVI, VGA, and built-in speakers for rich audio experience.
- Removable base and mounting brackets, including a VESA mounting option for installation flexibility.
- Available in a "half bezel" operation with available single color, resolution, and light transmission for an accurate touch response and clear images.

Applications

- Point-of-sale/information
- Mobile devices
- Counter-top interactive digital signage

About Elo

Elo has been providing the touch screen over 40 years ago. Today, Elo Touch Solutions is a leading global supplier of touch-enabled technology solutions for the industry. The Elo portfolio encompasses the broadest selection of CCA touchscreen components, touchmonitors for the demanding requirements of diverse markets, including gaming machines, hospitality, retail, corporate automation, office equipment, point of sale terminals, whiteboards, and more. The Elo TouchSense has a proven track record for reliability and precision with over 20 million installations worldwide.

[pdf] Warranty Borchure

Download BrochureElo 2201L 55 9 cm 22 IT P Full HD Touchscreen Pos Hardware Ltde2201cdn

shopify s files 1 0919 5020 elo2201 9454219498141856742 |||

PRODUCT OVERVIEW Sleek and thin design with Built for Touch reliability 60 energy savings usin ... This monitor is sold with an AC-DC power adapter. Ordering Information Model Part Number 2201L **E107766** E382790 E497002 Technology IntelliTouch Plus iTouch Projected capacitive Interface USB USB...

lang:en **score:16** filesize: 154.89 K page_count: 2 document date: 2014-09-26



- Schmales Rahmendesign mit „Built for Touch“-Zuverlässigkeit
- 60% weniger Energieverbrauch dank LED-Technologie
- Abnehmbare Basis und VESA-Montagemöglichkeit
- Dreijährige Standardgarantie



2201L 22"-Toll-LCD-Desktop-Touchmonitor

Das Elo Touch Solution 2201L ist ein flexibles, platzsparendes 22 Zoll breites Full-HD LCD Touchmonitor, das für die Anforderungen in punkto Individualität und Flexibilität von Unternehmen, Einzelhändlern, Boutiquen, Kiosken und sogar Anwendungen außerhalb von Unternehmen konzipiert wurde. Das Elo Touch Solution 2201L verfügt über eine hohe Flexibilität für eine Vielzahl von Installationen, darunter:

- **Flexibilität Ihres Kanals.** Bestellen Sie das Elo Touch Solution 2201L in der häufigsten Kaufform oder bestellen Sie es im Geschäft für die Lieferung am nächsten Tag oder eine verfügbare Lieferung am nächsten Werktag.
- **Mehrere Displays für mehrere große Bildschirme zur Anzeige von erweiterten Wissenscharts.**
- **Backoffice-Lösungen zur Integration von Arbeitsmanagement und Inventarverwaltung.**
- **Realzeit-Wissensinteraktive digitale Anzeigendisplay.**
- **40-Zoll-Bildschirm für flexible Displaymontage in größeren Einzelhandelsstores.**

Das Touchmonitor 2201L wird weiterhin mit der AWT-Touchscreen-Technologie (Acoustic Wave Technology) angeboten, die auch die Elo TouchSense-Technologie (Projected Capacitive Technology) umfasst. Das Touchmonitor 2201L ist mit Windows 7 und 8 kompatibel und ist in einer „Halbbreite“-Ausführung mit optionaler Einzelcolor-, Auflösung- und Lichtdurchlässigkeit erhältlich. Für eine präzise Berührungserkennung und klare Bilder. Das Touchmonitor 2201L ist auch in einer „Halbbreite“-Ausführung mit optionaler Einzelcolor-, Auflösung- und Lichtdurchlässigkeit erhältlich. Für eine präzise Berührungserkennung und klare Bilder.

Die Elo TouchSense-Technologie ist eine patentierte, berührungssensitive Technologie, die die Energieeffizienz des Touchmonitors erhöht und die Lebensdauer des Displays verlängert. Die Elo TouchSense-Technologie ist eine patentierte, berührungssensitive Technologie, die die Energieeffizienz des Touchmonitors erhöht und die Lebensdauer des Displays verlängert.



© 2014 Elo Touch Solutions, Inc. Alle Rechte vorbehalten.

PRODUKTÜBERSICHT

Vorteile

- Das Touchscreen-Konfigurations-System ist flexibel und kann in einer Vielzahl von Umgebungen eingesetzt werden.
- Das Elo LCD-Display bietet eine brillante HD-Auflösung, Klarheit und Kontrast.
- USB-Touch-Controller, DVI, VGA, eingebauter Lautsprecher und optionaler Kopfhöreranschluss für eine reiche Audio-Erfahrung.
- Abnehmbare Basis und Montagebracketts, einschließlich einer VESA-Montageoption für eine flexible Installation.
- Verfügbar in einer „Halbbreite“-Ausführung mit optionaler Einzelcolor-, Auflösung- und Lichtdurchlässigkeit.

Anwendungen

- Informationscenter
- Interaktivität
- Selbstbedienung

Informationen über Elo Touch Solutions

Das Unternehmen Elo hat über 40 Jahre Erfahrung in der Herstellung von Touchscreen-Produkten. Heute ist Elo Touch Solutions ein führender globaler Anbieter von Touchscreen-Produkten für die Industrie. Das Elo-Portfolio umfasst die breitesten Auswahl an CCA-Touchscreen-Komponenten, Touchmonitoren für die anspruchsvollsten Anforderungen in verschiedenen Märkten, einschließlich Gaming-Maschinen, Hospitality, Einzelhandel, Corporate Automation, Office Equipment, Point of Sale Terminals, Whiteboards und mehr. Die Elo TouchSense-Technologie hat einen hervorragenden Ruf für Zuverlässigkeit und Präzision mit über 20 Millionen Installationen weltweit.

[pdf] Datasheet

DS000053 2201L German media elotouch 80 s datasheets

PRODUKTÜBERSICHT Schmales Rahmendesign mit der „Built for Touch Zuverlässigkeit 60 weniger Energi ... ese Monitors ist ein AC-DC-Netzteil enthalten.

Bestellinformationen Modell Artikelnummer 2201L **E107766** E382790 E497002 Technologie IntelliTouch Plus iTouch Projected Capacitive Schnittstelle US...

lang:de **score:16** filesize: 156.28 K page_count: 2 document date: 2014-10-07



[\[pdf\]](#) User Manual Specifications

Lighting Control System High End Systems H4 manual bplsv manufacturers lighting manuals hes Lighting Control System User Manual Version 3.2.0-EN High End Systems 1 Hog 4 Lighting Control S ... Intellatouch Plus ET2201L VIEWSON- TD2340 IC Size Part Num- Video ber Notes 18.5 22 E176026 **E107766** VGA Only / Must use VGAt0-DVI adapter with for use with Full Boar 4 VGA/DVI 23 VS15023 VG...


lang:en **score:15** filesize: 18.3 M page_count: 516 document date: 2015-08-20



[\[pdf\]](#) Datasheet

DS000053 2201L French media elotouch 80 s datasheets

PRESENTATION PRODUIT Style sans cadre avec fiabilité de la conception pour le tactile 60 d conom ... vendu sans adaptateur secteur CA/CC. Informations de commande Modle Rfrence Technologie 2201L **E107766** E382790 E497002 IntelliTouch Plus iTouch Projet capacitive Interface USB USB USB Cadre Ou... lang:fr **score:15** filesize: 166.48 K page_count: 2 document date: 2014-10-07




[\[pdf\]](#) User Manual Quick Start Guide

HedgeHog4X Manual rentex 2022 01 |||

High End Systems Hog 4 User Manual Version 3.17.0 Part Number: 6102M1200-3.17.0 Rev: A Released: 202 ... UM.VT2AA.001 ET.VT3HE.001 1RNV2 E2014Tt 09XJW P2418HT All Part No. E432532 E103047 E232070 E176026 **E107766** 13031000109 HT225HPBREJ01 PL2252MT PL2235M T2364t VS15023 3. Setting up the System 55 To...

lang:en **score:14** filesize: 10.91 M page_count: 569 document date: 2022-01-25




[\[pdf\]](#) User Manual Specifications

Lighting Control System High End Systems Hog4 User Manual ver 3 5 0 Road Hog 4 user manual d295jznhem2tn9 cloudfront net ItemRelatedFiles 10672 |||

Lighting Control System User Manual Version 3.5.0-EN High End Systems 1 Hog 4 Lighting Control S ... Intellatouch Plus ET2201L VIEWSON- TD2340 IC Size Part Num- Video ber Notes 18.5 22 E176026 **E107766** VGA Only / Must use VGAt0-DVI adapter with for use with Full Boar 4 VGA/DVI 23 VS15023 VG...

lang:en **score:14** filesize: 18.63 M page_count: 526 document date: 2016-09-12



[High End Systems Hog 4 User Manual](#)

Comprehensive user manual for the High End Systems Hog 4 lighting control system, detailing setup, operation, features, and troubleshooting for professional lighting applications.

lang:en score:13 filesize: 10.92 M page_count: 573 document date: 2022-02-08




[\[pdf\] User Manual Specifications](#)

Lighting Control System High End Systems Hog 4 OS User Manual elationlighting files

Lighting Control System User Manual Version 2.0.0-EN High End Systems 1 Hog 4 Lighting Control S ... ber Notes 18.5 22 E176026 VGA Only / Must use VGAt0-DVI adapter with for use with Full Boar 4 **E107766** VGA/DVI 23 VS15023 VGA HDMI / Must use HDMIto-DVI adapter with for use with Full Boar 4 ...

lang:en score:13 filesize: 16 M page_count: 466 document date: 2013-11-04




[\[pdf\] User Manual Specifications](#)

Lighting Control System High End Systems H4 manual adjmedia s3 amazonaws binaries |||

Lighting Control System User Manual Version 3.0.1-EN High End Systems 1 Hog 4 Lighting Control S ... t Video Number Notes E176026 VGA Only / Must use VGAt0-DVI adapter with for use with Full Boar 4 **E107766** VGA/DVI VS15023 VGA HDMI / Must use HDMIto-DVI adapter with for use with Full Boar 4 To ...

lang:en score:13 filesize: 15.4 M page_count: 496 document date: 2015-04-24



[\[pdf\] User Manual Specifications](#)

Lighting Control System High End Systems Hog4 user manual ver 2 7 0 EN elationlighting files

Lighting Control System User Manual Version 2.7.0-EN High End Systems 1 Hog 4 Lighting Control S ... t Video Number Notes E176026 VGA Only / Must use VGAt0-DVI adapter with for use with Full Boar 4 **E107766** VGA/DVI VS15023 VGA HDMI / Must use HDMIto-DVI adapter with for use with Full Boar 4 To ...

lang:en score:12 filesize: 14.34 M page_count: 480 document date: 2015-03-03




[\[pdf\]](#) User Manual Specifications

Lighting Control System www.highend.com support controllers documents h4 manual static rt events fr document |||

Lighting Control System User Manual Version 2.1.1-EN High End Systems 1 Hog 4 Lighting Control S ... ber Notes 18.5 22 E176026 VGA Only / Must use VGAt0-DVI adapter with for use with Full Boar 4 **E107766** VGA/DVI 23 VS15023 VGA HDMI / Must use HDMIto-DVI adapter with for use with Full Boar 4 ...

lang:en **score:12** filesize: 14.77 M page_count: 466 document date: 2014-03-25




[\[pdf\]](#) User Manual Specifications

Lighting Control System High End Systems h4 manual en elationlighting eu mw link id 4702

Lighting Control System User Manual Version 3.4.0-EN High End Systems 1 Hog 4 Lighting Control S ... Intellatouch Plus ET2201L VIEWSON- TD2340 IC Size Part Num- Video ber Notes 18.5 22 E176026 **E107766** VGA Only / Must use VGAt0-DVI adapter with for use with Full Boar 4 VGA/DVI 23 VS15023 VG...

lang:en **score:12** filesize: 18.48 M page_count: 522 document date: 2016-05-20



[\[pdf\]](#) User Manual Specifications

Lighting Control System High End Systems Hog4 user manual ver 3 0 English adjmedia s3 amazonaws binaries |||

Lighting Control System User Manual Version 3.3.0-EN High End Systems 1 Hog 4 Lighting Control S ... Intellatouch Plus ET2201L VIEWSON- TD2340 IC Size Part Num- Video ber Notes 18.5 22 E176026 **E107766** VGA Only / Must use VGAt0-DVI adapter with for use with Full Boar 4 VGA/DVI 23 VS15023 VG...

lang:en **score:12** filesize: 18.45 M page_count: 516 document date: 2015-11-12

[\[pdf\]](#) User Manual Installation Guide Instructions Specifications

Hog 4 Lighting Control System High End Systems User Manual products are designed and manufactured to meet the Button Options 101 10 6 Keys and 38083 Hog4LightingControlSystemsUserManual fullcompass common files srsItid

AfmBOoq89crbPMW9VHg8xl9GgsWbXTWVgY4iJBXPEf4jKu30asE1IS49 ManualHog ManualHigh and Trademarks The Flying Pig logos registered trademarks of Systemsfullcompass

AfmBOoq89crbPMW9VHg8xl9GgsWbXTWVgY4iJBXPEf4jKu30asE1IS49fullcompass

AfmBOopJRNYzAYsDVL90wvdsLWuO9yoxN33X vum7eU5j5MCsZRuvrbz SystemsConsole 51 Backlight 52 3 1 5 Changing LCD Backlight fullcompass vum7eU5j5MCsZRuvrbzfullcompass

AfmBOophr8ng4ek1n4LqHiV yHj1sR NJXnwkQ1LDnv2hRyl8qlKWz S Backlight Copy Paste 43 Fixture Types 103fullcompass Sfullcompass AfmBOoot0D2TqUJ2fdAJNJ3 4bhiQdf C2xG9k758dwjBNwB

TNjF1Hx 103This equipment generates uses can radiate radio frequency energy if not installed used in accordance with instruction manual may cause fullcompass TNjF1Hxfullcompass AfmBOooxjRW3ka ci dWYVWzoDoqwUTYS21WOiB31HQ0SLC37Uxp6Byu cause Size a Master 320 17 9 Manually Cross Full Install 452fullcompass dWYVWzoDoqwUTYS21WOiB31HQ0SLC37Uxp6Byufullcompass

AfmBOooPnNkWPLQXxtWGJ v1LQ452wHFWA70oI9zT6L6JIQ5aEIQYKrU 452Button E effect T time See Recording Palettes Kind Masking p 187 fullcompass

v1LQ452wHFWA70oI9zT6L6JIQ5aEIQYKrUfullcompass AfmBOorhPZ6sqsewLy9WvADhz882FeL4VD bZaL1Ke7wShmNo zP73E display cuelist scene directories Output window Desktop views managed by View Toolbar at top left hand touch screenfullcompass zP73Efullcompass AfmBOoo9XD5so5h

1n7R7UsHjleyHvZw8bsqifgNiyYGBwhVx8nmiDT screenLED Feedback 333 12 Batch slash Copy creates copy selected This is helpful when you fullcompass

1n7R7UsHjleyHvZw8bsqifgNiyYGBwhVx8nmiDTfullcompass

AfmBOorPlfsMaexuA2GWBNCi8Nh7kyOkDdaRlBxKgBx8j9ZN4Spzy Y2 you Smart VideoHub 12x12 20x20 40x40 Lightware MX 4x4 6x6 8x4 30 40 50 60 70% across five fix tures Note that this example fullcompass Y2fullcompass

AfmBOoqUUZn9JLPAN67iMZsdCuJ7S0tvYO5IbdsKdWScKHEABMRpJhK example 4PC you must first properly configure FixtureNet s IP address set 15 2 Kinds as displayed Directory on Front fullcompass

AfmBOoqUUZn9JLPAN67iMZsdCuJ7S0tvYO5IbdsKdWScKHEABMRpJhKfullcompass

AfmBOorlo68P4kfDFnzI85Z5FbPqFWT0CMQp kNFLT82GJut4QujIBEZ Front This kNFLT82GJut4QujIBEZfullcompass


AfmBOoohZjoTqVeAV37A8DZARSTiDeOTFfJj3EAQeZiOdbbS4R4vL KA cause 491 Please read all instructions prior assembling mounting operating Important Informations De Sécurité Les se fullcompass KAfullcompass AfmBOooNsMCsuaQ6wNjHp5OI25MyaLKxKa640AVVOsemgGYUrIGHaRb |||


Hog 4 Lighting Control System User Manual Version 3.12.0 - EN High End Systems 1

Hog 4 Lighting ... ouch ET1519L 15.6 E232070 ELO iTouch ET1919L 18.5 E176026 ELO Intellatouch Plus ET2201L 22 **E107766** GeChich on-Lap 1303i 13.3

13031000109 Hannsree HT225HPB 21.5 HT225HPBREJ01 iiyama ...


lang:en **score:11** filesize: 10.36 M page_count: 538 document date: 2019-04-10





[\[pdf\]](#) User Manual Quick Start Guide

High End Systems Hog 4 Electronic Theatre Controls Inc 3 17 0 hog4 manual preworks at images ||| High End Systems Hog 4 User Manual Version 3.17.0 Part Number: 6102M1200-3.17.0 Rev: A Released: 2021-11 UM.VT2AA.001 ET.VT3HE.001 1RNV2 E2014Tt 09XJW P2418HT All Part No. E432532 E103047 E232070 E176026 **E107766** 13031000109 HT225HPBREJ01 PL2252MT PL2235M T2364t VS15023 3. Setting up the System 55 To...
lang:en **score:11** filesize: 10.8 M page_count: 569 document date: 2021-10-27



[\[pdf\]](#) User Manual Specifications

Lighting Control System High End Systems You can use the Lock function to lock DMX Processor s controls The AL10 AL list Assert Cuelist RL4 7 9 RL Release Controlling 28906 HighEndSystemsHog4LightingConsoleUserManualfullcompass common files 28906 HighEndSystemsHog4LightingConsoleUserManual srsltid AfmBOooxjy cEQG2kt42WZr4RL0pzW8W6F0mrXN2hhlzfs AFWaMWrvS Controlling LED on indicates object is selected Blue LED off slash key button up 1 down hog hardware back fullcompass AFWaMWrvSfullcompass AfmBOorj Va h8oWXolormtX3KEZjSDpHBvuuORFj CODg25AgfaycJe Hog4 User Manual ver 3 5 0Hog4 0Hog 4 in Road Case w DP8000You back Hog DP8000High user manual 0High 0d295jznhem2tn9 cloudfront net ItemRelatedFiles 10670 0fullcompass CODg25AgfaycJed295jznhem2tn9 back ELO Must VGA DVI ad apter with for Full Boar ET2201L ELO HDMI withHog CODg25AgfaycJefullcompass AfmBOoodL8v3nFle3ISrN18gC S5YMH3w Wmt8n2E8naJQzTU3pXNVj5d295jznhem2tn9 AfmBOorErGXdJIVXujvFb31 EIKzdszKIVMXTyzGcjLN0gqESfHPOHIEd295jznhem2tn9 ||| Lighting Control System User Manual Version 3.5.0-EN High End Systems 1 Hog 4 Lighting Control S ... Intellatouch Plus ET2201L VIEWSON- TD2340 IC Size Part Num- Video ber Notes 18.5 22 E176026 **E107766** VGA Only / Must use VGATO-DVI adapter with for use with Full Boar 4 VGA/DVI 23 VS15023 VG...
lang:en **score:11** filesize: 18.63 M page_count: 526 document date: 2016-09-12



[\[pdf\]](#) User Manual

Système de Contrôle d'Éclairage High End Systems h4 manual fr elationlighting eu mw link id 4701 Systeme de Contrle d clairage Manuel Utilisateur High End Systems 1 Version 2.2.0- FR 2 High End ... r VGA- vers- DVI pour tre utilis avec la Full Boar 4 ELO Intella- 22 touch Plus ET2201L **E107766** VGA/DVI 58 High End Systems Chapitre 3: Mise en place du systme Co- Modle nstructeur VI...
lang:en **score:11** filesize: 14.57 M page_count: 500 document date: 2014-11-26



[\[pdf\]](#) User Manual Specifications

Hog 4 Lighting Control System High End Systems H4 manual etcconnect WorkArea DownloadAsset.aspx?id=10737504302

Hog 4 Lighting Control System User Manual Version 3.14.0 - EN High End Systems 1

Hog 4 Lighting ... ouch ET1519L 15.6 E232070 ELO iTouch ET1919L 18.5 E176026

ELO Intellatouch Plus ET2201L 22 **E107766** GeChich on-Lap 1303i 13.3

13031000109 Hannspree HT225HPB 21.5 HT225HPBREJ01 iiyama ...

lang:en **score:11** filesize: 10.26 M page_count: 472 document date: 2020-08-06



[\[pdf\]](#) User Manual Specifications

Lighting Control System High End Systems BMI HighEnd Hog 4 Console Manual shop bmisupply

Resources en ItemDocuments 45081002


Lighting Control System User Manual Version 3.7.0-EN High End Systems 1 Hog 4

Lighting Control S ... t ofr eus hwti Full Boar 4 E176026 AGV Oynl M tus eus

GVAotDVI adaeptr ofr eus hwti Full Boar 4 **E107766** AGV / DVI 13031000109 Mnii

Ds-i apylPort HT225HP- HDMI BREJ01 / Ds-i apyl- Po- rt /...

lang:en **score:11** filesize: 17.28 M page_count: 520 document date: 2017-10-20



[\[pdf\]](#) User Manual Specifications

Hog 4 Lighting Control System High End Systems 17952 HES HOG4 manual ENG motion rental de

artikel s |||


Hog 4 Lighting Control System User Manual Version 3.13.0 - EN High End Systems 1

Hog 4 Lighting ... ouch ET1519L 15.6 E232070 ELO iTouch ET1919L 18.5 E176026

ELO Intellatouch Plus ET2201L 22 **E107766** GeChich on-Lap 1303i 13.3

13031000109 Hannspree HT225HPB 21.5 HT225HPBREJ01 iiyama ...

lang:en **score:11** filesize: 10.19 M page_count: 470 document date: 2019-09-10



[\[pdf\]](#) User Manual Specifications

Hog 4 Lighting Control System High End Systems H4 3 15 0 manual etcconnect WorkArea

DownloadAsset.aspx?id=10737505953

Hog 4 Lighting Control System User Manual Version 3.15.0 - EN High End Systems 1

Hog 4 Lighting ... ouch ET1519L 15.6 E232070 ELO iTouch ET1919L 18.5 E176026

ELO Intellatouch Plus ET2201L 22 **E107766** GeChich on-Lap 1303i 13.3

13031000109 Hannspree HT225HPB 21.5 HT225HPBREJ01 iiyama ...

lang:en **score:11** filesize: 10.29 M page_count: 480 document date: 2020-12-02



[\[pdf\]](#) User Manual Quick Start Guide

Industry Electronics Preisliste Lieske Elektronik vom 17.08.2022 août — 40001051 PJ04WHM MANUAL

HIGHT ADJUST 39 für Epson HOME PRO CINEMA 800Leistung 170W Herstellernummer

ELPLP35Bemerkung Beamerlampen haben ca. lieske monitore industry electronics de preisliten |||

Preisliste vom 17.08.2022 - Alle Preise verstehen sich zzgl. der gesetzlichen MwSt

und zzgl. Versand ... 13694 IDS-3121WR-25FHA1E 619.00 1553364 XDE31-

215WR25HIG1E 599.00 521268 766570 1155602 1652694 **E107766** E382790

E351600 E126096 589.00 599.00 529.00 476.00 1045329 222B9T/00 339.00 574554

E5...

lang:it score:10 filesize: 13.84 M page_count: 2651 document date: 2022-08-17