

PROFLO PF194RWH

PROFLO PF194R Rockaway Drop-In Bathroom Sink User Manual

Model: PF194RWH

[Introduction](#) [Safety Information](#) [Package Contents](#) [Tools Required](#) [Setup & Installation](#) [Operation](#) [Maintenance](#) [Troubleshooting](#) [Specifications](#) [Warranty & Support](#)

1. INTRODUCTION

Thank you for choosing the PROFLO PF194R Rockaway Drop-In Bathroom Sink. This manual provides detailed instructions for the safe installation, operation, and maintenance of your new sink. Please read this manual thoroughly before beginning installation and retain it for future reference.

The PROFLO PF194R is a 19-inch circular vitreous china drop-in bathroom sink, designed for durability and functionality. It features an integrated overflow and three pre-drilled faucet holes spaced at 4-inch centers, making it suitable for a variety of faucet styles. Its white finish complements most bathroom decors.



Image 1.1: Top-down view of the PROFLO PF194R Rockaway sink, showcasing its circular design and three faucet holes.

2. SAFETY INFORMATION

Please observe the following safety precautions during installation and use of this product:

- Always turn off the main water supply before beginning any plumbing work.
- Wear appropriate personal protective equipment, such as safety glasses and gloves, during installation.
- Handle the vitreous china sink with care to prevent chipping or breakage. It is heavy; use proper lifting techniques or seek assistance.
- Ensure all connections are watertight to prevent leaks.
- Do not use harsh abrasive cleaners on the sink surface, as this may damage the finish.
- If you are unsure about any part of the installation process, consult a qualified plumber.

3. PACKAGE CONTENTS

Verify that all components are present and undamaged before beginning installation. If any parts are missing or damaged, do not proceed with installation and contact customer support.

- PROFLO PF194R Rockaway Drop-In Bathroom Sink (1)
- Installation Instructions (1)
- *Note: Faucet, drain assembly, and mounting hardware are typically sold separately.*

4. TOOLS REQUIRED FOR INSTALLATION

The following tools are generally required for a standard drop-in sink installation:

- Adjustable Wrench
- Plumber's Putty or Silicone Sealant
- Screwdriver (Phillips and/or Flathead)
- Measuring Tape
- Pencil or Marker
- Jigsaw or Hole Saw (if cutting a new countertop opening)
- Safety Glasses
- Gloves
- Bucket (for catching water during disconnection)

5. SETUP AND INSTALLATION

This sink is designed for drop-in installation. Follow these general steps for installation. Refer to your faucet and drain assembly instructions for specific details on those components.

1. **Prepare the Countertop:** If installing in a new countertop, use the provided template (if included with your sink or faucet) to mark and cut the opening. Ensure the opening is clean and smooth.
2. **Install Faucet and Drain Assembly:** Before dropping the sink into the countertop, install the faucet and drain assembly onto the sink according to their respective manufacturer's instructions. This is typically easier to do before the sink is in place.
3. **Apply Sealant:** Apply a continuous bead of plumber's putty or silicone sealant around the underside rim of the sink that will contact the countertop. This creates a watertight seal.
4. **Position the Sink:** Carefully lower the sink into the countertop opening, ensuring it is centered and aligned. Press down firmly to seat the sink into the sealant.
5. **Secure the Sink:** From underneath the countertop, attach and tighten the mounting clips or fasteners provided with your sink or faucet. Do not overtighten, as this can crack the china.
6. **Connect Water Supply and Drain:** Connect the hot and cold water supply lines to the faucet and the drain pipe to the drain assembly. Ensure all connections are hand-tight, then use an adjustable wrench for a final quarter-turn to ensure a secure, leak-free connection.
7. **Test for Leaks:** Turn on the main water supply and check all connections for leaks. Run water into the sink and check the drain connections. Tighten any leaking connections as necessary.



Image 5.1: Underside of the PROFLO PF194R sink, illustrating the design for drop-in installation and the rear drain location.

6. OPERATION

The PROFLO PF194R Rockaway sink operates like any standard bathroom sink. Use the faucet handles to control water flow and temperature. The integrated overflow is designed to prevent water from spilling over the rim if the main drain becomes blocked. However, it is not a primary drainage system and should not be relied upon to prevent flooding if the faucet is left running unattended.

7. MAINTENANCE AND CARE

To maintain the pristine appearance and longevity of your PROFLO PF194R sink, follow these care instructions:

- **Regular Cleaning:** Wipe the sink surface with a dry, soft cloth after each use to prevent water spots and soap scum buildup.
- **Deep Cleaning:** For more thorough cleaning, use a mild, non-abrasive liquid cleaner and a soft sponge or cloth. Rinse thoroughly with water and dry immediately.
- **Avoid Abrasives:** Do not use abrasive cleaners, scouring pads, or harsh chemicals (e.g., strong acids, bleach, ammonia-based cleaners) as these can damage the vitreous china finish.
- **Prevent Stains:** Promptly wipe away any spills, especially those from cosmetics, hair dyes, or other

staining agents.

- **Check for Leaks:** Periodically inspect the plumbing connections under the sink for any signs of leaks or drips. Address any issues promptly to prevent water damage.

8. TROUBLESHOOTING

Here are some common issues and their potential solutions:

Problem	Possible Cause	Solution
Water leaking from under the sink.	Loose plumbing connections, improperly sealed drain or faucet.	Check and tighten all water supply and drain connections. Reapply plumber's putty or silicone sealant if necessary.
Slow drainage.	Partial clog in the drain pipe or stopper mechanism.	Remove the drain stopper and clean any hair or debris. Use a plumbing snake or a chemical drain cleaner (follow product instructions carefully).
Water spots or stains on the sink surface.	Hard water deposits, soap scum, or residue from personal care products.	Clean regularly with a mild, non-abrasive cleaner. For hard water spots, use a vinegar solution (diluted) and rinse thoroughly.

If the problem persists after attempting these solutions, contact a qualified plumber or PROFLO customer support.

9. SPECIFICATIONS

Feature	Detail
Brand	PROFLO
Model Number	PF194RWH
Color	White
Material	Vitreous China
Installation Type	Drop In
Shape	Oval / Circular
Product Dimensions (D x W x H)	19"D x 19"W x 8"H
Faucet Holes	3 (at 4" Centers)
Overflow	Yes
Drain Location	Rear
Item Weight	13.77 Pounds

10. WARRANTY AND SUPPORT





PROFLO products are manufactured to high-quality standards and are backed by a limited warranty. For specific warranty terms and conditions, please refer to the warranty card included with your product or visit the official PROFLO website. Keep your proof of purchase for warranty claims.



For technical assistance, replacement parts, or any questions regarding your PROFLO PF194R sink, please contact PROFLO customer support:

- **Website:** Visit the [PROFLO Store on Amazon](#) (for general product information)
- **Contact Information:** Refer to the PROFLO official website or product packaging for the most current customer service phone numbers and email addresses.

© 2025 PROFLO. All rights reserved. Information in this manual is subject to change without notice.

Related Documents - PF194RWH

	<p>PROFLO PF1119 Two-Handle Wall Mount Service Sink Faucet Specifications and Features</p> <p>Detailed specifications, features, available parts, and flow rate information for the PROFLO PF1119 two-handle wall mount service sink faucet. Includes warranty details and compliance standards.</p>
	<p>Proflo Two-Handle Lavatory Faucet Installation Instructions (PFWSC1247ACP/ZBN)</p> <p>Detailed installation guide for the Proflo Two-Handle Lavatory Faucet (Model PFWSC1247ACP/ZBN), including care instructions, parts list, and step-by-step assembly procedures.</p>
	<p>PROFLO PFWSC8851 Single Handle Lavatory Faucet Specifications</p> <p>Detailed specifications for the PROFLO PFWSC8851 Single Handle Lavatory Faucet, including product features, model numbers, optional parts, and dimensions. Features ceramic cartridge, metal lever handle, and WaterSense certification.</p>
	<p>PROFLO PFXM334 Two Handle Metering Faucet Installation Guide</p> <p>Comprehensive installation, care, and troubleshooting guide for the PROFLO PFXM334 two-handle metering faucet, including a detailed parts list and required tools. Learn how to install and maintain your faucet.</p>

	<p>PROFLO PFWSC1340L Two Handle Lavatory Faucet Specifications and Features</p> <p>Detailed specifications for the PROFLO PFWSC1340L Two Handle Lavatory Faucet, including product features, dimensions, warranty information, and compliance codes. Features EPA WaterSense approval and ceramic cartridges.</p>
	<p>PROFLO PFX308/PFX3085 8-Inch Commercial Deck Faucet Parts and Warranty</p> <p>Detailed parts breakdown and warranty information for the PROFLO PFX308 and PFX3085 8-inch commercial deck faucets, including model numbers, part codes, materials, and compliance standards.</p>

[pdf] Instructions Specifications Warranty

Query ASSET ID 9853351 USE TYPE WARRANTY PRODUCT 4781836 api ferguson dar step service

3511400 4355427 4601867 Warranty Sheet PROFLO PF1825PTAWH Wash Out Urinal Build proflo
pf1825pta warranty sheet 4384421 4601866 4242184 8584653 1861700 4242185 4384420 7343024

2399305 2399326 3382540 3627663 4262641 4262642 4262643 4599821 4601864 7899159 8451853

8453444 s1 img b build mediabase specifications 1825274 Elongated Toilet Bowl in White PROFLO®

Ferguson 1 28 gpf Tank Biscuit 6 Large Footprint 8 14 Rough In Skirted ADA Two Piece Complete Seat

Wax Ring Closet Bolts Included Round Lined 10 Low Profile High Efficiency 15 Cotton with Lever

4601865 7578808 4668829 4599825 3880248 7899154 7515760 8330105 4355429 4668832 4599820

7345289 4355426 4668830 4355423 4355421 4384423 4668831 7628424 3880250 3880249 4601868

3603157 4200507 fergusonprod a bigcontent io v1 static Floor Mount 20 x 19 Rectangular Pedestal

Bathroom Sink 21 9 16 Undermount 3 4 Base Dual Flush Rear Outlet Wall 17 Drop 9334732 9204650

4884915 9204652 3924588 8208130 4718445 9579220 PF5711WH Vitreous China Mounted Overflow

and Faucet Hole at Centers Build1 Ferguson1 FergusonElongated Ferguson0 FergusonRound

Ferguson15 Ferguson20 Ferguson21 Ferguson6 Fergusonproflo pf5711 sheet4601865 warranty4355427

warranty4242184 warranty8453444 warranty7578808 warranty4668829 warranty4599825

warranty4601866 warranty3880248 warranty7899154 warranty7515760 warranty8330105

warranty4355429 warranty4262643 warranty4668832 warranty4599820 warranty7345289

warranty4262642 warranty7343024 warranty4355426 warranty4668830 warranty4355423

warranty4355421 warranty4601867 warranty4262641 warranty4384423 warranty4599821

warranty7899159 warranty4668831 warranty4242185 warranty7628424 warranty8584653

warranty3880250 warranty3880249 warranty4601864 warranty4601868 warranty3603157

warranty4200507 warranty4601865 warranty9334732 warranty9204650 warranty4884915

warranty9204652 warranty4384421 warranty3382540 warranty3924588 warranty8208130

warranty4718445 warrantys1 sheets1 1693037 sheetfergusonprod warrantyfergusonprod BuildPROFLO

PF14108WH Alder Creek 25 2 Holes Ce1 sheetproflo pf14108 645925 CePROFLO PF1713UWH

Stedman 7 pf1713u 1194501 PF194RWH Rockaway Circular Buil1 pf194r 645956 |||

Vitreous China Warranty Garantie de la porcelaine sanitaire Garanta de loza

vitrificada WHAT IS COVERED PROFLO warrants to the ORIGINAL PURCHASER

that its vitreous china except as explained below shall be free from defects in material

and workmanship under normal use and service FOR SO LONG AS TH...

lang:en score:13 filesize: 91.29 K page_count: 1 document date: 2022-07-27



[pdf] Catalog Label

08PrivateLabelCatalog ferguson 80 ContactUs

Table of Contents Bathing Products..... ow




















drain 4 centerset Can be mounted for ADA installation Adhesive sealant included No.

PF194RBS **PF194RWH** Color Biscuit White Vitreous china 19 Round Concealed front

overflow drain 1-hole fa...

lang:en score:9 filesize: 11.75 M page_count: 281 document date: 2008-02-08



Table of Contents		
  		
1) Bathing Products.....	1 - 11	
2) Bath Faucets.....	12 - 33	
3) Bar Faucets.....	34 - 35	
4) Kitchen Faucets.....	36 - 41	
5) Fixtures.....	42 - 77	
6) Lighting Products.....	78 - 95	
7) Rough Plumbing Products.....	96 - 189	
8) FNW Products & Commercial/Industrial Products.....	190 - 235	
9) H2OVC Products.....	236 - 245	
10) Tools and Fasteners.....	246 - 277	
11) Waterworks Products.....	278 - 288	
12) Product Category Index.....	289 - 292	
13) Part Number Index.....	293 - 302	
  		

[PROFLO, PROSELECT, LIGHTEK Product Catalog - Bath Fixtures, Faucets, Lighting & More](#)

Explore the comprehensive PROFLO, PROSELECT, and LIGHTEK product catalog featuring a wide range of bathroom and kitchen fixtures, faucets, whirlpools, toilets, sinks, lighting solutions, and rough plumbing supplies. Find detailed specifications and model numbers for your next project.

lang:en score:9 filesize: 11.99 M page_count: 290 document date: 2009-04-02