

EDIC 401TR

EDIC Fivestar Self-Contained Carpet Extractor 401TR User Manual

Model: 401TR

INTRODUCTION

The EDIC Fivestar Self-Contained Carpet Extractor 401TR is a compact, lightweight, and user-friendly machine designed for effective carpet maintenance. It prioritizes value to the customer by offering powerful cleaning capabilities in a manageable form factor. This manual provides comprehensive instructions for setting up, operating, and maintaining your Fivestar extractor to ensure optimal performance and longevity.



Figure 1: The EDIC Fivestar Self-Contained Carpet Extractor 401TR.

SETUP

Portability and Transport

The Fivestar's compact and lightweight design facilitates easy loading and unloading from various vehicles. Its convenient, retractable handle not only saves storage space but also simplifies transport to the job site.



Figure 2: The Fivestar's compact design allows for easy transport by a single person.

Initial Preparation

1. **Plug In:** Simply plug the single power cord into a suitable electrical outlet.
2. **Adjust Handle:** Lock the adjustable handle in place at a comfortable height for operation.
3. **Fill Solution Tank:**
 - The Fivestar's solution and recovery tank is designed for easy removal. Lift the tank using its built-in carrying handle.
 - Take the tank to a sink or other water source.
 - For optimal cleaning effectiveness, fill the three-gallon solution tank with warm or hot water.
 - Cleaning chemicals can be added directly to the solution tank for quick spot or entryway cleanup.
 - Once filled, place the tank back onto the Fivestar base and close the self-sealing lid. The machine is now ready for use.



Figure 3: Top view of the Fivestar showing the solution and recovery tanks.

Pre-treatment (Optional)

Before cleaning, you may apply a chemical pre-spray directly to the carpet. For maintenance cleaning, EDIC recommends applying a pre-spray and allowing it to dwell for 5 to 10 minutes before scrubbing and rinsing with the Fivestar. For difficult spots and high-traffic lanes, you might need to agitate the chemical into the carpet fibers using a carpet brush or rake.

OPERATION

Mode Selection

Before beginning, ensure the mode switch on the lower right side of the Fivestar is set to the correct position for the surface you are cleaning (e.g., Carpet or Floor).



Figure 4: Side view of the Fivestar, showing the mode switch location.

Control Panel

The controls are conveniently located on the handle for easy access and are sealed to protect them from water damage.

- To begin cleaning, turn on the **Vacuum**, **Brush** (agitator), and **Pump** switches (set to either Carpet or Upholstery as needed).
- Hold down the **Activate** button on the handle to apply solution and engage the agitator brush.



Figure 5: Close-up of the Fivestar's control panel on the handle.

Cleaning Procedure

Clean by pulling the Fivestar backward. It is recommended to overlap passes slightly to ensure full cleaning coverage. The Fivestar is designed to reach into corners and maintain high productivity.

Dry Pass

To remove additional water from the carpet, perform a dry pass. Simply release the Activate button and go over the cleaned area using only the vacuum function.

Your browser does not support the video tag.

Video 1: Fivestar Self-Contained Carpet Extractors - Demonstrates setup, operation, and maintenance.

Maintenance

Emptying the Recovery Tank

When the recovery tank is full and requires emptying:

1. Turn off the machine.
2. Remove the recovery tank using its built-in handle.
3. Take the recovery tank to a toilet or designated disposal area and empty it. The patented bladder design ensures that dirty water does not contaminate the clean water supply.

Accessing Internal Components

Accessing the equipment bay for maintenance is straightforward:

1. Remove the two caps on the front of the machine to reveal the screws.
2. Using a Phillips head screwdriver, remove the screw on the left and the screw on the right of the machine.
3. Once the screws are removed, gently tilt the machine backward from the handle to open the equipment bay.

Inside, you will find a well-organized layout of components, including the 50 PSI solution pump, the upright-mounted two-horsepower vacuum motor with 112 CFM, and the brush motor providing cleaning power at 2500 RPM. All these components feature quick connects for easy service and replacement. The exclusive intercooler system helps keep all electrical components cool, ensuring many years of reliable operation.



Figure 6: View of the Fivestar's internal components, including the pump and motor.

TROUBLESHOOTING

For common operational issues, please refer to the troubleshooting section in the full product manual or contact customer support. Ensure all connections are secure, tanks are properly filled/emptied, and power is supplied correctly.


SPECIFICATIONS

Feature	Specification
Brand	EDIC
Model Name	FiveStar
Item Model Number	401TR
Item Weight	40 Pounds
Product Dimensions	23 x 12 x 24 inches
Capacity	3 Gallons
Power Source	Hand-Operated (Refers to manual pushing, machine is electric)
UPC	054933000170

WARRANTY & SUPPORT

For information regarding product warranty, please refer to the documentation included with your purchase or contact EDIC customer support directly. Customer support is available to assist with any questions or issues you may encounter.

Documents - EDIC – 401TR




[\[pdf\] User Manual](#)

EDIC FiveStar 401TR Operator s ManualEDIC 3G Extractor eVacuumStoreEDIC Manualcdn shopify files 1 0642 2711 5050 Manual v 1746649293 |||

w FIVESTAR 401TR 411TR 3 GALLON SELF-CONTAINED EXTRACTOR OWNER S/OPERATOR S MANUAL PROUDLY DESIGNED AND MANUFACTURED BY WWW.EDIC-USA.COM UNPACKING YOUR NEW FIVESTAR: When your package is delivered, check the carton carefully for signs of rough handling. If the FIVESTAR is damaged, notify the carri...

lang:en **score:44** filesize: 4.08 M page_count: 20 document date: 2016-03-08



[\[pdf\] User Manual](#)

411TR 3 GALLON SELF CONTAINED EXTRACTOR EDIC fivestar 401tr Manual FIVESTAR w PLEASE READ BEFORE OPERATING YOUR NEW Read the manual carefully and completely before at tempting to operate unit This has important To avoid electric shock do not expose Use only commercially available carpet cleaners sticks spray with silicone lubricant verified your claim s liability ceases when carrier picks up shipment However our customer service staff will be happy furnish any information needed in connection attempt OWNER S OPERATOR MANUAL PROUDLY DESIGNED AND MANUFACTURED BY USA COM UNPACKING When package is delivered check carton 401TR Operator opp man B2305424 evacuumstore Images smartjan manuals edic usa static globalindustrial products 100940 80 w FIVESTAR 401TR 411TR 3 GALLON SELF-CONTAINED EXTRACTOR OWNER S/OPERATOR S MANUAL PROUDLY DESIGNED AND MANUFACTURED BY WWW.EDIC-USA.COM UNPACKING YOUR NEW FIVESTAR: When your package is delivered, check the carton carefully for signs of rough handling. If the FIVESTAR is damaged, notify the carri...

lang:en **score:39** filesize: 4.08 M page_count: 20 document date: 2016-03-08



[\[pdf\] Tech Sheet Datasheet Accessories](#)

Product Datasheet SteamBrite Supply EDIC 401TR 3 Gallon Index of components com virtuemart


Technical Sheets Self Contained Extractor 12 Cleaning Path For Use On Carpet Only Sheet smartjan |||

SteamBrite Supply Created on: : Friday 01 November, 2013 Model Number: **401TR**

Edic 401TR 5 Star Self Contained Carpet Extractor 3gal 50psi 112cfm 2500rpm

Manufacturer: EDIC Edic **401TR** 5 Star Self Contained Carpet Extractor 5 Star Self Contained Carpet Extractor pply The amazing FiveStar trade; i...

lang:en **score:34** filesize: 64.53 K page_count: 5 document date: 2013-11-01



[\[pdf\] User Manual Specifications](#)

411TR 3 GALLON SELF CONTAINED EXTRACTOR Carpet Cleaner Manual If additional information is needed please contact EDIC at 800 338 3342 or email info@edic usa All and specifications printed in the man nuviewequipmentrental 2018 04 |||

w FIVESTAR **401TR** **411TR** 3 GALLON SELF-CONTAINED EXTRACTOR OWNER S/OPERATOR S MANUAL PROUDLY DESIGNED AND MANUFACTURED BY WWW.EDIC-USA.COM UNPACKING YOUR NEW FIVESTAR: When your package is delivered, check the carton carefully for signs of rough handling. If the FIVESTAR is damaged, notify the carri...

lang:en score:34 filesize: 159.54 K page_count: 5 document date: 2018-04-24



[\[pdf\] Specifications](#)

Fivestar spec edic usa 80 specs


Quality Above All CARPET CLEANER SPOTTER FIVESTAR SELF-CONTAINED CARPET EXTRACTOR UPHOLSTERY CLE ... H x 23 L x 12 W 40 lbs. 53 lbs. 28 H x 26 L x 15 W 12 amps 5 year parts labor, lifetime on body **401TR** 3 gallon 3 gallon 85 psi 2 HP, 112 CFM 107 1/6 HP 2.500 RPM Chevron Design, 4 rows Sealed, st...
lang:en score:27 filesize: 734.95 K page_count: 2 document date: 2021-09-14



[\[pdf\] User Manual Accessories](#)

TÉLÉCHARGER LE MANUEL D UTILISATEUR ANGLAIS Laveuse extracteur à tapis EDIC FiveStar réservoir de 3 gal 12 SaniChoix ED403TRusermanual spec v 1744012501 cdn shopify s files 1 2621 5480 |||

Quality Above All CARPET CLEANER SPOTTER FIVESTAR SELF-CONTAINED CARPET EXTRACTOR UPHOLSTERY CLE ... H x 23 L x 12 W 40 lbs. 53 lbs. 28 H x 26 L x 15 W 12 amps 5 year parts labor, lifetime on body **401TR** 3 gallon 3 gallon 50 psi 2 HP, 112 CFM 107 1/6 HP 2.500 RPM Chevron Design, 4 rows Sealed, st...
lang:en score:24 filesize: 363.99 K page_count: 2 document date: 2016-10-10



[\[pdf\] Specifications Accessories Catalog](#)

Our company was founded in 1975 with the goal Untitled EDIC ON THE MOVE of designing and developing most innovative productive durable carpet care equipment cleaning systems on Digital Catalog edic usa specs 80

OUR MISSION EDIC... ON THE MOVE Our company was founded in 1975 with the goal of designing and dev ... 0 lbs. Shipping Weight 53 lbs. Shipping Dimensions 28 H x 26 L x 15 W Electrical Draw 12 amps **401TR** 3 gallon 3 gallon 85 psi 2 HP, 112 CFM 107 1/6 HP 2.500 RPM Chevron Design, 4 rows Sealed, st...

lang:en **score:21** filesize: 3.44 M page_count: 36 document date: 2018-11-05




[\[pdf\] Accessories](#)

411TR Technical Shee Index of components com virtuemart Sheets Sheet smartjan |||

Quality Above All CARPET CLEANER SPOTTER FIVESTAR SELF-CONTAINED CARPET EXTRACTOR UPHOLSTERY CLE ... H x 23 L x 12 W 40 lbs. 53 lbs. 28 H x 26 L x 15 W 12 amps 5 year parts labor, lifetime on body **401TR** 3 gallon 3 gallon 85 psi 2 HP, 112 CFM 107 1/6 HP 2.500 RPM Chevron Design, 4 rows Sealed, st...

lang:en **score:19** filesize: 353.76 K page_count: 2 document date: 2017-12-05



[\[pdf\] Accessories](#)

DownloadLAN Global Corpl0A0bsEqTFz5OXtBTJQWkYJDcwkrusercontent assets

loA0bsEqTFz5OXtBTJQWkYJDcwk |||

OUR MISSION EDIC SINCE 1975 Our company was founded in 1975 with the goal of designing and develop ... Z 24 H x 23 L x 12 W t 40 lbs. t 53 lbs. Z 28 H x 26 L x 15 W Electrical Draw 12 amps **401TR** Z Z 85 psi 2 HP, 112 CFM 107 1/6 HP 2.500 RPM Z rows Sealed, stainless steel 12 wide WZ Z ...

lang:en **score:15** filesize: 7.88 M page_count: 32 document date: 2023-08-14