

- › [3M](#) /
- › [3M Hookit Purple Clean Sanding Sheet Roll 334U \(Model 30701\) Instruction Manual](#)

## 3M 30701

# 3M Hookit Purple Clean Sanding Sheet Roll 334U (Model 30701) Instruction Manual

Brand: 3M | Model: 30701 | Grit: P600 | Dimensions: 70 mm x 12 m

## 1. INTRODUCTION

This manual provides essential information for the proper use and maintenance of the 3M Hookit Purple Clean Sanding Sheet Roll 334U, Model 30701. This dust-free file sheet roll is designed for primer and topcoat sanding applications, offering efficient material removal and a consistent finish.



Image 1: The 3M Hookit Purple Clean Sanding Sheet Roll 334U, showing the roll and its packaging.

## 2. IMPORTANT SAFETY INFORMATION

**WARNING: This product is intended for industrial/occupational use only. It is not for consumer sale or use. Misuse of 3M industrial and occupational products may result in injury, sickness, death, or property damage.**

Always comply with applicable health and safety regulations and standards (e.g., U.S. OSHA, ANSI), as well as all

product literature, user instructions, warnings, and other limitations. Consult your on-site safety professional, industrial hygienist, or other subject matter expert for product selection and use guidance. For additional product information, visit [www.3M.com](http://www.3M.com).

### 3. PRODUCT FEATURES

---

The 3M Hookit Purple Clean Sanding Sheet Roll 334U is engineered with several features to enhance sanding performance and user experience:

- **Perforated Sheet Roll:** Designed for quick and easy snapping off of desired sizes, which helps minimize product waste.
- **Stearate Coating:** This specialized coating helps resist loading, extending the performance and lifespan of the abrasive sheet.
- **Chevron Hole Pattern:** An innovative hole pattern efficiently evacuates dust from the sheet surface, reducing loading both with and without dust extraction systems.
- **Aluminum Oxide Abrasive:** Provides a fast cut, long life, and contributes to professional-quality results.
- **C-weight Paper Backing:** Adds durability to the sanding sheet, making it robust for various applications.
- **Hookit Attachment System:** Facilitates fast and efficient sheet change-outs, improving workflow and productivity.



Image 2: The 3M Hookit Purple Clean Sanding Sheet Roll alongside its packaging, highlighting the product's presentation.





Image 3: A detailed view of the 3M Hookit Purple Clean Sanding Sheet Roll, showing the abrasive surface and chevron hole pattern.



Image 4: An arrangement of multiple 3M Hookit Purple Clean Sanding Sheet Rolls, illustrating the product in various sizes or quantities.

## 4. SETUP

1. **Prepare the Roll:** Unroll the desired length of the 3M Hookit Purple Clean Sanding Sheet. The roll is perforated, allowing you to easily snap off the required size.
2. **Attach to Sanding Tool:** The Hookit system allows for quick attachment to compatible sanding blocks or power sanders. Align the Hookit backing of the sanding sheet with the Hookit surface of your tool and press firmly to secure.
3. **Dust Extraction (Optional):** If using a sanding tool with dust extraction capabilities, ensure the chevron hole pattern on the sanding sheet aligns with the dust ports on your tool for optimal dust evacuation.





Image 5: A close-up of the perforated 3M Hookit Purple Clean Sanding Sheet, demonstrating how sections can be easily separated.



Image 6: A hand demonstrating the ease of snapping off a section of the 3M Hookit sanding sheet at the perforations.

## 5. OPERATING INSTRUCTIONS

The 3M Hookit Purple Clean Sanding Sheet Roll 334U (P600 grit) is ideal for fine sanding applications on primer and topcoat surfaces. Follow these general guidelines for effective use:

- **Surface Preparation:** Ensure the surface to be sanded is clean and free of loose debris.
- **Sanding Technique:** Apply even, moderate pressure. Move the sanding tool in a consistent pattern, overlapping each pass slightly to ensure uniform material removal.
- **Dust Management:** The chevron hole pattern is designed to evacuate dust. For best results, use with a compatible dust extraction system. This reduces airborne dust and helps prevent loading of the abrasive.
- **Grit Selection:** P600 grit is suitable for fine finishing and preparing surfaces for subsequent coatings. For coarser material removal, a lower grit abrasive would be required.



Image 7: An illustration showing the sanding sheet in action, emphasizing its ability to provide a consistent finish across various applications.

## Related Video: Purple Ceramic Sandpaper Roll

Your browser does not support the video tag.

Video 1: This video demonstrates the application and features of a purple ceramic sandpaper roll, similar in concept to the 3M Hookit product, showcasing its use for metal polishing and wood furniture sanding. Note: This video is provided by Shineboc Abrasive Tools US and illustrates general sanding sheet usage.

## 6. MAINTENANCE

- **Storage:** Store the sanding sheet roll in a dry, cool environment away from direct sunlight and humidity to preserve its adhesive properties and abrasive quality.

- **Cleaning:** While the sheet is designed to resist loading, occasional light brushing can help remove accumulated dust and prolong its effective life. Replace the sheet when it becomes worn or clogged, as continued use of a dull abrasive can lead to inefficient sanding and poor finish.

## 7. TROUBLESHOOTING

As a consumable product, troubleshooting for sanding sheets is generally straightforward. Consider the following if you encounter issues:

- **Poor Sanding Performance:**
  - Ensure the abrasive sheet is securely attached to the sanding tool.
  - Check if the sheet is worn out or excessively loaded with dust. Replace if necessary.
  - Verify that the correct grit (P600 for fine finishing) is being used for the application.
- **Excessive Dust:**
  - Confirm that the dust extraction system (if used) is functioning correctly and that the sheet's hole pattern aligns with the tool's ports.
  - Ensure the work area is adequately ventilated.

## 8. SPECIFICATIONS

Brand	3M
Model Number	30701
Grit Number	600 (P600)
Grit Type	Super Fine
Grit Material	Aluminum Oxide
Color	Purple
Backing Type	C-weight Paper
Product Dimensions	70 mm x 12 m (2.76"W x 472.44"L)
Item Weight	10.2 ounces
Attachment System	Hookit
UPC	051131307018

## 9. WARRANTY AND SUPPORT

3M products are manufactured to high standards. For specific warranty information or technical support regarding the 3M Hookit Purple Clean Sanding Sheet Roll 334U, please refer to the official 3M website or contact 3M customer service directly. Product information and support resources can be found at [www.3M.com](http://www.3M.com).

