

Artemide A011828A

Artemide Tolomeo Table Lamp Micro - White User Manual

Model: A011828A

1. INTRODUCTION

The Artemide Tolomeo Table Lamp Micro - White is a sophisticated and functional lighting fixture designed by Giancarlo Fassina and Michele De Lucchi. This lamp features a fully adjustable, articulated anodized aluminum arm and body, with die-cast aluminum joints and tension control knobs. It is designed for tabletop installation and provides adjustable lighting for various environments.

This manual provides essential information for the safe and proper setup, operation, and maintenance of your Tolomeo Table Lamp.

2. SETUP INSTRUCTIONS

Carefully unpack all components and ensure all parts are present before beginning assembly. The lamp includes a base, articulated arm, shade, and a remote control.

2.1 Component Identification

- **Base:** Provides stability for the lamp.
- **Articulated Arm:** Allows for flexible positioning of the light source.
- **Shade:** Directs and diffuses light.
- **Tension Control Knobs:** Adjust the stiffness of the arm joints.
- **Remote Control:** For convenient operation.

2.2 Assembly Steps

1. **Place the Base:** Position the lamp base on a stable, flat surface.
2. **Attach the Arm:** Securely connect the articulated arm to the base. Ensure all connections are firm.
3. **Install the Shade:** Attach the shade to the end of the articulated arm. The shade features 360-

degree rotation.

4. **Insert Light Bulb:** This lamp requires one E26 (medium base) A19 compatible bulb (not included). Compatible types include incandescent, compact fluorescent, or LED lamps, up to 100W max. Carefully screw the bulb into the socket.
5. **Connect Power:** Plug the power cord into a standard 120V electrical outlet.



Image 1: The Artemide Tolomeo Table Lamp Micro with its articulated arm fully extended, demonstrating its adjustable design.

3. OPERATING INSTRUCTIONS

3.1 Power On/Off

The lamp features a touch-sensitive switch for power control. Gently touch the designated area on the lamp head or base (depending on the specific model variant) to turn the light on or off. The lamp is designed for instant-on functionality.

3.2 Adjusting Light Position

The articulated arm allows for precise positioning of the light. Carefully move the arm to direct the light as needed. The shade can rotate 360 degrees to further refine the light direction.

To adjust the tension of the arm joints, use the tension control knobs located at each joint. Tighten to increase resistance, loosen to decrease it.



Image 2: Two Artemide Tolomeo Table Lamps Micro with their articulated arms bent, showcasing flexibility.

4. MAINTENANCE

4.1 Cleaning

Before cleaning, always unplug the lamp from the power outlet. Use a soft, dry cloth to wipe down the aluminum surfaces. For stubborn marks, a slightly damp cloth with mild soap can be used, followed by immediate drying. Avoid abrasive cleaners or solvents, as these can damage the matte finish.

4.2 Bulb Replacement

Ensure the lamp is unplugged and the bulb has cooled completely before attempting to replace it. Unscrew the old E26 A19 bulb and screw in a new compatible bulb (incandescent, CFL, or LED) up to 100W max. Do not exceed the maximum wattage.



Image 3: A close-up view of the Artemide Tolomeo Table Lamp Micro's shade and articulated joint, highlighting the design details.

5. TROUBLESHOOTING

Problem	Possible Cause	Solution
Lamp does not turn on.	<ul style="list-style-type: none">Power cord not plugged in.Bulb is loose or burnt out.No power to outlet.	<ul style="list-style-type: none">Ensure the power cord is securely plugged into a working outlet.Check and tighten the bulb, or replace it if burnt out.Test the outlet with another device or check your circuit breaker.
Light flickers.	<ul style="list-style-type: none">Loose bulb connection.Incompatible bulb.	<ul style="list-style-type: none">Tighten the bulb.Ensure the bulb is compatible with E26 base and within 100W rating.
Arm does not hold position.	<ul style="list-style-type: none">Tension control knobs are loose.	<ul style="list-style-type: none">Tighten the tension control knobs at the arm joints.

6. SPECIFICATIONS

Feature	Detail
---------	--------

Feature	Detail
Model	A011828A (Tolomeo Micro - White)
Designers	Giancarlo Fassina and Michele De Lucchi (1989)
Installation Type	Tabletop / Table Base
Dimensions (Micro)	17.52" (Width) X 28.74" (Max Height), Base Diameter: 6.75"
Base Material	Anodized Aluminum
Shade Material	Anodized Aluminum
Finish Type	Matte Finish
Color	White
Bulb Base	E26 (Medium Base)
Compatible Bulb Type	A19 Incandescent, Compact Fluorescent, or LED (not included)
Maximum Wattage	100W
Voltage	120 Volts
Switch Type	Touch
Control Method	Touch
Lighting Method	Adjustable
Additional Features	360 Degree Shade Rotation, Instant On
Included Components	Remote Control

Note: The item weight (4.54 g) and product dimensions (0.01"D x 0.01"W x 0.01"H) listed in some product data are inaccurate. The dimensions provided above are based on the detailed product description for the Micro model.

7. WARRANTY AND SUPPORT

7.1 Return Policy

This product is subject to a 30-day return policy for refund or replacement, as per the retailer's terms and conditions. Please retain your proof of purchase for any return or warranty claims.

7.2 Manufacturer Support

For technical assistance, parts, or further information regarding your Artemide Tolomeo Table Lamp, please contact Artemide customer support directly. Contact details can typically be found on the manufacturer's official website or product packaging.