

Chemtronics ES1210

Chemtronics ES1210 Electro-Wash PX Precision Cleaner Degreaser Instruction Manual

Model: ES1210 | Brand: Chemtronics

1. PRODUCT OVERVIEW

The Chemtronics ES1210 Electro-Wash PX is a fast-drying, one-step precision cleaning and degreasing agent. It is formulated to be safe for most plastics. Engineered with very low surface tension, this high-pressure aerosol formulation effectively flushes areas clean and evaporates instantly, leaving no residue. It is an extra-strength, general-purpose cleaner/degreaser.





Image 1: Front view of the Chemtronics ES1210 Electro-Wash PX aerosol can, showing the product name, brand, and key features like "Plastic Safe" and "Xtra Strength".

2. SAFETY INFORMATION AND PRECAUTIONS

DANGER! EXTREMELY FLAMMABLE.

Direct inhalation of spray may be harmful. Container may explode if heated. Read precautions on back panel before use.

- **Flammable:** Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking.
- **Pressurized Container:** Do not pierce or burn, even after use. Do not spray on an open flame or other ignition source.
- **Eye Contact:** Causes serious eye irritation. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical

attention.

- **Skin Contact:** Wash hands thoroughly after handling. If skin irritation occurs, get medical advice/attention.
- **Inhalation:** Direct inhalation of spray may be harmful. Use only in a well-ventilated area. If inhaled, move person to fresh air and restore breathing. If breathing is difficult, give oxygen. Get medical attention immediately.
- **Storage:** Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store in a well-ventilated place. Keep container tightly closed.
- **Disposal:** Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Keep out of reach of children.**

For industrial use only. Read Safety Data Sheets (SDS) prior to use. For SDS or technical data sheets, contact Chemtronics Technical Hot Line at 1-800-TECH-401 (1-800-832-4401) or visit their website at www.chemtronics.com.






Image 2: Back view of the Chemtronics ES1210 aerosol can, displaying detailed usage directions and critical safety warnings in multiple languages.






Image 3: Side view of the Chemtronics ES1210 aerosol can, providing further safety information, ingredient list, manufacturer contact details, and a barcode.

3. SETUP AND PREPARATION

1. Ensure the work area is well-ventilated.
2. Wear appropriate personal protective equipment (PPE), including safety glasses and gloves, to prevent eye and skin contact.
3. Identify the object to be cleaned. Ensure it is powered off and cooled down if applicable.
4. Shake the can gently before use.
5. Attach the extension tube to the nozzle for precision application, if required.

4. OPERATING INSTRUCTIONS

Follow these steps for effective cleaning and degreasing:

1. Hold the object to be cleaned in a vertical position.
2. Hold the aerosol can 4-6 inches (10-15 cm) from the surface of the object.
3. Spray from top to bottom, allowing the liquid to flush away contaminants.
4. For precision application or reaching confined areas, utilize the provided extension tube.
5. Allow the product to evaporate completely. It is designed to evaporate instantly, leaving no residue.

Note: This product is safe on most plastics. Always test on an inconspicuous area first if unsure about material compatibility.

5. STORAGE AND MAINTENANCE

Proper storage ensures product longevity and safety:

- Store in a cool, dry, well-ventilated area.
- Keep away from direct sunlight and temperatures exceeding 50°C (122°F).
- Keep container tightly closed when not in use.
- Do not store near heat sources, sparks, or open flames.

No specific maintenance is required for the aerosol can itself.

6. TROUBLESHOOTING AND FIRST AID

In case of accidental exposure or misuse, refer to the following:

- **Eye Contact:** Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention immediately.
- **Skin Contact:** Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention if irritation develops.
- **Inhalation:** If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.
- **Ingestion:** Do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
- **Fire:** In case of fire, use dry chemical, CO2, water spray (fog), or foam. Do not use water jet.

For further assistance, consult the Safety Data Sheet (SDS) or contact emergency services.

7. SPECIFICATIONS

Feature	Detail
Model Number	ES1210
Brand	Chemtronics
Item Form	Liquid, Aerosol
Material Feature	Organic

Feature	Detail
Item Volume	12.5 Fluid Ounces (354 g)
Package Dimensions	9.21 x 1.65 x 1.57 inches
Manufacturer	ITW Chemtronics
Plastic Safe	Yes
Flammability	Extremely Flammable



Image 4: A visual representation of the Chemtronics ES1210 aerosol can's size, indicating a height of approximately 10 inches (25 cm) when held by a hand.

8. WARRANTY INFORMATION

For specific warranty details regarding the Chemtronics ES1210 Electro-Wash PX, please refer to the official Chemtronics website or contact their customer support directly. Warranty terms and conditions may vary.



9. SUPPORT AND CONTACT INFORMATION

For technical assistance, product inquiries, or safety data sheets, please contact Chemtronics:

- **Technical Hot Line:** 1-800-TECH-401 (1-800-832-4401)
- **Website:** www.chemtronics.com
- **Address:** Chemtronics, 8125 Cobb Center Dr., Kennesaw, Georgia USA 30152-4388

For 24-hour emergency support, call CHEMTREC at 1-800-424-9300 (or +1 703-527-3887 for collect calls).

Related Documents - ES1210

 The image shows the cover of the Toki Materials catalog. It features the Toki logo at the top left, followed by the text 'TOKI MATERIALS SOLDERING, CLEANING AND CHEMICALS'. Below the text is a photograph of a circuit board being cleaned with a spray nozzle.	Toki Materials: Soldering, Cleaning, and Chemicals Catalog A comprehensive catalog featuring Toki, Techspray, and Chemtronics products for electronics manufacturing and maintenance, including soldering materials, cleaning solutions, degreasers, freeze sprays, swabs, brushes, and wipes.
 The image shows the cover of the GSA Source Book 2012. It features a grid of colorful icons representing various telecommunications and electrical tools, such as cable testers, OTDRs, and fiber optics equipment.	GSA Source Book 2012: Telecommunications and Electrical Tool Catalog Browse the GSA Source Book 2012, a comprehensive catalog detailing a wide range of telecommunications and electrical tools, including cable testers, OTDRs, DMMs, fiber optics equipment, and professional tool kits from leading manufacturers.
 The image shows the cover of the TestEquity & Jensen catalog. It features the TestEquity and Jensen logos at the top, followed by a photograph of various test and measurement equipment, including oscilloscopes, multimeters, and soldering irons.	TestEquity & Jensen Catalog: Test & Measurement Equipment, eMRO Tools & Supplies Explore the comprehensive TestEquity and Jensen catalog featuring a wide array of test and measurement equipment, eMRO tools, soldering supplies, rework stations, hand tools, and material handling solutions from leading brands.
 The image shows the cover of the PAC Industrial Supplies & Manufacturing Solutions Distributor catalog. It features the PAC logo at the top left, followed by a list of product categories and a photograph of industrial equipment.	Production Automation Corporation Industrial Supplies & Manufacturing Solutions Distributor Production Automation Corporation (PAC) is a full-service stocking distributor and manufacturer's representative providing technical products for manufacturing, including cleanroom supplies, industrial equipment, and managed inventory services.
 The image shows the cover of the Jameco Electronics Product Catalog. It features the Jameco logo at the top left, followed by a photograph of electronic components and tools.	Jameco Electronics Product Catalog: Components, Tools & Test Equipment Discover a vast selection of electronic components, soldering supplies, test equipment, and tools from Jameco Electronics. Browse conductive liquids, solder, panel meters, oscilloscopes, hand tools, and more, with detailed specifications and pricing.
 The image shows the cover of the Fiber Optic Center catalog. It features the Fiber Optic Center logo at the top left, followed by a photograph of fiber optic tools and equipment.	Fiber Optic Center Catalog: High-Quality Fiber Optic Tools & Supplies Discover Volume 1 of the Fiber Optic Center catalog, featuring a comprehensive range of high-quality fiber optic tools, equipment, consumables, and accessories for professionals. Explore leading brands and solutions for fiber optic assembly and maintenance.



[\[pdf\]](#) Decleration of Conformity

Cleaning of fiber optic connectors 2020 indd V4 DOC 0000415541 hubersuhner zh cn documents repository installation manuals gen handling insp cleaning instruction fo |||


Cleaning of fiber optic connectors Edition 2021/02 hubersuhner.com Content 1 General guidelines ... Various ITW Chemtronics Supplier item no. TX759B MicroAbsorbantTM TX770E MicroAbsorbantTM - ES810, **ES1210** Cleaning tools for MTP connectors MTP cleaning tool IBC-7104 OPTIPOP R cassette for MTP MALE... lang:en **score:37** filesize: 2.52 M page_count: 20 document date: 2021-02-01

SAFETY DATA SHEET		Chemtronics
Electro-Wash® PX ES810, ES1210		
Section 1. Identification		
Chemical product identifier	Electro-Wash® PX ES810, ES1210	
Product code	ES10X, ES810	
Other means of identification	ES10X, ES810, ES1210, ES810	
Product type	Aerosol	
Relevant identified uses of the substance or mixture and uses advised against		
Not applicable.		
Supplier's details		
Chemtronics P125 Cals Center Drive Lawrenceville, GA 30043 Tel: 770-424-4686 or toll-free 800-645-5244		
Emergency telephone number (24 hours of operation)		
Chemtronics: 1-800-424-4686 or toll-free 703-527-3867		
Section 2. Hazards identification		
Chemical's hazard	The material is classified and labeled by the GHS Hazard Communication Standard (29 CFR 1619.1200).	
Classification of the substance or mixture	FLAMMABLE AEROSOLS - Category 1 GASES UNDER PRESSURE - Compressed gas EYE IRRITATION - Category 2 CORROSIVITY - Category 1A Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 45%	
GHS label elements		
Signal word	Danger	
Hazard statements	Extremely flammable aerosol. Gases under pressure may explode if heated. Causes serious eye irritation. Causes skin irritation. May cause cancer.	
Precautionary statements	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves. Wear eye or face protection. Wear protective clothing. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not breathe vapors or spray. Do not get in eyes, on face, or on skin. Avoid contact with skin. Avoid contact with eyes. If exposed or concerned: Get medical attention. IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash it before re-use. IF IN EYES: Rinse carefully with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF INHALATION: Get medical attention.	
Response	If exposed or concerned: Get medical attention. IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash it before re-use. IF IN EYES: Rinse carefully with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF INHALATION: Get medical attention.	
Date of issuance of revision	05/2020	Date of previous edition
Document version	1	210

[\[pdf\]](#) Datasheet Safety Datasheet Label

Production Supply Store chemtronics es1210 electro wash cfc free 125 oz aerosol p11 secure hostingprod @site skygeek ssl MSDS |||

SAFETY DATA SHEET Electro-Wash PX ES810, **ES1210** Section 1. Identification GHS product identifier Product code Other means of identification Product type : Electro-Wash PX ES810, **ES1210** : **ES1210**, ES810 : ES1010E , ES810E, **ES1210**, ES810 NSN 6850-01-393-9054 : Aerosol. Relevant identified uses of t... lang:en **score:30** filesize: 162.06 K page_count: 13 document date: 2018-10-22



[\[pdf\]](#)

WF Case Study Eric Martini ITW Chemtronics CHEMTRONICS Application Sheet APS E 109 Recovery of Electronic CHEMTRONICS® and Electrical Equipment from Catastrophic Water Damage Overview equipment electronic devices can be recovered catastrophic water damage due digikey my Site Global Layouts DownloadPdf ashx Url A9787A83C744415FAA051E586BD34CBB ||| ITW CHEMTRONICS Application Sheet APS # E-109 Recovery of Electronic and Electrical Equipment from ... lastic-safe precision cleaning, remove the remaining contaminants with Electro-Wash PX part number **ES1210** , or for heavy-duty nonflammable degreasing use Electro-Wash NX New Improved part number E... lang:en **score:27** filesize: 31.02 K page_count: 2 document date: 2015-02-02

SAFETY DATA SHEET		ChemPapers
Electro-Hard-Pix E8910, E81210		
Section 1. Identification		
Product name	Electro-Hard-Pix E8910, E81210	
Product model	E81210, E8910	
Other means of identification	E8910E, E8912E, E8121E, E8910	
Product type	K10-0800-01-30-00-04	
Product type	Aesmet	
Relevant identified uses of the substance or mixture and uses advised against if applicable		
Supplier's details		
Manufacturer	ChemPapers	
Supplier	8102 Cook Center Drive Kennewick, WA 98502	
Telephone	Tel 703-424-4888 or toll-free 800-456-5244	
Facsimile	Toll Free: 800-456-5244	
Product name	E8910E, E8912E, E8121E, E8910	
Product type	K10-0800-01-30-00-04	
Product type	Aesmet	
Emergency telephone number (24 hours of operation)	ChemPapers - 1-800-424-4888 or collect 703-427-3887	
Section 2. Hazard identification	GHS	
Classification of the substance or mixture	FLAMMABLE - AEROSOL - Category 1 GASES UNDER PRESSURE - Compressed gas ENVIRONMENTAL - Category 2 DANGEROUS - Category 2A	
GHS label elements	Hazard pictograms	
Signal word	Danger	
Hazard statement	Extremely flammable aerosol. Contains gas under pressure: may explode if heated. Contains gas under pressure: may explode if heated. Contains gas under pressure: may explode if heated.	
Precautionary statements	Prevention Use protective gloves. Use eye or face protection. Keep away from heat, hot surfaces, sparks, open flames and all other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Wash hands thoroughly after handling. Do not breathe or burn, even after use.	
Precautionary statements	Prevention Use protective gloves. Use eye or face protection. Keep away from heat, hot surfaces, sparks, open flames and all other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Wash hands thoroughly after handling. Do not breathe or burn, even after use.	
Precautionary statements	Prevention Use protective gloves. Use eye or face protection. Keep away from heat, hot surfaces, sparks, open flames and all other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Wash hands thoroughly after handling. Do not breathe or burn, even after use.	



[\[pdf\]](#) Datasheet Safety Datasheet Label

SAFETY DATA SHEET Chemtronics Electro Wash PX Safety Data Sheet res clouinary iwh image

upload q auto g center assets 1 26 |||

SAFETY DATA SHEET Electro-Wash PX ES810, **ES1210** Section 1. Identification
Product identifier Product code Other means of identification Product type : Electro-
Wash PX ES810, **ES1210** : **ES1210**, ES810 : ES1010E , ES810E, **ES1210**, ES810
NSN 6850-01-393-9054 : Aerosol. Relevant identified uses of the s...

lang:en score:22 filesize: 138.79 K page_count: 11 document date: 2019-08-29

[\[pdf\]](#) Datasheet

Conformal Coating Gordon Electric Supply Konform® SR Silicone coating for maximum flexibility and protection from extreme temperatures vibration damage working temperature Chemtronics 00018 25 34

35 CAT assets gordonelectricsupply datasheets ts |||

Conformal Coating CTSR-1 CTSR-12 Konform Conformal Coatings are used to protect printed circuit b ... 0L CP400 CTSR-12 CTSR1 CTAR1 CTAR-12 CF4050 ES1020K ES1020R ES1551 ES1217 ES1631 ES2400 C920 ES1550 **ES1210** ES1050 ES1020 ES1035 ES7300 ES7200 ES7100 ES7101 ES835B ES1017 ES1217 CW8100 CP410 CW2200MTP ...

lang:en score:22 filesize: 542.35 K page_count: 3 document date: 2024-03-20

[\[pdf\]](#)

Common Function Generator Terms patricias Chemtronics Recovery of Electronic and Electrical

Equipment from Catastrophic Water Damage assets testequity te1 Documents ARTICLE LIBRARY |||

Recovery of Electronic and Electrical Equipment from Catastrophic Water Damage

Our thanks to Chemtro ... plasticsafe precision cleaning, remove the remaining

contaminants with Electro-Wash PX part number **ES1210** , or for heavy-duty nonflammable degreasing use Electro-Wash VZ part number ES6100 . Spray t...

lang:en score:22 filesize: 480.1 K page_count: 4 document date: 2017-09-25

CHEMTRONICS
Technical Data Sheet

Electro-Wash® PX
Cleaner Degreaser

TDS 0810

PRODUCT DESCRIPTION

Electro-Wash® PX is engineered for removing contamination from fiber optic connectors, modules, and cables. This material is safe for most plastics. Formulated with very low surface tension, this high pressure aerosol formulation flushes areas clean and evaporates instantly leaving no residue.

- Removes oils, grease and other contaminants
- Evaporates quickly
- Leaves no residues
- Has low odor
- Is non-corrosive
- Contains no CFCs or HCFCs
- Contains no 1,1,1 Trichloroethane

TYPICAL APPLICATIONS

- Buffer Gel from Cable
- Contaminants from Transmitters, Amplifiers and Transceivers
- Soils from Optical Interfaces, Electronic Interfaces, and Drive Circuitry
- Airborne Dirt from Printed Circuit Boards
- Insulating Residue from Selector Switches and Relays

TYPICAL PRODUCT DATA AND

TYPICAL PRODUCT DATA PHYSICAL PROPERTIES

Boiling Point	141°F Initial
Vapor Density (air=1)	>1
Solubility in Water	20%
Specific Gravity (water = 1@77°F)	0.70
Evaporation Rate (butyl acetate=1)	>1
Appearance	Clear, Colorless Liquid
Odor	Mild
Surface Tension (dynes/cm @21.6°C)	17.3
Flash Point (TCC)	-20°F
Kauri-Butanol (KB) Number	50

COMPATIBILITY
Electro-Wash® PX is generally compatible with most materials used in the fiber optics industry. With any cleaning agent, compatibility must be determined on a non-critical area prior to use.

[\[pdf\]](#) Datasheet

TDS 810 5 ITW Chemtronics Eric Martini Technical Data Sheet Electro Wash PX Mouser Electronics

ES1055 ES1056 ES1024 ES1026 ES160 ES161 ES163 ES169 ES1865 ES3260 ES3261 ES5567

ES563 ES569 CTAR 12 CTUFD CTAR1 CW2400BLK 25184 ES6119 ES110** 0810tds 1099119 srsltid

AfmBOogosh5mnK5ZuG WnuhNyWcLGv9OOCbSrVBia2zExxVOHEbW4 nB mouser datasheet 2 69 |||

CHEMTRONICS Technical Data Sheet Electro-Wash PX Cleaner Degreaser TDS

0810 PRODUCT DESCRIPTION El ... use attached extension tube. Do not use on

energized equipment. AVAILABILITY ES810 5 oz Aerosol **ES1210** 12.5 oz. Aerosol

ES110 1 Gal. Liquid TECHNICAL APPLICATION ASSISTANCE Chemtronics provi...

lang:en score:22 filesize: 42.65 K page count: 3 document date: 2013-08-07

[\[pdf\]](#) Safety Datasheet

SECTION 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION Chemtronics Gwen Cottrell

237CH810 techni tool site MSDS |||

ITW CHEMTRONICS SECTION 1: CHEMICAL PRODUCT AND COMPANY

IDENTIFICATION Company Address: 8125 Cobb ... merly CFC-Free Electro-Wash

2000 Chemtrec 800-424-9300 April 4, 2008 MSDS #0213 Product Code: **ES1210**

NSN 6850-01-393-9054 , ES810, **ES1210C**, ES810BC SECTION 2:

COMPOSITION/INFORMATION ON INGREDIENTS

lang:en score:22 filesize: 39.35 K page count: 2 document date: 2008-04-02

[\[pdf\]](#) Safety Datasheet

SECTION 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION Chemtronics Gwen Cottrell

237CH810 assets testequity te1 Documents MSDS III

<http://www.techni-tool.com> ITW CHEMTRONICS SECTION 1: CHEMICAL PRODUCT

AND COMPANY IDENTIFICATION ... merly CFC-Free Electro-Wash 2000 Chemtrec

800-424-9300 April 4, 2008 MSDS #0213 Product Code: **ES1210** NSN 6850-01-393-

9054 , ES810, **ES1210C**, ES810BC SECTION 2: COMPOSITION/INFORMATION ON

INGRE...

lang:en score:22 filesize: 517.97 K page count: 2 document date: 2016-12-08



[\[pdf\]](#) Catalog

Nothing Performs Like Chemtronics OCETA 4 chemtronics Electro Wash® High Purity Solvents are the most effective products made for critical cleaning and degreasing Each cleaner is engineered specific applications — from precision of sensitive equipment to heavy duty 1582284750 catalogue oceta images

|||

Nothing Performs Like Chemtronics Table of Contents Cleaner Degreasers

... residue Removes organic and ionic soils All-Way Spray aerosol ES810 5 oz / 141 g trigger aerosol **ES1210** 12.5 oz / 354 g aerosol **ES1210A** 12.5 oz / 354 g trigger aerosol ES110 1 gal / 3.7 L liquid E...

lang:en score:21 filesize: 8.74 M page_count: 36 document date: 2018-01-17




[\[pdf\]](#)

Cleaning Supplies Fiber Optic CenterITW Chemtronics® Flexitips™ Mini Foam Swab for Optics 4 x 13 5 Regular Strength Canned Air 12 oz can ES1027 ITW Chemtronics Cleaning Centerfocenter media wysiwyg docs Center |||

CONTACT INFO Email: sales focenter.com / On the web: www.focenter.com / Telephone: 1-800-IS-FIBER ... mp dispenser. MCC-POC03M Sticklers™ Splice Connector Cleaning Fluid with 3-way pump dispenser. **ES1210** ITW Chemtronics Electro-Wash PX. 12.5 oz. aerosol can. ES810 ITW Chemtronics Electro-Wash ...

lang:en score:21 filesize: 392.93 K page_count: 14 document date: 2014-12-17



[\[pdf\]](#) Datasheet

Datasheet CF2050CF2050 Chemtronics Foam Swabs PP Handle For use with Camera Components Computers Contacts Magnetic Heads Optics PCBsA700000009056644docs rs online 0261 A700000009056644 CCT2425Datasheet CF2050CCT2425 Paper Composite RSCF2050 PCBsA700000009056640docs 2abe A700000009056640docs ||| ||| Nothing Performs Like Chemtronics Table of Contents Cleaner Degreasers 4-6 Heavy-Duty Degreasers. 7 Contact Cleaners

Nothing Performs Like Chemtronics Table of Contents Cleaner Degreasers

... residue Removes organic and ionic soils All-Way Spray aerosol ES810 5 oz / 141 g trigger aerosol **ES1210** 12.5 oz / 354 g aerosol **ES1210A** 12.5 oz / 354 g trigger aerosol ES110 1 gal / 3.7 L liquid E...

lang:en score:21 filesize: 8.7 M page_count: 0 document date: 2022-09-01

Contra en bankafschrift op: 007896 (BANK) 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 82

[\[pdf\]](#) Datasheet

1522610 farnell datasheets

Conform Verordening EG nr. 1907/2006 REACH , BIJLAGE II - Europa

VEILIGHEIDSGEGEVINGEN Electro-Wash R PX 1. IDENTIFICATIE VAN DE STOF OF HET MENGSEL EN VAN DE ONDERNEMING Identificatie van de stof of het mengsel Productnaam : Electro-Wash R PX Synoniemen : ES1010E , ES810E, **ES1210**, ...

lang:nl score:9 filesize: 140.33 K page_count: 10 document date: 2011-12-08

[illegible]

[\[pdf\]](#) Datasheet Safety Datasheet

1907903 farnell datasheets |||

Conforms to Regulation EC No. 1907/2006 REACH , Annex II - Europe SAFETY
DATA SHEET Electro-Wash R PX 1. IDENTIFICATION OF THE
SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING Identification of
the substance or mixture Product name : Electro-Wash R PX Synonyms : ES1010E ,
ES810E, **ES1210**...

lang:en score:9 filesize: 278.24 K page_count: 17 document date: 2015-04-08