

ABUS 24IB/70

ABUS 24IB/70 Diskus Storage Padlock User Manual

INTRODUCTION

This manual provides essential information for the proper use, setup, operation, and maintenance of your ABUS 24IB/70 Diskus Storage Padlock. Designed for high security and durability, this padlock is suitable for various outdoor, storage, and marine applications, offering robust protection against corrosion and tampering.

The unique Diskus shape and stainless steel construction contribute to its resistance against common forcing methods, making it a reliable choice for securing your valuables.

PRODUCT OVERVIEW

The ABUS 24IB/70 Diskus padlock is engineered with specific features to enhance security and longevity:

- **Dimensions:** Lock width: 2.75in (70mm), Height: 2.75in (70mm), Depth: 1.22in (31mm), Horizontal Clearance: 0.78in (19.8mm), Vertical Clearance: 0.67in (17.1mm), Shackle Diameter: 0.39in (9.9mm).
- **Material:** Constructed from stainless steel and hardened steel for superior strength and rust resistance.
- **Corrosion Protection:** Stainless steel body and nickel-plated shackle protect against environmental elements.
- **Cylinder Cover:** Features a cylinder cover for maximum protection against dirt and water spray.
- **Security Technology:** Utilizes Diskus Deep-Welding Technology for maximum strength and pry resistance, with 360-degree drilling and pulling protection.
- **Key Retaining:** The key is required to be in the lock for locking, ensuring the key is not accidentally left behind.



The ABUS 24IB/70 Diskus padlock features a round, stainless steel body with a blue keyway cover. The 'Diskus 24/70' and 'Made in Germany' engravings are visible on the front.

SHACKLE DIAMETER:
25/64"(10mm)



VERTICAL CLEARANCE: 43/64"(17mm)
HORIZONTAL CLEARANCE: 25/32"(20mm)



LOCK BODY HEIGHT: 2 3/4" (70mm)
LOCK BODY WIDTH: 2 3/4" (70mm)
LOCK BODY DEPTH: 1 13/64" (30.5mm)



Security Tech Germany



This diagram illustrates the key dimensions of the padlock, including shackle diameter (10mm), vertical clearance (17mm), horizontal clearance (20mm), lock body height (70mm), width (70mm), and depth (30.5mm).

SETUP

1. **Unpacking:** Carefully remove the padlock and keys from its packaging. Two keys are included with your padlock.
2. **Initial Inspection:** Before first use, inspect the padlock for any visible damage or manufacturing defects. Ensure the shackle moves freely when unlocked.
3. **Key Type:** This specific model is 'Keyed Alike', meaning all padlocks in a set can be opened with the same key. If you purchased a single lock, the keys provided are unique to that lock.

OPERATION

Operating the ABUS 24IB/70 Diskus padlock is straightforward:

1. **Unlocking:** Insert one of the provided keys into the keyway. Turn the key clockwise until the shackle releases and springs open.
2. **Locking:** Close the shackle by pressing it firmly into the lock body. While holding the shackle closed,

insert the key and turn it counter-clockwise until it locks into place. The key will remain in the lock until it is fully secured.

3. **Removing the Key:** Once the padlock is securely locked, turn the key further counter-clockwise to release it from the keyway.


NICKLE- PLATED CYLINDER ADDS AN ADDITIONAL LAYER OF CORROSION RESISTANCE TO THE CYLINDER



STANDARD KEY TWO KEYS INCLUDED



Security Tech Germany



An exploded view shows the nickel-plated cylinder and internal components of the padlock, alongside two standard keys. A person is shown using the padlock on a storage unit.

MAINTENANCE

To ensure the longevity and optimal performance of your ABUS Diskus padlock, follow these maintenance guidelines:

- **Cleaning:** Periodically wipe the padlock body and shackle with a clean, damp cloth to remove dirt and grime. Avoid abrasive cleaners.
- **Lubrication:** For smooth operation, especially in harsh environments, apply a small amount of graphite-based lubricant or a non-greasy, non-silicone lock lubricant into the keyway and shackle mechanism once or twice a year. Avoid oil-based lubricants as they can attract dirt.
- **Cylinder Cover:** Ensure the cylinder cover is kept clean and free of debris to prevent water and dirt from entering the keyway.

- **Corrosion:** While the padlock is designed to be rust-resistant, prolonged exposure to extreme conditions without maintenance can affect its appearance and function. Regular cleaning and lubrication are recommended.

TROUBLESHOOTING

- **Key Difficult to Insert or Turn:** Ensure the key is fully inserted and oriented correctly. Check for any debris in the keyway. Apply a small amount of lock lubricant if the mechanism feels stiff.
- **Shackle Does Not Open/Close Smoothly:** Check for obstructions around the shackle. Ensure the key is fully turned when unlocking or locking. Lubricate the shackle mechanism if necessary.
- **Padlock Does Not Fit Application:** Verify the dimensions of the padlock (shackle diameter, clearances) against the hasp or chain you intend to use it with. Some applications may require specific padlock dimensions for optimal fit and security.
- **Key Breaks Inside Padlock:** If a key breaks inside the padlock, do not attempt to force it out. Contact ABUS customer support for assistance.

SPECIFICATIONS

Feature	Detail
Brand	ABUS
Model Name	24IB/70
Lock Type	Pin Tumbler
Material	Stainless steel, hardened steel
Lock Width	2.75 inches (70mm)
Lock Height	2.75 inches (70mm)
Lock Depth	1.22 inches (31mm)
Shackle Diameter	0.39 inches (9.9mm)
Horizontal Clearance	0.78 inches (19.8mm)
Vertical Clearance	0.67 inches (17.1mm)
Special Features	Anti-Corrosion, Anti-Drill, Cut Resistant, Weather Resistant
Included Components	1 lock and 2 keys
Item Weight	11.2 ounces (0.7 lbs)
UPC	078217241967

WARRANTY AND SUPPORT

Warranty Information: If an ABUS product fails to work properly due to a manufacturing defect, return it to ABUS postage prepaid. ABUS will repair or replace it at their discretion. ABUS products are warranted for



specific periods of time from the date of purchase, as indicated on the product packaging.

Customer Support: For any questions, technical assistance, or to inquire about key replacements (if a key is lost or broken), please contact ABUS customer service. Having the model number (24IB/70) and any key codes available will assist in faster service.

You can find more information and contact details on the official ABUS website or through their authorized distributors.

© 2023 ABUS. All rights reserved.

Related Documents - 24IB/70

	ABUS U-Lock Combination Reset Guide Learn how to easily reset the combination on your ABUS U-Lock with this step-by-step visual guide. Includes instructions for setting a new personal code.
	ABUS 6950AM Bicycle Frame Lock: Installation and User Manual Comprehensive guide for installing and using the ABUS 6950AM bicycle frame lock. Includes safety warnings, mounting instructions for different options, operation details, and warranty information.
	ABUS 155 Combination Lock Instructions Step-by-step instructions for setting and using the ABUS 155 combination padlock, including how to change the code.
	ABUS Touch™ 57 Biometric Padlock User Manual and Safety Guide This user manual provides comprehensive instructions for the ABUS Touch™ 57 biometric padlock, covering battery installation, operation, fingerprint management, safety precautions, technical specifications, disposal guidelines, and warranty information.
	ABUS HomeTec Pro CFF3100 Bluetooth Remote Control - User Manual & Instructions Download the official user manual for the ABUS HomeTec Pro CFF3100 Bluetooth remote control. Get detailed instructions on setup, app integration, battery replacement, technical specifications, safety guidelines, warranty information, and disposal procedures.

770A



Security Tech Germany



ABUS 770A SmartX Fahrradschloss: Montage- und Bedienungsanleitung

Umfassende Anleitung für das ABUS 770A SmartX Fahrradschloss mit Alarmfunktion und SmartX-Technologie. Enthält detaillierte Informationen zur Installation, Bedienung, App-Integration und Sicherheitshinweise.

Documents - ABUS – 24IB/70

Diskus® 24IB/70



Security Tech Germany

Seite 1 von 2



ORIGINAL ABUS DISKUS® - 100% RUSTPROOF SECURITY

The ABUS Diskus® lock stands out as a unique padlock with distinct advantages.

Its innovative design effectively thwarts common methods of intrusion. The small shackle opening, a key feature of this design, provides minimal space for potential attacks.

Crafted predominantly from stainless steel, the Diskus lock finds its niche in situations necessitating both security and corrosion resistance. Whether you need to secure trunks, doors, gates, barns, basements, sheds, or more, the ABUS Diskus 24IB delivers reliable protection.

For optimal security, consider pairing it with an ABUS Diskus hang, ensuring that the lock's shackle remains impervious to pry attempts.

Technologies

- Lock body, inner parts and shackle made solely from stainless steel for extreme resistance to corrosion
- Cylinder cover – maximum protection against dirt and water spray (2.56x4x2.34" only)
- Nickel-plated cylinder for enhanced weather protection
- Original Diskus® design: 360° protection
- Diskus® Deep-Drilling Technology – the best in break-in protection
- Precision pin cylinder
- Key retaining: locking only with the key (key cannot be removed while the lock remains open)
- Made in Germany

We reserve the right to make technical amendments. We cannot be held liable for mistakes and printing errors. © ABUS 03/2024

[pdf] Datasheet

Data sheet ABUS Diskus® 24IB 70 Padlock 02050 eng US abus usa abusproductsheet 5125 |||

Diskus **24IB/70** Seite 1 von 2 ORIGINAL ABUS DISKUS - 100 RUSTPROOF SECURITY The ABUS Diskus lock stands out as a unique padlock with distinct advantages. Its innovative design effectively thwarts common methods of intrusion. The small shackle opening, a key feature of this design, provides minimal... lang:en score:34 filesize: 96.75 K page_count: 2 document date: 2024-07-09

Diskus® 24IB/70



Security Tech Germany

Seite 1 von 2



ORIGINAL ABUS DISKUS® - 100% RUST-FREE SECURITY

The ABUS Diskus lock is a special form of padlock with extra advantages.

The shape of the Diskus lock provides effective protection against the most common ways of gaining entry. The design of the small shackle opening means there is hardly any space for attacks on the shackle. As the Diskus lock is made primarily of stainless steel, it is used particularly where security and protection against corrosion are required. Trunks, doors, gates, barns, cellars, sheds, etc., can all be locked with the ABUS Diskus 24IB. Should ideally be used with an ABUS Diskus hang so the lock shackle cannot be attacked with tools.

Technologies

- Lock body, inner parts and shackle made solely from stainless steel for extreme resistance to corrosion
- Cylinder cover – maximum protection against dirt and water spray (for iron and Ti iron only)
- Nickel-plated cylinder for enhanced weather protection
- Original Diskus® design: 360° protection
- Diskus® Deep-Drilling Technology – the best in break-in protection
- Precision pin cylinder
- Key retaining: locking only with the key (key cannot be removed while the lock remains open)
- Made in Germany

Operation and use

For the protection of larger assets and objects with a high risk of theft

Ideal for severe weather conditions (e.g., in use and port areas, for securing vehicles and boats in outdoor use)

Subject to technical modifications. We assume no liability for mistakes and printing errors. © ABUS 03/2024

[pdf] Datasheet

Data sheet ABUS Diskus® 24IB 70 Padlock 02050 eng GB abus uk abusproductsheet 5125 |||

Diskus **24IB/70** Seite 1 von 2 ORIGINAL ABUS DISKUS - 100 RUST-FREE SECURITY The ABUS Diskus lock is a special form of padlock with extra advantages. The shape of the Diskus lock provides effective protection against the most common ways of gaining entry. The design of the small shackle opening mea... lang:en score:34 filesize: 96.4 K page_count: 2 document date: 2024-05-16

Diskus® 24IB/70



Security Tech Germany

Seite 1 von 2



ORIGINAL ABUS DISKUS® - 100% RUSTPROOF SECURITY

The ABUS Diskus® lock stands out as a unique padlock with distinct advantages.

Its innovative design effectively thwarts common methods of intrusion. The small shackle opening, a key feature of this design, provides minimal space for potential attacks.

Crafted predominantly from stainless steel, the Diskus lock finds its niche in situations necessitating both security and corrosion resistance. Whether you need to secure trunks, doors, gates, barns, basements, sheds, or more, the ABUS Diskus 24IB delivers reliable protection.

For optimal security, consider pairing it with an ABUS Diskus hang, ensuring that the lock's shackle remains impervious to pry attempts.

Technologies


- Lock body, inner parts and shackle made solely from stainless steel for extreme resistance to corrosion
- Cylinder cover – maximum protection against dirt and water spray (2.56x4x2.34" only)
- Nickel-plated cylinder for enhanced weather protection
- Original Diskus® design: 360° protection
- Diskus® Deep-Drilling Technology – the best in break-in protection
- Precision pin cylinder
- Key retaining: locking only with the key (key cannot be removed while the lock remains open)
- Made in Germany

We reserve the right to make technical amendments. We cannot be held liable for mistakes and printing errors. © ABUS 03/2024

[pdf] Datasheet

Diskus® 24IB 70 PlytixORIGINAL ABUS DISKUS® 100% RUSTPROOF SECURITY The lock stands out as a unique padlock with distinct advantages Its innovative design ABUS Series Data Sheetfiles plytix api v1 1 file public files pim assets 82 7f a7 5d 5da77f82f33326bf4de6241c texts e3 72 66 6672e3823c0da73acbea01fb Sheet |||

Diskus **24IB/70** Seite 1 von 2 ORIGINAL ABUS DISKUS - 100 RUSTPROOF SECURITY The ABUS Diskus lock stands out as a unique padlock with distinct advantages. Its innovative design effectively thwarts common methods of intrusion. The small shackle opening, a key feature of this design, provides minimal... lang:en score:28 filesize: 96.75 K page_count: 2 document date: 2024-06-19




[\[pdf\]](#)

02050 dan DKAbus Diskus® 24IB 70 Hængelås mm20241029102618 DKbyggecenter dk product files
20241029102618 DK |||

Diskus **241B/70** Seite 1 von 2 ORIGINAL ABUS DISKUS - 100 RUSTFRI SIKKERHED
ABUS diskuslisen - en srlig form for hngels. Diskuslisenes form forhindrer effektivt de
mest almindelige metoder til opbrydning. Den lille bjlebning giver nsten ingen plads til
angreb p bjlen. Grundet overvejende brug af rus...

lang:da score:28 filesize: 96.58 K page_count: 2 document date: 2024-10-29



[\[pdf\]](#)

Evolution abus uk content 17966 605679 file

ECOLUTION The world's first green locks The sustainable security solution S
ECOLUTION or a grTeHeEn ... nsure lock is not left unlocked. ABus Diskus 24 High
security that cannot rust by design. Diskus **24IB/70** Ecolution Original DISKUS design:
360 Sophisticated DISKUS weld seam for high break resist...
lang:en score:22 filesize: 975.53 K page_count: 12 document date: 2012-07-12



[pdf]

02050 ger AT mobil abus at abusproductsheet 5125 |||

Diskus **24IB/70** Seite 1 von 2 ORIGINAL ABUS DISKUS - 100 ROSTFREIE SICHERHEIT Das ABUS Diskusschloss ist eine besondere Form des Vorhangschlosses mit speziellen Vorzgen. Durch die Form der Diskusschlsser werden die gebruchlichsten berwindungsmethoden wirksam verhindert. So bietet die konstruktions...

lang:de score:22 filesize: 100.35 K page_count: 2 document date: 2023-03-01



[pdf]

02050 ger AT originm abus at abusproductsheet 5125 |||

Diskus **24IB/70** Seite 1 von 2 ORIGINAL ABUS DISKUS - 100 ROSTFREIE SICHERHEIT Das ABUS Diskusschloss ist eine besondere Form des Vorhangschlosses mit speziellen Vorzgen. Durch die Form der Diskusschlsser werden die gebruchlichsten berwindungsmethoden wirksam verhindert. So bietet die konstruktions...

lang:de score:22 filesize: 100.35 K page_count: 2 document date: 2023-02-28



[pdf]

02050 ger DE mobil abus abusproductsheet 5125 |||

Diskus **24IB/70** Seite 1 von 2 ORIGINAL ABUS DISKUS - 100 ROSTFREIE SICHERHEIT Das ABUS Diskusschloss ist eine besondere Form des Vorhangschlosses mit speziellen Vorzgen. Durch die Form der Diskusschlsser werden die gebruchlichsten berwindungsmethoden wirksam verhindert. So bietet die konstruktions...

lang:de score:22 filesize: 100.2 K page_count: 2 document date: 2022-06-04




[pdf]

02050 ger DE originm abus abusproductsheet 5125 |||

Diskus **24IB/70** Seite 1 von 2 ORIGINAL ABUS DISKUS - 100 ROSTFREIE SICHERHEIT Das ABUS Diskusschloss ist eine besondere Form des Vorhangschlosses mit speziellen Vorzgen. Durch die Form der Diskusschlsser werden die gebruchlichsten berwindungsmethoden wirksam verhindert. So bietet die konstruktions...

lang:de score:22 filesize: 100.35 K page_count: 2 document date: 2023-02-28



[pdf]

02050 eng GB mobil abus uk abusproductsheet 5125 |||

Diskus **24IB/70** Seite 1 von 2 ORIGINAL ABUS DISKUS - 100 RUST-FREE SECURITY The ABUS Diskus lock is a special form of padlock with extra advantages. The shape of the Diskus lock provides effective protection against the most common ways of gaining entry. The design of the small shackle opening mea...

lang:en score:22 filesize: 99.99 K page_count: 2 document date: 2023-03-02



[pdf]

02050 dut NL originm abus nl abusproductsheet 5125 |||

24IB/70 kd. Seite 1 von 2 ORIGINELE ABUS DISKUS - 100 ROESTVRIJE VEILIGHEID Het ABUS discusslot is een bijzondere vorm van het hangslot met speciale voordelen. De vorm van de discussloten biedt uitstekende weerstand tegen de gebruikelijke aanvallen. Zo biedt de kleine beugelopening van de constru... lang:nl score:22 filesize: 100.1 K page_count: 2 document date: 2023-02-28




[pdf]

02050 pol PL originm abus pl abusproductsheet 5125 |||

24IB/70 kd. Seite 1 von 2 ORYGINALNY ABUS DISKUS - 100 NIERDZEWNE ZABEZPIECZENIE Zamek Diskus to wyjątkowa forma kłdki ze specjalnymi zaletami. Kształt dysku utrudnia zastosowanie najbardziej powszechnych metod sforsowania.

Maly wymiar kabłka pozostawia niewiele miejsca na sforsowanie. Dziki przew...

lang:pl **score:22** filesize: 100.53 K page_count: 2 document date: 2022-09-24



[pdf]

02050 eng CA mobil abus ca en abusproductsheet 5125 |||

24IB/70 kd. Seite 1 von 2 ORIGINAL ABUS DISKUS - 100 RUSTPROOF SECURITY The ABUS Diskus lock is a special type of padlock with special advantages. The Diskus lock s shape effectively prevents the most common methods of breaking through. This means that the small shackle opening called for in the ...

lang:en **score:22** filesize: 100.22 K page_count: 2 document date: 2023-03-01



[pdf]

02050 fre FR mobil abus fr abusproductsheet 5125 |||

24IB/70 kd. Seite 1 von 2 ORIGINAL ABUS DISKUS - SCURIT 100 INOXYDABLE Le cadenas circulaire ABUS est une forme particulire de cadenas avec des atouts spcifiques. Grce la forme des cadenas circulaires, les mthodes de manipulation les plus courantes sont empches de manire efficace. En effet, la p...

lang:fr **score:22** filesize: 100.79 K page_count: 2 document date: 2022-09-25



ORIGINAL ABUS DISCOURS - SÉCURITÉ 100% INCROYABLE

Le cadenas circulaire ABUS est une forme particulière de cadenas avec des atouts spécifiques.

éclos à la forme des cadenas circulaires, les méthodes de manipulation les plus courantes sont employées de manière efficace. En effet, la petite ouverture d'anne liée à la conception du cadenas offre très peu d'espace pour les attaques sur l'anne. Grâce à l'utilisation d'acier inox principalement, le cadenas circulaire est particulièrement utile lorsqu'un niveau élevé de sécurité et de protection anti-corrosion est nécessaire. Le diamètre 24/225 permet de verrouiller des camions, des portes, des portails, des granges, des caves, des remises, etc. de manière idéale, un porte-cadenas télescopique DSS doit être utilisé afin que l'anne du cadenas ne puisse pas être attaqué à l'aide d'outils d'effraction.

Technologies

Boîtier, intérieur et arse inégalement en acier inoxydable pour une protection anti-corrosion maximale
Masquage des cylindres - protection maximale contre la saleté et les projections d'eau (uniquement pour 60 et 70 mm)
Cylindre nickelé pour une protection optimale contre les intempéries

Cylindre à goupilles de précision

Fermeture obligatoire: verrouillage uniquement avec la clé (la clé ne peut pas être retirée quand le cadenas est ouvert)
Made in Germany

Made in Germany

Sous réserve de modifications techniques. Nous déclinons toute responsabilité en cas d'erreur et de fautes d'impression. © 2005-2010

ABUS		ABUS USA Price List Effective Jan. 1, 2012	
US Item No.	Item Description	Unit	Price
0004	4C 400V 10-15 AMP CABLE	50' FT	7.50
0008	4C 400V 10-15 AMP CABLE	50' FT	7.50
0029	HF16AL VALVE (CLOCK) (SMALL VAL)	EA	28.41
0030	HF16AL VALVE (CLOCK) (LARGE VAL)	EA	30.41
0032	10721 1/2" ALU HAF NOT RAS	EA	21.41
0033	10721 1/2" ALU HAF NOT RAS	EA	21.41
0034	10721 1/2" ALU HAF NOT RAS	EA	21.41
0035	10721 1/2" ALU HAF NOT RAS	EA	21.41
0036	10721 1/2" ALU HAF NOT RAS	EA	21.41
0037	10721 1/2" ALU HAF NOT RAS	EA	21.41
0038	10721 1/2" ALU HAF NOT RAS	EA	21.41
0039	10721 1/2" ALU HAF NOT RAS	EA	21.41
0040	10721 1/2" ALU HAF NOT RAS	EA	21.41
0041	10721 1/2" ALU HAF NOT RAS	EA	21.41
0042	10721 1/2" ALU HAF NOT RAS	EA	21.41
0043	10721 1/2" ALU HAF NOT RAS	EA	21.41
0044	10721 1/2" ALU HAF NOT RAS	EA	21.41
0045	10721 1/2" ALU HAF NOT RAS	EA	21.41
0046	10721 1/2" ALU HAF NOT RAS	EA	21.41
0047	10721 1/2" ALU HAF NOT RAS	EA	21.41
0048	10721 1/2" ALU HAF NOT RAS	EA	21.41
0049	10721 1/2" ALU HAF NOT RAS	EA	21.41
0050	10721 1/2" ALU HAF NOT RAS	EA	21.41
0051	10721 1/2" ALU HAF NOT RAS	EA	21.41
0052	10721 1/2" ALU HAF NOT RAS	EA	21.41
0053	10721 1/2" ALU HAF NOT RAS	EA	21.41
0054	10721 1/2" ALU HAF NOT RAS	EA	21.41
0055	10721 1/2" ALU HAF NOT RAS	EA	21.41
0056	10721 1/2" ALU HAF NOT RAS	EA	21.41
0057	10721 1/2" ALU HAF NOT RAS	EA	21.41
0058	10721 1/2" ALU HAF NOT RAS	EA	21.41
0059	10721 1/2" ALU HAF NOT RAS	EA	21.41
0060	10721 1/2" ALU HAF NOT RAS	EA	21.41
0061	10721 1/2" ALU HAF NOT RAS	EA	21.41
0062	10721 1/2" ALU HAF NOT RAS	EA	21.41
0063	10721 1/2" ALU HAF NOT RAS	EA	21.41
0064	10721 1/2" ALU HAF NOT RAS	EA	21.41
0065	10721 1/2" ALU HAF NOT RAS	EA	21.41
0066	10721 1/2" ALU HAF NOT RAS	EA	21.41
0067	10721 1/2" ALU HAF NOT RAS	EA	21.41
0068	10721 1/2" ALU HAF NOT RAS	EA	21.41
0069	10721 1/2" ALU HAF NOT RAS	EA	21.41
0070	10721 1/2" ALU HAF NOT RAS	EA	21.41
0071	10721 1/2" ALU HAF NOT RAS	EA	21.41
0072	10721 1/2" ALU HAF NOT RAS	EA	21.41
0073	10721 1/2" ALU HAF NOT RAS	EA	21.41
0074	10721 1/2" ALU HAF NOT RAS	EA	21.41
0075	10721 1/2" ALU HAF NOT RAS	EA	21.41
0076	10721 1/2" ALU HAF NOT RAS	EA	21.41
0077	10721 1/2" ALU HAF NOT RAS	EA	21.41
0078	10721 1/2" ALU HAF NOT RAS	EA	21.41
0079	10721 1/2" ALU HAF NOT RAS	EA	21.41
0080	10721 1/2" ALU HAF NOT RAS	EA	21.41
0081	10721 1/2" ALU HAF NOT RAS	EA	21.41
0082	10721 1/2" ALU HAF NOT RAS	EA	21.41
0083	10721 1/2" ALU HAF NOT RAS	EA	21.41
0084	10721 1/2" ALU HAF NOT RAS	EA	21.41
0085	10721 1/2" ALU HAF NOT RAS	EA	21.41
0086	10721 1/2" ALU HAF NOT RAS	EA	21.41
0087	10721 1/2" ALU HAF NOT RAS	EA	21.41
0088	10721 1/2" ALU HAF NOT RAS	EA	21.41
0089	10721 1/2" ALU HAF NOT RAS	EA	21.41
0090	10721 1/2" ALU HAF NOT RAS	EA	21.41
0091	10721 1/2" ALU HAF NOT RAS	EA	21.41
0092	10721 1/2" ALU HAF NOT RAS	EA	21.41
0093	10721 1/2" ALU HAF NOT RAS	EA	21.41
0094	10721 1/2" ALU HAF NOT RAS	EA	21.41
0095	10721 1/2" ALU HAF NOT RAS	EA	21.41
0096	10721 1/2" ALU HAF NOT RAS	EA	21.41
0097	10721 1/2" ALU HAF NOT RAS	EA	21.41
0098	10721 1/2" ALU HAF NOT RAS	EA	21.41
0099	10721 1/2" ALU HAF NOT RAS	EA	21.41
0100	10721 1/2" ALU HAF NOT RAS	EA	21.41
0101	10721 1/2" ALU HAF NOT RAS	EA	21.41
0102	10721 1/2" ALU HAF NOT RAS	EA	21.41
0103	10721 1/2" ALU HAF NOT RAS	EA	21.41
0104	10721 1/2" ALU HAF NOT RAS	EA	21.41
0105	10721 1/2" ALU HAF NOT RAS	EA	21.41
0106	10721 1/2" ALU HAF NOT RAS	EA	21.41
0107	10721 1/2" ALU HAF NOT RAS	EA	21.41
0108	10721 1/2" ALU HAF NOT RAS	EA	21.41
0109	10721 1/2" ALU HAF NOT RAS	EA	21.41
0110	10721 1/2" ALU HAF NOT RAS	EA	21.41
0111	10721 1/2" ALU HAF NOT RAS	EA	21.41
0112	10721 1/2" ALU HAF NOT RAS	EA	21.41
0113	10721 1/2" ALU HAF NOT RAS	EA	21.41
0114	10721 1/2" ALU HAF NOT RAS	EA	21.41
0115	10721 1/2" ALU HAF NOT RAS	EA	21.41
0116	10721 1/2" ALU HAF NOT RAS	EA	21.41
0117	10721 1/2" ALU HAF NOT RAS	EA	21.41
0118	10721 1/2" ALU HAF NOT RAS	EA	21.41
0119	10721 1/2" ALU HAF NOT RAS	EA	21.41
0120	10721 1/2" ALU HAF NOT RAS	EA	21.41
0121	10721 1/2" ALU HAF NOT RAS	EA	21.41
0122	10721 1/2" ALU HAF NOT RAS	EA	21.41
0123	10721 1/2" ALU HAF NOT RAS	EA	21.41
0124	10721 1/2" ALU HAF NOT RAS	EA	21.41
0125	10721 1/2" ALU HAF NOT RAS	EA	21.41
0126	10721 1/2" ALU HAF NOT RAS	EA	21.41
0127	10721 1/2" ALU HAF NOT RAS	EA	21.41
0128	10721 1/2" ALU HAF NOT RAS	EA	21.41
0129	10721 1/2" ALU HAF NOT RAS	EA	21.41
0130	10721 1/2" ALU HAF NOT RAS	EA	21.41
0131	10721 1/2" ALU HAF NOT RAS	EA	21.41
0132	10721 1/2" ALU HAF NOT RAS	EA	21.41
0133	10721 1/2" ALU HAF NOT RAS	EA	21.41
0134	10721 1/2" ALU HAF NOT RAS	EA	21.41
0135	10721 1/2" ALU HAF NOT RAS	EA	21.41
0136	10721 1/2" ALU HAF NOT RAS	EA	21.41
0137	10721 1/2" ALU HAF NOT RAS	EA	21.41
0138	10721 1/2" ALU HAF NOT RAS	EA	21.41
0139	10721 1/2" ALU HAF NOT RAS	EA	21.41
0140	10721 1/2" ALU HAF NOT RAS	EA	21.41
0141	10721 1/2" ALU HAF NOT RAS	EA	21.41
0142	10721 1/2" ALU HAF NOT RAS	EA	21.41
0143	10721 1/2" ALU HAF NOT RAS	EA	21.41
0144	10721 1/2" ALU HAF NOT RAS	EA	21.41
0145	10721 1/2" ALU HAF NOT RAS	EA	21.41
0146	10721 1/2" ALU HAF NOT RAS	EA	21.41
0147	10721 1/2" ALU HAF NOT RAS	EA	21.41
0148	10721 1/2" ALU HAF NOT RAS	EA	21.41
0149	10721 1/2" ALU HAF NOT RAS	EA	21.41
0150	10721 1/2" ALU HAF NOT RAS	EA	21.41
0151	10721 1/2" ALU HAF NOT RAS	EA	21.41
0152	10721 1/2" ALU HAF NOT RAS	EA	21.41
0153	10721 1/2" ALU HAF NOT RAS	EA	21.41
0154	10721 1/2" ALU HAF NOT RAS	EA	21.41
0155	10721 1/2" ALU HAF NOT RAS	EA	21.41
0156	10721 1/2" ALU HAF NOT RAS	EA	21.41
0157	10721 1/2" ALU HAF NOT RAS	EA	21.41
0158	10721 1/2" ALU HAF NOT RAS	EA	21.41
0159	10721 1/2" ALU HAF NOT RAS	EA	21.41
0160	10721 1/2" ALU HAF NOT RAS	EA	21.41
0161	10721 1/2" ALU HAF NOT RAS	EA	21.41
0162	10721 1/2" ALU HAF NOT RAS	EA	21.41
0163	10721 1/2" ALU HAF NOT RAS	EA	21.41
0164	10721 1/2" ALU HAF NOT RAS	EA	21.41
0165	10721 1/2" ALU HAF NOT RAS	EA	21.41
0166	10721 1/2" ALU HAF NOT RAS	EA	21.41
0167	10721 1/2" ALU HAF NOT RAS	EA	21.41
0168	10721 1/2" ALU HAF NOT RAS	EA	21.41
0169	10721 1/2" ALU HAF NOT RAS	EA	21.41
0170	10721 1/2" ALU HAF NOT RAS	EA	21.41
0171	10721 1/2" ALU HAF NOT RAS	EA	21.41
0172	10721 1/2" ALU HAF NOT RAS	EA	21.41
0173	10721 1/2" ALU HAF NOT RAS	EA	21.41
0174	10721 1/2" ALU HAF NOT RAS	EA	21.41
0175	10721 1/2" ALU HAF NOT RAS	EA	21.41
0176	10721 1/2" ALU HAF NOT RAS	EA	21.41
0177	10721 1/2" ALU HAF NOT RAS	EA	21.41
0178	10721 1/2" ALU HAF NOT RAS	EA	21.41
0179	10721 1/2" ALU HAF NOT RAS	EA	21.41
0180	10721 1/2" ALU HAF NOT RAS	EA	21.41
0181	10721 1/2" ALU HAF NOT RAS	EA	21.41
0182	10721 1/2" ALU HAF NOT RAS	EA	21.41
0183	10721 1/2" ALU HAF NOT RAS	EA	21.41
0184	10721 1/2" ALU HAF NOT RAS	EA	21.41
0185	10721 1/2" ALU HAF NOT RAS	EA	21.41
0186	10721 1/2" ALU HAF NOT RAS	EA	21.41
0187	10721 1/2" ALU HAF NOT RAS	EA	21.41
0188	10721 1/2" ALU HAF NOT RAS	EA	21.41
0189	10721 1/2" ALU HAF NOT RAS	EA	21.41
0190	10721 1/2" ALU HAF NOT RAS	EA	21.41
0191	10721 1/2" ALU HAF NOT RAS	EA	21.41
0192	10721 1/2" ALU HAF NOT RAS	EA	21.41
0193	10721 1/2" ALU HAF NOT RAS	EA	21.41
0194	10721 1/2" ALU HAF NOT RAS	EA	21.41
0195	10721 1/2" ALU HAF NOT RAS	EA	21.41
0196	10721 1/2" ALU HAF NOT RAS	EA	21.41
0197	10721 1/2" ALU HAF NOT RAS	EA	21.41
0198	10721 1/2" ALU HAF NOT RAS	EA	21.41
0199	10721 1/2" ALU HAF NOT RAS	EA	21.41
0200	10721 1/2" ALU HAF NOT RAS	EA	21.41
0201	10721 1/2" ALU HAF NOT RAS	EA	21.41
0202	10721 1/2" ALU HAF NOT RAS	EA	21.41
0203	10721 1/2" ALU HAF NOT RAS	EA	21.41
0204	10721 1/2" ALU HAF NOT RAS	EA	21.41
0205	10721 1/2" ALU HAF NOT RAS	EA	21.41
0206	10721 1/2" ALU HAF NOT RAS	EA	21.41
0207	10721 1/2" ALU HAF NOT RAS	EA	21.41
0208	10721 1/2" ALU HAF NOT RAS	EA	21.41
0209	10721 1/2" ALU HAF NOT RAS	EA	21.41
0210	10721 1/2" ALU HAF NOT RAS	EA	21.41
0211	10721 1/2" ALU HAF NOT RAS	EA	21.41
0212	10721 1/2" ALU HAF NOT RAS	EA	21.41
0213	10721 1/2" ALU HAF NOT RAS	EA	21.41
0214	10721 1/2" ALU HAF NOT RAS	EA	21.41
0215	10721 1/2" ALU HAF NOT RAS	EA	21.41
0216	10721 1/2" ALU HAF NOT RAS	EA	21.41
0217	10721 1/2" ALU HAF NOT RAS	EA	21.41
0218	10721 1/2" ALU HAF NOT RAS	EA	21.41
0219	10721 1/2" ALU HAF NOT RAS	EA	21.41
0220	10721 1/2" ALU HAF NOT RAS	EA	21.41
0221	10721 1/2" ALU HAF NOT RAS	EA	21.41
0222	10721 1/2" ALU HAF NOT RAS	EA	21.41
0223	10721 1/2" ALU HAF NOT RAS	EA	21.41
0224	10721 1/2" ALU HAF NOT RAS	EA	21.41
0225	10721 1/2" ALU HAF NOT RAS	EA	21.41
0226	10721 1/2" ALU HAF NOT RAS	EA	21.41
0227	10721 1/2" ALU HAF NOT RAS	EA	21.41
0228	10721 1/2" ALU HAF NOT RAS	EA	21.41
0229	10721 1/2" ALU HAF NOT RAS	EA	21.41
0230	10721 1/2" ALU HAF NOT RAS	EA	21.41
0231	10721 1/2" ALU HAF NOT RAS	EA	21.41
0232	10721 1/2" ALU HAF NOT RAS	EA	21.41
0233	10721 1/2" ALU HAF NOT RAS	EA	21.41
0234	10721 1/2" ALU HAF NOT RAS	EA	21.41
0235	10721 1/2" ALU HAF NOT RAS	EA	21.41
0236	10721 1/2" ALU HAF NOT RAS	EA	21.41
0237	10721 1/2" ALU HAF NOT RAS	EA	21.41
0238	10721 1/2" ALU HAF NOT RAS	EA	21.41
0239	10721 1/2" ALU HAF NOT RAS	EA	21.41
0240	10721 1/2" ALU HAF NOT RAS	EA	21.41
0241	10721 1/2" ALU HAF NOT RAS	EA	21.41
0242	10721 1/2" ALU HAF NOT RAS	EA	21.41
0243	10721 1/2" ALU HAF NOT RAS	EA	21.41
0244	10721 1/2" ALU HAF NOT RAS	EA	21.41
0245	10721 1/2" ALU HAF NOT RAS	EA	21.41
0246	10721 1/2" ALU HAF NOT RAS	EA	21.41
0247	10721 1/2" ALU HAF NOT RAS	EA	21.41
0248	10721 1/2" ALU HAF NOT RAS	EA	21.41
0249	10721 1/2" ALU HAF NOT RAS	EA	21.41
0250	10721 1/2" ALU HAF NOT RAS	EA	21.41
0251	10721 1/2" ALU HAF NOT RAS	EA	21.41
0252	10721 1/2" ALU HAF NOT RAS	EA	21.41
0253	10721 1/2" ALU HAF NOT RAS	EA	21.41
0254	10721 1/2" ALU HAF NOT RAS	EA	21.41
0255	10721 1/2" ALU HAF NOT RAS	EA	21.41
0256	10721 1/2" ALU HAF NOT RAS	EA	21.41
0257	10721 1/2" ALU HAF NOT RAS	EA	21.41
0258	10721 1/2" ALU HAF NOT RAS	EA	21.41
0259	10721 1/2" ALU HAF NOT RAS	EA	21.41
0260	10721 1/2" ALU HAF NOT RAS	EA	21.41
0261	10721 1/2" ALU HAF NOT RAS	EA	21.41
0262	10721 1/2" ALU HAF NOT RAS	EA	21.41
0263	10721 1/2" ALU HAF NOT RAS	EA	21.41
0264	10721 1/2" ALU HAF NOT RAS	EA	21.41
0265	10721 1/2" ALU HAF NOT RAS	EA	21.41
0266	10721 1/2" ALU HAF NOT RAS	EA	21.41
0267	10721 1/2" ALU HAF NOT RAS	EA	21.41
0268	10721 1/2" ALU HAF NOT RAS	EA	21.41
0269	10721 1/2" AL		

Page 2 of 68

WEATHERPROOF
DISKUS® 241B SERIES



The Original
Diskus® Design

Over 70 years ago the first ADHS

ABUS Diskus® padlocks are superior quality, based on years of experience, precision tools, best materials, permanent quality controls and improvements. ABUS Diskus® padlocks are manufactured from stainless steel and are ideal for use when security and anti-corrosion features are required.

Key Features

- Original Diskus® design: 360° protection
- 100% non-corrosive: shackle and all inner components made of stainless steel
- Diskus® Deep-Welding Technology provides maximum strength
- Anti-cut plate
- Precision pin tumbler - extra plated for ultimate corrosion resistance
- Made in Germany

Model	Shackle Height	Body Width	Pins in Cylinder	Key Options	Body & Shackle Material
248150	1 1/2"	2"	4	K3, K2, K1E	Stainless Steel
248160	9/16"	2 1/4"	4	K3, K2, K1E	Stainless Steel
248170	1 1/4"	2 1/4"	5	K3, K2, K1E	Stainless Steel

800.352.ABUS
abus.com

Specifications



[\[pdf\]](#)

02050 fre CH mobil abus ch fr abusproductsheet 5125 |||

24IB/70 Seite 1 von 2 ORIGINAL ABUS DISKUS - SCURIT 100 INOXYDABLE Le cadenas circulaire ABUS est une forme particuliere de cadenas avec des atouts spcifiques. Grce la forme des cadenas circulaires, les mthodes de manipulation les plus courantes sont empches de maniere efficace. En effet, la petit...

lang:fr score:22 filesize: 100.78 K page_count: 2 document date: 2023-03-01

ABUS USA Price List - Security Tech Products (Effective Jan 2022)

Explore the comprehensive ABUS USA Price List, effective January 1, 2022, featuring a wide range of security technology products including lockouts, chains, hasps, and various locking mechanisms for industrial and commercial applications.

lang:it score:22 filesize: 481.15 K page_count: 68 document date: 2022-04-06

[\[pdf\]](#) Specifications

Sell Sheet Abus 24IB 60 70KA 70 All Weather Diskus ABUS Series Weatherproof abus us content 52127
4348739 file ||| ||| W E A T H E R P R O O F D I S K U S 24I B S E R I E S The Original Diskus Design Over
70 years ago the first ABUS Diskus padlock was manufactured in Germany. Though many imitations ha
W E A T H E R P R O O F D I S K U S 24I B S E R I E S The Original Diskus Design
Over 70 years ago the ... in tumbler - extra plated for ultimate corrosion resistance
Made in Germany Model 24IB/50 24IB/60 **24IB/70** Shackle Height / 33/64 / Body
Width 2 2 2 Pins in Cylinder 4 4 5 Key Options KA,...
lang:en score:22 filesize: 845.11 K page count: 1 document date: 2022-04-13


[\[pdf\]](#)

ABUS 24IB Series Stainless Steel Diskus Discus Padlock aldridgesecurity co uk product file id 66 |||
 ABUS 24IB Series Stainless Steel Diskus Discus Padlock Description ABUS 24IB
 series Diskus padlock ... 60mm KD 24IB/60 Boxed 26/12/2022 L19010 60mm KD
 24IB/60 Visi 26/12/2022 L19018 71mm KA 32528 **24IB/70** Boxed 26/12/2022 L19013
 71mm KD **24IB/70** Boxed 26/12/2022 L19011 71mm KD **24IB/70** Visi 26/...
 lang:en score:21 filesize: 5.02 M page count: 9 document date: 2022-12-26



[\[pdf\]](#)

ABUS 24IB Series Stainless Steel Diskus Discus Padlock aldridgesecurity co uk product file id 66 name |||
 ABUS 24IB Series Stainless Steel Diskus Discus Padlock Description ABUS 24IB
 series Diskus padlock ... 60mm KD 24IB/60 Boxed 21/12/2022 L19010 60mm KD
 24IB/60 Visi 21/12/2022 L19018 71mm KA 32528 **24IB/70** Boxed 21/12/2022 L19013
 71mm KD **24IB/70** Boxed 21/12/2022 L19011 71mm KD **24IB/70** Visi 21/...
 lang:en score:21 filesize: 5.02 M page_count: 9 document date: 2022-12-21



[\[pdf\]](#) Specifications

WEATHERPROOF DISKUS 24IB SERIES ABUS® The Original Diskus® Design Over 70 years ago the first padlock was manufactured in Germany Though many imitations have been produced since this 24IBSeries abus us content 52127 4348739 file |||

W E A T H E R P R O O F D I S K U S 24IB S E R I E S The Original Diskus Design Over 70 years ago the ... pin tumbler - extra plated for ultimate corrosion resistance Made in Germany Item 24IB/50 24IB/60 **24IB/70** Shackle Height / 33/64 / Body Width 2 2 2 Pins in Cylinder 4 4 5 Key Options KA,...

lang:en score:21 filesize: 838.61 K page_count: 1 document date: 2019-07-04




[\[pdf\]](#) Datasheet

ABUS 24IB Series Stainless Steel Diskus Discus Padlock Product Datasheet aldridgesecurity co uk
product file id 66 name |||

ABUS 24IB Series Stainless Steel Diskus Discus Padlock Description ABUS 24IB
series Diskus padlock ... 60mm KD 24IB/60 Boxed 10/12/2022 L19010 60mm KD
24IB/60 Visi 10/12/2022 L19018 71mm KA 32528 **24IB/70** Boxed 10/12/2022 L19013
71mm KD **24IB/70** Boxed 10/12/2022 L19011 71mm KD **24IB/70** Visi 10/...

lang:en score:21 filesize: 5.02 M page count: 9 document date: 2022-12-10




[pdf]

ABUS Key Blank RH4 5 To Suit 23 70 24IB 26 80 90 27 50 36 55 41 40 aldridgesecurity co uk product file id 176 |||

ABUS Key Blank RH4/5 To Suit 23/70, **24IB/70**, 26/70, 26/80, 26/90, 27/50, 36/55, 41/40 41/50 Description Genuine ABUS Key Blank RH4/5 to Suit 23/70, **24IB/70**, 26/70, 26/80, 26/90, 27/50, 36/55, 41/40 41/50 27/12/2022 Cylinder Key Features - Genuine ABUS key blank - To suit ABUS 23/70, **24IB/70**, 2...

lang:en score:21 filesize: 410.38 K page_count: 2 document date: 2022-12-27



[pdf]

ABUS Key Blank RH4 5 To Suit 23 70 24IB 26 80 90 27 50 36 55 41 40 aldridgesecurity co uk product file id 176 name |||

ABUS Key Blank RH4/5 To Suit 23/70, **24IB/70**, 26/70, 26/80, 26/90, 27/50, 36/55, 41/40 41/50 Description Genuine ABUS Key Blank RH4/5 to Suit 23/70, **24IB/70**, 26/70, 26/80, 26/90, 27/50, 36/55, 41/40 41/50 18/12/2022 Cylinder Key Features - Genuine ABUS key blank - To suit ABUS 23/70, **24IB/70**, 2...

lang:en score:21 filesize: 410.38 K page_count: 2 document date: 2022-12-18




[pdf]

Diskus® 24IB ABUS Canada abus 6520 Northam Drive Mississauga ON L4V 1H9 Tel 905 673 2287 Toll

Free 1 855 287 Fax 676 1924 sales@abuscanada The Original Design Over 70 years ago the first padlock was manufactured in Germany 2015 Diskus ca en content 32800 2261492 file |||

ABUS Canada www.abus.com Diskus 24IB The Original Diskus Design Over 70 years ago the first ABUS ... orrosion resistance Available keyed-different, keyed-alike and master-keyed Item 24IB/50 24IB/60 **24IB/70** Shackle # Body Shackle Shelf Weight Height Pins Material Material Pk Qty kg 8mm 4 Stainl...

lang:en score:21 filesize: 2.06 M page_count: 1 document date: 2015-02-18



[\[pdf\]](#) Datasheet

ABUS Key Blank RH4 5 To Suit 23 70 24IB 26 80 90 27 50 36 55 41 40 Product Datasheet

aldrigeseecurity co uk product file id 176 name RH45 2370 24IB70 2670 2680 2690 2750 3655 4140 4150

|||

ABUS Key Blank RH4/5 To Suit 23/70, **24IB/70**, 26/70, 26/80, 26/90, 27/50, 36/55, 41/40 41/50 Description Genuine ABUS Key Blank RH4/5 to Suit 23/70, **24IB/70**, 26/70, 26/80, 26/90, 27/50, 36/55, 41/40 41/50 11/12/2022 Cylinder Key Features - Genuine ABUS key blank - To suit ABUS 23/70, **24IB/70**, 2...

lang:en score:20 filesize: 410.38 K page_count: 2 document date: 2022-12-11

ABUS | August Bremicker Shne
www.abus.com



ABUS Price List 2013

[\[pdf\]](#) Price List

ABUS PriceBook2013 absupply net

ABUS August Bremicker Shne www.abus.com ABUS Price List 2013 Product Description 8/200 Steel Coi ... 0 B KD 20/80 B KA 20/80 B MK 24IB/50 KD 24IB/50 KA 24IB/60 C 24IB/60 B KD 24IB/60 B KA 24IB/60 B MK **24IB/70** C **24IB/70** B KD **24IB/70** B KA **24IB/70** B MK **24IB/70** RK OB RH-5 4 pin loaded**24IB/70** RK OB RH-5

...


lang:af score:20 filesize: 1.29 M page_count: 8 document date: 2012-10-31



[ABUS Security Solutions Catalog: Padlocks, Key Garages & Security Hardware](#)

Discover the comprehensive ABUS catalog showcasing a wide range of high-security padlocks, innovative key storage solutions like KEYGARAGE™, and essential security hardware. ABUS offers durable, reliable, and advanced protection for homes, businesses, and industrial applications.

lang:en score:20 filesize: 27.47 M page_count: 308 document date: 2022-06-01



[\[pdf\]](#)

Safety where you want it when need ABUS 4 Lockout Tagout procedures are designed to prevent

accidents and injuries caused by the unexpected release of energy equipment is being repaired or

maintained 6957b7819c764bbee5c81a9a5258347d abus var ezflow site storage original application |||

ABUS USA LLC www.abus.com Safety and Industrial Products Safety where you want it, when you need i ... ss Stainless 6 4.10 25 Diskus Padlocks diameter // 2 1/ 24IB/50 1/ diameter 11/ 2 **24IB/70** / diameter // 1/ diameter 11// diameter // 2 28/70 2 24IB/60 Made in G...

lang:en score:20 filesize: 8.34 M page_count: 54 document date: 2015-01-26




[pdf]

Ecolution abus es content 17966 1942211 file

ECOLUTION Los primeros candados ecológicos del mundo A rl d ON Fo BUS
 ECOLUTI MelasaPmtrcgeooaard ... por cada 10 candados vendidos plantamos un
 rbol en colaboracin con el Proyecto Rainforest. DISKUS **24IB/70** ECOLUTION
 70IB/45 ECOLUTION 72IB/40 ECOLUTION T65AL/45 ECOLUTION Derecho
 reservado para ...

lang:es **score:20** filesize: 511.28 K page_count: 2 document date: 2011-09-20



[pdf] Price List

ABUS 2014PriceList s3 absupply net amazonaws |||

ABUS USA LLC www.abus.com 2014 Price List Product Description Part # MSRP
 Steel Cable 8/200 C ... KD 20/80 B KA 20/80 B MK **24IB/50** KD **24IB/50** KA **24IB/60** C
 KD **24IB/60** B KD **24IB/60** B KA **24IB/60** B MK **24IB/70** C KD **24IB/70** B KD **24IB/70** B
 KA **24IB/70** B MK **24IB/70** RK OB RH-5 4 pin loaded**24IB/70** RK OB RH...

lang:af **score:19** filesize: 1.07 M page_count: 12 document date: 2014-03-02



[\[pdf\]](#)

Ecolution abus at content 17966 194648 file

ECOLUTION Die ersten „grünen Schlösser Umweltschutz aktiv NABU und ABUS gemeinsam fr den Regenwald ... der verstärkten Nachfrage nach nachhaltigen und kologisch sinnvollen Produkten gerecht. 4 DISKUS **24IB/70** ECOLUTION Einsatz und Anwendung: Absicherung von greren Werten/Gegenstnden oder bei hohem ... lang:de **score:19** filesize: 955.91 K page_count: 12 document date: 2012-02-23



[\[pdf\]](#) Datasheet

140 120mm Hasps Staples Data Sheet XR0140 120 ABUS Steel Hasp Staple x 56mm 12 5mm RS 0900766b8112bfd4 docs rs online b8b3 |||

Security Tech Germany 140/120mmHasps Staples Tough steel construction : With concealed hinge pins ... opportunist thieves Made in Germany Saw Resistant Marine Grade Hasp 140/120 Hasp Staple with **24IB/70** Diskus Padlock 140/120 Hasp Staple ABUS UK Product Reference 140/120 ABUS GPS 8 Width ...


lang:no **score:19** filesize: 1.02 M page_count: 1 document date: 2012-09-10



[ABUS Security Product Catalog: High-Quality Locks and Security Solutions](#)

Explore the comprehensive ABUS product catalog featuring a wide range of high-security padlocks, chains, hasps, and anchors designed for ultimate protection and durability. Discover innovative security technology from ABUS.

lang:en **score:19** filesize: 7.66 M page_count: 44 document date: 2010-05-20




[\[pdf\]](#) Price List

ABUS Illustrated Retail Price List 2016 abus uk content 40180 3178250 file |||

ABUS UK www.abus.com ABUS Recommended Retail Prices January 2016

Complete Sales Price List KEYED ... with the key lock retains key until locked Made in Germany Packaging Reference 24IB/60 B/EFSP **24IB/70** B/EFSP **24IB/70** Twins B/EFSP 24IB/60 **24IB/70** Barcode Key Type 4003318 35043 6 RH4 400331...

lang:en **score:19** filesize: 22.33 M page_count: 153 document date: 2015-12-21




[\[pdf\]](#)

Generated content Sv output generated data TC ABUS Security Center GmbH Co KG Product Sheet

Abus 24IB 70 B Weatherproof Diskus Padlock 100102005001 eng US abus silver abusproductsheet 47965 ez |||

Padlock 24IB Diskus Page 1 of 1 Technology Lock body, inner parts and shackle made solely from stainless steel for extreme resistance to corrosion Cylinder cover maximum protection against dirt and water spray 2 23/64 and 2 3/4 only Nickel-plated cylinder for enhanced weather protection Or...

lang:en **score:18** filesize: 124.18 K page_count: 1 document date: 2022-06-03



[\[pdf\]](#) Price List Label


2019 ABUS Price Book List November dwvi9lnoau63q cloudfront net abus pricebooks v 1573654880

PRICE LIST WHY ABUS Security VitesstM High Security CUSTOMER SUPPORT

Do you have a question c ... : 1.05 MSRP, Master Keyed MK : 5.00 MSRP Description

Key Options Case Pk Part # MSRP 20/70 **24IB/70** 25/70 26/70 44 28/70 20/70 B KD 20/80 B KD 24IB/50 KD 24IB/60 C KD 24IB/60 B KD **24IB/70**...

lang:en **score:18** filesize: 3.17 M page_count: 40 document date: 2019-11-11



[\[pdf\]](#) Instructions Price List

ABUS Recommended Retail Prices 2017 Price List A4 All Pages v11 iPad Web abus content 45578 3779389 file |||

ABUS UK www.abus.com ABUS Recommended Retail Prices 2017

ABBREVIATIONS Prefixes and suffixes use ... KA EE0252 24IB/60 KA EE0261 24IB/60 KA EE0293 24IB/60 KA EE0303 24IB/60 KA EE0306 24IB/60 KA EE0349 **24IB/70 24IB/70 C 24IB/70 KA 24IB/70 KA AA01029 24IB/70 KA AA01054 24IB/70** KA as per sample key 5 D...

lang:en **score:18** filesize: 16.86 M page_count: 175 document date: 2017-04-18




[\[pdf\]](#) Borchure

HIGH SECURITY PADLOCKS ABUS 125 150 215 100 ConHasp 140 120 GateSecTM 130 180 DI141 200 Diskus® Integral HASPS Etra eibility to lock up your Yaluables Perfect or securing double doors on sheds Yans VHS Security Brochure EN abus content 48099 3861989 file |||

HIGH-SECURITY PADLOCKS Maximum protection for private and commercial applications MORE THAN 90 YEA ... r comfort, or models with plastic cap to protect the cylinder against water and dirt 20/70 23/70 **24IB/70** 24RK/70 25/70 26/70 HASPS Extra flexibility to lock up your valuables. Perfect for secu...

lang:en **score:18** filesize: 3.29 M page_count: 9 document date: 2017-10-27



[\[pdf\]](#) Price List Label

ABUS 2019 Price List jmacfiles s3 amazonaws |||

PRICE LIST WHY ABUS Security VitesseTM High Security CUSTOMER SUPPORT

Do you have a question c ... : 1.05 MSRP, Master Keyed MK : 5.00 MSRP Description Key Options Case Pk Part # MSRP 20/70 **24IB/70** 25/70 26/70 44 28/70 20/70 B KD 20/80 B KD 24IB/50 KD 24IB/60 C KD 24IB/60 B KD **24IB/70...**


lang:en **score:18** filesize: 3.9 M page_count: 40 document date: 2019-01-16



[\[pdf\]](#)

Brosch re High Security ES 1 abus mx content 55308 4809427 file |||


CANDADOS DE ALTA SEGURIDAD Mxima proteccin para uso industrial y particular
 MS DE 90 AOS DE INNOVA ... d o modelos con cubierta de plstico para proteger el
 cilindro del agua y la suciedad 20/70 23/70 **24IB/70** 24RK/70 25/70 26/70
 CERROJOS Mayor flexibilidad para cerrar sus objetos de valor. Perfe...
 lang:es **score:18** filesize: 2.95 M page_count: 9 document date: 2018-01-31



[\[pdf\]](#) Accessories Catalog

2019 Abus Security Catalog ABUS 1 dvwi9lnoau63q cloudfront net abus catalogs


SECURITY C ATA L O G WHY ABUS Padlocks Hasps Padlocks 4 Customer Support
 Do you have a que ... n pin cylinder - extra plated for ultimate corrosion resistance
 Item 24IB/50 B 24IB/60 C 24IB/60 B **24IB/70 C 24IB/70 B** Shackle Pins in Key Case
 Height Cylinder Options Pk Qty / 4 KD, KA 6 /...
 lang:en **score:17** filesize: 10.46 M page_count: 60 document date: 2019-01-25



[\[pdf\]](#) Price List

ABUS PriceBook 2011 s3 absupply net amazonaws |||

Security is a matter of TRUST ABUS 2011 PRICE LIST AUGUST 2011 Product
 Description Breakaway Locks 16/35 C 16/35 KA Bulk Disc Locks 20/70 B KD 20/70 B
 KA 20/70 B MK 20/80 B KD 20/80 B KA 20/80 B MK 24IB/50 KD 24IB/50 KA 24IB/60
 C 24IB/60 B KD 24IB/60 B KA 24IB/60 B MK **24IB/70 C 24IB/70 B** KD 2...
 lang:af **score:17** filesize: 1.5 M page_count: 8 document date: 2012-09-28



[pdf]

Generated content Sv output generated data TC ABUS Security Center GmbH Co KG Spec Sheet Abus

24011 Padlock 24lb 70 UHS Hardware 100102005001 eng US v 1658766002 cdn shopify s files 1 0052

5395 5651 |||

Padlock 24IB Diskus Page 1 of 1 Technology Lock body, inner parts and shackle made solely from stainless steel for extreme resistance to corrosion Cylinder cover maximum protection against dirt and water spray 2 23/64and 2 3/4 only Nickel-plated cylinder for enhanced weather protection Or...

lang:en score:17 filesize: 124.18 K page_count: 1 document date: 2022-07-25



[pdf]

2105f38f009e3168ebf69e2d209be1ca alliedelec m d |||

Diskus 24IB Series The Original Diskus Design Over 70 years ago the first ABUS Diskus padlock was ma ... ins Key Description Height Width in Cyl. Options Body Material Shackle Material 24IB/50 24IB/60 **24IB/70** // 2 4 2 4 2 5 KA, KD, MK Stainless Steel Stainless Steel KA, KD, MK Stainle...

lang:en score:17 filesize: 173.1 K page_count: 1 document date: 2015-06-25



[pdf]

docs Diskus 24IB Series Sell Sheet jmacfiles s3 amazonaws |||

Diskus 24IB Series The Original Diskus Design Over 70 years ago the first ABUS Diskus padlock was ma ... ins Key Description Height Width in Cyl. Options Body Material Shackle Material 24IB/50 24IB/60 **24IB/70** // 2 4 2 4 2 5 KA, KD, MK Stainless Steel Stainless Steel KA, KD, MK Stainle...

lang:en score:17 filesize: 254.94 K page_count: 1 document date: 2014-06-30



[\[pdf\]](#) Declaration of Conformity


Generated content Sv output generated data TC ABUS Security Center GmbH Co KG Datenblatt

Vorhängeschloss Abus 24IB 70 B DFNLI Diskus bei HORNBACH kaufen 6803469 Doc 01 DE

20180727141656 cdn hornbach de shop D04 001 780 491 404 952 |||

Vorhängeschloss Diskus 24IB Art.-Nr. 20317 Seite 1 von 1 Technologie Gehäuse, Innenwerk und Bgel komplett Edelstahl fr extremen Korrosionsschutz Zylinderverdeck - maximaler Schutz gegen Schmutz und Spritzwasser nur bei 60 und 70 mm Zylinder zuztzlich vernickelt fr optimalen Verwitterungsschutz ...

lang:de **score:17** filesize: 120.75 K page_count: 1 document date: 2018-07-26



[\[pdf\]](#) Price List Label

2019 ABUS Price Book Locks and Safes For security purposes we ship the Key Control Combination

Padlock charts Vitess™ Master Biting Chart calculations only w o card List resources locksandsafes

Home 1 |||

PRICE LIST WHY ABUS Security Vitess™ High Security CUSTOMER SUPPORT

Do you have a question c ... : 1.05 MSRP, Master Keyed MK : 5.00 MSRP Description

Key Options Case Pk Part # MSRP 20/70 **24IB/70** 25/70 26/70 44 28/70 20/70 B KD

20/80 B KD 24IB/50 KD 24IB/60 C KD 24IB/60 B KD **24IB/70...**

lang:en **score:16** filesize: 3.9 M page_count: 0 document date: 0000-00-00



[\[pdf\]](#) Catalog

Catalog Page Abus 71101 Zing Circuit Breaker Lockout 3pk PLATT ELECTRIC SUPPLY 2 i 187BEB82

8CE2 4D93 96F1 C794EDB9101B rexel cdn products |||

SAFETY C ATA L O G SAFETY WHEN YOU NEED IT ABUS NEXT ABUS Next

eliminates potential shut downs and ... 1/ / diameter // 1/ diameter 11/ Industrial

Padlocks 2 1/ 24IB/50 2 24IB/60 2 **24IB/70** Original Diskus design: 360 protection 100

non-corrosive: shackle and all inner componen...

lang:en **score:16** filesize: 11.22 M page_count: 52 document date: 2019-01-25



[\[pdf\]](#) Accessories Borchure Catalog

Safety and Industrial Products ABUS 2 Often taken for granted safety on the job is one of most important aspects an ideal work environment Not adhering to proper procedures can cause life altering accidents happen 15 Brochure Canada EN abus ca en content 37041 2262515 file |||

ABUS Canada www.abus.com Safety and Industrial Products Safety where you want it, when you need it ... 7mm 7.5mm diameter 17.5mm 13.5mm 10mm diameter 19.5mm 17.5mm 51mm 24IB/50 60mm 24IB60 70mm **24IB/70** 60mm 28/60 70mm 28/70 Weatherproof Diskus 24IB Hardened Steel Diskus 28 Original Disku...
lang:en score:16 filesize: 8.41 M page_count: 52 document date: 2015-06-23



[\[pdf\]](#) Accessories Catalog

PRODUCT CATALOGUE 2023 ABUS 57 45 Touch Fingerprint Padlock mm Biometric Boxed 1 £45 46 travel padlock range plastic is used to create a lightweight moulded abc72e2778671299 filename* utf 8 Padlocks Catalogue Digital Prices abus uk content 267198 file inLanguage eng GB |||

PADLOCKS ACCESSORIES PRODUCT CATALOGUE 2023 ABUS Worldwide The ABUS reputation and tradition is ... losed No 60 mm 60 mm 27 mm 8 mm 13 mm 16.5 mm Yes Yes Yes 02706 2 216 g 140 Series 8KS 15 24IB/60 **24IB/70** 8 Yes Yes Yes No Yes Stainless Steel Steel Stainless Steel Closed No 70 mm 70 mm 31 mm 10 mm...

lang:en score:15 filesize: 14.32 M page_count: 136 document date: 2023-02-13