

Seco-Larm MVR-HH01Q

Seco-Larm Enforcer HDMI Repeater (MVR-HH01Q) User Manual

1. INTRODUCTION

This manual provides detailed instructions for the installation, operation, and maintenance of your Seco-Larm Enforcer HDMI Repeater (MVR-HH01Q). Please read this manual thoroughly before using the device to ensure proper functionality and to prevent damage. Keep this manual for future reference.

2. PRODUCT OVERVIEW

The Seco-Larm Enforcer HDMI Repeater (MVR-HH01Q) is designed to extend high-definition video and digital audio signals over longer distances than standard HDMI cables typically allow. It supports resolutions up to 1080p and is compliant with HDCP and HDMI 1.3b standards, making it suitable for various home theater and professional AV applications.



Figure 2.1: The Seco-Larm Enforcer HDMI Repeater (MVR-HH01Q) unit, showing its compact design and HDMI ports.

3. KEY FEATURES

- **Extended Range:** Allows HDMI cables to be linked together, extending signal transmission distances up to 115 feet (35 meters).
- **High Resolution Support:** Supports video resolutions up to 1080p, ensuring clear and crisp image quality.
- **HDCP and HDMI 1.3b Compliant:** Ensures compatibility with a wide range of modern HDMI devices and content protection standards.
- **Gold-Plated Connectors:** Provides reliable signal transmission and corrosion resistance for enhanced durability.
- **Compact Design:** Small form factor for easy integration into existing setups.

4. SETUP INSTRUCTIONS

Follow these steps to properly install your HDMI Repeater:

1. **Power Off Devices:** Ensure all source devices (e.g., Blu-ray player, gaming console) and display devices (e.g., TV, projector) are powered off before making any connections.
2. **Connect Input HDMI Cable:** Connect an HDMI cable from your source device to the HDMI input port on the Seco-Larm Enforcer HDMI Repeater.
3. **Connect Output HDMI Cable:** Connect another HDMI cable from the HDMI output port on the repeater to your display device.
4. **Power On Devices:** Once all connections are secure, power on your display device first, then your source device.
5. **Verify Signal:** Check your display device to ensure the video and audio signals are being transmitted correctly.

Note: For optimal performance, use high-quality HDMI cables. The total length of the HDMI cables (input + output) should not exceed 115 feet (35 meters) for 1080p resolution.

5. OPERATING INSTRUCTIONS

The Seco-Larm Enforcer HDMI Repeater operates automatically once connected. It does not require any manual configuration or software installation. Its primary function is to regenerate and boost the HDMI signal, allowing it to travel longer distances without degradation.

- Ensure all connected devices are powered on and functioning correctly.
- The repeater will automatically detect the incoming HDMI signal and retransmit it to the output.
- No external power supply is typically required as the unit draws power from the HDMI source, though performance may vary with cable quality and length.

6. TROUBLESHOOTING

If you encounter issues with your HDMI Repeater, refer to the following common problems and solutions:

- **No Picture or Sound:**
 - Ensure all HDMI cables are securely connected to both the repeater and the source/display devices.
 - Verify that the source device is powered on and outputting an HDMI signal.

- Check that the display device is set to the correct HDMI input.
- Try using shorter HDMI cables to test if the issue is related to cable length or quality.
- Test the HDMI cables directly between the source and display without the repeater to confirm they are functional.

- **Intermittent Signal or Flickering:**

- This can indicate signal degradation. Ensure the total cable length does not exceed the recommended maximum.
- Replace lower quality HDMI cables with higher quality, shielded cables.
- Ensure there are no strong electromagnetic interference sources near the cables or repeater.

- **Resolution Issues:**

- Confirm that both your source and display devices support the desired resolution.
- The repeater supports up to 1080p. If you are attempting higher resolutions, it will not function correctly.


7. SPECIFICATIONS

Feature	Specification
Model	MVR-HH01Q
HDMI Version	1.3b
HDCP Compliant	Yes
Supported Resolutions	Up to 1080p
Maximum Extension Distance	115 feet (35 meters)
Connectors	Gold-plated HDMI Type A
Power Supply	HDMI Bus Powered (no external power adapter typically required)
Package Dimensions	8 x 5.5 x 1.75 inches
Item Weight	8 ounces

8. MAINTENANCE

The Seco-Larm Enforcer HDMI Repeater requires minimal maintenance. Follow these guidelines to ensure its longevity:

- **Cleaning:** Use a soft, dry cloth to clean the exterior of the unit. Do not use liquid cleaners or aerosols, as they may damage the device.
- **Environment:** Keep the repeater in a cool, dry place, away from direct sunlight, excessive heat, and moisture.
- **Handling:** Avoid dropping or subjecting the unit to strong impacts.
- **Connections:** Periodically check that all HDMI cables are securely connected.



Documents - Seco-Larm – MVR-HH01Q



[\[pdf\]](#) Accessories

PI HDMI Accessories second

HDMI Accessories MC-1101-09FQ HDMI Cable, 10 3m Length, Male-to-Male **MVR-HH01Q** HDMI Repeater, 115 35m Range MC-2201Q HDMI Coupler, Female-to-Female MC-2101Q HDMI Adapter, 180 Adjustable, Male-to-Female The ENFORCER line of HDMI accessories are HDCP and HDMI 1.3b compliant and feature go...
lang:en score:40 filesize: 167.99 K page count: 1 document date: 2009-05-06

HDMI Accessories

MC-1101-09FQ
HDMI Cable, 10' (3m) Length, Male-to-Male

MVR-HH01Q
HDMI Repeater, 115' (35m) Range

MC-2201Q
HDMI Coupler, Female-to-Female

MC-2101Q
HDMI Adapter, 180" Adjustable, Male-to-Female

10' (3m) HDMI Cable
MC-1101-09FQ

HDMI Repeater
MVR-HH01Q

HDMI Coupler
MC-2201Q

180" Rotating Adapter
MC-2101Q

Also Available from SECO-LARM:

HDMI Extender over Cat5e/6
MVE-AH020Q

Component Video Balun
MVE-PC015Q

VGA to HDMI Converter
MVE-PC015Q

Passive VGA Balun
MVE-PC015Q

[pdf] Accessories

HDMI Accessories PI 1603 seco larm image data A Documents 01 Sheets

HDMI Accessories MC-1101-09FQ HDMI Cable, 10 3m Length, Male-to-Male **MVR-HH01Q** HDMI Repeater, 115 35m Range MC-2201Q HDMI Coupler, Female-to-Female MC-2101Q HDMI Adapter, 180 Adjustable, Male-to-Female 10 3m HDMI Cable MC-1101-09FQ Supports HDMI v1.3b. HDMI type-A to type-A connect... lang:en score:39 filesize: 499.22 K page_count: 1 document date: 2013-04-22

HDMI Switcher

MVS-H4101-0Q 4 Inputs, 1 Output, HDMI 1.3 Compliant

The MVS-H4101-0Q easily switches between any of four HDMI sources by remote control or push buttons for each channel.

Included remote control: Easily switch between up to 4 HDMI sources.

Sample Application:

Also Available from SECO-LARM:

HDMI Extender over Cat5e/6
MVE-AH020Q

Component Video Balun
MVE-PC015Q

HDMI Repeater
MVE-PC015Q

HDMI Cables, Couplers & Adapters
MVE-PC015Q

Passive VGA Balun
MVE-PC015Q

[pdf] Specifications

PI MVS 4101 0Q seco larm s 80

HDMI Switcher MVS-H4101-0Q 4 Inputs, 1 Output, HDMI 1.3 Compliant The MVE-H4101-0Q easily switches b ... uns HDMI Repeater HDMI Cables, Passive VGA Balun Couplers Adapters MVS-H4101-0Q MVE-PC015Q **MVR-HH01Q** MC-1101-09FQ EVT-SBP-GQ 4 HDMI inputs, 1HDMI output Includes remote control 160 5...

lang:en score:37 filesize: 155.08 K page_count: 1 document date: 2009-05-06

HDMI Extender over Single Cat5e/6

MVE-AH020Q

Range: 164ft at 1080p Resolution

Features:

Signal Strength - An active transmitter ensures that the signal strength will remain strong over the length of the cable.

Distance - The HDMI Extender over Single Cat5e/6 is capable of providing a clear HDMI signal up to 164ft (50m).

Format Supported - The HDMI Extender over Single Cat5e/6 supports both uncompressed and compressed formats: 1080p/1080i/720p/480p/480i/480p/480i.

Plug and Play - The HDMI Extender over Single Cat5e/6 comes as a complete set consisting of a transmitter and receiver. No adjustments or settings need to be made. The unit is ready to use right out of the box.

Zero Signal Loss - Integrated circuitry in the transmitter and receiver cleans, buffers and amplifies the HDMI signal to prevent signal loss and ensure a clear signal regardless of the length of the cable.

DVI Support - The HDMI Extender over Single Cat5e/6 can be used with an HDMI to DVI adapter to support multiple components of a home theater system.

IMPORTANT: This product is designed to be used as an HDMI signal over Cat5e/6. This product is not to be used to transmit any type of audio or other compressed audio system. All usage of this product shall conform to the device specifications and the warranty.

Also Available from SECO-LARM:

Component Video Balun
MVE-PC015Q

HDMI Repeater
MVE-PC015Q

HDMI Cables
MVE-PC015Q

Passive VGA Balun
MVE-PC015Q

[pdf]

Pi MVE AH020Q Index of 2021 08 seco larm |||

HDMI Extender over Single Cat5e/6 MVE-AH020Q Range: 164ft at 1080p Resolution Features: Signal St ... DMI Cables Passive VGA Balun MVE-PC015Q 160ft 50m range 1080p Wall-plate version available **MVR-HH01Q** Transmits HDMI signal up to 115ft over HDMI cable MC-1101-09FQ Premium cables for super...

lang:en score:37 filesize: 348.58 K page_count: 1 document date: 2013-04-22

ENFORCER

Audio/Video

HDMI Extender over Cat5e/6

MVE-AH101Q Range: 198ft at 108p Resolution

The MVE-AH101Q uses two low-cost Cat5e/6 cables to transmit HDMI signals instead of fiber, less flexible and more expensive HDMI Cables.

Features:

- **Signal Regeneration** – An active transmitter attenuates that the signal strength will remain strong over the length of the cable.
- **Distance** – The HDMI Extender over Cat5e/6 is guaranteed providing a linear HDMI signal up to 198ft (60m).
- **Formats Supported** – The HDMI Extender over Cat5e/6 supports all HDMI video resolutions and formats (1080p/1080i/720p/720i/480p/480i).
- **Plug & Play** – The HDMI Extender over Cat5e/6 comes as a complete set consisting of a transmitter and receiver. No need to be configured or programmed. Just plug & play. The unit is easy to use right out of the box.
- **Zenith** – The integrated antenna in the transmitter and receiver channel, buffer and amplify the HDMI signal before it gets sent and ensures a clear signal acquisition of the length of the cable.
- **Easy Setup** – The HDMI Extender over Cat5e/6 is easy to set up. No need to be configured or programmed. It supports multiple components of a home theater system.

HDMI

Specifications:

Transmit range	60.1 m
Transmit resolution	1080p/1080i/720p/720i/480p/480i
Transmit format	YCbCr4:4:4, YCbCr4:2:2, YCbCr4:1:1, RGB4:4:4, RGB4:2:2, RGB4:1:1
Transmit refresh rate	60 Hz
Transmit frame rate	24, 25, 30, 50, 60
Transmit color space	BT.601, BT.709
Transmit audio	1080p/1080i/720p/720i/480p/480i

Also Available from SECO-LAM:

Component Video

HDMI Splitter

HDMI Cable

Precise VGA Balun

MVE-1000

1080p/1080i/720p/720i/480p/480i

1080p/1080i/720p/720i/480p/480i

MVE-1000

1080p/1080i/720p/720i/480p/480i

1080p/1080i/720p/720i/480p/480i

MVE-1000

1080p/1080i/720p/720i/480p/480i

1080p/1080i/720p/720i/480p/480i

MVE-1000

1080p/1080i/720p/720i/480p/480i

1080p/1080i/720p/720i/480p/480i

SECO-LAM is a leading manufacturer of high-quality audio and video equipment. We are committed to providing the best products and services to our customers.

SECO-LAM

1080p/1080i/720p/720i/480p/480i

1080p/1080i/720p/720i/480p/480i

SECO-LAM AUDIO VIDEO COMPONENTS

1080p/1080i/720p/720i/480p/480i

1080p/1080i/720p/720i/480p/480i

[illegible]

ENFORCER

Audio/Video

HDMI sobre cable unipolar Cat5e/6

MVE-A4020Q
Alcanza 164 pels Resolución de 1080p

Características:

- Minimalist de calidad.** Operación simple aunque sea en la distancia. El cable es compacto tanto en la salida como en la entrada del cable.
- Estándar.** El conector HDMI sobre cable unipolar Cat5e/6 tiene la capacidad de proporcionar un ancho HDMI desde hasta 100 metros.
- Familias especiales.** El HDMI sobre cable unipolar Cat5e/6 ofrece tres familias especiales: unipolar, bi-direccional y 1080p 1080i 720p 720i 480p 480i.

Enfoque para el hogar. El conector HDMI sobre cable unipolar Cat5e/6 ofrece como un completo paquete, tanto en la salida como en la entrada. El conector sobre cable que se debe instalar, es un cable sólo para salida.

Un punto de salida. Conecta imágenes en los televisores de pantalla plana, monitores, y cualquier tipo de cable HDMI para pasar la imagen de salida y conectar una cámara de video directamente en la salida.

Supone HDMI. El Extensor HDMI sobre cable unipolar Cat5e/6 es punto de salida en un adaptador de HDMI a DVI para transferir cualquier imagen desde un sistema de video en casa.

También disponibles en SECCO-LARMI:

Existen las siguientes: **Transmisor de HDMI:**

- MVE-0100
- MVE-0200
- MVE-0300
- MVE-0400
- MVE-0500
- MVE-0600
- MVE-0700
- MVE-0800
- MVE-0900
- MVE-1000
- MVE-1100
- MVE-1200
- MVE-1300
- MVE-1400
- MVE-1500
- MVE-1600
- MVE-1700
- MVE-1800
- MVE-1900
- MVE-2000
- MVE-2100
- MVE-2200
- MVE-2300
- MVE-2400
- MVE-2500
- MVE-2600
- MVE-2700
- MVE-2800
- MVE-2900
- MVE-3000
- MVE-3100
- MVE-3200
- MVE-3300
- MVE-3400
- MVE-3500
- MVE-3600
- MVE-3700
- MVE-3800
- MVE-3900
- MVE-4000
- MVE-4100
- MVE-4200
- MVE-4300
- MVE-4400
- MVE-4500
- MVE-4600
- MVE-4700
- MVE-4800
- MVE-4900
- MVE-5000
- MVE-5100
- MVE-5200
- MVE-5300
- MVE-5400
- MVE-5500
- MVE-5600
- MVE-5700
- MVE-5800
- MVE-5900
- MVE-6000
- MVE-6100
- MVE-6200
- MVE-6300
- MVE-6400
- MVE-6500
- MVE-6600
- MVE-6700
- MVE-6800
- MVE-6900
- MVE-7000
- MVE-7100
- MVE-7200
- MVE-7300
- MVE-7400
- MVE-7500
- MVE-7600
- MVE-7700
- MVE-7800
- MVE-7900
- MVE-8000
- MVE-8100
- MVE-8200
- MVE-8300
- MVE-8400
- MVE-8500
- MVE-8600
- MVE-8700
- MVE-8800
- MVE-8900
- MVE-9000
- MVE-9100
- MVE-9200
- MVE-9300
- MVE-9400
- MVE-9500
- MVE-9600
- MVE-9700
- MVE-9800
- MVE-9900
- MVE-10000
- MVE-10100
- MVE-10200
- MVE-10300
- MVE-10400
- MVE-10500
- MVE-10600
- MVE-10700
- MVE-10800
- MVE-10900
- MVE-11000
- MVE-11100
- MVE-11200
- MVE-11300
- MVE-11400
- MVE-11500
- MVE-11600
- MVE-11700
- MVE-11800
- MVE-11900
- MVE-12000
- MVE-12100
- MVE-12200
- MVE-12300
- MVE-12400
- MVE-12500
- MVE-12600
- MVE-12700
- MVE-12800
- MVE-12900
- MVE-13000
- MVE-13100
- MVE-13200
- MVE-13300
- MVE-13400
- MVE-13500
- MVE-13600
- MVE-13700
- MVE-13800
- MVE-13900
- MVE-14000
- MVE-14100
- MVE-14200
- MVE-14300
- MVE-14400
- MVE-14500
- MVE-14600
- MVE-14700
- MVE-14800
- MVE-14900
- MVE-15000
- MVE-15100
- MVE-15200
- MVE-15300
- MVE-15400
- MVE-15500
- MVE-15600
- MVE-15700
- MVE-15800
- MVE-15900
- MVE-16000
- MVE-16100
- MVE-16200
- MVE-16300
- MVE-16400
- MVE-16500
- MVE-16600
- MVE-16700
- MVE-16800
- MVE-16900
- MVE-17000
- MVE-17100
- MVE-17200
- MVE-17300
- MVE-17400
- MVE-17500
- MVE-17600
- MVE-17700
- MVE-17800
- MVE-17900
- MVE-18000
- MVE-18100
- MVE-18200
- MVE-18300
- MVE-18400
- MVE-18500
- MVE-18600
- MVE-18700
- MVE-18800
- MVE-18900
- MVE-19000
- MVE-19100
- MVE-19200
- MVE-19300
- MVE-19400
- MVE-19500
- MVE-19600
- MVE-19700
- MVE-19800
- MVE-19900
- MVE-20000
- MVE-20100
- MVE-20200
- MVE-20300
- MVE-20400
- MVE-20500
- MVE-20600
- MVE-20700
- MVE-20800
- MVE-20900
- MVE-21000
- MVE-21100
- MVE-21200
- MVE-21300
- MVE-21400
- MVE-21500
- MVE-21600
- MVE-21700
- MVE-21800
- MVE-21900
- MVE-22000
- MVE-22100
- MVE-22200
- MVE-22300
- MVE-22400
- MVE-22500
- MVE-22600
- MVE-22700
- MVE-22800
- MVE-22900
- MVE-23000
- MVE-23100
- MVE-23200
- MVE-23300
- MVE-23400
- MVE-23500
- MVE-23600
- MVE-23700
- MVE-23800
- MVE-23900
- MVE-24000
- MVE-24100
- MVE-24200
- MVE-24300
- MVE-24400
- MVE-24500
- MVE-24600
- MVE-24700
- MVE-24800
- MVE-24900
- MVE-25000
- MVE-25100
- MVE-25200
- MVE-25300
- MVE-25400
- MVE-25500
- MVE-25600
- MVE-25700
- MVE-25800
- MVE-25900
- MVE-26000
- MVE-26100
- MVE-26200
- MVE-26300
- MVE-26400
- MVE-26500
- MVE-26600
- MVE-26700
- MVE-26800
- MVE-26900
- MVE-27000
- MVE-27100
- MVE-27200
- MVE-27300
- MVE-27400
- MVE-27500
- MVE-27600
- MVE-27700
- MVE-27800
- MVE-27900
- MVE-28000
- MVE-28100
- MVE-28200
- MVE-28300
- MVE-28400
- MVE-28500
- MVE-28600
- MVE-28700

[\[pdf\]](#) Specifications

Pi MVE AH010Q Index of 2021 08 seco larm |||

HDMI Extender over Cat5e/6 MVE-AH010Q Range: 196ft at 1080p Resolution The MVE-AH010Q uses two low ... DMI Cables Passive VGA Balun MVE-PC015Q 160ft 50m range 1080p Wall-plate version available **MVR-HH01Q** Transmits HDMI signal up to 115 over HDMI cable MC-1101-09FQ Premium cables for superi...

lang:en score:37 filesize: 327.18 K page_count: 1 document date: 2013-03-29

[\[pdf\]](#)

pi MVE AH010Q SP seco larm 80 s

HDMI sobre cable Cat5e/6 MVE-AH010Q Alcance 196-pies. Resolución de 1080p El modelo MVE-AH010Q ampl... remoto MVE-PC015Q ilustrado Alcance 160 50m 1080p Disponible en versin de placa de pared **MVR-HH01Q** Transmite seal HDMI hasta 115 sobre cable HDMI MC-1101-09FQ ilustrado Cables y acopl...

lang:es score:36 filesize: 205.17 K page_count: 1 document date: 2009-05-06

[\[pdf\]](#)

pi MVE AH020Q SP Index of 2021 08 seco larm |||

HDMI sobre cable unipolar Cat5e/6 MVE-AH020Q Alcance 164 pies. Resolucin de 1080p Caracteristicas: ... n adaptador VGA MVE-PC015Q Alcance 160ft 50m 1080p Disponible en versin de placa de pared **MVR-HH01Q** Transmite seal HDMI hasta 115 sobre cable HDMI MC-1101-09FQ Cables y acopladores premi...

lang:es score:36 filesize: 334.52 K page_count: 1 document date: 2013-03-29

[illegible]



Component Video Baluns

MVE-PCW15Q *Wait-Plate, 160° (50m) Range at 1080p Resolution*

MVE-PC15Q *Standard, 160° (50m) Range at 1080p Resolution*

The MVE-PC Series of Component Video Baluns extends the range of component video baluns. When used in pairs, a single Cat5e/Cable cable carries component video and a single digital audio or IIR link signal.

Features:

- **Passive Operation:** No power required.
- **Programmable digital audio or IIR transmission:** Use digital audio or IIR center pins to improve reliability.
- **Flexible:** By using Cat5e to transmit component video signals, users can use less flexible and more durable cables.
- **Distance:** The component video baluns are capable of providing 100m of video over single cable runs up to 1500 (3000) feet.
- **Format Supported:** YPbPr or RGB.
- **Power:** No power required.

2 Models: With or without stereo available



MVE-PCW15Q

Interchangeable Cat 5e types can be used together

2P+2W+1V
@ 100 Ohm

Specifications:

	MVE-PCW15Q	MVE-PC15Q
Link type	100Ω Cat5e	100Ω Cat5e
Link length	100m	100m
Resolution supported	1080p	1080p
Video format	YPbPr, RGB	YPbPr, RGB
Audio format	Digital, IIR	Digital, IIR
Distance	100m	100m
Power	None	None

Also Available from SECO-LAR:

4-Port VGA HDMI Switcher

MVE-H4E10-Q

- 4 video inputs
- 4 video outputs
- 4 audio inputs
- 4 audio outputs

HDMI Receiver

MVE-H4E10-Q

- 4 video inputs
- 4 video outputs
- 4 audio inputs
- 4 audio outputs

HDMI Cables and Couplers

M11-05T-1Q

- 1080p
- 1080i
- 720p
- 480p
- 480i
- 300m

4-Port VGA HDMI Switcher

MVE-H4E10-Q

HDMI Receiver

MVE-H4E10-Q

HDMI Cables and Couplers

M11-05T-1Q

4-Port VGA HDMI Switcher

MVE-H4E10-Q

HDMI Receiver

MVE-H4E10-Q

HDMI Cables and Couplers

M11-05T-1Q

4-Port VGA HDMI Switcher

MVE-H4E10-Q

HDMI Receiver

MVE-H4E10-Q

HDMI Cables and Couplers

M11-05T-1Q

4-Port VGA HDMI Switcher

MVE-H4E10-Q

HDMI Receiver

MVE-H4E10-Q

HDMI Cables and Couplers

M11-05T-1Q

4-Port VGA HDMI Switcher

MVE-H4E10-Q

HDMI Receiver

MVE-H4E10-Q

HDMI Cables and Couplers

M11-05T-1Q

4-Port VGA HDMI Switcher

MVE-H4E10-Q

HDMI Receiver

MVE-H4E10-Q

HDMI Cables and Couplers

M11-05T-1Q

4-Port VGA HDMI Switcher

MVE-H4E10-Q

HDMI Receiver

MVE-H4E10-Q

HDMI Cables and Couplers

M11-05T-1Q

4-Port VGA HDMI Switcher

MVE-H4E10-Q

HDMI Receiver

MVE-H4E10-Q

HDMI Cables and Couplers

M11-05T-1Q

4-Port VGA HDMI Switcher

MVE-H4E10-Q

HDMI Receiver

MVE-H4E10-Q

HDMI Cables and Couplers

M11-05T-1Q

4-Port VGA HDMI Switcher

MVE-H4E10-Q

HDMI Receiver

MVE-H4E10-Q

HDMI Cables and Couplers

M11-05T-1Q

4-Port VGA HDMI Switcher

MVE-H4E10-Q

HDMI Receiver

MVE-H4E10-Q

HDMI Cables and Couplers

M11-05T-1Q

4-Port VGA HDMI Switcher

MVE-H4E10-Q

HDMI Receiver

MVE-H4E10-Q

HDMI Cables and Couplers

M11-05T-1Q

4-Port VGA HDMI Switcher

MVE-H4E10-Q

HDMI Receiver

MVE-H4E10-Q

HDMI Cables and Couplers

M11-05T-1Q

4-Port VGA HDMI Switcher

MVE-H4E10-Q

HDMI Receiver

MVE-H4E10-Q

HDMI Cables and Couplers

M11-05T-1Q

4-Port VGA HDMI Switcher

MVE-H4E10-Q

HDMI Receiver

MVE-H4E10-Q

HDMI Cables and Couplers

M11-05T-1Q

4-Port VGA HDMI Switcher

MVE-H4E10-Q

HDMI Receiver

MVE-H4E10-Q

HDMI Cables and Couplers

M11-05T-1Q

4-Port VGA HDMI Switcher

MVE-H4E10-Q

HDMI Receiver

MVE-H4E10-Q

HDMI Cables and Couplers

[illegible]

[\[pdf\]](#)

pi MVE AH010Q SP Index of 2021 08 seco larm |||

HDMI sobre cable Cat5e/6 MVE-AH010Q Alcance 196 pies. Resolucin de 1080p

Características: Intensi ... n adaptador VGA MVE-PC015Q Alcance 160ft 50m 1080p

Disponible en versin de placa de pared **MVR-HH01Q** Transmite seal HDMI hasta 115

sobre cable HDMI MC-1101-09FQ Cables y acopladores premi...

lang:es score:36 filesize: 327.68 K page_count: 1 document date: 2013-03-29

[\[pdf\]](#) Specifications

PI MVE PCx15Q seco larm image data A Documents 01 Sheets 80 s

Component Video Baluns MVE-PC015Q Wall-Plate, 160 50m Range at 1080p

Resolution Up To 1080p MV ... 15Q Dcor style no exposed screws HDMI Cables and

Couplers VGA Balun MVS-H4101-0Q MVE-AH010Q **MVR-HH01Q** MC-1101-09FQ

EVT-SBP-GQ 4 HDMI inputs, 1HDMI output Includes remote control 164 5...

lang:en score:36 filesize: 171.66 K page count: 1 document date: 2009-05-06

[\[pdf\]](#)

Baluns adaptadores de video componente placa pared alcance 160 50m a una resolución 1080p MVE

PCW15Q estándar La serie PC baluns amplian PI PCx15 SP seco larm image data A Documents 01

Sheets

Baluns adaptadores de video componente MVE-PC015Q placa de pared, alcance de

160 50m a una res ... salida Repetidor HDMI Cables y acopladores HDMI Balun

adaptador VGA MVS-H4101-0Q MVE-AH010Q **MVR-HH01Q** MC-1101-09FQ EVT-

SBP-GQ 4 entradas HDMI, 1 salida HDMI Alcance de 164 50m 1080p...

lang:es score:33 filesize: 175.95 K page count: 1 document date: 2013-08-07



[pdf] Accessories

untitled MC 2101Q Adaptador HDMI ajustable a 180 ° macho hembra La línea de accesorios

ENFORCER cumple con las normas HDCP y 1.3b presenta conectores bañados en oro para PI

AccessoriesSp seco larm image data A Documents 01 Sheets s

Accesorios HDMI MC-1101-09FQ Cable HDMI, 10 3m de longitud, macho-a-macho


MVR-HH01Q Repetidor HDMI, alcance de 115 35m MC-2201Q Acoplador HDMI,

hembra-a-hembra MC-2101Q Adaptador HDMI, ajustable a 180 °, macho-a-hembra La

linea de accesorios HDMI de ENFORCER cumple con las normas HDCP y HDMI

1.3...

lang:es score:32 filesize: 163.48 K page_count: 1 document date: 2009-05-07



[pdf]

s 12MiniCatChinese112311b seco larm 80


2012 f 480TV f f Series EV-2866-NKG 2.8-12mm 33LED DNR 600TV 1/3Sony Super

HAD II CCD ... rm.com 1-949-261-2999 www.seco-larm.com 2012 Cat5e/6 DVI MVE-

AH010Q V MVE-AD010 DVI A **MVR-HH01Q** - 11535 1080p Cat5e/6 19560 Cat5e/6

480i/480p/576i/576p/720p/1080i/1080p 5VDC DDC...

lang:en score:30 filesize: 2.47 M page_count: 24 document date: 2011-11-23



[pdf] Catalog

s VCat09c seco larm 80


ENFORCER 2009 Vehicle Catalog CODEBUMPTM TOP-OF-THE-LINE VEHICLE

ALARM ENFORCER 640 PLUS Uses C ... t plus stereo audio - to HDMI signal.

Allows display from computer on HDMI monitor. HDM e er **MVR-HH01Q** A/ - Input:

VGA connector and Dual RCA jacks Red/Right, White/Left . Output: HDMI Jack. ...

lang:en score:30 filesize: 1.21 M page_count: 16 document date: 2009-03-12



[\[pdf\]](#) Catalog

AudioVideo seco larm s MainBurglarCatalog11

Passive Audio Baluns MAE-P115-01Q Analog Audio Balun NEW MAE-P215-01Q

Digital Audio Balun NEW M ... h Audio/Video 114 1.949.261.2999 CA Int I

1.800.662.0800 Fax: 1.949.261.7326 HDMI Repeater **MVR-HH01Q** HDMI Repeater

NEW Extends high-definition video and digital audio up to 115ft 35m . Supp...

lang:en **score:29** filesize: 908.86 K page_count: 8 document date: 2010-11-19



[\[pdf\]](#) Accessories

SEMVRHH01Q Spec homecontrols products s SE SecoLarm

HDMI Accessories MC-1101-09FQ HDMI Cable, 10 3m Length, Male-to-Male **MVR-**

HH01Q HDMI Repeater, 115 35m Range MC-2201Q HDMI Coupler, Female-to-

Female MC-2101Q HDMI Adapter, 180 Adjustable, Male-to-Female The ENFORCER

line of HDMI accessories are HDCP and HDMI 1.3b compliant and feature go...

lang:en **score:28** filesize: 154.42 K page_count: 1 document date: 2011-01-17



[\[pdf\]](#) Accessories

HDMI Accessories Home ControlsMVR HH01Q Repeater 115 35m Range MC 2201Q Coupler Female to

2101Q Adapter 180° Adjustable Male over Cat5e 6SEMVRHH01Q Spechomecontrols homecontrols

products s SE SecoLarm SEMVRHH01Q Spec srsItd

AfmBOorl7tL4OeBN05tpqf3L0ROUg3YeAF8cR9zbS7Xyxi2 ACZ08Y 6homecontrols

ACZ08Yhomecontrols AfmBOoeebmis7Y3dFIsVUxm8hcxuiPYEMyt88axLzOrBKSJ 8SDjpiW |||

HDMI Accessories MC-1101-09FQ HDMI Cable, 10 3m Length, Male-to-Male **MVR-**

HH01Q HDMI Repeater, 115 35m Range MC-2201Q HDMI Coupler, Female-to-

Female MC-2101Q HDMI Adapter, 180 Adjustable, Male-to-Female The ENFORCER

line of HDMI accessories are HDCP and HDMI 1.3b compliant and feature go...

lang:en **score:28** filesize: 154.42 K page_count: 1 document date: 2011-01-17



[\[pdf\]](#) Catalog

114b seco larm s MainBurglarCatalog

HDMI Switcher MVS-H4101-0Q HDMI 1.3 Switcher 4x1 4 Inputs, 1 Output NEW Easily switch between any ... ge of HDMI compliant devices. 5VDC Power supply included. IR remote control included. HDMI Repeater **MVR-HH01Q** HDMI Repeater NEW HDMI Cables MC-1101-09FQ NEW Extends high-definition video and digit... lang:en score:28 filesize: 112.97 K page_count: 1 document date: 2009-04-30



[\[pdf\]](#) Catalog

115b seco larm s MainBurglarCatalog11

HDMI Repeater **MVR-HH01Q** HDMI Repeater NEW Extends high-definition video and digital audio up to 115ft 35m . Supports high-definition video up to 1080p. HDMI Switcher MVS-H4101-0Q HDMI 1.3 Switcher 4x1 Four Inputs, One Output NEW HDMI Cable MC-1101-09FQ 9ft 3m HDMI Cable NEW Easily switch be... lang:en score:28 filesize: 187.38 K page_count: 1 document date: 2010-11-10



[\[pdf\]](#) User Manual Accessories Catalog


SECO LARM MrkTec Incorporates manual lock unlock cylinder to operate if power is lost turn Control garage doors gates house lights 2017 SLI FullCate 170822 low mrktec 10 Our new completely redesigned website much more intuitive informative and easier use Everything right at your fingertips seco larm image data A Documents 05 Catalogs a Condensed FULL CATALOG For All Your Security Needs 47 years Wireless Access Sensors Security CCTV and Ac ... ible with all 19-pin HDMI cables Gold plated contacts 180 Swiveling male-to-female HDMI Repeater **MVR-HH01Q** HDMI Surge Protector NEW VS-1AHHAQ NEW Extends high-definition video and digital aud... lang:en score:28 filesize: 11.16 M page_count: 128 document date: 2017-08-23



[\[pdf\]](#) Catalog

BCat10 seco larm s

2010 Security Products For All Your Security Needs Condensed Security Catalog 2010-B4A 16842 Milli ... of HDMI-compliant devices. 5VDC Power supply included. IR remote control included. HDMI Repeater **MVR-HH01Q** A The ENFORCER MC-2101Q is used to change the insertion angle for HDMI cables. The adjus... lang:en score:27 filesize: 1.68 M page_count: 20 document date: 2010-02-20




[\[pdf\]](#) User Manual Catalog

For All Your Security Needs FULL CATALOG SECO LARM When it comes to the business side of security is right choice for distributors and dealers around world This true today more than ever Just compare this catalog our Incorporates manual lock unlock cylinder operate if power lost turn Control garage doors gates house lights 2017 SLI FullCate 161215 low seco larm image data A Documents 05 Catalogs b Full

47 2017 FULL CATALOG For All Your Security Needs When it comes to the business side of security, ... Gold-plated contacts HDMI Repeater MC-2101Q Compatible with all 19-pin HDMI cables Model Number **MVR-HH01Q** Range: Up to 115ft 35m Features Extends high-definition video and digital audio up to ...

lang:en score:27 filesize: 10.45 M page_count: 128 document date: 2016-12-15




[\[pdf\]](#) Accessories Catalog

2011MiniCatalog seco larm s

Condensed Catalog 2011-B4A Security Products For All Your Security Needs 2011 Wireless Access CC ... on. HDMI 1.3 and HDCP 1.1 compliant. 2011 Condensed Mini Catalog HDMI Repeater Active IP Baluns **MVR-HH01Q** Extends high-definition video - and digital audio up to 115ft 35m . Supports high-def...

lang:en score:27 filesize: 1.6 M page_count: 20 document date: 2010-10-27




[\[pdf\]](#) Catalog

12MiniCate3New 110909 seco larm s

2012 Condensed Catalog CCTV f Vandal Varifocal Domes Ball-Mount Dome Cameras 480TVL Wide-Ang ... og HDMI over Cat5e/6 Active DVI Extender HDMI Repeater MVE-AH010Q V MVE-AD010 DVI Extender A **MVR-HH01Q** Extends high-definition video - and digital audio up to 115ft 35m . Supports high-def...


lang:en score:26 filesize: 2.04 M page_count: 24 document date: 2011-09-13



[\[pdf\]](#) Catalog

Page Not Found SECO LARM USA Inc 2022 SLI FullCate 210908 web dev seco larm 05 |||

About SECO-LARM SECO-LARM has long been the best choice for distributors and dealers around the wor ... nput Switch for switching between 720p and 1080p upscaling Plug and play operation HDMI Repeater **MVR-HH01Q** Extends high-definition video and digital audio up to 115ft 35m Supports resolutions f... lang:en **score:26** filesize: 34.11 M page_count: 132 document date: 2022-03-30



[\[pdf\]](#)

s 2013 SLI MiniCate032113Email seco larm 80

CCTV 3X Dome Cameras Flush or Surface Mount Series EV-2866-NKGQ 2.8-12mm IP68 Weatherproof for ou ... imilar to MC-2201Q, but rotates 180 . Use for running HDMI cables in tight locations. HDMI Repeater **MVR-HH01Q** Extends high-definition video and digital audio up to 115ft 35m . Supports high-definitio... lang:en **score:26** filesize: 2.56 M page_count: 24 document date: 2013-04-26



[\[pdf\]](#) Specifications

MVE AH010Q Index of worldeyecam |||

HDMI Over Cat5e/6 MVE-AH010Q 196-ft. Range at 1080p Resolution The MVE-AH010Q uses two low-cost Ca ... ncludes remote control MVE-PC015Q shown 160 50m range 1080p Wall-plate version available **MVR-HH01Q** Transmits HDMI signal up to 115 over HDMI cable MC-1101-09FQ shown Premium cables an... lang:en **score:26** filesize: 172.9 K page_count: 1 document date: 2009-05-06




[pdf]

2011MiniCatSp LR seco larm s

Catlogo condensado de seguridad 2011-B4A Productos de seguridad Para todas sus necesidades de segur ... onforme con HDMI 1.3 y HDCP 1.1. 2011 Mini catlogo condensado Repetidor HDMI Balunes IP activos **MVR-HH01Q** - Extiende video de alta definicin y audio digital a una distancia de hasta 115 pies 35m ...

lang:es score:25 filesize: 1.58 M page_count: 20 document date: 2010-10-27



[pdf]

untitled 2015 SLI MiniCate 1501 Ch LowV2 seco larm 80 s

EV-2726-N3GQ 3.6mm, 24 IR LEDs, EV-2726-N3WQ 3.6mm, 24 IR LEDs, EV-2726-NFGQ 2.8-12mm, 36 IR L ... dVGA 443 135 640x4801280x1040 MVE-AD11-01Q 160 50 Cat5e/6d DVI 16050 480i1080pd 5VDC **MVR-HH01Q** 11535 115 35 480i1080p MVE-AH11-01NQ HDMI d HDMI 328 100 1080p MVE-PC015Q ...


lang:i-klngon score:25 filesize: 3.03 M page_count: 28 document date: 2015-01-19



[SECO-LARM ENFORCER 2011 Catalog: Security & Access Control Products](#)

Explore the comprehensive SECO-LARM ENFORCER 2011 Catalog, featuring a wide array of security products, access control systems, CCTV cameras, DVRs, wireless components, and audio/video solutions. Discover 40 years of innovation from SECO-LARM for all your security needs.

lang:en score:25 filesize: 18.67 M page_count: 120 document date: 2010-11-19



[pdf] Catalog

12MiniCate3Newd Test3 seco larm 80 s

2012 Condensed Catalog CCTV Vandal Varifocal Domes Ball-Mount Dome Cameras 480TVL WDR Ball-Mou ... ilar to MC-2201Q, but rotates 180 . Use for running HDMI cables in tight locations. HDMI Repeater **MVR-HH01Q** V Extends high-definition video and digital audio up to 115ft 35m . Supports high-defi...

lang:en score:25 filesize: 2.12 M page_count: 24 document date: 2012-07-20



[\[pdf\]](#) Warranty Accessories Catalog

For All Your Security Needs SECO LARM use with door closers to control the release and closing of residential commercial public doors Adjustable armature plate reduces installation 2017 SLI MiniCate 170301 WEB seco larm image data A Documents 05 Catalogs a Condensed
 CONDENSED CATALOG For All Your Security Needs 47years Wireless Access Sensors Security CCTV an ... r supplies included Passive VGA Balun Extender over Cat5e/6 MVE-SV010Q Range: Up to 196ft 60m **MVR-HH01Q** Range: Up to 114ft 35m Add IR remote pass-through to installations where an HDMI sour...
 lang:en score:25 filesize: 5.95 M page_count: 32 document date: 2017-03-02



[\[pdf\]](#)


s 12MiniCateSp121312 seco larm 80
 CCTV 3X cmaras domo montaje al ras o sobre la superficie Serie EV-2866-NKGQ 2.8-12mm IP68 Imperm ... 201Q, pero rota 180 . Apto para instalar cables HDMI en sitios de espacio reducido. Repetidor HDMI **MVR-HH01Q** - Extiende video de alta definicin y audio digital a una distancia de hasta 115 pies 35 ...
 lang:es score:25 filesize: 2.47 M page_count: 24 document date: 2013-09-03



[\[pdf\]](#) Warranty Accessories Catalog

For All Your Security Needs SECO LARM use with door closers to control the release and closing of residential commercial public doors Adjustable armature plate reduces installation 2017 SLI MiniCate 170822 low seco larm image data A Documents 05 Catalogs a Condensed 80
 CONDENSED CATALOG For All Your Security Needs 47 years Wireless Access Sensors Security CCTV a ... r supplies included Passive VGA Balun Extender over Cat5e/6 MVE-SV010Q Range: Up to 196ft 60m **MVR-HH01Q** Range: Up to 114ft 35m Add IR remote pass-through to installations where an HDMI sour...
 lang:en score:25 filesize: 6.23 M page_count: 32 document date: 2017-08-23

lang:en score:23 filesize: 806.17 K page count: 32 document date: 2016-08-03




[\[pdf\]](#) Catalog

2022 SLI FullCate 210908 Hi 1 seco larm image data A Documents 05 Catalogs Catalog

About SECO-LARM SECO-LARM has long been the best choice for distributors and dealers around the wor ... nput Switch for switching between 720p and 1080p upscaling Plug and play operation HDMI Repeater **MVR-HH01Q** Extends high-definition video and digital audio up to 115ft 35m Supports resolutions f...

lang:en score:23 filesize: 77.96 M page_count: 132 document date: 2021-09-08



[\[pdf\]](#) Warranty Catalog

2016 SLI MiniCate 160317 indd E 941S 1K5 P Catalog Seco Larm Plate Spacer Mounting Bracket surveillance video media lanot attachments customimport |||

2016-M04B E-941SA-1200 Standard lock, UL listed E-941SA-1K2PQ Bond sensor, status LED, UL listed E ... 1 local, 4 remote Passive VGA Balun Extender over Cat5e/6 MVE-SV010Q Range: Up to 196ft 60m **MVR-HH01Q** Range: Up to 114ft 35m Transmits four 4 HDMI sources to up to four 4 different hi...

lang:en score:23 filesize: 5.19 M page_count: 32 document date: 2016-04-04



[\[pdf\]](#) Catalog

2023 SLI FullCate 230306 SP Web Index of 03 seco larm |||

elebrando 50 aos de innovacin en segur Para Todas sus Necesidades de Seguridad C CATALOGAR Inalambr ... reo Conmutador para cambiar entre escalado de 720p y 1080p Operacin plug and play Repetidor HDMI **MVR-HH01Q** Extiende video de alta definicin y audio digital hasta 115 pies 35 m Soporta resolucio...

lang:es score:23 filesize: 34.95 M page_count: 144 document date: 2023-03-06



[\[pdf\]](#) Catalog

2017 SLI MiniCate 170224 SP Final Web seco larm image data A Documents 05 Catalogs a Condensed Para Todas Sus Necesidades De Seguridad CATLOGO CONDENSADO 47aos Inalámbrico Acceso Sensores Se ... DMI Transmisor y receptor IR son construidos con un cable de 4.5pies 1.45m para mayor comodidad **MVR-HH01Q** Alcance: Hasta 114pies 35m Extiende video de alta definicin y audio digital hasta ...
lang:es score:23 filesize: 4.67 M page_count: 32 document date: 2017-02-24



[\[pdf\]](#)

2023 SLI FullCate 230306 SP Web 1 Index of 03 seco larm ||| elebrando 50 aos de innovacin en segur Para Todas sus Necesidades de Seguridad C CATLOGO Inalámbrico ... reo Conmutador para cambiar entre escalado de 720p y 1080p Operacin plug and play Repetidor HDMI **MVR-HH01Q** Extiende video de alta definicin y audio digital hasta 115 pies 35 m Soporta resolucio...
lang:es score:23 filesize: 33.35 M page_count: 144 document date: 2023-03-06



[ENFORCER 2017 Catálogo Condensado: Soluciones Completas de Seguridad](#)

Explore el catálogo condensado 2017 de ENFORCER de SECO-LARM, que ofrece una amplia gama de productos de seguridad, incluyendo control de acceso, CCTV, sistemas inalámbricos, sensores, soluciones antirrobo y de seguridad, audio/video, seguridad autónoma y vehicular.
lang:es score:23 filesize: 4.66 M page_count: 32 document date: 2017-02-24



[\[pdf\]](#) Catalog

Download Catalogs 2022 SLI FullCate 220211 SP web seco larm image data A Documents 05 Catalog ||| Sobre SECO-LARM SECO-LARM ha sido durante mucho tiempo la mejor opción para los distribuidores y con ... e NTSC, PAL, y entradas de video SECAM Seleccionable entre 720p y 1080p upscaling Repetidor HDMI **MVR-HH01Q** Extiende video de alta definición y audio digital hasta 115 pies 35 m Soporta resolucio...
lang:es score:22 filesize: 50.41 M page_count: 132 document date: 2022-07-07



[\[pdf\]](#) Catalog

Para Todas Sus Necesidades De Seguridad SECO LARM Fuerza de retención 1 200 lb Operación seleccionable 12 o 24V C Sin magnetismo residual Protección contra sobretensiones tipo MOV 2017 SLI MiniCate 170824 SP low seco larm image data A Documents 05 Catalogs a Condensed 80 Para Todas Sus Necesidades De Seguridad CATLOGO CONDENSADO 47 aos Inalámbrico Acceso Sensores S ... ptor IR son construidos con un cable de 4.5pies 1.45m para mayor comodidad durante la instalacin **MVR-HH01Q** Alcance: Hasta 114pies 35m Extiende video de alta definicin y audio digital hasta ...
lang:es score:22 filesize: 6.08 M page_count: 32 document date: 2017-08-24