

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

> [Squire](#) /

> [Squire CP40/2.5 Heavy Duty 4-Wheel Combination Padlock Instruction Manual](#)

Squire CP40/2.5

Squire CP40/2.5 Heavy Duty 4-Wheel Combination Padlock Instruction Manual

1. INTRODUCTION

This manual provides essential instructions for the setup, operation, and maintenance of your Squire CP40/2.5 Heavy Duty 4-Wheel Combination Padlock. Designed for durability and security, this padlock features a recodeable combination mechanism and is constructed from alloy steel for corrosion resistance, making it suitable for various outdoor and indoor applications.

2. PRODUCT OVERVIEW

The Squire CP40/2.5 padlock is engineered for robust security and ease of use. Key features include:

- **Hardened Steel Shackle:** Provides excellent anti-cut resistance.
- **Four Large Combination Wheels:** Offers 10,000 possible combinations for enhanced security and ease of dialing.
- **Recodeable Mechanism:** Allows for easy resetting of the combination without the need for keys.
- **Alloy Steel Construction:** Ensures corrosion resistance and durability in harsh environments.
- **Extended Shackle Height:** Measures 2 1/2-inches for versatile locking options.
- **Industrial Design:** Optimized for user-friendly operation.





Image 2.1: Front view of the Squire CP40/2.5 padlock, showing the four combination wheels and the extended shackle.

CP RANGE

CP 40/2.5



Can be coded alike with other range products



Hardened 2.5" long shackle
Excellent anti-cut resistance



Push button
To provide easier opening of lock



Industrial design
For ease in dialing combinations

@HOME

Image 2.2: Diagram illustrating key features such as the hardened 2.5-inch long shackle, push button for opening, and industrial design for easy dialing.

CP 40/2.5



@HOME

Image 2.3: Technical drawing showing the dimensions of the CP40/2.5 padlock, including body width (40mm/1.6in), shackle height (112mm/4.40in), and shackle thickness (6mm/0.2in).

3. SETTING THE COMBINATION

Your Squire CP40/2.5 padlock comes with a factory preset combination, typically **0-0-0-0**. Follow these steps to set your personal combination:

1. **Open the Padlock:** Dial the factory preset combination (0-0-0-0) or your current combination. Press the release button (if present) or pull the shackle to open the lock.
2. **Locate the Reset Mechanism:** On the side or bottom of the padlock body, you will find a small screw or button. This is the combination reset mechanism.
3. **Engage Reset Mode:** Use a small screwdriver or pointed object to turn the screw 90 degrees clockwise, or press and hold the reset button. Refer to the specific instructions included with your padlock for the exact method.
4. **Set New Combination:** While the reset mechanism is engaged, dial your desired new 4-digit combination on the wheels. Ensure the numbers are clearly aligned with the indicator marks.
5. **Disengage Reset Mode:** Release the reset button or turn the screw back 90 degrees counter-clockwise to its original position.
6. **Test New Combination:** Scramble the wheels. Then, dial your new combination and press the

release button or pull the shackle to confirm it opens. If it does not open, repeat the steps carefully.

Important: Remember your new combination. There is no master key or override code if you forget it.

4. OPERATING THE PADLOCK

4.1. Opening the Padlock

1. Align the four combination wheels to your set code.
2. Press the release button located at the bottom of the padlock body. The shackle will spring open.

4.2. Closing and Securing the Padlock

1. With the shackle open, insert it into the desired locking position (e.g., through a hasp or chain).
2. Push the shackle firmly back into the padlock body until it clicks into place.
3. Scramble the combination wheels to a random set of numbers to secure the lock.



Image 4.1: The Squire CP40/2.5 padlock shown in use, securing a gate with a chain.

5. MAINTENANCE

Proper maintenance ensures the longevity and reliable operation of your padlock.

- **Cleaning:** Periodically wipe the padlock body and shackle with a clean, damp cloth to remove dirt and grime. Avoid harsh chemicals that may damage the finish.
- **Lubrication:** For optimal performance, especially in outdoor or harsh environments, apply a small amount of silicone-based lubricant to the shackle mechanism and combination wheels once or twice a year. Do not use oil-based lubricants as they can attract dirt.
- **Inspection:** Regularly check the shackle and padlock body for any signs of wear, damage, or corrosion. Address any issues promptly to maintain security.

6. TROUBLESHOOTING

- **Padlock will not open with the correct combination:**
 - Ensure all numbers are perfectly aligned with the indicator marks.
 - The combination wheels might be stiff. Try wiggling them gently while dialing the code.
 - If recently reset, double-check that you are using the new combination.
- **Shackle is difficult to close or does not latch:**
 - Ensure the shackle is properly aligned with the opening in the padlock body.
 - Check for any obstructions or debris within the shackle opening.
 - Apply a small amount of silicone lubricant to the shackle mechanism.

7. SPECIFICATIONS

Brand	Squire
Model Name	CP40/2.5
Lock Type	Combination Lock
Special Feature	Heavy Duty
Material	Alloy Steel, Zinc
Item Dimensions (L x W x H)	1.57 x 0.87 x 4.41 inches
Item Weight	141 Grams (5 ounces)
Number of Pieces	1
Shackle Height	2 1/2-Inch (Extended)

8. OFFICIAL PRODUCT VIDEO

Your browser does not support the video tag.




Video 8.1: An official video from Squire Locks demonstrating the features and durability of their heavy-duty recodeable combination padlocks, including the CP range.


9. WARRANTY AND SUPPORT

Squire Locks designs its products for confidence and reliability. This product comes with a **10-year guarantee**. With appropriate maintenance and normal use, the manufacturer guarantees this product for 10 years from the date of purchase.

For further assistance, troubleshooting, or warranty claims, please refer to the contact information provided with your product packaging or visit the official Squire Locks website.

Related Documents - CP40/2.5

	<p>Squire CP40, CP50 & CP60 Combination Padlock Recoding Instructions</p> <p>Instructions for setting and changing the combination code on Squire CP40, CP50, and CP60 combination padlocks. Includes multilingual guidance and visual aids.</p>
	<p>Squire CP40, CP50, CP60 Combination Padlock Recoding Instructions</p> <p>Step-by-step instructions for setting and recoding Squire CP40, CP50, and CP60 combination padlocks. Includes multilingual guidance and visual aids.</p>
	<p>How to Lubricate Squire Padlocks: Maintenance and Care Guide</p> <p>Comprehensive guide on lubricating Squire key-operated and combination padlocks. Learn essential maintenance steps for optimal performance and longevity of your Squire locks.</p>
	<p>Squire CP40, CP50, CP60 Combination Lock Recoding Instructions</p> <p>Step-by-step guide for setting and changing the combination code on Squire CP40, CP50, and CP60 locks. Includes visual descriptions and multilingual instructions.</p>

	<p>Squire Combination Padlock Recoding Instructions for SHCB75, SHCB65, CBW85</p> <p>Step-by-step guide on how to recode your Squire SHCB75, SHCB65, and CBW85 combination padlocks. Learn how to set a new personal combination for your lock with clear instructions and visual descriptions.</p>
	<p>Squire CP40, CP50 & CP60 Combination Padlock: How to Set Your Own Code</p> <p>Step-by-step instructions for setting a new personal combination code on Squire CP40, CP50, and CP60 combination padlocks. Includes model details and manufacturer contact information.</p>

Documents - Squire – CP40/2.5



[pdf]

Squire Combination Padlock 4 Wheel 40mm Extra Long Shackle 63mm S99 1115 mills ltd default product file id 17779 |||


Mills Limited Unit 2, Zodiac Business Park, High Road, Cowley Uxbridge UB8 2GU
 Contact us on: Comp ... m.html 29/10/2024 to pick. It comes with a 10 Year Guarantee. CRIMESTOPPERS endorsed. The Squire **CP40/2.5** Combination Padlock 4-Wheel 40mm Extra Long Shackle 63mm has a 4-wheel re-codeable combinat...
 lang:en score:23 filesize: 214.57 K page_count: 2 document date: 2024-10-29



[pdf]

Squire Combination Padlock 4 Wheel 40mm Extra Long Shackle 63mm S99 1115 mills ltd default product file id 17779 name |||

Mills Limited Unit 2, Zodiac Business Park, High Road, Cowley Uxbridge UB8 2GU
 Contact us on: Comp ... m.html 02/09/2024 to pick. It comes with a 10 Year Guarantee. CRIMESTOPPERS endorsed. The Squire **CP40/2.5** Combination Padlock 4-Wheel 40mm Extra Long Shackle 63mm has a 4-wheel re-codeable combinat...
 lang:en score:23 filesize: 214.57 K page_count: 2 document date: 2024-09-02



[\[pdf\]](#) Datasheet

Data Sheet Squire Combination Padlock 4 Wheel 40mm Extra Long Shackle 63mm Mills Ltd London s Leading Supplier Of Structured Cabling Specialist Tooling S99 1115 millstd default product file id 17779 name |||

Mills Limited Unit 2, Zodiac Business Park, High Road, Cowley Uxbridge UB8 2GU Contact us on: Tel: ... them very difficult to pick. It comes with a 10 Year Guarantee. CRIMESTOPPERS endorsed. The Squire **CP40/2.5** Combination Padlock 4-Wheel 40mm Extra Long Shackle 63mm has a 4-wheel recodeable combinati... lang:en score:22 filesize: 114.75 K page_count: 3 document date: 2023-09-09



[\[pdf\]](#)

Combi single pages flattened chosen cover cdr Kiran View Squire Straight Shackle Boron Steel Combination Padlock 5 Wheel CBW85 Locks squire combilock leaflet v 1718996048 cdn shopify s files 1 0031 7033 6817 |||

Combination Range A premium range of high performance combination locks Toughness guaranteed. SQUI ... le 60 33 10 29 22 5012245025750 100,000 BLISTER 3 CP50 CP50CS CP50/1.5 CP50/2.5 CP40 CP40CS **CP40/2.5** CP50 - 50mm CP50 CP50/1.5 CP50/2.5 CP50CS CP40 - 40mm CP40 **CP40/2.5** CP40CS CP30 - 30mm CP3... lang:en score:21 filesize: 2.32 M page_count: 16 document date: 2018-01-22



[\[pdf\]](#) Borchure Price List

SQUIRE PRICELIST 2025 pages 1 23 flattened single cdr Kiran Brochures Squire Locks UKsquire locks pricelist ukcdn shopify s files 0874 6926 1145 squire uk v 1743172885 ||| PRICELIST Squire price list reprint - Prices held from January 2023 www.squirelocks.co.uk New for ... AT 3 47.60 3 47.60 3 52.45 3 57.12 CP50/1.5 CP50/2.5 CP50/4 CP50 CP50CS CP40 CP40CS **CP40/2.5** CP50 - 50mm CP50 CP50 BX CP50/1.5 CP50/1.5 BX CP50/2.5 CP50/2.5 BX CP50/4 CP50CS CP40 - 40... lang:en score:20 filesize: 3.8 M page_count: 78 document date: 2025-01-22



[\[pdf\]](#) Borchure Catalog

cycle brochure 2025 part 1 cdr Kiran Brochures Squire Locks UKSquire Bike Brochurecdn shopify s files 0874 6926 1145 Brochure v 1743172943 ||| TOUGHNESS GUARANTEED BIKE LOCKS 2025 THE VERY BEST IN BICYCLE SECURITY DESIGNED FOR EVERY CYCLIST ... tured to the finest tolerances to ensure performance that you can rely on. 10 GENERAL SECURITY 42 **CP40/2.5** CP50/2.5 CP50/ATL/2.5 CP50/ATLO/2.5 CP40 CP50 CP40 CP50 COMBINATION PADLOCKS Hardene... lang:en score:18 filesize: 6.18 M page_count: 46 document date: 2025-02-19



[\[pdf\]](#) Tech Sheet Safety Datasheet

CP data Technical Sheet Combination Padlock Long Shackle Black 40mm24802541cdn s1 lyreco staticswebshop sds ENIR 24802541 ||| CP40 40mm die cast alloy lock body Dual compound weather resistant cover Double locking Hardene ... or outdoor use Squire security rating: Medium 10 year manufacturer guarantee Product Name CP40 **CP40/2.5** CP40CS Body Width 40 mm 40 mm 40 mm Body Height 45 mm 45 mm 65 mm Body Thickness 22 mm 2... lang:en score:16 filesize: 4.83 M page_count: 1 document date: 2025-06-06



[\[pdf\]](#) Borchure Catalog

squire pricelist 2020 SINGLE PAGE FLATTENED NO PRICES cdr Kiran catalogus media 01 imu nl storage eu sec 5267 |||

SQUIRE 1 Introduction 3 WORK HOME LEISURE 5 Packaging 7 WORK Introduction to WORK 9 ... ckle CP50 - 50mm CP50 CP50CS CP50/1.5 CP50/2.5 CP50 CP50/1.5 CP50/2.5 CP50CS CP40 - 40mm CP40 **CP40/2.5** CP40CS CP40 CP40CS **CP40/2.5** CP30 - 30mm CP30 5 HOME 50mm Combi Padlock - 4 wheel 5...

lang:en score:16 filesize: 15.3 M page_count: 82 document date: 2020-03-18

[\[pdf\]](#) Documentation Borchure

pages 1 17 single page flattened cdr Kiran years AWS CP50 ATL BX 2 5 50mm Combination Padlock 4 Wheel Protective Cover Shackle £34 66 173066 ironmongerydirect assets s3 amazonaws product documentation technical |||

240 YEARS OF LOCKMAKING EXCELLENCE PRICELIST 2021

www.squirelocks.co.uk 2 INTRODUCING SQUIRE We ... R BLISTER BLISTER BOX BLISTER 6 31.39 6 33.47 6 35.02 1 37.49 3 43.44 CP50 CP50CS CP40 CP40CS **CP40/2.5** CP40 - 40mm CP40 **CP40/2.5** CP40CS CP30 - 30mm CP30 4 HOME 40mm Combi Padlock - 4 wheel 4...

lang:en score:12 filesize: 8.03 M page_count: 86 document date: 2021-07-27

