

Manuals.plus /
› Squire /
› Squire Heavy Duty Padlock (CP40) - Toughest Steel Shackle - 4 Wheel Combination Padlock - Alloy Steel for Corrosion Resistance - Weatherproof Lock for Home, School & Garage (Blue, 40 mm) 4 Wheel 40 mm

Squire CP40

Squire CP40 Heavy Duty 4-Wheel Combination Padlock
Instruction Manual

Model: CP40 | Brand: Squire

INTRODUCTION

Thank you for choosing the Squire CP40 Heavy Duty 4-Wheel Combination Padlock. This manual provides essential information for the proper setup, operation, maintenance, and troubleshooting of your new padlock. Designed for robust security, the CP40 features a hardened steel shackle and a durable alloy steel body, making it suitable for various applications including toolboxes, school lockers, cabinet doors, storage containers, and sports equipment. For optimal performance and longevity, please read these instructions carefully before first use and retain them for future reference.

PRODUCT OVERVIEW






Image: Front view of the Squire CP40 Heavy Duty 4-Wheel Combination Padlock, showcasing its blue body, four combination wheels, and hardened steel shackle.

CP RANGE

CP 40



Can be coded
alike with other
range products



Push button
To provide easier
opening of lock



Hardened
steel shackle
Excellent anti-cut
resistance



Industrial design
For ease in dialing
combinations

@HOME

Image: Diagram highlighting key features of the CP40 padlock, including the hardened steel shackle, push button for opening, and industrial design for dialing combinations. It also notes that the lock can be coded alike with other range products.

Key Features:

- **Hardened Steel Shackle:** Provides excellent anti-cut resistance for enhanced security.
- **Four Large Combination Wheels:** Offers 10,000 possible combinations for high security and ease of use.
- **Exceptional Industrial Design:** Facilitates easy dialing of combinations.
- **Alloy Lock Body:** Measures 1 5/8 inches, ensuring durability and corrosion resistance.
- **Weatherproof Construction:** Designed to withstand various environmental conditions.

SETUP: SETTING YOUR COMBINATION

The Squire CP40 padlock comes with a factory preset combination, typically 0000. You can easily reset this to a personal combination of your choice. Follow these steps carefully:

1. Step 1: Open the Lock

Align the wheels to the current combination (factory default is 0000). Press the button on the bottom of the lock and

open the shackle. Unscrew the small screw located at the top of the lock, near the shackle base. This screw secures the shackle in place during the combination setting process.

2. Step 2: Set Your Desired Combination

With the shackle open and the screw unscrewed, press and hold the button at the bottom of the lock. While holding the button, move the combination wheels to your desired new code. Ensure the numbers are clearly aligned in the center.

3. Step 3: Secure the Lock

Release the button and fasten the screw again at the top of the lock. Do not overtighten the screw. Close the shackle firmly.

4. Step 4: Scramble the Wheels

Turn the wheels to hide your code. This secures the new combination.

5. Step 5: Test Your New Combination

Enter your new code into the lock and press the button at the bottom of the lock to ensure it opens correctly. If it does not open, repeat the setup process from Step 1.



Image: A visual guide illustrating the five steps to set or reset the combination on the Squire CP40 padlock, from opening the shackle and unscrewing the top screw to setting the new code and testing it.

Important: Remember your new combination. There is no master key or override for this lock.

OPERATING THE PADLOCK

Using your Squire CP40 padlock is straightforward once the combination is set.

To Open the Lock:

1. Rotate the combination wheels to align your personal 4-digit code in the center.
2. Press the release button located at the bottom of the lock body.
3. The shackle will spring open, allowing you to remove the lock.

To Close and Secure the Lock:

1. Insert the shackle back into the lock body.
2. Press the shackle down firmly until it clicks into place.
3. Scramble the combination wheels to a random set of numbers to secure the lock.



Image: A composite image showing the Squire CP40 padlock used in various common applications, including a home lock, garage lock, fence lock, and storage unit lock, demonstrating its versatility.

MAINTENANCE

The Squire CP40 padlock is designed for durability and weather resistance. Regular, simple maintenance can help ensure its smooth operation and extend its lifespan.

- **Cleaning:** Periodically wipe down the lock body and shackle with a clean, damp cloth to remove dirt, dust, and grime. Avoid abrasive cleaners.
- **Lubrication:** For optimal performance, especially in harsh or outdoor environments, apply a small amount of silicone-based lubricant or graphite powder to the shackle mechanism and combination wheels once or twice a year. This helps prevent corrosion and ensures smooth movement. Avoid oil-based lubricants as they can attract dirt.
- **Inspection:** Regularly inspect the shackle and lock body for any signs of damage, wear, or corrosion. If significant damage is observed, consider replacing the padlock to maintain security.

TROUBLESHOOTING

If you encounter issues with your Squire CP40 padlock, try the following solutions:

Problem	Possible Cause	Solution
Lock does not open with correct combination.	Numbers not perfectly aligned. Combination was accidentally changed. Internal mechanism is stiff or corroded.	Ensure each number is precisely centered in the window. Try previous combinations if you recently changed it. Apply lubricant to the wheels and shackle mechanism. Gently wiggle the shackle while pressing the release button.

Problem	Possible Cause	Solution
Shackle is stiff or difficult to close/open.	Dirt or debris in the mechanism.	Clean the lock thoroughly, especially around the shackle entry points and wheels.
	Lack of lubrication.	Apply a silicone-based lubricant or graphite powder.
	Corrosion due to exposure.	Ensure the shackle is fully inserted and aligned before attempting to close.
Combination wheels are hard to turn.	Accumulated dirt or grime.	Clean the wheels and the gaps between them.
	Lack of lubrication.	Apply a small amount of lubricant to the wheels.

SPECIFICATIONS

Attribute	Detail
Model Number	CP40
Brand	Squire
Lock Type	Combination Lock
Shackle Material	Hardened Steel
Body Material	Alloy Steel, Zinc
Number of Wheels	4
Combinations	10,000 (4-digit)
Dimensions (L x W x H)	0.87 x 1.57 x 4.53 inches
Item Weight	3.52 ounces (0.1 Kilograms)
Color	Blue
Special Features	Heavy Duty, Weatherproof

WARRANTY INFORMATION

Squire stands behind the quality of its products. The Squire CP40 Heavy Duty 4-Wheel Combination Padlock comes with a **10-year guarantee**.

We design our products to inspire confidence. With appropriate maintenance and normal use, we guarantee this product for 10 years from the date of purchase. This warranty covers defects in materials and workmanship under normal use. It does not cover damage resulting from misuse, abuse, unauthorized modification, or normal wear and tear. For warranty claims or further details, please refer to the official Squire website or contact customer support.

CUSTOMER SUPPORT

Should you require assistance, have questions, or need to report an issue with your Squire CP40 padlock, please contact Squire customer support.

- **Online Support:** Visit the official Squire website for FAQs, product information, and contact forms.
- **Brand Store:** You can also visit the [Squire Store on Amazon](#) for additional product details and support resources.

When contacting support, please have your product model (CP40) and purchase details ready to facilitate a quicker resolution.

OFFICIAL PRODUCT VIDEO

Watch the official product video for a visual guide on the features and toughness of the Squire CP40 padlock.

Your browser does not support the video tag.

Video: This video demonstrates the robust security features and durability of the Squire Heavy Duty Recodable Combination Padlock, including its resistance to various attack methods. It highlights the hardened steel shackle and recodable combination.

© 2024 Squire. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B0063CDMYU>

More documents and user manuals: <https://manuals.plus/>