

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [Elkay](#) /
- › [Elkay LZWSSM EZH2O Surface Mount Bottle Filling Station User Manual](#)

Elkay LZWSSM

Elkay LZWSSM EZH2O Surface Mount Bottle Filling Station User Manual

Brand: Elkay | Model: LZWSSM

PRODUCT OVERVIEW

The Elkay EZH2O Bottle Filling Station is designed to provide a clean and quick water bottle fill, promoting sustainability by reducing reliance on disposable plastic bottles. Its surface mount design is ideal for installations with limited wall depth. The unit features sanitary no-touch sensor activation with an automatic 20-second shut-off timer.

KEY FEATURES

- Touchless, sensor-activated design for use in limited wall depth applications.
- Fill rate is 1.5 GPM.
- Visual filter monitor with LED filter status indicator for when filter change is necessary.
- The 3,000-gallon filter is certified to NSF 42 and 53 for lead, Class 1 particulate, chlorine, taste and reduction.
- Green Ticker informs user of number of 20 oz. plastic water bottles saved from waste.
- Able to pair with a remote chiller.
- Laminar flow provides clean fill with minimal splash.
- Silver ion protection on key plastic components to inhibit the growth of.
- Real drain system eliminates standing water.
- Rated for indoor use.

SETUP AND INSTALLATION

Proper installation is crucial for the optimal performance and longevity of your Elkay EZH2O Bottle Filling Station. For detailed instructions, please refer to the official [Installation Manual \(PDF\)](#).

Requirements

- Water Line Connection
- Drain Connection
- 115 Volts Power Source (Corded Electric)

Physical Installation

The unit is designed for surface mounting, making it suitable for locations with limited wall depth. Ensure the mounting surface is sturdy and capable of supporting the unit's weight (approximately 27 pounds).



Front view of the Elkay EZH2O bottle filling station, showcasing its sleek stainless steel design and integrated bottle filling area.



Side view of the Elkay EZH2O bottle filling station with key dimensions: 25.44 inches height, 17.94 inches width, and 8.19 inches depth.

OPERATING INSTRUCTIONS

Bottle Filling

To fill your bottle, simply place it under the dispenser. The no-touch sensor will detect the bottle and automatically activate the water flow. The unit features a laminar flow, ensuring a clean fill with minimal splashing. Water flow will automatically stop after 20 seconds or when the bottle is removed.

Green Ticker

The integrated Green Ticker display tracks the number of 20 oz. plastic water bottles saved from waste, promoting environmental awareness and encouraging refilling.

Your browser does not support the video tag.

Demonstration of the Elkay EZH2O bottle filling station's sensor activation and the 'Bottles Saved' counter in action.

Your browser does not support the video tag.

A review highlighting the ease of use and features of the Elkay bottle filling station, including its sensor and drain system.

MAINTENANCE

Filter Status

The unit is equipped with a visual filter monitor and LED status indicator. A green light indicates the filter is good, while other colors (e.g., yellow or red) will signal when a filter change is necessary. The 3,000-gallon filter is certified to NSF 42 and 53 for lead, Class 1 particulate, chlorine, taste, and odor reduction.

Cleaning

Regular cleaning of the stainless steel surfaces and the drain system is recommended to maintain hygiene and appearance. The real drain system is designed to eliminate standing water, reducing the potential for bacterial growth. Use mild soap and water with a soft cloth for cleaning. Avoid abrasive cleaners.

TROUBLESHOOTING

- **No Water Flow:** Check power supply, ensure the unit is plugged in, and verify the water supply is turned on. Ensure no obstructions are blocking the sensor.
- **Slow Water Flow:** This may indicate a clogged filter. Check the filter status indicator and replace the filter if necessary.
- **Leaking:** Inspect all water connections for tightness. If leaking persists, consult the installation manual or a qualified plumber.
- **Filter Status Light:** If the filter light indicates a change is needed, replace the filter promptly to ensure continued water quality.

For issues not covered here, please refer to the detailed troubleshooting section in the official installation manual or contact Elkay customer support.

SPECIFICATIONS

Attribute	Value
Color	Stainless Steel
Material	Stainless Steel
Capacity	3000 Gallons (Filter)
Brand	Elkay
Product Dimensions	8.19"D x 17.94"W x 25.44"H
Style	Bottle Filling Station
Weight	27 Pounds
Installation Type	Surface Mount (On Wall)

Power Source	Corded Electric
Voltage	115 Volts
Part Number	LZWSSM
Special Features	NSF certified, Chlorine Reduction

WARRANTY AND SUPPORT

For specific warranty information and technical support, please refer to the documentation provided with your product or visit the official Elkay website. Elkay offers various protection plans for extended coverage, which can be found on the product's purchase page.

