

SOMMER Duo Vision 800

Sommer Duo Vision 800 Garage Door Motor with Rail User Manual

Brand: SOMMER | Model: Duo Vision 800

1. INTRODUCTION

This manual provides essential instructions for the safe and efficient installation, operation, and maintenance of your Sommer Duo Vision 800 Garage Door Motor with Rail. Please read this manual thoroughly before beginning any procedures to ensure proper functionality and to prevent potential hazards.

Important Safety Information: Always prioritize safety. Disconnect power before performing any maintenance or installation. Ensure all moving parts are clear during operation. Keep children and pets away from the garage door area.

2. PRODUCT OVERVIEW

The Sommer Duo Vision 800 is a robust garage door motor system designed for reliable and quiet operation. It includes a motor unit, a rail system, and remote controls for convenient access.



Image 1: Overview of the Sommer Duo Vision 800 system, including the motor, rail, and two remote controls.

Key Features:

- Rail unit with a travel length of 2600 mm, suitable for garage doors up to 2.6 meters high.
- Integrated push button on the motor housing for manual operation.
- Includes a stainless steel Design 4 (4020) handheld transmitter for remote control.
- Integral radio receiver (FM 868.8 MHz) with 112 memory slots.
- Pluggable, service-friendly motor control unit.
- Obstacle detection: The door reverses when meeting an obstacle.
- Dynamic Power System (DPS) reads required force automatically, adjusting to changing external conditions for safety.
- Controlled soft run for smooth and quiet operation.




Image 2: Diagram illustrating the track unit, control unit, and ceiling mounting unit with their respective features.

3. SETUP AND INSTALLATION

Assembly of the Sommer Duo Vision 800 is required. It is recommended that installation be performed by a qualified professional to ensure safety and correct operation. The system is designed for various mounting configurations.

Installation Steps (General):

1. **Prepare the Garage Door:** Ensure the garage door is in good working condition, balanced, and moves freely.
2. **Assemble the Rail Unit:** Connect the rail sections according to the included hardware. The rail unit has a travel length of 2600 mm.
3. **Mount the Motor Unit:** Secure the motor unit to the rail.
4. **Install the Rail System:** Attach the assembled rail system to the garage ceiling or header, ensuring it is level and securely fastened. Various mounting options are available (see Image 3).
5. **Connect the Door Arm:** Attach the door arm from the trolley to the garage door.
6. **Electrical Connection:** Connect the motor unit to a grounded power outlet.
7. **Limit Switch Adjustment:** Program the open and close limits of the garage door.
8. **Remote Control Pairing:** Pair the handheld transmitters with the motor unit.



Image 3: Examples of various mounting configurations for the Sommer Duo Vision 800, including rear, ceiling, front, and direct track mounting.



Image 4: Close-up view of the Sommer Duo Vision 800 motor unit.



Image 5: Individual components of the rail system, including the track and wiring.

4. OPERATING INSTRUCTIONS

The Sommer Duo Vision 800 offers convenient operation via handheld transmitters and an integrated push button.

Using the Handheld Transmitter:



Image 6: The stainless steel Design 4 (4020) handheld transmitter.

- Press the designated button on the transmitter to open or close the garage door.

- Pressing the button again during door movement will stop the door.
- The system features obstacle detection; if the door encounters an obstruction, it will reverse to prevent damage or injury.

Using the Integrated Push Button:



Image 7: The wall-mounted control unit, which includes an integrated push button for manual operation.

- A push button is integrated directly on the motor housing for convenient manual operation from inside the garage.
- Press the button to initiate door movement (open or close).
- Pressing the button again during door movement will stop the door.

5. MAINTENANCE

Regular maintenance ensures the longevity and safe operation of your garage door motor. Perform these checks periodically:

- **Monthly:** Inspect the garage door for proper balance and smooth operation. Lubricate rollers, hinges, and springs as recommended by your garage door manufacturer.
- **Quarterly:** Check the motor unit and rail for any loose fasteners or signs of wear. Ensure the safety reversal system is functioning correctly by placing an object in the door's path.
- **Annually:** Have a qualified technician perform a comprehensive inspection and service.

Always disconnect power to the unit before performing any maintenance.

6. TROUBLESHOOTING

If your Sommer Duo Vision 800 is not functioning as expected, consider the following common issues:

- **Door does not move:** Check if the unit is plugged in and receiving power. Ensure the safety sensors are aligned and unobstructed. Verify remote control battery.
- **Door reverses unexpectedly:** This indicates the safety reversal system is active. Check for obstructions in the door's path or issues with the safety sensors. The door force settings might need adjustment by a professional.
- **Remote control not working:** Replace the battery in the handheld transmitter. Re-pair the remote control with the motor unit if necessary (refer to the detailed pairing instructions in the full product manual).
- **Unusual noises:** Inspect the rail and moving parts for any obstructions or worn components. Lubricate as

needed. If the noise persists, contact a service technician.

For complex issues, it is recommended to consult a qualified garage door technician.





7. SPECIFICATIONS


Specification	Detail
Brand	SOMMER
Model Number	3020V000
Manufacturer	Sommer
Item Weight	16 Kilograms
Material	Metal
Color	Wood (referring to aesthetic, actual unit is metal)
Style	Modern
Quantity	1
Assembly Required	Yes
Batteries Included	No
Batteries Required	No (for main unit, remotes require batteries)
Spare Parts Availability	Information unavailable

8. WARRANTY AND SUPPORT

Specific warranty details for the Sommer Duo Vision 800 Garage Door Motor with Rail are not provided in this document. Please retain your proof of purchase and contact your retailer or the manufacturer directly for information regarding warranty coverage and support services.

For technical assistance or to purchase replacement parts, please refer to the contact information provided with your product packaging or visit the official SOMMER website.

 duo vision 500, 650, 800 duo rapido 650 D	SOMMER duo vision / rapido Garagentorantrieb Montage- und Betriebsanleitung Umfassende Montage- und Betriebsanleitung für SOMMER duo vision 500, 650, 800 und duo rapido 650 Garagentorantriebe. Enthält Installationsschritte, Bedienungshinweise und Wartungstipps.
 twist 200 E S	SOMMER twist 200 E Gate Opener Manual Comprehensive installation, operation, and maintenance manual for the SOMMER twist 200 E gate opener system, providing detailed instructions and safety information.
	SOMMER Garage Door Opener Carriage Installation & Disassembly Guide Official guide from SOMMER for the installation and disassembly of their garage door opener carriage, covering models S 9050, S 9060, S 9080, S 9110, A 550 L, and A 800 XL. Includes manufacturer details and highlights the visual nature of the original guide.
	SOMMER Plug & Play Accu Battery Pack: Installation and Safety Guide Official installation and safety guide for the SOMMER Plug & Play Accu battery pack (Art. No. S10523-00002). Provides technical specifications, usage notes, and safety warnings for NiMH 24V 700mAh battery, ensuring emergency power for SOMMER gate systems.
	SOMMER Wallstation Installation Manual Installation guide for the SOMMER Wallstation, compatible with various SOMMER garage door opener models. Includes setup instructions and technical specifications.
	SOMMER Wallstation Installation Manual and Guide Comprehensive installation guide for the SOMMER Wallstation, detailing setup, wiring, operation, and compatibility with SOMMER garage door opener systems. Includes product specifications and operational instructions.




[\[pdf\]](#) Instructions Dimension Guide Declaration of Conformity

Assembly Instructions Garázskapu meghajtások duo vision 800 SOMMER rapido EN sommer eu

Downloads Montageanleitung Archiv Garagentorantriebe |||

duo vision 500, 650, 800 duo rapido 650 EN Installation and Operating Instructions 1 - 30 46758V0 ... ax.22,5 35 30 3240 /3640 /4040 245 115 max. 214 252 375 2600 3000 / 3400 176 300 120 150 90 **duo vision 800** max.22,5 35 30 3240 /3640 /4040 270 125 375 2600 3000 / 3400 176 max. 214 252 ...

lang:it **score:36** filesize: 5.62 M page_count: 30 document date: 2024-09-02




[\[pdf\]](#) User Manual Instructions Dimension Guide Declaration of Conformity Accessories

Provided by ManualsAndMore Download User Manual HomeLink duo vision 500 Installation And Operating Instructions manualsandmore |||

duo vision 500, duo vision 650, **duo vision 800** Installation and operating instructions 1 - 22 46653V001-512007-0-OCE-Rev.B Contents General information 2 Symbols 2 Safety instructions 2 Normal use 2 Maximum door dimensions * 3 Tec...

lang:en **score:34** filesize: 3.23 M page_count: 24 document date: 2019-07-23



[Meross MSG200 Smart Garage Door Opener Compatibility Guide](#)

Find compatible garage door openers for your Meross MSG200 Smart Garage Door Opener with this comprehensive compatibility table. Lists numerous brands and models, noting accessory requirements.


lang:en **score:24** filesize: 914.01 K page_count: 43 document date: 2022-07-26

Compatible List - ES06567G		
No.	manufacturer	model
1	APC	CB-56142
2	APC	CB-56114
3	APC	CB-56115, 56116
4	APC	CB-56117
5	APC	CB-56118
6	APC	CB-56119
7	APC	CB-56120
8	APC	CB-56121
9	APC	CB-56122
10	APC	CB-56123
11	APC	CB-56124
12	APC	CB-56125
13	APC	CB-56126
14	APC	CB-56127
15	APC	CB-56128
16	APC	CB-56129
17	APC	CB-56130
18	APC	CB-56131
19	APC	CB-56132
20	APC	CB-56133
21	APC	CB-56134
22	APC	CB-56135
23	APC	CB-56136
24	APC	CB-56137
25	APC	CB-56138
26	APC	CB-56139
27	APC	CB-56140

ES06567G Compatible Models and Manufacturers List

This document provides a comprehensive list of compatible manufacturers and models for the ES06567G system. Find compatible accessories and parts for your ES06567G.

lang:es **score:23** filesize: 491.28 K page_count: 49 document date: 2021-02-26



[pdf] User Manual Instructions Dimension Guide Declaration of Conformity Accessories

duo vision 46653V001 092007 0 OCE RevA GB Bernd Drienko Sommmmer DUO manual Sommer DUO500 235 Eurolaikas Duo 500 650 800 en vartai eu userfiles Garazo |||

duo vision 500, duo vision 650, **duo vision 800** Installation and operating instructions 1 - 22 46653V001-512007-0-OCE-Rev.B Contents General information 2 Symbols 2 Safety instructions 2 Normal use 2 Maximum door dimensions * 3 Tec...

lang:en **score:22** filesize: 3.21 M page_count: 24 document date: 2007-12-21

Compatibility Table

MSG100-Lomota
Smart Garage Door Opener
(Updated on Jul 2nd, 2021)

Lomota MSG100-Lomota Smart Garage Door Opener Compatibility Table

Find compatible garage door openers for the Lomota MSG100-Lomota Smart Garage Door Opener. This guide lists brands and models to ensure seamless integration.


lang:en **score:21** filesize: 1.5 M page_count: 43 document date: 2021-07-14



[Smart Garage Door Opener User Guide and Compatibility List](#)

Comprehensive user guide and compatibility table for Meross Smart Garage Door Openers, detailing compatibility with numerous brands and models. Learn how to ensure your garage door opener works with Meross devices.

lang:en **score:21** filesize: 2.39 M page_count: 47 document date: 2024-07-22



[pdf]

46758V007 282012 0 OCE Rev A HU indd Szerelési útmutató Garázska pu meghajtások duo vision 800

SOMMER x rapido sommer eu Downloads Montageanleitung Archiv Garagentorantriebe |||

duo vision 500, 650, 800 duo rapido 650 H Szerelsi s zemeltetsi tmutat 1 - 30 H

46758V007-282012 ... ax.22,5 35 30 3240 /3640 /4040 245 115 max. 214 252 375

2600 3000 / 3400 176 300 120 150 90 **duo vision 800** max.22,5 35 30 3240 /3640

/4040 270 125 375 2600 3000 / 3400 176 max. 214 252 ...


lang:da **score:21** filesize: 6.64 M page_count: 30 document date: 2012-07-11



[Refoss RSG200 Smart Garage Door Opener Compatibility Table](#)

A comprehensive compatibility table for the Refoss RSG200 Smart Garage Door Opener, listing compatible manufacturers and models.


lang:en **score:20** filesize: 1.28 M page_count: 42 document date: 2021-07-14



[MSG200 Smart Garage Door Opener Compatibility Table](#)

Find compatibility information for the MSG200 Smart Garage Door Opener with various garage door opener brands and models. This guide lists compatible manufacturers and models to ensure seamless integration.

lang:en **score:20** filesize: 911.57 K page_count: 43 document date: 2021-07-03



[pdf]

46758V024 192013 0 OCE Rev A HR indd Szerelési útmutató Garázskapu meghajtások duo vision 800

SOMMER x rapido 46758V029 382011 sommer eu Downloads Montageanleitung Archiv

Garagentorantriebe |||

duo vision 500, 650, 800 duo rapido 650 Upute za montazu i uporabu 1 - 30

46758V024-192013-0-O ... ax.22,5 35 30 3240 /3640 /4040 245 115 max. 214 252

375 2600 3000 / 3400 176 300 120 150 90 **duo vision 800** max.22,5 35 30 3240

/3640 /4040 270 125 375 2600 3000 / 3400 176 max. 214 252 ...

lang:hr **score:20** filesize: 6.01 M page_count: 30 document date: 2015-04-01



[Meross MSG100 Smart Garage Door Opener User Guide and Compatibility](#)

Explore the Meross MSG100 Smart Garage Door Opener. This user guide provides essential setup information and a detailed compatibility table to ensure seamless integration with a wide range of garage door opener brands and models. Discover if your opener is compatible and learn about any necessary accessories.

lang:en **score:20** filesize: 2.39 M page_count: 47 document date: 2024-07-05

Konformitätserklärung

SOMMER

SOMMER Antrieb- und Funktechnik GmbH
Hans - Bckler - Straße 21 - 27
73230 Kirchheim unter Teck
Deutschland

erklärt hiermit, dass die Tieranlage, bestehend aus:
Hersteller: Roma Tier: Silento 2

In Verbindung mit den von SOMMER Antrieb- und Funktechnik GmbH hergestellten Tiersteinen:
S 9000 base / base, pro / pro+, S 9000 base / base, pro / pro+, tiga / tiga, S9000 base / base, pro / pro+, S9110 base / base, pro / pro+, tiga / tiga, Aperto A 400 S / Aperto A550 L, Aperto A 800 XL ;
das vision 800 standard das vision 650 X-Box standard with Akku das vision 800 standard das vision 800 X-Box standard with Akku, das vision 500, sprint 550SL/800SL, marathon 550SL/800SL tiga 800 S L V, aperto 868L V/868L / base line.

den Anforderungen der folgenden Richtlinien entspricht:
- Maschinenrichtlinie 2006/42/EG
- Niederspannungsrichtlinie 2014/53/EU
- Richtlinie für elektromagnetische Verträglichkeit 2014/53/EU
- RoHS Richtlinie 2011/65/EG

Folgende Normen wurden angewandt:
- EN ISO 13849-1, PL „C“ Cat. 2 Sicherheit von Maschinen: Sicherheitsbezogene Teile von Steuerungen
- Teil 1: Allgemeine Bestallungsregeln
- EN 60335-1, soweit anwendbar Sicherheit von elektr. Geräten
- EN 61010-2-2 Elektrische Sicherheit (EMV) - Strahlungsemission
- EN 61010-2-2 Elektrische Sicherheit (EMV) - Störfestigkeit
- EN 12047 Teil 1: Produkttypen
- EN 12463 Nutzungssicherheit (unfallbedingter Ton)

Technische Angaben zum für die Prüfung verwendeten Tier und Informationen zum Prüfdatum, das die Prüfung durchgeführt hat, sind dem Zertifikat der Zertifizierung mit der Nummer / den Nummern 2019/0731 zu entnehmen.
Die Einhaltung der zutreffenden Betriebsvorschriften werden vom Hersteller durch Mischung überprüft.
Der Zusammenbau erfolgt unter Berücksichtigung der mitgelieferten Montage- und Betriebsanleitungen und der einschlägigen Vorschriften.
Bevollmächtigter für die Zusammenstellung der technischen Unterlagen ist der Unterszeichner:

Kirschheim, Dalmira, Zertifikat


Zachar Lohr
Dokumentationsverantwortlicher

[pdf]

Roma Silento 2 sommer eu files |||

Konformittserklrung SOMMER Antriebs- und Funktechnik GmbH Hans - Bckler -

Strae 21 - 27 73230 Kirch ... / Aperto A550 L; Aperto A 800 XL ; duo vision 650

standard duo vision 650 X-Box standard with Akku.**duo vision 800** standard **duo**

vision 800 X-Box standard with Akku. duo vision 500, sprint 550SL/800SL,...

lang:de **score:19** filesize: 155.8 K page_count: 1 document date: 2019-07-31

Konformitätserklärung

SOMMER

SOMMER Antrieb- und Funktechnik GmbH
Hans - Bckler - Straße 21 - 27
73230 Kirchheim unter Teck
Deutschland

erklärt hiermit, dass die Tieranlage, bestehend aus:
Hersteller: GO Tier Modell Matricola 548

In Verbindung mit den von SOMMER Antrieb- und Funktechnik GmbH hergestellten Tiersteinen:
S 9000 base / base, pro / pro+, S 9000 base / base, pro / pro+, tiga / tiga, S9000 base / base, pro / pro+, S9110 base / base, pro / pro+, tiga / tiga, Aperto A 400 S / Aperto A550 L, Aperto A 800 XL ;
das vision 800/650SL, duo rapid 800, sprint 800SL/550SL, sprint evolution 550/800, aperto 868LX/868L / base line, marathon 800SL tiga 800SL tiga 800SL V/550SL.

den Anforderungen der folgenden Richtlinien entspricht:
- Maschinenrichtlinie 2006/42/EG
- Niederspannungsrichtlinie 2014/53/EU
- Richtlinie für elektromagnetische Verträglichkeit 2014/53/EU
- RoHS Richtlinie 2011/65/EG

Folgende Normen wurden angewandt:
- EN ISO 13849-1, PL „C“ Cat. 2 Sicherheit von Maschinen: Sicherheitsbezogene Teile von Steuerungen
- Teil 1: Allgemeine Bestallungsregeln
- EN 60335-1, soweit anwendbar Sicherheit von elektr. Geräten
- EN 61010-2-2 Elektrische Sicherheit (EMV) - Strahlungsemission
- EN 61010-2-2 Elektrische Sicherheit (EMV) - Störfestigkeit
- EN 12047 Teil 1: Produkttypen
- EN 12463 Nutzungssicherheit (unfallbedingter Ton)

Technische Angaben zum für die Prüfung verwendeten Tier und Informationen zum Prüfdatum, das die Prüfung durchgeführt hat, sind dem Zertifikat der Zertifizierung mit der Nummer / den Nummern 2408/2417 zu entnehmen.
Die Einhaltung der zutreffenden Betriebsvorschriften werden vom Hersteller durch Mischung überprüft.
Der Zusammenbau erfolgt unter Berücksichtigung der mitgelieferten Montage- und Betriebsanleitungen und der einschlägigen Vorschriften.
Bevollmächtigter für die Zusammenstellung der technischen Unterlagen ist der Unterszeichner:

Kirschheim, Dalmira, Zertifikat


Zachar Lohr
Dokumentationsverantwortlicher

[pdf]

GO Modell Matricola 548 sommer eu files |||

Konformittserklrung SOMMER Antriebs- und Funktechnik GmbH Hans - Bckler -

Strae 21 - 27 73230 Kirchh ... o ; S9110 base / base , pro / pro , tiga / tiga ; Aperto A

400 S / Aperto A550 L; Aperto A 800 XL ; **duo vision 800** 650/500, duo rapid 650,

sprint 800SL/550SL, sprint evolution 550/800, aperto 868LX/ 8...

lang:de **score:19** filesize: 155.8 K page_count: 1 document date: 2019-07-31

Konformitätserklärung

SOMMER

SOMMER Antrieb- und Funktechnik GmbH
Hans - Bckler - Straße 21 - 27
73230 Kirchheim unter Teck
Deutschland

erklärt hiermit, dass die Tieranlage, bestehend aus:
Hersteller: Gabia Metal Tier: Acanalada Blanca

In Verbindung mit den von SOMMER Antrieb- und Funktechnik GmbH hergestellten Tiersteinen:
S 9000 base / base, pro / pro+, S 9000 base / base, pro / pro+, tiga / tiga, S9000 base / base, pro / pro+, S9110 base / base, pro / pro+, tiga / tiga, Aperto A 400 S / Aperto A550 L, Aperto A 800 XL ;
das vision 800/650SL, duo rapid 800, sprint 800SL/550SL, sprint evolution 550/800, aperto 868LX/868L / base line, marathon 800SL tiga 800SL tiga 800SL V/550SL.

den Anforderungen der folgenden Richtlinien entspricht:
- Maschinenrichtlinie 2006/42/EG
- Niederspannungsrichtlinie 2014/53/EU
- Richtlinie für elektromagnetische Verträglichkeit 2014/53/EU
- RoHS Richtlinie 2011/65/EG

Folgende Normen wurden angewandt:
- EN ISO 13849-1, PL „C“ Cat. 2 Sicherheit von Maschinen: Sicherheitsbezogene Teile von Steuerungen
- Teil 1: Allgemeine Bestallungsregeln
- EN 60335-1, soweit anwendbar Sicherheit von elektr. Geräten
- EN 61010-2-2 Elektrische Sicherheit (EMV) - Strahlungsemission
- EN 61010-2-2 Elektrische Sicherheit (EMV) - Störfestigkeit
- EN 12047 Teil 1: Produkttypen
- EN 12463 Nutzungssicherheit (unfallbedingter Ton)

Technische Angaben zum für die Prüfung verwendeten Tier und Informationen zum Prüfdatum, das die Prüfung durchgeführt hat, sind dem Zertifikat der Zertifizierung mit der Nummer / den Nummern 2408/2097 zu entnehmen.
Die Einhaltung der zutreffenden Betriebsvorschriften werden vom Hersteller durch Mischung überprüft.
Der Zusammenbau erfolgt unter Berücksichtigung der mitgelieferten Montage- und Betriebsanleitungen und der einschlägigen Vorschriften.
Bevollmächtigter für die Zusammenstellung der technischen Unterlagen ist der Unterszeichner:

Kirschheim, Dalmira, Zertifikat


Zachar Lohr
Dokumentationsverantwortlicher

[pdf]

Gabia Metal Acanalada Blanca sommer eu files |||

Konformittserklrung SOMMER Antriebs- und Funktechnik GmbH Hans - Bckler -

Strae 21 - 27 73230 Kirch ... o ; S9110 base / base , pro / pro , tiga / tiga ; Aperto A

400 S / Aperto A550 L; Aperto A 800 XL ; **duo vision 800** 650/500, duo rapid 650,

sprint 800SL/550SL, sprint evolution 550/800, aperto 868LX/ 8...

lang:de **score:19** filesize: 155.82 K page_count: 1 document date: 2019-07-31



lang:de score:19 filesize: 155.82 K page_count: 1 document date: 2019-07-31



DOCO International BV Beschlagset EXS40R sommer eu files ||

Konformitätserklärung SOMMER Antriebs- und Funktechnik GmbH Hans - Bckler -

Strae 21 - 27 73230 Kirchh ... o ; S9110 base / base , pro / pro , tiga / tiga ; Aperto A
400 S / Aperto A550 L; Aperto A 800 XL ; **duo vision 800** 650/500, duo rapid 650,
sprint 800SL/550SL, sprint evolution 550/800, aperto 868LX/ 8...

lang:de score:19 filesize: 155.89 K page count: 1 document date: 2019-07-31



DOCO International BV Beschlagset SF200 sommer eu files ||

Konformitätserklärung SOMMER Antriebs- und Funktechnik GmbH Hans - Bckler -

Strae 21 - 27 73230 Kirchh ... o ; S9110 base / base , pro / pro , tiga / tiga ; Aperto A
400 S / Aperto A550 L; Aperto A 800 XL ; **duo vision 800** 650/500, duo rapid 650,
sprint 800SL/550SL, sprint evolution 550/800, aperto 868LX/ 8...

lang:de score:19 filesize: 155.89 K page count: 1 document date: 2019-07-31



DOCO International BV Beschlagset EXS70 sommer eu files ||

Konformitätserklärung SOMMER Antriebs- und Funktechnik GmbH Hans - Bckler -

Strae 21 - 27 73230 Kirchh ... o ; S9110 base / base , pro / pro , tiga / tiga ; Aperto A
400 S / Aperto A550 L; Aperto A 800 XL ; **duo vision 800** 650/500, duo rapid 650,
sprint 800SL/550SL, sprint evolution 550/800, aperto 868LX/ 8...

lang:de score:19 filesize: 155.88 K page count: 1 document date: 2019-07-31



[pdf]

DOCO International BV Beschlagset SRR70 sommer eu files |||

Konformittserklrung SOMMER Antriebs- und Funktechnik GmbH Hans - Bckler - Strae 21 - 27 73230 Kirchh ... o ; S9110 base / base , pro / pro , tiga / tiga ; Aperto A 400 S / Aperto A550 L; Aperto A 800 XL ; **duo vision 800** 650/500, duo rapid 650, sprint 800SL/550SL, sprint evolution 550/800, aperto 868LX/ 8... lang:de **score:19** filesize: 155.89 K page_count: 1 document date: 2019-07-31



[pdf]

DOCO International BV Beschlagset SFR200 sommer eu files |||

Konformittserklrung SOMMER Antriebs- und Funktechnik GmbH Hans - Bckler - Strae 21 - 27 73230 Kirchh ... o ; S9110 base / base , pro / pro , tiga / tiga ; Aperto A 400 S / Aperto A550 L; Aperto A 800 XL ; **duo vision 800** 650/500, duo rapid 650, sprint 800SL/550SL, sprint evolution 550/800, aperto 868LX/ 8... lang:de **score:19** filesize: 155.86 K page_count: 1 document date: 2019-07-31



[pdf]

Groke My Door S XL sommer eu files |||

Konformittserklrung SOMMER Antriebs- und Funktechnik GmbH Hans - Bckler - Strae 21 - 27 73230 Kirch ... o ; S9110 base / base , pro / pro , tiga / tiga ; Aperto A 400 S / Aperto A550 L; Aperto A 800 XL ; **duo vision 800** 650/500, duo rapid 650, sprint 800SL/550SL, sprint evolution 550/800, aperto 868LX/ 8... lang:de **score:19** filesize: 155.83 K page_count: 1 document date: 2019-07-31



[pdf]

DOCO International BV Tor Beschlagset REN70 sommer eu files |||

Konformitätserklärung SOMMER Antriebs- und Funktechnik GmbH Hans - Bckler -

Strae 21 - 27 73230 Kirchh ... o ; S9110 base / base , pro / pro , tiga / tiga ; Aperto A

400 S / Aperto A550 L; Aperto A 800 XL ; **duo vision 800** 650/500, duo rapid 650,

sprint 800SL/550SL, sprint evolution 550/800, aperto 868LX/ 8...

lang:de score:18 filesize: 155.88 K page_count: 1 document date: 2019-07-31



[SOMMER duo vision Garage Door Operator System](#)

Discover the SOMMER duo vision garage door operator system, a classic solution with a separate control unit. Learn about its benefits, operator and track unit options, and detailed technical specifications for various door types and sizes.

lang:en score:18 filesize: 399.97 K page_count: 2 document date: 2015-10-29



[pdf]

Hoermann One piece overhead door ET 500 sommer eu files |||

Konformitätserklärung SOMMER Antriebs- und Funktechnik GmbH Hans - Bckler -

Strae 21 - 27 73230 Kirchh ... thon 1100SL/ 800SL, marathon tiga 1100SL/1100SLX/

800SL/800SLX, sprint 800SL, sprint evolution 800, **duo vision 800**, aperto 868LX

den Anforderungen der folgenden Richtlinien entspricht: Maschinenrich...

lang:de score:18 filesize: 155.69 K page_count: 1 document date: 2019-07-31

Compatibility Table

RSG100
Smart Garage Door Opener

[Refoss RSG100 Smart Garage Door Opener Compatibility Guide](#)

Check if your existing garage door opener is compatible with the Refoss RSG100 smart opener. This guide provides compatibility information for numerous brands and models.

lang:en **score:18** filesize: 1012.39 K page_count: 40 document date: 2019-10-11

Compatibility Table

MSG100
Smart Garage Door Opener
(Updated on Jul 2nd, 2021)

[Meross MSG100 Smart Garage Door Opener Compatibility Guide](#)

Find compatible garage door openers for your Meross MSG100 Smart Garage Door Opener. This comprehensive guide lists manufacturers and models to ensure seamless integration.

lang:en **score:18** filesize: 2.23 M page_count: 43 document date: 2021-07-14

duo vision

Un classique, avec boîtier de commande déporté



Avantages :

- Seul le montage mural du boîtier de commande déporté, l'antenne et le fonctionnement se font à distance dans la zone de la porte de votre garage
- Le boîtier de commande déporté l'activation d'une prise de courant supplémentaire, ce qui permet d'être plus silencieux, une prise de courant externe peut être utilisée
- Protection contre les accidents grâce à la mesure des valeurs de force
- Réception des données par GPS (Système de Positionnement)
- Reconnaitement pour véhicules particuliers, bus, camion, etc.
- Universelle, sans entretien, installé sur une vis ou un clou
- Unité de rail de roulement disponible en trois dimensions : 500 / 650 / 800 mm
- Boîtier déporté en forme de trapèze, sans partie de force

Unité d'entraînement

- en acier
- avec course de 500 mm
- en acier
- avec course de 650 mm
- en acier
- avec course de 800 mm

Unité de rail de roulement

- en acier
- avec course de 2.600 mm
- en acier
- avec course de 3.000 mm
- en acier
- avec course de 3.400 mm



Ne pas installer l'unité d'entraînement sur une surface de montage en bois ou en métal.

Unité d'entraînement

- en acier
- avec course de 500 mm
- en acier
- avec course de 650 mm
- en acier
- avec course de 800 mm

Unité de rail de roulement

- en acier
- avec course de 2.600 mm
- en acier
- avec course de 3.000 mm
- en acier
- avec course de 3.400 mm



Ne pas installer l'unité d'entraînement sur une surface de montage en bois ou en métal.

[\[pdf\]](#)

duo vision 3000V000 3010V000 3020V000 fr sommer eu files |||

duo vision Un classique, avec boîtier de commande dport Avantages : Pour le montage mural du boîtier ... sans perte de force unit d entrainment #3000V000 duo vision 500 #3010V000 duo vision 650 #3020V000 **duo vision 800** unit de rail de roulement #1890V000 avec course de 2.600 mm #1891V000 avec course de ...
lang:fr **score:17** filesize: 240.31 K page_count: 2 document date: 2015-10-29



[\[pdf\]](#) Accessories

Garage door operators Torautomation24 The gate from SOMMER are not only optimised for commissioning and daily use but also the connection of countless accessories MOVING THE HEAVIEST EN sommer base pro data torautomation24 de documents |||

Garage door operators Reliable and convenient access in the garage About SOMMER 2 About SOMMER ... Power consumption standby Number of radio memory positions - 7 W 112 duo vision 650 #3010V000 **duo vision 800** #3020V000 5,000 mm/2,350 mm 5,000 mm/2,600 mm 4,000 mm/1,900 mm 2,350 mm/3,000 mm 2,...

lang:en **score:17** filesize: 3.64 M page_count: 24 document date: 2016-07-07



[\[pdf\]](#)

Gesamtkatalog SOMMER Antriebs und Funktechnik GmbH DE sommer eu files |||

Deutschland Gesamtkatalog Service-Hotline WEEE-Richtlinie Sie haben Fragen oder bentigen Hilfe z ... Garagentorantriebe Antriebe im Vergleich Somloq Rollingcode FM 868,8 MHz duo vision 650 650 N **duo vision 800** 800 N duo rapido 650 650 N 5.000 mm/2.350 mm 5.500 mm/2.350 mm 5.000 mm/2.350 mm 5...

lang:de **score:16** filesize: 43.41 M page_count: 280 document date: 2024-04-23




[\[pdf\]](#)

Gesamtkatalog SOMMER Antriebs und Funktechnik GmbH DE sommer eu Downloads Broschueren Kataloge |||

Deutschland Gesamtkatalog Service-Hotline WEEE-Richtlinie Sie haben Fragen oder bentigen Hilfe z ... mm/s 0,5 W ED 15 S3 AC 100240 V 50/60 Hz 2 112 1/2 1 duo vision 650 650 N **duo vision 800** 800 N 5.000 mm/2.350 mm 5.500 mm/2.350 mm 5.000 mm/2.750 mm 5.500 mm/2.750 mm 5.000 ...

lang:de **score:15** filesize: 61.91 M page_count: 272 document date: 2025-05-05



[SOMMER International Main Catalogue: Gate and Door Automation Solutions](#)

Explore the comprehensive SOMMER International Main Catalogue, featuring a wide range of innovative solutions for garage doors, swing gates, sliding gates, underground garage operators, barriers, and tubular motors. Discover advanced technologies and high-quality products for residential and industrial applications.

lang:en score:15 filesize: 63.33 M page_count: 276 document date: 2023-10-31

[\[pdf\] User Manual](#)

msteve COMPATIBLE GARAGE DOOR OPENERS KOMPATIBILNÉ OTVÁRAČE LiftMaster SL595
SL930 SW420 Linear 6000 6500 P AP 4 J6500 LDO33 LDO50 Multi Code 3 wire 1099 50 SLC SLD SLR
SWC SWD SWR Lynx 455 Plus MAX Maximum Controls F18 sonoff sk user 27270 upload ftp client
manual Sonoff GARÁŽOVÝCH DVERÍ Výrobca Model APC CB SGX12 AHOUSE EM SWING GATE
RAM 100 G Compatible Garage Door Openers Kompatibilné Otvárače compatible garage door openers
kompatibilné otvárače garážových dverí výrobca model apc cb sgx12 ahouse em swing gate ram allstar
ac9000 series aleko 13xx 22xx Liftmaster Star 450 Manual Pdf LIFTMASTER STAR450 REMOTE
CONTROL RECEIVER PROGRAMMING Nízkonapáťové spínače Wifi Smart garážový otvárač dverí GD
DC5 Gcompatible kompatibilné otvárače skcompatible skCOMPATIBLE DOORSOMMER Marathon 550
SL SOMMER Synoris 800 duo rapido 650 vision 500 SUPERLIFT SDO SOMMER COMPATIBLE
100KINGGATES STARG8 24 3780 3840 535 315LM SEA 2 DG RYTEC System4 SEIP EASY SM TM 60
TS 75KINGGATES 75CAME BK1200 CAME BK1800 BK2200 BK800 Page BKE1200 BKE1800
BKE2200 BX241 BX243 ZA3N ZA4 ZL J24FAAC 455D FAAC 624BLD 740 741 C720 E024S E600
S800H E024U Control Unit FADINI COMBI GATEKEEPER YG 5602 GAREN FAAC 400 401MP 414P
450MPS UnitNice Robus 1000 Nice 1000P 600 600P SPIN Soon Spido Spin10KCE Spin11KCE
Novoferm Novamatic BFT DEIMOS BT A BFT Deimos EOS 120 LIBRA UL R Phobos and NT NL N L
Rigel4 Rigel5ECO400KS Elite MIRACLE 1 1998 HS670 LA100 LA400 LA400S LA500 LA500S
LM100EVER212 Aprimatic ALZO 55 with board T230 EM51 control T3EC T3SC Automatic Technology
GDO 11v1 Ero 6COMPATIBLE BFT GTO GTO PRO SW 2000XLS 2000 SW4000XLS 650BFT Rigel5
BOSS bol5 bol6 BOSH Profilift Baisheng PKD2compatible 22xxLiftMaster F18COMPATIBLE 100sonoff
DC5COMPATIBLE srsItd
AfmBOoqH37uD8VXDZcebUNCVU38ZpFrc02dmvBjtUI5tQtnLPIMsggRICOMPATIBLE AfmBOorL00 1x
eQVnuqVGTD5OyLviCRFB7zCj7b39h PrPEU4OZQ3jCOMPATIBLE
AfmBOoqyJCVMxBZrs2PZWU8bxGLdIH8H2s9qQcLcLvH6iyNbjh m17LmCOMPATIBLE
AfmBOortTCKDgJlKOR8wk FLx3cjHuyuwLBiGWyBgyOJxTV6GmrTjzPvCOMPATIBLE
AfmBOoqbYOB7rJ4ZAPMoAQUqQujt3n8RLrmWpFqNEtd7EUz8jrBeP4CJCOMPATIBLE
AfmBOopZFKmaX8O2 8uCXWOGdxK M0SNRclvpAx pJjJ8AiPOJ8iRvq1COMPATIBLE
AfmBOorTBneXYI6LkingMjmihL7FFz bWekRohrQixFIPR zign fxfYCOMPATIBLE

COMPATIBLE GARAGE DOOR OPENERS / KOMPATIBILNÉ OTVÁRAČE GARÁŽOVÝCH DVERÍ

Výrobca / Model
APC CB-SGX12
AHOUS 100 TWINIG GATE
AHOUS RAM 100
ALUSTAR AC3000 Series
ALEKO 130X
ALEKO 120X
ALEKO AC1480
ALEKO A1450
ALEKO A1500
ALEKO A5 1300
ALEKO A5 1500
ALEKO A5 150
ALEKO A5 100
ALEKO GateGuard 1300
ALEKO GateGuard 1370
ALEKO GateGuard 1050
ALEKO GateGuard 1050
ALEKO GateGuard 100
ALL-0-MATIC 40 019A/C/S/100
ALL-0-MATIC SL-300DC
ALL-0-MATIC SL-300C
ALL-0-MATIC SL-400C
ALL-0-MATIC SL-300C
ALL-0-MATIC 510-300
ALL-0-MATIC 510-300
HAWTT Series
Apele 1500
Apele 1500

AfmBOoolrXfWbIEzCfTekK9RPafv4Rmzua4zLJU94yXAA3Qw lqKOUNOCOMPATIBLE

AfmBOoq4faGDvZf3GdhgUkvkBjRBoVt8odK4Hlj2cRwvnIU8RTh FbEkCOMPATIBLE AfmBOopHLKy
wcx29R4ih6IBfu0Ot8w9hFnWwh9fx 2ZgWEanRpLpgaTCOMPATIBLE

AfmBOopUVdGir1F27Zv3mjqfeN3RJt2YbEU4mwNts8c q8cjGgPF3kyTCOMPATIBLE AfmBOoqqpHQ
4EkCifPGpmw GX IWssW5p6iNvU6f6Z9 lsdVGebUEQzCOMPATIBLE

AfmBOopjah9gEuovcpfHhYoVfXvEqBAnnLrMtRFX8ZnZK80AeUSOuz3gCOMPATIBLE AfmBOoq
4iIJZHymRy 5EzwW DIntGx83J3n0WcfAYAomqzHjf9eYid1COMPATIBLE

AfmBOoqP2TsRaiR7DLID8wmc9oy4ALc3EY7hm6k EGelwvCDCqQJXsgosonoff OPENERSsonoff

AfmBOoqH37uD8VXDZcebUNCVU38ZpFrc02dmvBjtUI5tQtnLPIMsggRIsonoff PrPEU4OZQ3jsonoff
m17Lmsonoff FLx3cjHuyuwLBiGWybGYOJxTV6GmrTjzPvsonoff

AfmBOoqbYOBr7J4ZAPMoAQUqQujt3n8RLrmWpFqNEtd7EUz8jrBeP4CJsonoff

pJjJ8AiPOJ8iRvq1sonoff fxfYsonoff lqKOUNOsonoff FbEksonoff 2ZgWEanRpLpgaTsonoff
q8cjGgPF3kyTsonoff lsdVGebUEQzsonoff

AfmBOopjah9gEuovcpfHhYoVfXvEqBAnnLrMtRFX8ZnZK80AeUSOuz3gsonoff

DIntGx83J3n0WcfAYAomqzHjf9eYid1sonoff

AfmBOopRtQLdbLAvfi8oEVORrwithVB1nHKpnKdBZF1SLfYq8kOUJtKjysonoff PKD2CP B24ESA
BENINCA CP BULL RI unit J3 DEA 203RR Panel 212E Chamberlain 248730compatible

AfmBOoqt2unqQc4fIDKd2J8SWcOjxpB1sldzONZiY mqlJzVYKdHTu0Dsonoff 248730Generic Button
Commercial GiBiDi PASS Hormann PROMATIC Supramatic HySecurity SlideSmart DC 10Fcompatible

AfmBOopehDN28GTJ77 UHzmE7N8IFd9fjNMOYb8s2TBNAGsrkx9GOTytsonoff 10FBENINCA BRAINY
230 B1024ESA Unitcompatible AfmBOopKrXwaoEY9bJCydf76oQKfL2sNrRHg
nDpyosJkQpux9UdFZGKsonoff UnitKit MyDiamond PROTECO Q60A Q80A Platinum Access SOMFY
ROLLIXO RTS duo compatible


AfmBOorSjMpKkaMLXGKp88d8sz72dCgJu6KXyEn3iLUB1hulUp6zWUD5sonoff duo LiftMaster
ECO300KS ECO400K ECO400KS compatible AfmBOooMYAcBT5 Wkr1dj lshjkjGOK5NE0jHXel
xvhQJRTyzm v 9sonoff KINGGATES Ramset TS compatible AfmBOopZ73RZ2kT8Lz2jAMgE
pOEUBGIL4xh rOFqJm YJLdmnHQccq8sonoff TS KINGGATES MC824H POA1 POP R01000
R01040compatible AfmBOooE7JV0xGtx3BjKdMXdcDGr8Pys8MH Ty5dr18knh1xTjK1vsRWsonoff
R01040PROMATIC 10F 15 ZAP 8800 Series ZAREBA G452 more will be addedcompatible

AfmBOorlZEQ0HAXA lcGj Xw744N 5EAK1fVyxnfSV PYwo55N2FQLsonoff addedGrand O Matic
GM1000 Grand GM1200 GM800 Guardian MODEL 415 AfmBOoq7fRtzsPpv4V8lzdIfgLhsy47e
lox3BDZWNOH70Dd4meT0WECsonoff AfmBOoo BzhtyFzZE
X90kdbSL4XbcVzUBwajQPGnpA5o6Wz96QDSkwsonoff |||

COMPATIBLE GARAGE DOOR OPENERS / KOMPATIBILN OTVRACE

GARZOVCH DVER Vrobca / Model APC CB-SGX12 AHOUS ... OMMER Synoris 550
800 SOMMER duo rapido 650 SOMMER duo vision 500 SOMMER duo vision 650
SOMMER **duo vision 800** SUPERLIFT SDO-1C TAU Control Board K120M TAU
Control Board K125M TAU Control Boar...

lang:en **score:15** filesize: 297.35 K page_count: 14 document date: 2018-09-06



[\[pdf\]](#) Warranty Catalog Price List

International Main Catalogue SOMMER Antriebs und Funktechnik GmbH catalogue DE EN sommer eu

Downloads Broschueren Kataloge Gesamtkatalog |||

International Main catalogue WEEE Directive SOMMER Antriebs- und Funktechnik GmbH is registered un ... age door operators Operators in comparison Somloq Rollingcode FM 868.8 MHz duo vision 650 650 N **duo vision 800** 800 N duo rapido 650 650 N 5,000 mm/2,350 mm 5,500 mm/2,350 mm 5,000 mm/2,350 mm 5...

lang:en **score:15** filesize: 59.98 M page_count: 276 document date: 2024-11-13



[\[pdf\]](#) Catalog

Accionamientos para puertas de garaje InterempresasCon una velocidad hasta 240 mm s su puerta se abrirá aún más rápidamente Protección INFO@ES SOMMER EU SOMMERGMBH GMBHinterempresas net FeriaVirtual Catalogos y documentos 182550 |||

Accionamientos para puertas de garaje Acceso comodo y fiable al garaje Acerca de SOMMER 2 Acerca ... m/2.600 mm 4.000 mm/1.900 mm 2.350 mm/3.000 mm 2.800 mm/2.800 mm 2.600 mm 650 N 180 mm/s - 2 W 112 **duo vision 800** #3020V000 5.500 mm/2.350 mm 5.500 mm/2.600 mm 4.500 mm/1.900 mm 2.350 mm/3.000 mm 2.8...

lang:es **score:15** filesize: 3.63 M page_count: 24 document date: 2016-03-30




[\[pdf\]](#)

SOMMER Gesamtkatalog 2021 Antriebs und Funktechnik GmbH Eyrich Türen Tore regionaler Hörmann Servicepartner 2020 S11026 00012 DE sommer eu files |||

Gesamtkatalog 2021 GARAGENTORANTRIEBE DREHTORANTRIEBE SCHIEBETORANTRIEBE FUNKTECHNIK SMART H ... 2.300 mm 2.700 mm 650 N 180 mm/s Garagentorantriebe im berblick Somloq Rollingcode FM 868,8 MHz **duo vision 800** 5.500 mm 5.500 mm duo rapido 650 5.000 mm 2.800 mm 2.350 mm 2.750 mm 3.150 mm ...

lang:de **score:14** filesize: 28.8 M page_count: 212 document date: 2021-06-10




[\[pdf\]](#) Dimension Guide

Layout 1 Bernd Drienko notice duo vision sommer original 109f72e dimelo answers production s3 eu west amazonaws 177 8b3077009f8624c9 |||

F duo vision 500, duo vision 650, **duo vision 800** F Notice de montage et d utilisation originale 1 - 22 46653V002-512007-0-OCE-Rev.B Sommaire Gnralits
..... 2 Symboles 2 Consignes de securit 2 Utilisation conforme 2
Dimensions...

lang:fr **score:13** filesize: 3.22 M page_count: 24 document date: 2007-12-21



[Atomi Smart Garage Door Opener User Manual - Installation and Setup Guide](#)

Comprehensive user manual for the Atomi Smart Garage Door Opener. Learn how to install, set up, connect, and troubleshoot your device for convenient remote garage door control via Wi-Fi and voice assistants like Alexa and Google.

lang:en **score:13** filesize: 1.6 M page_count: 18 document date: 2019-11-18




[\[pdf\]](#) User Manual Specifications Guide

AT1348 Smart Garage Opener Userguide web Sma Door Date Code 10 19 Wi Fi User Manual Watch Video Open your sma phone camera and point it at the QR Download Free APP Tormatic GTA 601 602 Tousek DYNAMIC T20S PRO DDYNAMIC T25S PPRO 400 PPULL T10 It doesn t mean that c76da0de 7d75 44ea b769 bda9ce8240dd files bbystatic Z6piLwtReZb2cTSw7AQtxA

Can t connect Need help WE CAN HELP Wi-Fi Sma Garage Door Opener User Manual DO NOT RETURN THIS ... 1042v001 1042v004 2060 evo 2080 evo 2110 evo Ape o duo rapido 650 duo vision 500 duo vision 650 **duo vision 800** Marathon 550 SL GIGAControl A S 9060 S 9080 S 9110 Sprint S 550N Starglider 300 Synor...

lang:en **score:12** filesize: 1.61 M page_count: 18 document date: 2019-10-30



Garagentorantriebe im Überblick Typ Einstiegsmodell Erfolgsmodelle Spitzenmodelle Torantriebe für Sammelgaragen sprint evolution duo vision 500 650 800 rapido marathon 550 SL 1100 tiga SLX SOMMER Garagentore Uebersichtstabelle sommer eu en html file files |||

Garagentorantriebe im berblick Einstiegsmodell Typ sprint evolution max. Torbreite* bei: Schwingto ... 1.900 mm 2.300 mm 2.700 mm 2.600 mm 650 N 180 mm/s - 2 W 15 AC 230 V 50 Hz 2 112 1/2 1 **duo vision 800** 5.500 mm 5.500 mm 2.800 mm 2.350 mm 2.750 mm 3.150 mm 4.500 mm 2.600 mm 3.000 mm 3.40...

lang:de **score:12** filesize: 92.62 K page_count: 1 document date: 2014-03-24

