

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Marley](#) /

› [Marley M601W Qmark Electric Line Voltage Wall Thermostat User Manual](#)

Marley M601W

Marley M601W Qmark Electric Line Voltage Wall Thermostat User Manual

Model: M601W

INTRODUCTION

This manual provides essential instructions for the safe installation, operation, and maintenance of your Marley M601W Qmark Electric Line Voltage Wall Thermostat. This thermostat is designed for wall-mounted applications and controls heating systems with single-pole operation. It features a robust snap-action design for extended durability and a manual temperature control range.



Figure 1: Marley M601W Qmark Electric Line Voltage Wall Thermostat. This image displays the white, rectangular

thermostat unit with a large central dial for temperature adjustment, marked with settings from OFF to 75 degrees Fahrenheit.

IMPORTANT SAFETY INFORMATION

- **Electrical Hazard:** This device operates on line voltage (277 Volts). Installation must be performed by a qualified electrician in accordance with all local and national electrical codes.
- Disconnect power at the main service panel before installing or servicing this thermostat to prevent electrical shock.
- Do not use this thermostat for applications other than those specified in this manual.
- Ensure all wiring connections are secure and properly insulated.

SETUP AND INSTALLATION

The Marley M601W thermostat is designed for wall-mount installation. Due to its line voltage operation, professional installation is strongly recommended.

Installation Steps (Professional Installation Recommended):

1. **Power Disconnection:** Turn off power to the heating circuit at the main electrical panel before beginning installation. Verify power is off using a voltage tester.
2. **Mounting Location:** Select an indoor wall location away from drafts, direct sunlight, or heat-emitting appliances that could affect temperature readings.
3. **Wiring:** Connect the thermostat's wires to the appropriate line voltage and heater wires. Refer to the wiring diagram provided with the product packaging for specific connections. Ensure all connections are tight and secure. This thermostat is designed for 277 Volt systems.
4. **Mounting:** Secure the thermostat to the wall using the provided mounting screws.
5. **Power Restoration:** Once installation is complete and all connections are verified, restore power at the main electrical panel.

OPERATING INSTRUCTIONS

The Marley M601W thermostat features simple manual operation via a rotary dial.

- **Temperature Adjustment:** Rotate the central dial clockwise to increase the desired temperature setting and counter-clockwise to decrease it. The temperature range is from 45°F to 75°F.
- **OFF Setting:** To turn off the heating system, rotate the dial completely counter-clockwise to the "OFF" position.
- **Temperature Differential:** The thermostat operates with a 4°F differential. This means the heater will turn on when the room temperature drops approximately 2°F below your set point and turn off when it rises approximately 2°F above your set point.

MAINTENANCE

The Marley M601W thermostat requires minimal maintenance.

- **Cleaning:** Periodically wipe the exterior of the thermostat with a soft, damp cloth. Do not use abrasive cleaners or solvents.

- **Internal Components:** There are no user-serviceable parts inside the thermostat. Do not attempt to open or repair the unit. Refer all servicing to qualified personnel.
- **Airflow:** Ensure that the vents on the thermostat casing are not obstructed, as this can affect temperature sensing accuracy.

TROUBLESHOOTING

If you experience issues with your thermostat, consult the following table before contacting support.

Problem	Possible Cause	Solution
Heater does not turn on.	Thermostat set to "OFF" or too low. No power to the heater/thermostat. Heater malfunction.	Adjust thermostat to a higher setting. Check circuit breaker and ensure power is restored. Consult a qualified technician for heater inspection.
Heater runs continuously.	Thermostat set too high. Thermostat malfunction.	Lower the thermostat setting. If problem persists, contact a qualified electrician.
Inaccurate temperature reading.	Thermostat located near heat source/draft. Obstructed vents.	Relocate thermostat if possible, or consider external factors. Clear any obstructions from thermostat vents.

SPECIFICATIONS

Brand	Marley
Model Number	M601W
Controller Type	Built-in, Manual Dial
Color	White
Temperature Control Type	Manual
Connectivity Technology	Wired
Power Source	Corded Electric
Voltage	277 Volts
Temperature Range	45°F - 75°F
Differential	4°F
Mounting Type	Wall Mount
Product Dimensions	2.25 x 2.56 x 4.63 inches
Item Weight	4.8 ounces

UPC

098319841483

WARRANTY INFORMATION

Specific warranty details for the Marley M601W thermostat are typically included with the product packaging or can be obtained directly from the manufacturer. Please retain your proof of purchase for warranty claims.

SUPPORT




For technical assistance, troubleshooting beyond this manual, or to inquire about replacement parts, please contact Marley customer support. Contact information can usually be found on the manufacturer's website or product packaging.

Visit the [Marley Store](#) for more information.

© 2023 Marley. All rights reserved.

Related Documents - M601W

	<p>Marley Product 13498554 Safety and Usage Instructions</p> <p>Comprehensive safety guidelines and usage warnings for Marley product 13498554, emphasizing precautions for children, individuals with reduced abilities, and packaging material handling. Includes manufacturer details.</p>
	<p>Stir It Up Lux Quick Start Guide</p> <p>A quick start guide for the Marley Stir It Up Lux turntable, covering setup, operation, Bluetooth pairing, and vinyl playback. Provides essential information for getting started with the device.</p>

	<p>Marley Air 4.0 Frischluft-Wärmetauscher – Effiziente Wohnraumlüftung</p> <p>Umfassende Installations- und Bedienungsanleitung für den Marley Air 4.0 Frischluft-Wärmetauscher. Erfahren Sie mehr über Installation, Betrieb und technische Daten für eine optimale Wohnraumlüftung.</p>
	<p>Marley Liberate Air True Wireless Earbuds Quick Start Guide</p> <p>Get started quickly with the Marley Liberate Air True Wireless Earbuds. This guide covers unboxing, setup, pairing, controls for music and calls, voice commands, mono mode, and important compliance information.</p>
	<p>Marley Get Together Duo 2 Quick Start Guide Wireless Bluetooth Speaker</p> <p>Get started quickly with your Marley Get Together Duo 2 wireless Bluetooth speaker. This guide covers setup, components, controls, and compliance information.</p>
	<p>Marley Glazen Vouwdeur New Generation: Safety Instructions and Warnings</p> <p>Essential safety guidelines and warnings for the Marley Glazen Vouwdeur New Generation. Covers safe usage, child supervision, and packaging hazards, with multilingual safety information.</p>

Documents - Marley – M601W



[pdf] User Manual Catalog

Untitled PRODUCT CATALOG 1 day ago — Reference instruction manual for additional detail For output contact Marley s Technical Services Optional Built In Controls SUFFIX* OPTIONAL MEP Berko DigitalCatalog 2025 02 web marleymep |||

2025 PRODUCT CATALOG DIGITAL EDITION HEAT. ANYTIME. ANYWHERE.

When comfort is paramount and space is ... ons and Clearances: 4 Suggested Controls 16 14 7 6 6 1 4 TH106A MS26 or **M601W** 23 Wall Heaters For more information visit MarleyMEP.com/Products/Wall-Heaters rev: Feb 2...

lang:en score:36 filesize: 20.4 M page_count: 186 document date: 2025-02-09



Berko QFF Series Ceiling-Mounted Fan-Forced Heaters

Explore the Berko QFF Series, a line of ceiling-mounted fan-forced heaters designed for efficient and discreet heating in various commercial and educational spaces. Learn about technical specifications, ideal applications, and available accessories.

lang:en score:27 filesize: 311.47 K page_count: 2 document date: 2025-07-10

[\[pdf\]](#) User Manual Installation Guide Specifications Catalog

WALL HEATERS Loeb Electric ☎ △ + CNTLSSPBMS TH5220D1029 Mechanical Manual Temperature Control MS26 + MarleyEngineeredProducts Berko 00252 23 37 39 41 111 112 114 169 CAT cdn loebelectric Resources |||

GFR SERIES Fan-Forced Register Style Wall Heater WALL HEATERS Models
Specifications: ITEM INFORM ... d Clearances: 4 3/8 16 7/8 14 3/8 7/8 7 3/4 6 5/8 6
5/8 1 1/4 4 3/8 TH106A MS26 or **M601W** 23 Wall Heaters For more information visit
MarleyMEP.com/Products/Wall-Heaters rev: Dec 2...

lang:en score:27 filesize: 1.32 M page_count: 8 document date: 2024-02-29

QMark EFF Series Ceiling-Mounted Fan-Forced Heaters

Explore the QMark EFF Series, a line of efficient, ceiling-mounted fan-forced heaters designed for various commercial and institutional spaces. Learn about technical specifications, ideal applications, and available accessories for these durable and secure heating solutions.

lang:en score:27 filesize: 290.79 K page_count: 2 document date: 2025-07-10

[\[pdf\]](#) Flyer Diagram

McCollum Brock HUHAA HUH Thermostats marleymep system files node file field SERIES INDUSTRIAL UNIT HEATER Thermostat Cross Reference 339 82 KB PRO Resources Parts Manuals Wiring Diagrams and More MEP cross reference Marley Engineered Products M600S 5A 208 HUH524SA UHTA1 M601W 240 HUHAA720 UHMT1 HUH1048M HUHAA724 KBHUH KBHUHAA Reference HUHAA Reference Product Sales Flyers Submittals Resources HUHAA Products HUHAA Products HUH Products M600S HUHAA724 HUHAA 0 HUHAA reference HUHAA reference cemarleymep Thermostates marleymep 0 marleymep Resources Product III

Model SINGLE PHASE 3-PHASE WALL THERMOSTAT SINGLE PHASE WALL
THERMOSTAT 3-PHASE CONVERTIBLE TO 2-STAGE HUHAA320 UHMT1 UHMT1
M601W M601W N/A *HUHAA520 UHMT1/UHMT2 UHMT2 WT11A/M600S M600S 5A
HUHAA720 UHMT1 UHMT1 **M601W M601W** 5B HUHAA1020 UHMT1 UHMT1
M601W M601W 5B HUHAA152...

lang:i-klingon score:25 filesize: 339.82 K page_count: 1 document date: 2018-05-11

GFR SERIES
Fan-Forced Register Style Wall Heater

WALL HEATERS

Model & Specifications:

ITEM NUMBER	TYPE	WATT	AMPS	WATTS	AMPS	WATTS	AMPS	WATTS	AMPS
GFR106A	REGISTER	1000	12.5	1000	12.5	1000	12.5	1000	12.5
GFR106P	REGISTER	1000	12.5	1000	12.5	1000	12.5	1000	12.5
GFR106T	REGISTER	1000	12.5	1000	12.5	1000	12.5	1000	12.5
GFR106W	REGISTER	1000	12.5	1000	12.5	1000	12.5	1000	12.5
GFR106X	REGISTER	1000	12.5	1000	12.5	1000	12.5	1000	12.5
GFR106Z	REGISTER	1000	12.5	1000	12.5	1000	12.5	1000	12.5

Optional Accessories:

ITEM NUMBER	DESCRIPTION	WATT	AMPS
LCR106	Marley Thermostat	1000	12.5
LCR106T	Marley Thermostat	1000	12.5
LCR106W	Marley Thermostat	1000	12.5
LCR106X	Marley Thermostat	1000	12.5
LCR106Z	Marley Thermostat	1000	12.5

Dimensions & Clearances:

Suggested Controls:

Dimensions & Clearances:

For more information visit MarleyMEP.com/Products/Wall-Heaters

QMARK

THERMOSTATS & CONTROLS

QMARK
A Marley Engineered Products Brand

THERMOSTATS
LINE VOLTAGE

THERMOSTATS
LINE VOLTAGE

BERKO 2022 PRODUCT CATALOG

DIGITAL EDITION

HEAT. ANYTIME. ANYWHERE.
When comfort is paramount and space is at a premium.

[\[pdf\]](#) Installation Guide Specifications Catalog

WALL HEATERS Amazon AWSTL8230A1003 U TH106A TH108PLUSA M602W M612W T200 MD26

COS E Series Model has Positive OFF 120v 22A 208v 22Avoomi BERKO M601W documents raw

75b3994f72c455ca32295d3f3b497ac9525153voomi assets public s3 amazonaws products 2024 09 22

voomi 75b3994f72c455ca32295d3f3b497ac9525153 |||

GFR SERIES Fan-Forced Register Style Wall Heater WALL HEATERS Models

Specifications: ITEM INFORM ... d Clearances: 4 3/8 16 7/8 14 3/8 7/8 7 3/4 6 5/8 6

5/8 1 1/4 4 3/8 TH106A MS26 or **M601W** 23 Wall Heaters For more information visit

MarleyMEP.com/Products/Wall-Heaters rev: Dec 2...

lang:en **score:25** filesize: 1.53 M page_count: 9 document date: 2024-02-29

[\[pdf\]](#) User Manual Borchure

THERMOSTATS CONTROLS Marley Engineered Products MANUAL TEMPERATURE CONTROL

COMMERCIAL INDUSTRIAL LOW VOLT 6 ELECTRONIC RELAY 2500 1 QMKS HBB CBD AWH 2

CWH LFK CWHDSAG 3 CWHDS USESI 195031 brochure assets usesi product media brochures

THERMOSTATS CONTROLS THERMOSTATS CONTROLS COMPATIBILITY

CHART o Compatible - See Model Selec ... - -o- - - - -o / o / oo / / / oo / / o / oo / /

o / oo / / o / / / MS26 MD26 **M601W** M601TPW M602W M602TPW M611W M612W

M600S* M600MTP* T100 T200 WR651 WR661 oooo oooo oooo oooo o...

lang:en **score:23** filesize: 2.29 M page_count: 8 document date: 2016-12-09

[\[pdf\]](#) Catalog

THERMOSTATS IINE VoltagE Catalog No MS26 MD26 action Snap Action type SPST Marley QM

M601W cdn2 rexelusa medias sys Rexelusa sheets h2b he2 8814222442526 |||

THERMOSTATS IINE VoltagE Catalog No. MS26 MD26 action Snap Action type

SPST DPST amp Rating M ... ment construction. Good thermostat for its value. Ideal for radiant cove heaters and baseboard. **M601W** M602W Snap Action SPST DPST Model M602W has Positive OFF 22A 22A 22A 18A Yes 125VA 45F to 75F ...

lang:en **score:23** filesize: 264.26 K page_count: 1 document date: 2014-05-15

[\[pdf\]](#) Catalog

Marley Engineered Products Berko Catalog DIGITAL Jul2022 marleymep sites default files |||


2022 PRODUCT CATALOG DIGITAL EDITION HEAT. ANYTIME. ANYWHERE.

When comfort is paramount and space is ... 1 lbs 1 lbs 2 lbs Suggested Controls

Dimensions and Clearances: 14 3/8 6 5/8 TH106A MS26 or **M601W** 23 Wall Heaters

For more information visit MarleyMEP.com/Products/Wall-Heaters rev: Jul 2...

lang:en **score:23** filesize: 28.22 M page_count: 168 document date: 2022-07-07



[\[pdf\] User Manual Catalog](#)

untitled electric baseboard heaters manual for desired wattage This heater uses a reset thermal cut CRN2021 2 000 240 1 90° Symm Metal 18 lbs CRN2071 277 Sheath Catalog cesco resources QMark Marley FDI1500

New this issue: ARWH Smart Series Wall Heater New this issue: SSHO Smart Series Wall Heater New th ... No See model See model Yes MD26 Yes Yes selection chart for No selection selection Yes **M601W** Yes Yes the recommended Yes chart. chart. Yes M601TPW Yes Yes thermostat Yes Yes ...

lang:en score:23 filesize: 4.58 M page_count: 100 document date: 2012-10-22



[\[pdf\] Catalog](#)

Untitled Energy Efficient Heating Ventilation Solutions Marley Engineered Products MEP QMark DigitalCatalog 2023 12 web marleymep |||

2023 PRODUCT CATALOG DIGITAL EDITION HEAT. ANYTIME. ANYWHERE. When comfort is paramount and space is ... ted Controls Dimensions and Clearances: 4 16 14 7 6 6 1 4 TH106A MS26 or **M601W** 23 Wall Heaters For more information visit MarleyMEP.com/Products/Wall-Heaters rev: Dec 2...

lang:en score:22 filesize: 19.92 M page_count: 170 document date: 2024-11-13



[\[pdf\] Catalog](#)

Untitled Energy Efficient Heating Ventilation Solutions Marley Engineered Products MEP Berko DigitalCatalog 2023 12 web marleymep |||

2023 PRODUCT CATALOG DIGITAL EDITION HEAT. ANYTIME. ANYWHERE. When comfort is paramount and space is ... ted Controls Dimensions and Clearances: 4 16 14 7 6 6 1 4 TH106A MS26 or **M601W** 23 Wall Heaters For more information visit MarleyMEP.com/Products/Wall-Heaters rev: Dec 2...

lang:en score:22 filesize: 19.74 M page_count: 167 document date: 2024-11-13



[\[pdf\] Catalog](#)

Energy Efficient Heating Ventilation Solutions Marley Engineered ProductsMEP QMark DigitalCatalog

2025 11 webmarleymep MEP web |||

2025 PRODUCT CATALOG DIGITAL EDITION HEAT. ANYTIME. ANYWHERE.

When comfort is paramount and space is ... Suggested Controls 16 7/8 14 3/8 7/8 7
3/4 6 5/8 6 5/8 1 1/4 4 3/8 TH106A MS26 or **M601W** 23 Wall Heaters For more
information visit MarleyMEP.com/Products/Wall-Heaters rev: Nov 2...

lang:en **score:22** filesize: 29.76 M page_count: 190 document date: 2025-11-10

[\[pdf\] Catalog](#)

PRODUCT CATALOGv1homelectrical sites default files QMK V3QL25347 Spec srsItid

AfmB0ooaa4oz4A6Rbuq1hiHjUVBf0NYesqDdKvuKg5Tf8NQNN6CGIsIH CATALOGPRODUCT

CATALOGv1v1homelectrical

AfmB0ooaa4oz4A6Rbuq1hiHjUVBf0NYesqDdKvuKg5Tf8NQNN6CGIsIHhomelectrical

AfmBOorY23YcKASgYc3Exu6N70EV7fMM4O50z6ZHp7pwWOk1Ik15nOci

CATALOGv1v1v1homelectrical

AfmBOorY23YcKASgYc3Exu6N70EV7fMM4O50z6ZHp7pwWOk1Ik15nOcihomelectrical

AfmBOooPBTkyCmMC1zmjLu2959HIQbtTBi4RQAH36DB00APIXHTW5iCQ

CATALOGv1v1v1v1homelectrical AfmBOor TrHJQdrDCYpxR

d9JkljQsUHkpHS1FL0WUSgCytm8mk2mRyGhomelectrical CATALOGv1v1v1v1v1homelectrical

AfmBOooPBTkyCmMC1zmjLu2959HIQbtTBi4RQAH36DB00APIXHTW5iCQhomelectrical

AfmBOorLbSbZY9OFFkFTSuo1jNbdlfOANAoJBi7Wb9pCeRPoIA9Cl6B1

CATALOGv1v1v1v1v1v1homelectrical AfmBOor0GJvJYQ4Hh 56cfB7JYD

Y6vHEpPwhGoillLcYLzNg0o5fqHhomelectrical CATALOGv1v1v1v1v1v1homelectrical

AfmBOorLbSbZY9OFFkFTSuo1jNbdlfOANAoJBi7Wb9pCeRPoIA9Cl6B1homelectrical

AfmBOooRjsSSGTX62M4f7C yRWoFjiegNLORWK62SlpqKudkABFtzVV

CATALOGv1v1v1v1v1v1v1v1homelectrical yRWoFjiegNLORWK62SlpqKudkABFtzVVJhomelectrical

AfmBOor79s hbICbwvMUw7OUJyA3WI6TSPJ7M0lcP1T4X t wMHderW CATALOG

HomElectricalCompact sized wall heater is ideal for residential or commercial installations Efficient and
quiet Smooth running multi layer impeller so you will feel the v1v1v1v1v1v1v1v1v1v1homelectrical

AfmBOorJqEBEWLVOU7VRoITLzSGrlpGhlY9nsiNra7IECehWouTvx Qhomelectrical

the v1v1v1v1v1v1v1v1v1v1homelectrical

AfmBOooQpmiCXme6t6ylkGO0FVu1nOXUbeaTRspaaKDvb6QHbpk Lkmhomelectrical

the v1v1v1v1v1v1v1v1v1v1homelectrical AfmBOorLmyHKRZT

g2jcSA7fTTFqnK1RNmytJ4fH5VTzy2A0uxLtmblhomelectrical

the v1v1v1v1v1v1v1v1v1v1v1v1homelectrical wMHderWhomelectrical

AfmBOoqOshtXlRfmZLEZkP6L68JS1fHTj 1s9DCJJ Rz4f1uwlg5Dn

the v1v1v1v1v1v1v1v1v1v1v1v1homelectrical Rz4f1uwlg5Dnhomelectrical

AfmBOoqKmNEPi0wWrhOwmpG2y7xx Wq19PQmD9eCTTsEAaqMeVW3isk

the v1v1v1v1v1v1v1v1v1v1v1v1v1homelectrical Wq19PQmD9eCTTsEAaqMeVW3iskhomelectrical

AfmBOoo9JW 9PzZlg74inBlbAQdKBHwTVKRymX eqxyWBPHlnABaVcZ

the v1v1v1v1v1v1v1v1v1v1v1v1homelectrical eqxyWBPHlnABaVcZhomelectrical

AfmBOooKfP5abkgJXk2VI0 XW6vxRxTfMaTVWA7NPEBKobnUJvaOcer9

the v1v1v1v1v1v1v1v1v1v1v1v1homelectrical

XW6vxRxTfMaTVWA7NPEBKobnUJvaOcer9homelectrical

AfmBOopNPOleMWsTglmiy0sQ5iLewweRBLftnWJa5dycl oh 88gsiZ

the v1v1v1v1v1v1v1v1v1v1v1v1v1homelectrical AfmBOordvi0wkGHKD

S9IGIOQt7GoVr6SOrv5cE1sxPGTHNuFPZEaxbhhomelectrical

[\[pdf\]](#) Specifications Flyer Catalog

Untitled COS E Series Residential Fan Forced Zonal Wall Heaters Sales Flyer COS Marley Engineered Products MEP Wallheat B Flyer 2024 11 webmarleymep MEP web |||

COS-E SERIESTM WALL HEATERS Residential Fan-Forced Zonal Wall Heater

Technical Specifications: Te ... WT. 1 lbs 2 lbs 2 lbs Dimensions and Clearances: 9
Suggested Controls 12 9 4 7 TH106A **M601W** Item# BFLY_COS-E Series_1124-1
BerkoMEP.com Technical Services: 800-642-4328 ...

lang:en score:20 filesize: 214.61 K page_count: 2 document date: 2025-03-21

[\[pdf\] Specifications Flyer Warranty Catalog](#)

Untitled QCH SERIES CEILING MOUNTED FAN FORCED HEATER Sales Flyer Series Ceiling Mounted Fan Forced Heater Marley Engineered Products MEP CeilingHeat Q 2023 10 web marleymep ||| QCH SERIES Ceiling Mounted Fan Forced Heater CEILING HEATERS |||

QCH SERIES Ceiling-Mounted Fan-Forced Heater CEILING HEATERS Technical

Specifications: Temp Range: ... 10 lbs SHIP WT. 2 lbs 5 lbs Suggested Controls MS26 or **M601W** Item# QFLY_QCF_1023-1 QMarkMFP.com Technical Services: 800-642-4328 ...

lang:en score:19 filesize: 243.2 K page count: 2 document date: 2024-11-13

<p>GFR SERIES Fan-Forced Register Style Wall Heater</p>  	
<p>Technical Specifications:</p> <p>Temp Range: 40°-85°F CFM: 50 Grille Gauge: 20</p> <p>Ideal Spaces:</p> <ul style="list-style-type: none"> Bedrooms Living Room Kitchens Bathrooms Basements Offices Conference Rooms Waiting Rooms 	
 White	<ul style="list-style-type: none"> ➢ Patented CLP-800-#111 features allows installer to change the desired warmth output without moving the jumper wire. ➢ Contemporary register-style grille with blend with any interior design. ➢ Tangential blower for whisper-quiet operation. ➢ Dust Protection: thermal cutout with indicator light and auto reset. ➢ Permanently lubricated fan motor and dust-protected bearings. ➢ Simple 5-gauge construction makes installation easy
 	
 5 YEAR ELEMENT	 1 YEAR WORKMANSHIP

[\[pdf\]](#) Specifications Flyer Catalog

Untitled FAN FORCED WALL HEATER GFR SERIES Sales Flyer Fan Forced Wall Heater Series Marley
Engineered Products MEP Wallheat Q 2025 03 web marleymep |||

GFR SERIES Fan-Forced Register Style Wall Heater WALL HEATERS Technical

Specifications: Temp Range ... Dimensions and Clearances: 4 Suggested Controls 16
14 7 4 6 1 TH106A MS26 or **M601W** Item# QFLY_GFR Series_0325-1

QMarkMEP.com Technical Services: 800-642-4328

lang:en score:19 filesize: 212.56 K page_count: 2 document date: 2025-03-21

COS-E SERIES*
Residential Fan-Forced Zonal Wall Heater

WALL HEATERS



Technical Specifications:

- Temp Range: 40°-155°F
- CFM: 65
- Grille Gauge: 20

Ideal Spaces:

- Bedrooms
- Living/Family Room
- Kitchens
- Basements
- Offices
- Conference Rooms
- Waiting Rooms

Options:

- Contemporary look and compact size ideal for new residential or remodeling installations where space is limited
- Potential CLIP-N-RTT feature allows installer to change the desired voltage output without moving the jumper wire
- Dual voltage and wattage ratings help reduce installation time
- Heater/Fan Assembly fits into back box with a single screw for easy installation and less space required
- Built-in double-pole thermostat with positive OFF position or a remote, wall mounted thermostat provides localized room control
- Multi-layer impeller provides quiet operation

Color: White

Warranty: 5 Year Limited | 1 Year Performance

Q-Mark: Q-Mark Certified

COS-E Series | Wall Heater | MarleyMEP.com | Technical Services: 800-642-4329

[pdf] Specifications Flyer Catalog

RESIDENTIAL FAN FORCED ZONAL WALL HEATER COS E SERIES Sales Flyer Residential Fan Forced Zonal Wall Heater Series™ Marley Engineered Products MEP Wallheat Q Flyer 2024 11 web 1marleymep MEP 1 |||

COS-E SERIESTM WALL HEATERS Residential Fan-Forced Zonal Wall Heater

Technical Specifications: Te ... R White White White SHIP WT. 1 lbs 2 lbs 2 lbs

Suggested Controls 12 9 7/8 4 7 3/4 TH106A **M601W** Item# QFLY_COS-E

Series_1124-1 QMarkMEP.com Technical Services: 800-642-4328 ...

lang:en score:19 filesize: 274.2 K page_count: 2 document date: 2024-11-13

GFR SERIES
Fan-Forced Register Style Wall Heater

WALL HEATERS

Technical Specifications:

ITEM NUMBER	CFM	WATT	AMPS	PLATE AIR DATA	BTU	BTU/FAN THERMOSTAT	BTU/
GFR100	100	1000	10	1000	3000	3000	3000
GFR150	150	1500	15	1500	4500	4500	4500
GFR200	200	2000	20	2000	6000	6000	6000
GFR250	250	2500	25	2500	7500	7500	7500
GFR300	300	3000	30	3000	9000	9000	9000
GFR350	350	3500	35	3500	10500	10500	10500
GFR400	400	4000	40	4000	12000	12000	12000

Ideal Spaces:

- Hallways
- Loobbies
- Entryways
- Restrooms
- Detention Environments

Options:

- Multi-voltage ratings: Standard, Surface, or Fan
- Accommodates pneumatic/electric or low voltage controls commonly used with BMS Systems
- Back in plenum fan switch for safe, simple installation and maintenance
- When using wall thermostat, separate thermostatic wiring required
- Automatic fan delay eliminates cold draft on start-up and prevents residual heat from the heater body during shut down
- Heavy duty 1/8-gauge louvered front cover plate with integrated screen provides added security and durability

Dimensions and Clearances:



Suggested Controls:



Warranty: 5 Year Limited | 1 Year Performance

Q-Mark: Q-Mark Certified

23 | Wall Heaters | For more information visit MarleyMEP.com/Products/Wall-Heaters | MarleyMEP.com | Technical Services: 800-642-4329

[pdf] Installation Guide Specifications Datasheet Catalog

WALL HEATERS Gordon Electric Supply Do not install heater behind towel rack door in floor closet ceiling or where airflow may be obstructed To insure proper operation maintain 5

MarleyEngineeredProducts Berko 00252 23 37 39 41 109 111 112 114 169 CAT assets

gordonelectricsupply datasheets ts |||

GFR SERIES Fan-Forced Register Style Wall Heater WALL HEATERS Models

Specifications: ITEM INFORM ... d Clearances: 4 3/8 16 7/8 14 3/8 7/8 7 3/4 6 5/8 6 5/8 1 1/4 4 3/8 TH106A MS26 or **M601W** 23 Wall Heaters For more information visit MarleyMEP.com/Products/Wall-Heaters rev: Dec 2...

lang:en score:19 filesize: 1.53 M page_count: 9 document date: 2024-02-29

EFF SERIES
Ceiling-Mounted Fan-Forced Heater

CEILING HEATERS



Technical Specifications:

- Temp Range: 40°- 80°F
- CFM: 150
- Grille Gauge: 14

Ideal Spaces:

- Hallways
- Loobbies
- Entryways
- Restrooms
- Detention Environments

Options:

- Choose these fan-forced ceiling heaters everywhere it makes sense to keep the heating motion out of the way and out of reach. A comfort solution for lobbies, restrooms and other high-traffic areas.
- Multi-voltage ratings: Standard, Surface, or Fan
- Accommodates pneumatic/electric or low voltage controls commonly used with BMS Systems
- Back in plenum fan switch for safe, simple installation and maintenance
- When using wall thermostat, separate thermostatic wiring required
- Automatic fan delay eliminates cold draft on start-up and prevents residual heat from the heater body during shut down
- Heavy duty 1/8-gauge louvered front cover plate with integrated screen provides added security and durability

Warranty: 5 Year Limited | 1 Year Performance

Q-Mark: Q-Mark Certified

EFF Series | Ceiling Heater | MarleyMEP.com | Technical Services: 800-642-4329

[pdf] Specifications Flyer Warranty Catalog

Untitled EFF SERIES CEILING MOUNTED FAN FORCED HEATER Sales Flyer Series Ceiling Mounted

Fan Forced Heater Marley Engineered Products MEP CeilingHeat Q 2023 12 web marleymep |||

EFF SERIES Ceiling-Mounted Fan-Forced Heater CEILING HEATERS Technical

Specifications: Temp Range: ... lbs 1 lbs Dimensions and Clearances: Suggested

Controls 19-1/8 Item# QFLY_EFF_1223-1 MS26 or **M601W** QMarkMEP.com

Technical Services: 800-642-4328 ...

lang:en score:19 filesize: 251.58 K page_count: 2 document date: 2024-11-13

BKOC SERIES
Commercial Baseboard Heater




Ideal Spaces:
Bedrooms Living/Family Room Kitchens Bathrooms Basements Offices Conference Rooms Hallways Waiting Rooms

- Ideal for basic, zoned primary/secondary heating
- No fans; convection heat minimizes air flow, reducing flow of bacteria and dust
- Commercial-grade 18-gauge cold-rolled front cover and brackets allow the heater to withstand rigors of commercial applications
- Steel-sheathed heating element combines the durability of a steel tubular heater with the excellent heat transfer characteristics of aluminum fins
- Built-in wire-way facilitates end-to-end installation of continuous-run heaters
- Large, pre-wired junction boxes at each end are provided with knockouts in the rear bottom, inside and outside
- High temperature safety limit for added protection in case of overheating
- Pre-notched marks for mounting guide
- UL-listed for installation flush to any wall and flat on any floor type
- Chimney-fin element designed for maximum air circulation
- Air flow directed away from walls to prevent wall streaking

UL **10 YEAR ELEMENT** **1 YEAR WARRANTY**

BKOC Series | Baseboard | MarleyMEP.com | Technical Services: 800-642-4328

[pdf] Guide Flyer Warranty

Untitled BKOC SERIES COMMERCIAL BASEBOARD HEATER Sales Flyer Series Commercial Baseboard Heater Marley Engineered Products MEP B 2023 12 web marleymep |||

BKOC SERIES Commercial Baseboard Heater BASEBOARD Ideal Spaces:

Bedrooms Living/Family Room Kitche ... ociated lead times 7.8 lbs 9.0 lbs 11.5 lbs

13.0 lbs 15.5 lbs 20 lbs 20 lbs TH114A240DBA MS26 or **M601W** Filler Sections:

Blank Sections: CATALOG NO. FS12 FS24 FS36 FS48 FSJ2 UPC 098319731500

098...

lang:en score:19 filesize: 179.87 K page_count: 2 document date: 2024-11-13

BKOC SERIES
Commercial Baseboard Heater




Ideal Spaces:
Bedrooms Living/Family Room Kitchens Bathrooms Basements Offices Conference Rooms Hallways Waiting Rooms

- Ideal for basic, zoned primary/secondary heating
- No fans; convection heat minimizes air flow, reducing flow of bacteria and dust
- Commercial-grade 18-gauge cold-rolled front cover and brackets allow the heater to withstand rigors of commercial applications
- Steel-sheathed heating element combines the durability of a steel tubular heater with the excellent heat transfer characteristics of aluminum fins
- Built-in wire-way facilitates end-to-end installation of continuous-run heaters
- Large, pre-wired junction boxes at each end are provided with knockouts in the rear bottom, inside and outside
- High temperature safety limit for added protection in case of overheating
- Pre-notched marks for mounting guide
- UL-listed for installation flush to any wall and flat on any floor type
- Chimney-fin element designed for maximum air circulation
- Air flow directed away from walls to prevent wall streaking

UL **10 YEAR ELEMENT** **1 YEAR WARRANTY**

BKOC Series | Baseboard | MarleyMEP.com | Technical Services: 800-642-4328

[pdf] Guide Flyer

Untitled BKOC SERIES COMMERCIAL BASEBOARD HEATER Sales Flyer Series Commercial Baseboard Heater Marley Engineered Products MEP B 2025 03 web 1 marleymep |||

BKOC SERIES Commercial Baseboard Heater BASEBOARD Ideal Spaces:

Bedrooms Living/Family Room Kitche ... ociated lead times 7.8 lbs 9.0 lbs 11.5 lbs

13.0 lbs 15.5 lbs 20 lbs 20 lbs TH114A240DBA MS26 or **M601W** Filler Sections:

Blank Sections: CATALOG NO. UPC DESCRIPTION SHIP WT. CATALOG NO. UPC

...

lang:en score:19 filesize: 180.59 K page_count: 2 document date: 2025-03-25

QMKC SERIES
Commercial Baseboard Heater




Ideal Spaces:
Bedrooms Living/Family Room Kitchens Bathrooms Basements Offices Conference Rooms Hallways Waiting Rooms

- Ideal for basic, zoned primary/secondary heating
- No fans; convection heat minimizes air flow, reducing flow of bacteria and dust
- Commercial-grade 18-gauge cold-rolled front cover and brackets allow the heater to withstand rigors of commercial applications
- Steel-sheathed heating element combines the durability of a steel tubular heater with the excellent heat transfer characteristics of aluminum fins
- Built-in wire-way facilitates end-to-end installation of continuous-run heaters
- Large, pre-wired junction boxes at each end are provided with knockouts in the rear bottom, inside and outside
- High temperature safety limit for added protection in case of overheating
- Pre-notched marks for mounting guide
- UL-listed for installation flush to any wall and flat on any floor type
- Chimney-fin element designed for maximum air circulation
- Air flow directed away from walls to prevent wall streaking

UL **10 YEAR ELEMENT** **1 YEAR WARRANTY**

QMKC Series | Baseboard | MarleyMEP.com | Technical Services: 800-642-4328

[pdf] Guide Flyer

Untitled COMMERCIAL BASEBOARD HEATER QMKC SERIES Sales Flyer Commercial Baseboard Heater Series Marley Engineered Products MEP Q 2025 03 web 1 marleymep |||

QMKC SERIES Commercial Baseboard Heater BASEBOARD Ideal Spaces:

Bedrooms Living/Family Room Kitche ... ociated lead times 7.8 lbs 9.0 lbs 11.5 lbs

13.0 lbs 15.5 lbs 20 lbs 20 lbs TH114A240DBA MS26 or **M601W** Filler Sections:

Blank Sections: CATALOG NO. UPC DESCRIPTION SHIP WT. CATALOG NO. UPC

...

lang:en score:19 filesize: 180.81 K page_count: 2 document date: 2025-03-25



2016-17
PRODUCT CATALOG




QMARK
COMMERCIAL & RESIDENTIAL HEATING & VENTILATION PRODUCTS
A Marley Engineered Products Brand

[pdf] User Manual Catalog

garage unit heater Duker Reilly McPherson Associates Inc either jumper 1 or 2 as shown in the installation manual for desired wattage The BRM2021 6 85360 14315 240 BRM2041 14316 3 480 2016 2017 QMARK Commercial Product Catalog cesco resources 40B

TABLE OF CONTENTS OVERVIEW PG 4 HAZARDOUS ENVIRONMENT PG 45

About Our Company Look For These I ... h-in opening if new box is desired.

SUGGESTED CONTROLS view page 151 for more information TH106A **M601W** 22

WALL HEATERS MODELS SPECIFICATIONS CATALOG NO. CZ1512T CZ1012T

UPC 6 85360 16164 8 6...

lang:de score:18 filesize: 7.08 M page_count: 160 document date: 2017-01-19

2500 SERIES
Electric Baseboard Heater

BASEBOARD

Ideal Spaces:
Bedrooms, Living/Family Room, Kitchens, Basements, Offices, Conference Rooms, Lobbies, Waiting Rooms, Bathrooms

- Ideal for basic, zoned Primary/Secondary heating
- Low profile perfect for limited wall space
- Convection heat minimizes air flow, reducing flow of bacteria and dust
- Instant heat at call of thermostat
- Durable, textured powder coat finish retains attractive appearance with all interior decors
- Chimney fin element designed for maximum air circulation
- Air flow directed away from walls to help prevent water damage
- Lead wire and knockouts allow quick field connection from either end
- Pre-notched marks for mounting guide
- Built-in cable clamp in both large wiring compartments
- UL-listed for installation on wall at floor level with vertical mounting
- High temperature safety limit for added protection in case of airflow blockage

UL **10 YEAR ELEMENT** **1 YEAR WARRANTY**

2500 Series | Baseboard QMarkMEP.com | Technical Services: 800-642-4328

Q-MARK

[pdf] Specifications Guide Flyer Warranty Catalog

Untitled ELECTRIC BASEBOARD HEATER 2500 SERIES Sales Flyer Electric Baseboard Heater Series

Marley Engineered Products MEP Q 2023 12 web marleymep |||

2500 SERIES Electric Baseboard Heater **BASEBOARD** Ideal Spaces: Bedrooms

Living/Family Room Kitchens ... /8 2-1/2 All knockouts are 7/8 diameter 3/4 for 1/2 conduit 11/16 TH114A240DBA MS26 or **M601W** QMarkMEP.com Technical Services: 800-642-4328 2500 SERIES Electric Baseboard Heater Fille...

lang:en score:18 filesize: 212.34 K page_count: 3 document date: 2024-11-13

2500 SERIES
Electric Baseboard Heater

BASEBOARD

Ideal Spaces:
Bedrooms, Living/Family Room, Kitchens, Basements, Offices, Conference Rooms, Lobbies, Waiting Rooms, Bathrooms

- Ideal for basic, zoned Primary/Secondary heating
- Low profile perfect for limited wall space
- Convection heat minimizes air flow, reducing flow of bacteria and dust
- Instant heat at call of thermostat
- Durable, textured powder coat finish retains attractive appearance with all interior decors
- Chimney fin element designed for maximum air circulation
- Air flow directed away from walls to help prevent water damage
- Lead wire and knockouts allow quick field connection from either end
- Pre-notched marks for mounting guide
- Built-in cable clamp in both large wiring compartments
- UL-listed for installation on wall at floor level with vertical mounting
- High temperature safety limit for added protection in case of airflow blockage

UL **10 YEAR ELEMENT** **1 YEAR WARRANTY**

2500 Series | Baseboard QMarkMEP.com | Technical Services: 800-642-4328

Q-MARK

[pdf] Specifications Guide Flyer Catalog

Untitled ELECTRIC BASEBOARD HEATER 2500 SERIES Sales Flyer Electric Baseboard Heater Series

Marley Engineered Products MEP Q 2025 03 web 1 marleymep |||

2500 SERIES Electric Baseboard Heater **BASEBOARD** Ideal Spaces: Bedrooms

Living/Family Room Kitchens ... /8 2-1/2 All knockouts are 7/8 diameter 3/4 for 1/2 conduit 11/16 TH114A240DBA MS26 or **M601W** QMarkMEP.com Technical Services: 800-642-4328 2500 SERIES Electric Baseboard Heater Fille...

lang:en score:18 filesize: 212.72 K page_count: 3 document date: 2025-03-25

GFR SERIES
Fan-Forced Register Style Wall Heater

WALL HEATERS

Key Features:
Home Heating
The unit can be wired to a remote thermostat and to provide heat for multiple spaces like offices, playrooms, bedrooms and baths.

Quiet Operation
Instant air circulation and heating with this unit's quiet tangential blower.

Easy Installation
The unit is easy to install, with just three pieces to assemble (back box and front grille). The register-style front grille offers a built-in look that resembles a traditional heat vent.

Field Adjustable
Piping and N-FIT design allows you to lower the voltage at the point of installation to accommodate any space. Just clip out unnecessary jumpers and install.

Power
For safe long-term operation, a thermal cutout feature with light and one-time thermal fuse offer dual protection and prevent the unit from overheating.

Scanning QR Code
Scan the QR code to access additional specs and features.

22 | Wall Heaters For more information visit MarleyMEP.com/Products/Wall-Heaters

Q-MARK

[pdf] Installation Guide Datasheet

WALL HEATERS Gordon Electric Supply Quiet Operation Enjoy reliable air circulation and heating with this unit's quiet tangential blower Easy Installation The is easy to install MarleyEngineeredProducts

Berko 00252 22 23 112 CATassets gordonelectricsupply datasheets ts MarleyEngineeredProducts CAT

|||

GFR SERIES Fan-Forced Register Style Wall Heater **WALL HEATERS** Commercial-grade heating in your home ... d Clearances: 4 3/8 16 7/8 14 3/8 7/8 7 3/4 6 5/8 6 5/8

1 1/4 4 3/8 TH106A MS26 or **M601W** 23 Wall Heaters For more information visit

MarleyMEP.com/Products/Wall-Heaters rev: Dec 2...

lang:en score:18 filesize: 338.74 K page_count: 3 document date: 2024-02-29

EFF SERIES
Ceiling-Mounted Fan-Forced Heater

CEILING HEATERS

Key Features:
Push-fit Installation:
This heater accommodates three installation formats, so you can choose recessed mounting, T-bar or surface application.

Ready to Connect:
This unit easily accommodates low voltage and electric control schemes like those typically found in centralized BMS applications.

Fast Installation:
The heater's fan waits until the desired temperature is achieved before blowing air into the room, and discharges all heated air back into the room.

Enhanced Control:
This ceiling heater has an included on/off switch for safe, simple installation and maintenance.

Heavy-duty Design:
This ceiling heater's 14-gauge steel louvered grille is fastened with tamper-resistant screws, for added security and durability.

Scanning QR Code
Scan the QR code to access additional specs and features.

38 | Ceiling Heaters For more information visit MarleyMEP.com/Products/Ceiling-Heaters

Q-MARK

[pdf] Specifications Accessories

MarleyEngineeredProducts Qmark 00207 38 39 112 CATMotors Controls Starter and Contactor

Accessories Thermal Units ARCArleyEngineeredProducts CATImages tradeservice ATTACHMENTS

DIR100388 CAT |||

EFF SERIES Ceiling-Mounted Fan-Forced Heater **CEILING HEATERS** Anywhere it

makes sense to keep your ... s 4.5 lbs 1 lbs 2 lbs 1 lbs 1 lbs Dimensions and

Clearances: Suggested Controls 19-1/8 MS26 or **M601W** 39 Ceiling Heaters For more information visit MarleyMEP.com/Products/Ceiling-Heaters rev:...

lang:en score:18 filesize: 292.22 K page_count: 3 document date: 2022-12-05

Control your comfort with easy-to-use features and money-saving controls

Wall thermostats are a snap to install and easy to program for convenient and smart energy savings.

M601W / M602W **MD26** **CNTLTSTDNPWIC** **LTB2240**

Best Sellers | Easy Installation and Control | Great Low Cost Solution
Steel and Plastic Design
Steel and Plastic Design
Steel and Plastic Design
Steel and Plastic Design
Allows for Direct Integration
Allows for Direct Integration
Allows for Direct Integration
Allows for Direct Integration

Thermostats & Controls MarleyMEP.com | Technical Services: 800-442-4328

THERMOSTATS & CONTROLS

[\[pdf\] Installation Guide Flyer](#)

Untitled Thermostats Controls Sales Flyer Marley Engineered Products MEP ThermostatsControls B 2023 09 web marleymep |||

Control your comfort with easy-to-use features and money-saving controls Wall thermostats are a snap to install and easy to program for convenient and smart energy savings. THERMOSTATS CONTROLS **M601W / M602W** **MD26** Best Sellers Easy Installation and Control Great Low Cost Solution CNTLTSTDN...

lang:en **score:18** filesize: 823.4 K page_count: 7 document date: 2024-11-13

Control your comfort with easy-to-use features and money-saving controls

Wall thermostats are a snap to install and easy to program for convenient and smart energy savings.

M601W / M602W **MD26** **CNTLTSTDNPWIC** **LTB2240**

Best Sellers | Easy Installation and Control | Great Low Cost Solution
Steel and Plastic Design
Steel and Plastic Design
Steel and Plastic Design
Steel and Plastic Design
Allows for Direct Integration
Allows for Direct Integration
Allows for Direct Integration
Allows for Direct Integration

Thermostats & Controls MarleyMEP.com | Technical Services: 800-442-4328

THERMOSTATS & CONTROLS

[\[pdf\] Installation Guide Flyer](#)

Untitled Thermostats Controls Thermostat Flyer All Models Marley Engineered Products MEP ThermostatsControls Q 2023 09 web marleymep |||

Control your comfort with easy-to-use features and money-saving controls Wall thermostats are a snap to install and easy to program for convenient and smart energy savings. THERMOSTATS CONTROLS **M601W / M602W** **MD26** Best Sellers Easy Installation and Control Great Low Cost Solution CNTLTSTDN...

lang:en **score:18** filesize: 794.21 K page_count: 7 document date: 2024-11-13

QMARK

Thermostats and Controls

[\[pdf\] Borchure](#)

Marley Engineered Products Thermostats and Controls Electronic Digital Line Voltage Low Specialty

USES1 2512 brochure assets usesi product media brochures |||

Thermostats and Controls THERMOSTATS I tRoN t I I N Volt t lo No t ction Triac: Silent Oper ... Action SPST DPST Model M602TPW has Positive OFF 22A 22A 22A 18A Yes 125VA 45F to 75F / - 4F Same as **M601W** and M602W except the cover mounting cover offer tamper proof feature. MW MW Snap Action SPS...

lang:en **score:17** filesize: 790.92 K page_count: 8 document date: 2012-07-12

BERKO **2023 PRODUCT CATALOG** **DIGITAL EDITION**

HEAT. ANYTIME. ANYWHERE.
When comfort is paramount and space is at a premium.

[\[pdf\] Catalog](#)

MEP Berko DigitalCatalog 2023 12 web marleymep sites default files |||

2023 PRODUCT CATALOG DIGITAL EDITION HEAT. ANYTIME. ANYWHERE.

When comfort is paramount and space is ... d Clearances: 4 3/8 16 7/8 14 3/8 7/8 7 3/4 6 5/8 6 5/8 1 1/4 4 3/8 TH106A MS26 or **M601W** 23 Wall Heaters For more information visit MarleyMEP.com/Products/Wall-Heaters rev: Dec 2...

lang:en **score:17** filesize: 30.26 M page_count: 167 document date: 2024-01-04



[\[pdf\] Catalog](#)

MEP QMark DigitalCatalog 2023 12 web marleymep sites default files |||

2023 PRODUCT CATALOG DIGITAL EDITION HEAT. ANYTIME. ANYWHERE.

When comfort is paramount and space is ... d Clearances: 4 3/8 16 7/8 14 3/8 7/8 7 3/4 6 5/8 6 5/8 1 1/4 4 3/8 TH106A MS26 or **M601W** 23 Wall Heaters For more information visit MarleyMEP.com/Products/Wall-Heaters rev: Dec 2...

lang:en **score:17** filesize: 27.74 M page_count: 170 document date: 2024-01-04



[\[pdf\] Catalog](#)

Untitled PRODUCT CATALOG 12 часов назад — Prevent pipes pumps and other water or fluid filled equipment from freezing Automatic 24 hour protection Just set the thermostat leave it Corrosion MEP QMark DigitalCatalog 2025 02 web marleymep |||

2025 PRODUCT CATALOG DIGITAL EDITION HEAT. ANYTIME. ANYWHERE.

When comfort is paramount and space is ... ons and Clearances: 4 Suggested Controls 16 14 7 6 6 1 4 TH106A MS26 or **M601W** 23 Wall Heaters For more information visit MarleyMEP.com/Products/Wall-Heaters rev: Feb 2...

lang:en **score:17** filesize: 20.62 M page_count: 189 document date: 2025-02-09



[\[pdf\] Catalog](#)

PRODUCT CATALOG QMark Catalog DIGITAL Jul2022 marleymep sites default files |||

2022 PRODUCT CATALOG DIGITAL EDITION HEAT. ANYTIME. ANYWHERE.

When comfort is paramount and space is ... 1 lbs 1 lbs 2 lbs Suggested Controls Dimensions and Clearances: 14 3/8 6 5/8 TH106A MS26 or **M601W** 23 Wall Heaters For more information visit MarleyMEP.com/Products/Wall-Heaters rev: Jul 2...


lang:en **score:17** filesize: 25.43 M page_count: 171 document date: 2022-07-07



[Berko 2025 Product Catalog: Comprehensive Heating Solutions](#)

Explore the 2025 Berko Product Catalog from Marley Engineered Products, featuring a wide range of wall heaters, ceiling heaters, unit heaters, baseboard heaters, radiant heaters, and more for residential, commercial, and industrial applications. Find efficient and reliable comfort solutions for any space.

lang:en score:16 filesize: 32.81 M page_count: 187 document date: 2025-11-10



[\[pdf\] User Manual Catalog](#)

Quality Residential Commercial Industrial Heating Products Manual reset thermal overheat protector disconnects power in the event of ARL2021 14362 0 240 ARL2071 14363 7 277 ARL2041 14364 4 480 overheating due to accidental blockage All units have a permanently lubricated totally enclosed fan 6 2015 QMark Catalog USESI 101342 catalog 729776 cesco resources 606 assets usesi product media catalogs

Quality Residential, Commercial Industrial Heating Products TABLE OF CONTENTS
BASEBOARD HEATERS ... OW ARE OF MECHANICAL TYPE AND WANT TO
CONTROL TEMPERATURE SETTING MANUALLY Yes Yes No Yes MD26 **M601W**
M601TPW M602W M602TPW Yes Yes No Yes Yes Yes Yes Yes See model Yes Yes
selection cha...

lang:en score:16 filesize: 5.06 M page_count: 107 document date: 2015-06-08



[\[pdf\] Installation Guide](#)

NOW STOCKING QMARK final turtle ASSETS DOCUMENTS CMS EN

TURTLE HUGHES POWERING A BETTER TOMORROW MARK A Marley
Engineered Products Brand In Stock Now. Wh ... d heat throw Smooth quiet operation
3kW - 50kW / 208V, 240V, 277V, 480V THERMOSTATS - Line Voltage **M601W** and
M602W Wall thermostats are a snap to install and easy to program for convenient
and smart ...

lang:en score:15 filesize: 460.69 K page_count: 5 document date: 2021-11-04

QCH SERIES
Ceiling-Mounted Fan-Forced Heater

CEILING HEATERS

Models & Specifications:

ITEM INFORMATION	UPC	VOLTS	WATTS	AMPS	SHIP WT.
QCH10P	000300000008	208	6000	30.7	10.0 lbs
QCH10P	000300000009	208	6000	30.7	10.0 lbs
QCH10P	000300000010	208	6000	30.7	10.0 lbs
QCH10P	000300000011	208/230	10000/16000	50.7/72	10.0 lbs
QCH10P	000300000012	208/230	10000/16000	50.7/72	10.0 lbs
QCH10P	000300000013	208/230	10000/16000	50.7/72	10.0 lbs

Document 17: Reproduced with permission, MarleyMEP.com. All rights reserved. Content is the responsibility of the manufacturer.

Optional Accessories:

ITEM NUMBER	UPC	DESCRIPTION	SHIP WT.
QCH10S	000300000014	On/Off Thermostat, White	2 lbs
QCH10S	000300000015	On/Off Thermostat, Black	2 lbs
QCH10P	000300000016	24V Fan Relay, White	1 lbs

Suggested Controls

37 | Ceiling Heaters For more information visit MarleyMEP.com/Products/Ceiling-Heaters

BERKCO

[\[pdf\]](#) Specifications Accessories Catalog

Manufacturer Spec Sheet MLY QCHSM SURFACE FRAME Gordon Electric Supply Inc

MarleyEngineeredProducts Berko 00038 39 CAT images tradeservice 9ETBOIYK8205G6UU

ATTACHMENTS DIR100361 |||

QCH SERIES Ceiling-Mounted Fan-Forced Heater **CEILING HEATERS** Models

Specifications: ITEM INFORM ... 10 lbs SHIP WT. 2 lbs 5 lbs Suggested Controls MS26 or **M601W** 39 Ceiling Heaters For more information visit MarleyMEP.com/Products/Ceiling-Heaters rev:...

lang:en score:15 filesize: 128.19 K page_count: 1 document date: 2022-04-11

QFF SERIES
Ceiling-Mounted Fan-Forced Heater

CEILING HEATERS

Models & Specifications:

ITEM INFORMATION	UPC	VOLTS	WATTS	AMPS	SHIP WT.
QFF10P	000300000017	208	3000/6000	14.9/29.8	10.0 lbs
QFF10P	000300000018	208	3000/6000	14.9/29.8	10.0 lbs
QFF10P	000300000019	208	3000/6000	14.9/29.8	10.0 lbs
QFF10P	000300000020	208	3000/6000	14.9/29.8	10.0 lbs
QFF10P	000300000021	208	3000/6000	14.9/29.8	10.0 lbs
QFF10P	000300000022	208	3000/6000	14.9/29.8	10.0 lbs
QFF10P	000300000023	208	3000/6000	14.9/29.8	10.0 lbs
QFF10P	000300000024	208	3000/6000	14.9/29.8	10.0 lbs
QFF10P	000300000025	208	3000/6000	14.9/29.8	10.0 lbs

Document 17: Reproduced with permission, MarleyMEP.com. All rights reserved. Content is the responsibility of the manufacturer.

Optional Accessories:

ITEM NUMBER	UPC	DESCRIPTION	SHIP WT.
QFF10S	000300000026	24V On/Off Delay Thermostat, White	2 lbs
QFF10S	000300000027	24V On/Off Delay Thermostat, Black	2 lbs
QFF10P	000300000028	120V Thermostat, White	1 lbs
QFF10P	000300000029	120V Thermostat, Black	1 lbs
QFF10P	000300000030	24V On/Off Delay Thermostat	1 lbs
QFF10P	000300000031	24V On/Off Delay Thermostat	1 lbs

Suggested Controls

37 | Ceiling Heaters For more information visit MarleyMEP.com/Products/Ceiling-Heaters

BERKCO

[\[pdf\]](#) Specifications Accessories Catalog

Manufacturer Spec Sheet QMARD QFFR12 120V TIME DELAY RELAY RATED 30A AT 120 277V

Gordon Electric Supply Inc MarleyEngineeredProducts Berko 00038 37 CAT images tradeservice

9ETBOIYK8205G6UU ATTACHMENTS DIR100361 |||

QFF SERIES Ceiling-Mounted Fan-Forced Heater **CEILING HEATERS** Models

Specifications: ITEM INFORM ... lbs 23 lbs 23 lbs SHIP WT. 6 lbs 1 lbs 4.5 lbs 1 lbs 2 lbs 1 lbs 1 lbs Suggested Controls MS26 or **M601W** 37 Ceiling Heaters For more information visit MarleyMEP.com/Products/Ceiling-Heaters rev:...

lang:en score:15 filesize: 138.96 K page_count: 1 document date: 2022-04-11

GFR SERIES
Fan-Forced Register Style Wall Heater

WALL HEATERS

Models & Specifications:

ITEM INFORMATION	UPC	VOLTS	WATTS	AMPS	SHIP WT.
GFR10P	000300000045	120	12000/16000	10.5/13.7	9.0 lbs
GFR10P	000300000046	120	12000/16000	10.5/13.7	9.0 lbs
GFR10P	000300000047	120	12000/16000	10.5/13.7	9.0 lbs
GFR10P	000300000048	120	12000/16000	10.5/13.7	9.0 lbs
GFR10P	000300000049	120	12000/16000	10.5/13.7	9.0 lbs
GFR10P	000300000050	120	12000/16000	10.5/13.7	9.0 lbs

Document 17: Reproduced with permission, MarleyMEP.com. All rights reserved. Content is the responsibility of the manufacturer.

Optional Accessories:

ITEM NUMBER	UPC	DESCRIPTION	SHIP WT.
GFR10S	000300000051	Single Pole Thermostat for GFR Series Heater	1 lbs
GFR10P	000300000052	Single Pole Thermostat (Not Included)	1 lbs
GFR10P	000300000053	Single Pole Thermostat (Not Included)	1 lbs
GFR10P	000300000054	Single Pole Thermostat (Not Included)	1 lbs

Suggested Controls

22 | Wall Heaters For more information visit MarleyMEP.com/Products/Wall-Heaters

BERKCO

[\[pdf\]](#) Installation Guide Specifications Catalog

Manufacturer Spec Sheet QMARD GFRTSP SINGLE POLE BUILT IN THERMOSTAT Gordon Electric

Supply Inc MarleyEngineeredProducts Berko 00038 22 CAT images tradeservice

9ETBOIYK8205G6UU ATTACHMENTS DIR100361 |||

GFR SERIES Fan-Forced Register Style Wall Heater **WALL HEATERS** Models

Specifications: ITEM INFOR ... Mounting Frame SHIP WT. 2 lbs 10 lbs 1 lbs 1 lbs 2 lbs Suggested Controls TL8230A1003/U MS26 or **M601W** 22 Wall Heaters For more information visit MarleyMEP.com/Products/Wall-Heaters rev: Jan 2...

lang:en score:15 filesize: 182.86 K page_count: 1 document date: 2022-04-11

QCH SERIES
Ceiling-Mounted Fan-Forced Heater




CEILING HEATERS

Technical Specifications:
Temp Range: 45°-95°F
CFM: 65
Grille Gauge: 20

Ideal Spaces:
Basements
Offices & Lobbies
Converted Attics
Bathrooms
Workshops
Hallways & Common Areas

Grille features and ratings:
• Built-in power on/off switch
• Thermostat cutout to shut off heater in case of overheating
• Easy installation with a three-piece design
• Automatic fan delay eliminates cold drafts on start-up and distributes residual heat from the heater body during shut down
• Recessed or surface installation options available
• Remote wall thermostat required

Color: White

WARRANTY:
5 YEAR Limited
1 YEAR Standard

QCH Series | Ceiling Heater | QMarkMEP.com | Technical Services: 800-642-4328

QMARK

[\[pdf\] Specifications Flyer Warranty Catalog](#)

MEP QCH CeilingHeat Q Flyer 2023 10 web marleymep system files node file field |||

QCH SERIES Ceiling-Mounted Fan-Forced Heater CEILING HEATERS Technical Specifications: Temp Range: ... 10 lbs SHIP WT. 2 lbs 5 lbs Suggested Controls MS26 or **M601W** Item# QFLY_QCF_1023-1

QMarkMEP.com Technical Services: 800-642-4328 ...

lang:en **score:15** filesize: 344.2 K page_count: 2 document date: 2023-10-29

QCH SERIES
Ceiling-Mounted Fan-Forced Heater




CEILING HEATERS

Technical Specifications:
Temp Range: 45°-95°F
CFM: 65
Grille Gauge: 20

Ideal Spaces:
Basements
Offices & Lobbies
Converted Attics
Bathrooms
Workshops
Hallways & Common Areas

Color: White

WARRANTY:
5 YEAR Limited
1 YEAR Standard

QCH Series | Ceiling Heater | BerkoMEP.com | Technical Services: 800-642-4328

BERKO

[\[pdf\] Specifications Flyer Warranty Catalog](#)

MEP QCH CeilingHeat B Flyer 2023 10 web marleymep system files node file field |||

QCH SERIES Ceiling-Mounted Fan-Forced Heater CEILING HEATERS Technical Specifications: Temp Range: ... 10 lbs SHIP WT. 2 lbs 5 lbs Suggested Controls MS26 or **M601W** Item# BFLY_QCF_1023-1

BerkoMEP.com Technical Services: 800-642-4328 ...

lang:en **score:15** filesize: 365.53 K page_count: 2 document date: 2023-10-29

COS-E SERIES*
Residential Fan-Forced Zonal Wall Heater




WALL HEATERS

Technical Specifications:
Temp Range: 45°-135°F
CFM: 65
Grille Gauge: 20

Ideal Spaces:
Bedrooms
Living/Family Room
Kitchens
Offices
Conference Rooms
Waiting Rooms

Contemporary look and compact size ideal for new residential or commercial installations where space is limited
• Patented CLIP-N-FLIT™ feature allows installer to change the desired wattage output without moving the jumper wire
• Dual voltage and wattage ratings help reduce the risk of overheating, with a one-time thermal fuse backup
• Dual voltage and wattage ratings help reduce the risk of overheating, with a one-time thermal fuse backup
• Header/Fan Assembly fits into back box with a single screw for easy installation
• Built-in double-pole thermostat with positive OFF position, or a remote, wall mounted thermostat provides localized room control
• Multi-layer impeller provides quiet operation

Color: White

WARRANTY:
5 YEAR Limited
1 YEAR Standard

COS-E Series | Wall Heater | QMarkMEP.com | Technical Services: 800-642-4328

QMARK

[\[pdf\] Specifications Flyer Warranty Catalog](#)

MEP COS E Wallheat Q Flyer 2023 12 web marleymep system files node file field |||

COS-E SERIESTM WALL HEATERS Residential Fan-Forced Zonal Wall Heater

Technical Specifications: Te ... lbs 5.6 lbs 11 lbs SHIP WT. 1 lbs 2 lbs 2 lbs

Suggested Controls 12 9 7/8 4 7 3/4 TH106A **M601W** Item# QFLY_COS-E

Series_1223-1 QMarkMEP.com Technical Services: 800-642-4328 ...

lang:en **score:15** filesize: 336.07 K page_count: 2 document date: 2023-12-15

[pdf] Specifications Flyer Warranty Catalog

Untitled WALL HEATERS MEP COS E Wallheat B Flyer 2023 12 web marleymep |||

COS-E SERIESTM WALL HEATERS Residential Fan-Forced Zonal Wall Heater

Technical Specifications: Te ... WT. 1 lbs 2 lbs 2 lbs Dimensions and Clearances: 9

Suggested Controls 12 9 4 7 TH106A **M601W** Item# BFLY COS-E Series 1223-1

BerkoMEP.com Technical Services: 800-642-4328 ...

lang:en score:15 filesize: 215.22 K page count: 2 document date: 2024-11-13

[pdf] Specifications Flyer Warranty Catalog

Untitled WALL HEATERSMEP COS E Wallheat Q Flyer 2023 12 webmarleymep MEP web

COS-E SEBIESTM WALL HEATERS Residential Fan-Forced Zonal Wall Heater

Technical Specifications: Te = ... WT = 1 lbs 2 lbs 2 lbs Dimensions and Clearances: 9

Suggested Controls 12 9 4 7 TH106A M601W Item# QEI Y COS-E Series 1223-1

QMarkMEP.com Technical Services: 800-642-4328

lang:en score:15 filesize: 215.33 K page_count: 2 document date: 2024-11-13

DIGITAL THERMOSTATS AND CONTROLS



[pdf] Catalog

Download Qmark by Marley T200 Thermostat DPST Snap Action QMAT200 mecampbell media III

DIGITAL THERMOSTATS AND CONTROLS DSB240 ||| DSB2402 m T200

MHT40S1 T87F WTIIA WB661 OFF LINE VOLTAGE THERMOSTATS WHITE

MS26 MD26 Snap SPST Action DPST 22A 18A No No Yes **M601W** M601TPW Snap

Action SPST 22A 18A No No M602W M602TPW Snap Action DPST 22A 18A No

lang:en score:15 filesize: 389 79 K page_count: 1 document date: 2004-03-10

langton.333.333.html.333.333.333.page_222 - document date: 2007-03-10

GFR SERIES
Fan-Forced Register Style Wall Heater

WALL HEATERS




Technical Specifications:

- Temp Range: 40°-95°F
- CFM: 50
- Grille Gauge: 20

Ideal Spaces:

- Bedrooms
- Living/Family Room
- Kitchens
- Bathrooms
- Bedrooms
- Offices
- Conference Rooms
- Waiting Rooms

Color:

- White

Warranty:

- 5 YEAR
- 1 YEAR

MEP-GFR

GFR Series | Wall Heater | BerkoMEP.com | Technical Services: 800-642-0126

[pdf] Specifications Flyer Catalog

Untitled WALL HEATERS 7 days ago — Patented CLIP N FIT® feature allows installer to change the desired wattage output without moving jumper wire Contemporary register style grille that MEP GFR Wallheat B Flyer 2025 03 web marleymep |||

GFR SERIES Fan-Forced Register Style Wall Heater WALL HEATERS Technical Specifications: Temp Range ... Dimensions and Clearances: 4 Suggested Controls 16 14 7 4 6 1 TH106A MS26 or **M601W** Item# BFLY_GFR Series_0325-1

BerkoMEP.com Technical Services: 800-642-4328 ...

lang:en score:15 filesize: 212.4 K page_count: 2 document date: 2025-03-21