

- Manuals.plus /
- › Blanco /
 - › Blanco 441402 Alta Pullout Kitchen Faucet with Dual Spray, Satin Nickel - Instruction Manual

Blanco 441402

Blanco 441402 Alta Pullout Kitchen Faucet with Dual Spray,
Satin Nickel - Instruction Manual

INTRODUCTION

This instruction manual provides essential information for the installation, operation, and maintenance of your Blanco 441402 Alta Pullout Kitchen Faucet. Designed with a modern, geometric aesthetic and a sleek single-lever handle, this faucet features a convenient pullout dual spray function. Please read this manual thoroughly before installation and use to ensure proper function and longevity of your product.

PRODUCT OVERVIEW



Image 1: The Blanco 441402 Alta Pullout Kitchen Faucet, showcasing its satin nickel finish, single lever handle, and pullout spray head. The design is modern and streamlined.

The Blanco 441402 Alta faucet is constructed with a solid brass body and features a ceramic disk cartridge for reliable performance. It includes a button-activated dual spray function for versatile use in your kitchen.

SETUP AND INSTALLATION

Professional installation is recommended. Ensure all local plumbing codes are followed.

Pre-Installation Checks:

- Verify all components are present as listed in the packaging.
- Ensure the installation surface has a 1-3/8 inch hole for mounting.
- Confirm water supply lines are accessible and can be shut off.

Installation Steps (Summary):

1. Mount the faucet onto the deck, ensuring a secure fit.
2. Connect the extra-long supply lines to the hot and cold water feeds.
3. Attach the pullout spray hose and counterweight (if applicable).
4. Test for leaks and proper operation.

OPERATING INSTRUCTIONS

Water Flow and Temperature Control:

The faucet features a single lever handle for controlling both water flow and temperature. Move the lever handle up to increase flow and down to decrease or shut off. Pivot the handle left for hot water and right for cold water.

Dual Spray Function:

The pullout spray head includes a button for activating the dual spray function. Press the button to switch between a steady stream and a powerful spray. The spray head can be pulled out for extended reach and flexibility.

MAINTENANCE

Cleaning the Faucet:

- Clean the satin nickel finish regularly with a soft cloth and mild soap and water.
- Avoid abrasive cleaners, harsh chemicals, or scouring pads, as these can damage the finish.
- Rinse thoroughly and dry with a soft cloth to prevent water spots.

Ceramic Disk Cartridge:

The ceramic disk cartridge is designed for long-lasting, drip-free performance. If issues arise with water flow or temperature control, consult the troubleshooting section or contact customer support.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Low Water Flow	Clogged aerator; partially closed shut-off valve; kinked supply line.	Clean aerator; ensure shut-off valves are fully open; check supply lines for kinks.
Leaking from Spout	Worn ceramic disk cartridge; loose connections.	Tighten connections; replace ceramic disk cartridge if necessary (contact support).
Difficulty Switching Spray Modes	Mineral buildup in spray head.	Clean spray head nozzles.

SPECIFICATIONS

- **Model Number:** 441402
- **Brand:** Blanco
- **Finish Type:** Satin Nickel
- **Body Material:** Solid Brass
- **Handle Type:** Lever
- **Cartridge Type:** Ceramic Disk

- **Spray Function:** Button Activated Dual Spray
- **Flow Rate:** 2.2 Gallons Per Minute (GPM)
- **Installation Type:** Deck Mounted
- **Hole Count:** 1
- **Required Hole Size:** 1-3/8 inches
- **Lead Compliant:** AB1953 Lead Free Compliant
- **Item Weight:** Approximately 2 Pounds (907 g)
- **Product Dimensions:** 25.4 x 5.08 x 25.4 cm (10 x 2 x 10 inches)

WARRANTY AND SUPPORT

Warranty Information:

This Blanco faucet is backed by a **Limited Lifetime Manufacturer Warranty**. Please retain your proof of purchase for warranty claims. For full details regarding warranty coverage, terms, and conditions, please refer to the official Blanco website or contact Blanco customer service.

Customer Support:

For technical assistance, replacement parts, or warranty service, please contact Blanco customer support. Contact information can typically be found on the official Blanco website or on the product packaging.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Email

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Details

Submit question

Open the live page

<https://manuals.plus/asin/B006W6L3H0>

More documents and user manuals: <https://manuals.plus/>