



Manuals.plus /

- › **Schecter** /
- › Schecter Omen-6 Electric Guitar Instruction Manual - Gloss White

Schecter OMEN-6

Schecter Omen-6 Electric Guitar Instruction Manual

Model: OMEN-6 (2061)

1. INTRODUCTION

This manual provides essential information for the setup, operation, and maintenance of your Schecter Omen-6 electric guitar. The Omen-6 series is designed to offer a balance of sturdy construction and quality components for an enhanced playing experience.



Figure 1: Front view of the Schecter Omen-6 Gloss White electric guitar, showcasing its body, pickups, and fretboard.

2. SETUP

2.1 Initial Inspection

Upon unboxing, carefully inspect the guitar for any signs of damage. Ensure all components are securely in place. The Schecter Omen-6 features a basswood body, maple neck, and rosewood fingerboard.

2.2 Tuning

Before playing, ensure the guitar is properly tuned. Standard tuning for a 6-string electric guitar is E-A-D-G-B-e (from thickest to thinnest string).

2.3 Connecting to an Amplifier

To amplify the guitar's sound, connect a standard 1/4-inch instrument cable from the guitar's output jack to the input of a compatible guitar amplifier. Ensure the amplifier is powered off before connecting or disconnecting cables.

3. OPERATION

3.1 Basic Controls

- **Volume Knobs:** Adjust the overall output level of the guitar.
- **Tone Knobs:** Modify the tonal characteristics, typically from brighter to warmer sounds.
- **Pickup Selector Switch:** The Omen-6 is equipped with two humbucking pickups. This switch allows you to select between the neck pickup (for warmer tones), the bridge pickup (for brighter, more aggressive tones), or a combination of both.

3.2 Using Amplifier Effects (Marshall MG100HCFX Example)

The Schecter Omen-6 can be paired with various amplifiers to explore different sounds. Below is an example of how to utilize effects on a Marshall MG100HCFX amplifier, demonstrating clean and overdrive channels with built-in effects.

Your browser does not support the video tag.

Video 1: Demonstration of the Schecter Omen-6's sound with various effects and settings on a Marshall MG100HCFX amplifier, including clean, chorus, phaser, flanger, vibe, octave, multi-delay, reverse delay, and overdrive settings.

4. MAINTENANCE

Regular maintenance ensures the longevity and optimal performance of your Schecter Omen-6 guitar.

4.1 Cleaning and Fretboard Care

Keep your guitar clean from dust and grime. The fretboard, in particular, benefits from regular cleaning and conditioning to prevent drying and cracking. Use specialized guitar cleaning products for best results.

Your browser does not support the video tag.

Video 2: A guide on cleaning and polishing a guitar, including fretboard care, using a Dunlop System 65 maintenance kit. This demonstrates the process of removing old strings, cleaning the headstock, fretboard, and body, and applying conditioning products before restringing.

4.2 String Replacement

Strings should be replaced periodically, depending on usage, to maintain optimal tone and playability.

When replacing strings, ensure you use the correct gauge for your guitar.

5. TROUBLESHOOTING

If you encounter issues with your guitar, consider the following common troubleshooting steps:

- **No Sound:** Check all cable connections (guitar to amp, amp to power). Ensure the amplifier is powered on and the guitar's volume knob is turned up. Test with a different cable or amplifier if possible.
- **Buzzing/Fretting Out:** This could be due to improper string action, worn frets, or a neck adjustment issue. Professional setup may be required.
- **Poor Tone:** Check pickup selector position, tone knob settings, and amplifier equalization. Old or corroded strings can also significantly degrade tone.

6. SPECIFICATIONS

Feature	Specification
Model Number	2061
Body Material	Basswood
Neck Material	Maple
Fretboard Material	Rosewood
Number of Strings	6
Pickup Configuration	2 Humbucking (Schecter Diamond Plus)
Scale Length	25.5 inches
Bridge System	Tune-O-Matic
Color	Gloss White
Item Weight	9.74 pounds
Product Dimensions	44 x 19 x 5 inches

7. WARRANTY AND SUPPORT

For warranty information and technical support, please refer to the documentation included with your purchase or visit the official Schecter website. Schecter offers a 90-Day Warranty for U.S. customers on factory seconds/B-stock items, which covers functional issues but typically excludes cosmetic defects.