

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

Klip Xtreme KES-390

Klip Xtreme KES-390 Speaker System User Manual

Model: KES-390

INTRODUCTION

Thank you for purchasing the Klip Xtreme KES-390 2.1 Channel Speaker System. This manual provides detailed instructions for setting up, operating, and maintaining your new speaker system. Please read this manual thoroughly before use to ensure proper operation and to maximize the performance of your device. Keep this manual for future reference.

SAFETY INFORMATION

To ensure safe operation and prevent damage, please observe the following safety precautions:

- Do not expose this product to rain, moisture, or extreme temperatures.
- Do not place the unit near heat sources such as radiators, heat registers, stoves, or other apparatus (including amplifiers) that produce heat.
- Only use attachments/accessories specified by the manufacturer.
- Unplug this apparatus during lightning storms or when unused for long periods of time.
- Refer all servicing to qualified service personnel. Servicing is required when the apparatus has been damaged in any way.
- Ensure proper ventilation around the speakers to prevent overheating.

PACKAGE CONTENTS

Please check that all items are present and in good condition:

- 1 x Klip Xtreme KES-390 Subwoofer Unit
- 2 x Satellite Speakers
- 1 x Audio Cable (3.5mm to RCA)
- 1 x User Manual (this document)

PRODUCT OVERVIEW

Familiarize yourself with the components of your Klip Xtreme KES-390 speaker system.



Figure 1: Front view of the Klip Xtreme KES-390 2.1 speaker system, showing the central subwoofer unit flanked by two satellite speakers. The subwoofer features a large, prominent speaker grille, and the satellite speakers have smaller grilles.



Figure 2: An angled perspective of the Klip Xtreme KES-390 speaker system, highlighting the sleek design of the subwoofer and satellite speakers. This view provides a better sense of the depth and form factor of each component.



Figure 3: A detailed close-up shot focusing on the subwoofer and one satellite speaker of the Klip Xtreme KES-390 system. This image emphasizes the texture of the speaker grilles and the metallic accents on the subwoofer.

Subwoofer Unit

- **Main Power Switch:** Located on the rear panel.
- **Volume Control:** Rotary knob on the front or side for overall system volume.
- **Bass Control:** Rotary knob for adjusting subwoofer bass level.
- **Audio Input:** RCA jacks for connecting to audio sources.
- **Satellite Speaker Outputs:** RCA jacks for connecting satellite speakers.

Satellite Speakers

- Compact speakers designed for mid-range and high-frequency audio.
- Connect directly to the subwoofer unit.

SETUP

Follow these steps to set up your Klip Xtreme KES-390 speaker system:

1. Placement:

- Place the subwoofer on the floor, preferably in a corner or near a wall for enhanced bass response.
- Position the satellite speakers on either side of your listening area, equidistant from you, for optimal stereo imaging. Ensure they are at ear level if possible.

2. Connect Satellite Speakers:

- Connect the cables from the satellite speakers to the corresponding "L" (Left) and "R" (Right) output jacks on the rear of the subwoofer unit.

3. Connect to Audio Source:

- Using the provided audio cable (3.5mm to RCA), connect the 3.5mm end to your audio source (e.g., computer, smartphone, TV headphone jack).
- Connect the RCA ends of the cable to the "Audio Input" jacks on the rear of the subwoofer unit.

4. Power Connection:

- Plug the power cord of the subwoofer unit into a standard electrical outlet (110-220V).

5. Power On:

- Flip the main power switch on the rear of the subwoofer to the "ON" position.

OPERATING INSTRUCTIONS

Once your speaker system is set up, follow these steps to operate it:

1. Adjust Volume:

- Turn the main Volume control knob on the subwoofer to your desired listening level.
- You may also need to adjust the volume on your audio source device.

2. Adjust Bass:

- Use the Bass control knob on the subwoofer to increase or decrease the bass output according to your preference.

3. Playing Audio:

- Start playing audio from your connected source device. The sound should now be output through the Klip Xtreme KES-390 speaker system.

4. Power Off:

- When not in use, flip the main power switch on the rear of the subwoofer to the "OFF" position.

MAINTENANCE

Proper care and maintenance will ensure the longevity of your speaker system:

- Cleaning:

- Always unplug the speaker system from the power outlet before cleaning.
- Use a soft, dry cloth to wipe down the surfaces of the speakers and subwoofer.
- Do not use liquid cleaners, aerosols, or abrasive chemicals, as they may damage the finish.

- **Storage:**

- If storing the system for an extended period, disconnect all cables and store it in a cool, dry place away from direct sunlight and extreme temperatures.

- **Ventilation:**

- Ensure that the ventilation openings on the subwoofer are not blocked to prevent overheating.

TROUBLESHOOTING

If you encounter any issues with your Klip Xtreme KES-390 speaker system, refer to the following table for common problems and solutions:

Problem	Possible Cause	Solution
No sound	<ul style="list-style-type: none"> • Power not connected or switched off. • Volume too low. • Audio cable not connected properly. • Audio source not playing or muted. 	<ul style="list-style-type: none"> • Ensure power cord is plugged in and power switch is ON. • Increase the volume on the speaker system and audio source. • Check all audio cable connections. • Verify audio is playing from the source and not muted.
Distorted sound	<ul style="list-style-type: none"> • Volume too high. • Poor audio source quality. • Cable interference. 	<ul style="list-style-type: none"> • Decrease the volume on the speaker system or audio source. • Try a different audio source or file. • Ensure audio cables are not near power cables.
No bass	<ul style="list-style-type: none"> • Bass control set too low. • Subwoofer not connected or faulty. 	<ul style="list-style-type: none"> • Increase the Bass control knob on the subwoofer. • Check subwoofer connection to power and audio source.

If the problem persists after trying these solutions, please contact customer support.

SPECIFICATIONS

Feature	Detail
Model Name	KES-390
Speaker Type	2.1 Channel Speaker System (Subwoofer, Satellite)

Feature	Detail
RMS Power Output	48 Watts
Peak Power Output	96 Watts
Subwoofer Frequency Response	45 Hz - 130 Hz
Satellite Speaker Frequency Response	90 Hz - 20,000 Hz
Satellite Speaker Impedance	4 Ohm
Subwoofer Impedance	4 Ohm
Input Voltage	110-220V
Dimensions (Subwoofer)	Approx. 35 x 35 x 35 cm (13.8 x 13.8 x 13.8 inches)
Item Weight	4.81 kg (10.6 lbs)
Color	Black

WARRANTY AND SUPPORT

Klip Xtreme products are designed and manufactured to the highest quality standards. For information regarding warranty coverage, technical support, or service inquiries, please visit the official Klip Xtreme website or contact your local distributor.

Official Website: www.klipxtreme.com

Please have your product model number (KES-390) and purchase information ready when contacting support.



© 2024 Klip Xtreme. All rights reserved.

Documents - Klip Xtreme – KES-390



[\[pdf\]](#)

KES 390 DS ENG HR 11 03 AcoustixFusion My Accvnt If you are not only looking for the sound expect but also one can dream about will love Klip Xtreme® a 2 1 speaker system vmcustom files 475 5 my accvnt media plg |||

pcsessentials AcoustixFusion 11 2.1 Speaker system with USB and SD audio playback If you are not only looking for the sound you expect, but also the one you can only dream about, you will love the Klip Xtreme **KES-390**, a 2.1 speaker system that combines a bold design, cutting edge technology with US...

lang:en score:31 filesize: 4.14 M page_count: 1 document date: 2011-11-03

KLIP XTREME

AcoustixFusion 11
2.1 Speaker system with USB and SD audio playback



Dcessentials

[\[pdf\] Borchure](#)

KES 390 DS ENG HR 11 03 kes english brochure klipxtreme 80 uy dl file id 319

pclessentials AcoustixFusion 11 2.1 Speaker system with USB and SD audio playback

If you are not only looking for the sound you expect, but also the one you can only dream about, you will love the Kip Xtreme KES-390 2.1 Speaker system with USB and SD audio playback. The KES-390 is a 2.1 speaker system with a subwoofer that is able to produce 40 watts of total RMS strength to give you the best sound quality. It also has a remote control for your listening experience by adjusting the volume and bass. It also has a built-in 3.5 mm jack for headphones. The KES-390 also includes both headphone and microphone jacks for added convenience.

Dcessentials

AcoustixFusion 11
2.1 Speaker system with USB and SD audio playback

[\[pdf\] Borchure](#)

KES 390 DS ENG HR 11 03 kes english brochure klipxtreme 80 uy dl file id 319

pclessentials AcoustixFusion 11 2.1 Speaker system with USB and SD audio playback

If you are not only looking for the sound you expect, but also the one you can only dream about, you will love the Klip Xtreme **KES-390**, a 2.1 speaker system that combines a bold design, cutting edge technology with US...

lang:en **score:26** filesize: 4.14 M page_count: 1 document date: 2011-11-03

KLIP XTREME

AcoustixFusion 11
Sistema de parlantes de 2.1 con reproductor de audio para USB y SD



Dcessenciales

[\[pdf\] Borchure](#)

KES 390 DS SPA HR 11 03 kes spanish brochure spec sheet klipxtreme 80 br dl file id 540 us 920

pcsesenciales AcoustixFusion 11 Sistema de parlantes de 2.1 con reproductor de audio para USB y SD Si tu intencin es encontrar no slo el sonido que deseas, sino que tambin el audio con el que hasta ahora slo habas soar, entonces te encantar el **KES-390** de Klip Xtreme, un sistema de parlantes de 2.1,...

lang:es **score:25** filesize: 4.15 M page_count: 1 document date: 2011-11-03