

Wouxun KG-UV6D

Wouxun KG-UV6D Two Way Radio User Manual

Model: KG-UV6D

INTRODUCTION

The Wouxun KG-UV6D Dual-Band handheld commercial transceiver is a robust communication device designed for reliable two-way radio operation. It offers dual-band, dual-frequency, dual-display, and dual-standby capabilities, making it versatile for various applications. This manual provides comprehensive instructions for the proper setup, operation, and maintenance of your KG-UV6D radio.

SAFETY INFORMATION

- Do not operate the radio in explosive atmospheres (e.g., flammable gases, dust particles, metallic powders).
- Do not transmit without an antenna connected.
- Use only Wouxun-approved batteries and chargers to prevent damage and ensure safety.
- Keep the radio away from direct sunlight, excessive heat, and moisture.
- Do not disassemble or modify the radio. Refer all servicing to qualified personnel.
- Maintain a safe distance from the antenna during transmission to minimize RF exposure.

PACKAGE CONTENTS

Please check the package carefully to ensure all items are present and in good condition:

- 1x Wouxun KG-UV6D Dual Band Radio
- 1x 7.4V 1700mAh Li-ion Battery Pack
- 1x Antenna
- 1x Desktop Charger (100V-240V)
- 1x Belt Clip
- 1x Hand Strap
- 1x English Manual (this document)



Image: All components included in the Wouxun KG-UV6D Two Way Radio package. This includes the radio unit, a rechargeable Li-ion battery, a desktop charging cradle with power adapter, a flexible antenna, a belt clip for portability, and a hand strap for secure carrying.

PRODUCT OVERVIEW

Familiarize yourself with the various parts of your Wouxun KG-UV6D radio.



Image: Front view of the Wouxun KG-UV6D radio. Visible features include the LCD display, alphanumeric keypad, speaker grille, microphone, and top-mounted rotary knobs for power/volume and channel selection, along with the antenna connector.



Image: Rear view of the Wouxun KG-UV6D radio, showing the attached belt clip and the battery compartment. The gold contacts for charging are also visible at the bottom.



Image: Side view of the Wouxun KG-UV6D radio, highlighting the large Push-to-Talk (PTT) button and the covered accessory port for external microphone/speaker or programming cable.



Image: Opposite side view of the Wouxun KG-UV6D radio, showing the textured grip and the overall ergonomic design of the device.

SETUP

1. Battery Installation and Charging

1. Align the 7.4V 1700mAh Li-ion battery pack with the grooves on the back of the radio.
2. Slide the battery upwards until it clicks into place.
3. To charge, place the radio with the battery installed into the desktop charger. Ensure the charging contacts align.
4. Connect the desktop charger to a 100V-240V AC power outlet using the provided adapter.
5. The charger indicator light will show charging status (typically red for charging, green for fully charged).
6. A full charge typically takes 3-4 hours.

2. Antenna Installation

1. Screw the antenna clockwise onto the SMA antenna socket located on top of the radio until it is finger-tight. Do not overtighten.

3. Belt Clip Installation

1. Align the belt clip with the screw holes on the back of the radio (above the battery).
2. Secure the belt clip using the provided screws.

OPERATING INSTRUCTIONS

1. Power On/Off and Volume Control

- To power on, rotate the top-left knob clockwise until you hear a click.
- Continue rotating the same knob to adjust the volume.
- To power off, rotate the knob counter-clockwise until it clicks.

2. Frequency Selection (VFO/Channel Mode)

- Press the **VFO/MR** button to switch between Frequency (VFO) mode and Channel (Memory) mode.
- In VFO mode, use the keypad to directly input frequencies or the up/down arrow keys to tune.
- In Channel mode, use the up/down arrow keys or the rotary knob (if available) to select stored channels.

3. Dual Band, Dual Frequency, Dual Display, Dual Standby

- The KG-UV6D can display and monitor two different frequencies (VHF/UHF or UHF/VHF) simultaneously.
- Press the **A/B** button to switch the active VFO (the one you will transmit on).
- The radio will continuously check both displayed frequencies for activity.

4. VOX Transmission

- VOX (Voice Operated Transmit) allows hands-free transmission.
- To activate/deactivate VOX, press **MENU**, navigate to the VOX setting (usually menu item 7), press **MENU** again, select the desired sensitivity level (1-9, 9 being most sensitive) or OFF, then press **MENU** to confirm and **EXIT**.

5. CTCSS / DCS Scan

- CTCSS (Continuous Tone-Coded Squelch System) and DCS (Digital Coded Squelch) are used to filter out unwanted signals.
- To scan for CTCSS/DCS tones on an incoming signal, enter the menu and find the CTCSS/DCS scan function.

6. DTMF Encoding Function

- DTMF (Dual-Tone Multi-Frequency) tones can be used for remote control or accessing repeater functions.
- To send DTMF tones, hold down the PTT button and press the corresponding number keys on the keypad.

7. Auto / Manual Keypad Lock

- To manually lock/unlock the keypad, press and hold the **#** key.
- Auto keypad lock can be enabled in the menu settings to prevent accidental key presses.

8. FM Broadcast Band Receive

- The radio can receive FM broadcast radio (76-108 MHz).
- Press the **FM** button (if available, or through menu) to enter FM radio mode.

9. Repeater Offset Modes

- To communicate via repeaters, set the appropriate offset frequency and direction (plus/minus).
- Access the offset settings through the **MENU**.

10. Wire Cloning Function

- The radio supports wire cloning to copy settings from one KG-UV6D to another.
- Refer to the specific instructions in the full manual for the cloning procedure, which typically involves a cloning cable and specific key combinations on both radios.

MAINTENANCE

1. Cleaning

- Wipe the radio's surface with a soft, damp cloth. Do not use harsh chemicals or abrasive cleaners.
- Ensure the accessory port cover is securely closed to maintain IP55 waterproof standard.

2. Battery Care

- Avoid overcharging or completely discharging the Li-ion battery.
- If storing the radio for extended periods, charge the battery to about 50% capacity and remove it from the radio.

3. Storage

- Store the radio in a cool, dry place, away from direct sunlight and extreme temperatures.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Radio does not power on.	Battery is low or not installed correctly.	Charge the battery or re-install it securely.
Cannot transmit or receive.	Incorrect frequency/channel, squelch too high, antenna not connected.	Verify frequency/channel, adjust squelch, ensure antenna is connected.
Poor audio quality.	Low battery, incorrect volume, interference.	Charge battery, adjust volume, move away from interference sources.
Keypad is unresponsive.	Keypad lock is active.	Press and hold the # key to unlock.

SPECIFICATIONS


Feature	Detail
Model	KG-UV6D
Frequency Range (TX)	VHF: 144-148MHz, UHF: 420-450MHz
Frequency Range (RX)	VHF: 137-174MHz, UHF: 420-520MHz, FM: 76-108 MHz
RF Power Output	VHF: Up to 5W, UHF: Up to 4W
Audio Output	500mW
Battery	7.4V 1700mAh Li-ion Battery Pack
Waterproof Standard	IP55
Antenna Connector	SMA
Frequency Step	5, 6.25, 10, 12.5, 25, 50, 100 kHz
Dimensions	8.17 x 7.95 x 4.08 inches
Weight	1.85 pounds
Number of Channels	199

WARRANTY AND SUPPORT

Wouxun products are designed for reliability and performance. For warranty information and technical support, please refer to the official Wouxun website or contact your authorized dealer.

For further assistance, you may visit the [product page on Amazon](#) or contact Wouxun customer service directly.

Documents - Wouxun – KG-UV6D



WOUXUN KG UV6D Chuck Burton Kg Uv6D Manual Pdf 1iwouxun Wouxun us chirp danplanet attachments 185 |||

WOUXUN **KG-UV6D** 8/31/12 3:39 PM Welcome to Import Communications Radio dealer Wouxun.US is now ImportCommunications.com Here to Order TH-UV3R by TYT Dual Band, Micro-size HT with full keypad in s an Wouxun.US is my domain name. It is not connected with Wouxun-China other than the fact I sell...
lang:en score:56 filesize: 169.46 K page_count: 2 document date: 2012-08-31



A revised user's manual for the Wouxun KG-UV6D and KG-UV6X VHF/UHF FM Handheld Transceiver, pro
detailed instructions on programming, operation, and features.

lang:tl score:51 filesize: 637.39 K page_count: 18 document date: 2019-07-23



The Overall Plan Virgil Stamps This revised manual addresses that shortcoming guide is designed to teach you how manually program radio It will not duplicate some sections of Wouxun i e safety description functions shortcut sheet SOS function wire cloning charging programming troubleshooting CTCSS DCS charts kg uv6 qsl net t ta2ei cihaz uv6d

Wouxun **KG-UV6D** Wouxun KG-UV6X VHF/UHF Handheld FM Transceiver User s Manual Version 1.2, Ma
2012 Table of Contents 1

Preface.....

lang:tl score:44 filesize: 602.09 K page count: 18 document date: 2012-05-23



Wouxun KG UV6D review FR 2012 bee mif pg gda pl ciasteczkowypotwor ham radio Other |||

Encore des mouvements au sein de la gamme de transceivers portatifs Wouxun que commercialise en France Sardinia. Un nouveau modèle baptisé **KG-UV6D** vient de faire son arrivée. Gageons que ce bi-bande VHF-UHF remportera un certain succès durant l'été. Nous l'avons essayé dans son application RA. On signalera ...

lang:fr score:40 filesize: 1.92 M page count: 3 document date: 0000-00-00



[pdf]


Bruksanvisning Wouxun KG UV6D Rakom 127192552 ce6ede ba rakom kg uv6d 01 1111 cdn abicart shop ws13 38513 art52 ||| rakom.se Radiokommunikation i Bors Tvinnargatan 25, SE-507 30 Brmhult Tfn:033-723 22 10, Fax:033-13 info rakom.se www.rakom.se Bruksanvisning Wouxun **KG-UV6D** Allmnt Wouxun **KG-UV6D** r en handappar har bde VHF-bandet 136 -175 MHz och UHF-bandet 350-470 MHz och dessutom dubbel passning... lang:no score:39 filesize: 53.14 K page_count: 4 document date: 2011-12-01



[Instrukcja obsługi adaptera DELTA-OPTI SMA-G/UHF-G](#)

Instrukcja obsługi adaptera DELTA-OPTI SMA-G/UHF-G, zawierająca informacje o jego cechach, specyfikacji kompatybilności z różnymi modelami radiotelefonów oraz instrukcje bezpieczeństwa.


lang:pl score:35 filesize: 512.41 K page_count: 4 document date: 2025-07-05



[RT Systems Product Guide 2015: Radio Programming Software and Cables](#)

Explore the RT Systems 2015 Product Guide, featuring comprehensive information on radio programming software, USB cables, and accessories for a wide range of amateur radio brands including Yaesu, Icom, Kenwood, and Baofeng.


lang:en score:35 filesize: 11.61 M page_count: 22 document date: 2015-09-21



[RT Systems Radio Programming Software and USB Cables Guide](#)

A comprehensive guide to RT Systems software for programming amateur and commercial radio models. Features detailed USB cable compatibility charts, system requirements, and contact information for RT Syst Inc.


lang:en score:34 filesize: 12.44 M page_count: 24 document date: 2016-02-10



RT Systems Radio Programming Software Product Guide 2018

A comprehensive guide to RT Systems' radio programming software, detailing compatible radio models, US cables, and system requirements. Learn how to easily program amateur radios with RT Systems' user-frien software.

lang:en score:28 filesize: 9.05 M page_count: 28 document date: 2018-05-11



[pdf] User Manual SAR Rating

KG UV6X User Manual 10MBWouxun Dual Band VHF UHF 200 Channel Handheld Commercial Radio PowerwerxKGUIV6X UserMa powerwerx productattachments KGUIV6X UserManual |||

Thanks for buying the 1iwoxun transceiver. This transceiver offers latest design, enhanced feature ... , fina press IIJiJ to return to standby. 20 NOTE . . mu can edit the desired --on Message via **KG-UV6D** programm software. It is compose of 6 digits max, induding letters A to Z, numbers 0-9 an...

lang:en score:25 filesize: 9.96 M page_count: 38 document date: 2011-09-28




[pdf] User Manual

CHIRP New Model 1469 Zastone D9000 Manual Pdf User chirp danplanet issues |||

CHIRP - New Model # 1469 Status: Feedback Author: Johan Adler Created: 03/01/2014 Updated: 0 ... rt for where configuration can be saved, and a data cable is included. Just as with the Wouxun **KG-UV6D** I will gl help in any way I can, but I do not know where to start. Johan Adler Stockhol...

lang:en score:25 filesize: 770.25 K page_count: 6 document date: 2022-06-29



[pdf]

Tigertronics radio cable SL CAB HTW is compatible with a AWS This For various Baofeng Kenwood and Wouxun HTs that use stan type Mic Speaker plug stereo 3 5mm product 6567010 v 1729931494 shopwired business files s3 eu west 1 amazonaws 7 226987 : 263 Walsall Road, Great Wyrley, Walsall, WS6 6DL Established 1997. Open Monday - Friday 9am - 5pm ar TK-2107, TK-2118, TK-2160, TK-3100, TK-3101, TK-3102, TK-3107, TK-3118, TK-3160Wouxun, KG-UVD1 **UV6D**, KG-659, KG-669, KG-669 , KG-679, KG679 , KG-816, KG-819, KG-689, KG-689 , KG-699 ...

lang:en score:25 filesize: 83.68 K page_count: 1 document date: 2025-08-03



[pdf] User Manual

Portatif DYNASCAN DB 8D Wouxun KG UV8D Dynascan review FR 2014 radiomanual info schemi Vari
Particulièrement riche en nouveauts, cette rentre de septembre nous amne chez Dynascan un bibande VHF aussi chez Wouxun sous la rfrnce KGU8D. Dans les deux cas, il s agit d une volution du fameux **KG-UVI** cran offre une excellente qualit de lisibilit, combine une grande finesse des indication...
lang:fr **score:24** filesize: 2.52 M page_count: 3 document date: 0000-00-00




Signalink USB Radio Cable and Jumper Module Compatibility Guide for Amateur Radios

Comprehensive compatibility guide for Tigertronics Signalink USB interface, radio cables, and jumper mod
listing compatible amateur radio models from various manufacturers like Icom, Kenwood, Yaesu, Alinco, an
more. Find the correct accessories for your radio equipment.
lang:fr **score:23** filesize: 177.6 K page_count: 28 document date: 2021-09-20



[pdf] User Manual Quick Start Guide Accessories SAR Rating

Thanks for buying the 1iwouxun User s Manual This transceiver offers latest design enhanced features solid performances and easy
accessibility We believe you will be pleased with high quality reliable all your communication needs manual is ONLY suitable KG-UV/
Safety For a list of @UJOUXIMJ approved accessories see page this user or visit ucuxm PORTABLE TRANSCIEVER Page 2 Trair
General Keypad lock Auto 33 Adding scanning channel 34 Programmable by computer 35 Wire clone function 36 Menu Channel res
1750Hz burst tone 3B IP55 waterproof 03 Getting Started LCD Display There are various indicators displaying on screen when powe
Please refer below table KGU6X UserManual powerwerx azureedge net asset
Thanks for buying the 1iwouxun transceiver. This transceiver offers latest design, enhanced feature ... , fina
press IIJiJ to return to standby. 20 NOTE . . mu can edit the desired --on Message via **KG-UV6D** programm
software. It is compose of 6 digits max, induding letters A to Z, numbers 0-9 an...
lang:en **score:23** filesize: 9.96 M page_count: 38 document date: 2011-09-28



Signalink USB Product Compatibility Guide

Comprehensive guide to find compatible Signalink USB, Radio Cable, and Jumper Module part numbers fo
various radio models from manufacturers like Icom, Kenwood, Yaesu, and more. Includes important notes fo
selecting parts and configuring your Signalink device.
lang:en **score:21** filesize: 222.8 K page_count: 26 document date: 2021-03-11



[Guide d'installation et d'utilisation de l'interface Signalink USB](#)

Manuel détaillé pour l'installation, la configuration et le fonctionnement de l'interface audio Signalink USB d Tigertronics, optimisée pour les modes radio numériques.

lang:fr **score:21** filesize: 1.81 M page_count: 60 document date: 2023-08-05




[\[pdf\]](#)

KG UV6D 0904 kg uv6d qrz ru pub hamradio schemas wouxun |||

...


lang:fr **score:20** filesize: 45.98 M page_count: 37 document date: 2012-09-04



[Signalink USB Product Guide: Radio Compatibility](#)

Official product guide from Tigertronics detailing Signalink USB, radio cable, and jumper module compatibil a wide range of amateur radio models. Find part numbers for ICOM, Kenwood, Yaesu, and many other manufacturers.


lang:en **score:20** filesize: 666.12 K page_count: 26 document date: 2021-09-20



[Signalink USB Product Guide: Radio Cable and Jumper Module Compatibility](#)

Find the precise Signalink USB, radio cable, and jumper module part numbers for your radio model with this comprehensive guide from Tigertronics. Features alphabetical listings and compatibility information for num radio manufacturers.


lang:en **score:20** filesize: 495.03 K page_count: 31 document date: 2024-04-17



[Guide de compatibilité Signalink USB Tigertronics](#)

Ce guide répertorie les modèles de radios compatibles avec le Signalink USB de Tigertronics, incluant les numéros de pièce pour les câbles radio et les modules de cavalier.


lang:fr **score:19** filesize: 227.59 K page_count: 31 document date: 2025-03-19



[RT Systems Radio Programming Software and Cables Product Guide 2014](#)

This guide from RT Systems details their radio programming software and USB cables, compatible with a wide range of amateur radio models from brands like Yaesu, Kenwood, Icom, and Baofeng. It covers software features, FAQs, system requirements, and a comprehensive list of USB and other cables with their applications.

lang:en score:19 filesize: 6.8 M page_count: 20 document date: 2014-10-29



[RT Systems Product Guide 2014: Radio Programming Software and Cables](#)

Explore the RT Systems 2014 Product Guide, featuring comprehensive details on radio programming software, USB cables, and accessories for a wide range of amateur radio brands including Yaesu, Icom, Kenwood, and Baofeng.

lang:en score:19 filesize: 6.8 M page_count: 20 document date: 2014-10-29




[\[pdf\] Catalog](#)

High Performance Communication Genereus KG UV9D plus UV9T UV3Q UVA1 Auricular para Motorola Cobra Wouxun Kenwood P Luthor etc. nauser catalogo es genereus 2022 01 |||

High Performance Communication enAEscpceecisaloisrtaisos la PARA comunicacin deALTO rendimi ... h / UV86 / KG-UV3d KG-UV9D Mate / KG-UV7H / KG-UV8H / KG-UV86 KG-UV3D / KG-UV9D Mate / KG-UV7 **KG-UV6D** KG-UV899 / KG-UVD1P / KG-UV66 / KG-UV9K**KG-UV6D** / KG-UV899 / KG-UVD1P / KG-UV66 h UV9KKG-UV...


lang:es score:18 filesize: 1.7 M page_count: 68 document date: 2021-12-23



[Radio Connector Compatibility Chart: Part Numbers and Compatible Models](#)

A comprehensive guide detailing various radio connector part numbers and their compatibility with a wide range of radio models from leading manufacturers such as Motorola, Kenwood, Icom, Hytera, and more.

lang:en score:18 filesize: 484.16 K page_count: 5 document date: 2016-01-11




[pdf]

Untitled Mark Bekijk de handleiding Baofeng Kenwood Security oortje microfoon bol original media s g2lm6yVqD95r |||

Handleiding MRWD-e-commerce Voor Kenwood / Baofeng portofoon Omschrijving oortje Dit oortje is voor .. TK-3131 Free Talk XLS , TK-3160. Reim RPU416, RPV516, RPU499, RPV599X Wouxun KG-UVD1, KG-U

KG-UV6D, KG-UVD1PKG-669, KG-659, KG-679, KG-689, KG-639, KG-699, KG-801. Intek KT-980HP *Dit ...
lang:nl **score:18** filesize: 46.83 K page_count: 2 document date: 2021-01-29



[pdf]

P065 071 FredWork universal radio 80 catftp

Amateur Handheld Transceivers TH-F6A TH-K20A TH-D72A LCD Dot Matrix Display 435 Memories 3 Ca .. note that this amateur radio is not certified for commercial use. Order #0908 Please Call **KG-UV6D** 4W VHF UHF Li-ion Battery Wide/Narrow BW DTMF Keypad Dual Display 128 Memories Vo...

lang:en **score:18** filesize: 5.79 M page_count: 7 document date: 2016-09-02



[RT Systems Radio Programming Software and Cables Guide](#)

RT Systems offers specialized software and USB cables for programming a wide range of amateur and professional radio models from leading manufacturers. This guide details software features, installation, compatibility, and contact information.

lang:en **score:17** filesize: 10.29 M page_count: 30 document date: 2020-03-20




[pdf]

CHIRP Bug 5633 chirp danplanet issues |||

CHIRP - Bug # 5633 Status: Author: Created: Updated: Chrip Version: Model affected: Platform: Subje ... m CHIRP compatible radios Baofeng UV-82C BF-F8HP, BTEch UV-5X3, UV-25X2 UV-25X4, Wouxun **KG-UV** etc to keep the channel assignments the same. Jim KC9HI #2 - 03/11/2018 08:32 am - Dav...

lang:en **score:17** filesize: 751.2 K page_count: 3 document date: 2021-01-26




[pdf]

Wouxun KG UV6D Product Sheet Buy Two Way Radios This product has been patented imitation is not permitted Patent No for the Appearance ZL201130252203 7 STEP 1 SQL 2 SAVE 3 SCAN* TXP 4 ROGER 5 wouxun kg uv6d sheet pro buytwowayradios dl file 2566 products resources PRO

...

lang:en score:16 filesize: 883.95 K page_count: 2 document date: 0000-00-00



[pdf]

KG UV6D UV Dual Band Multifunctional Two way RadioThis product has been patented imitation is not permitted Patent No for the Appearance ZL201130252203 7 606780 FC M REACHwouxun kg uv6d pro sheetbuytwowayradios dl file id 876 2580 wouxun sheet AfrmBOormfMg8Uo9Rt3E8zJR7Ix3UcjAopcv7ZM5Y5ebokyG Lut2KdzK |||

...

lang:en score:15 filesize: 883.95 K page_count: 2 document date:



[NAUZER High Performance Communication Accessories Catalog](#)

Explore the comprehensive NAUZER catalog of high-performance communication accessories, including earphones, microphones, speakers, and helmet kits designed for demanding environments.

lang:en score:14 filesize: 1.7 M page_count: 68 document date: 2021-12-23



[pdf]

High Performance Communication nauzer genereus 2016 03 |||

High Performance Communication enAEscpceecisaloisrtaisos la PARA comunicacin deALTO rendimi ... h / UV86 / KG-UV3d KG-UV9D Mate / KG-UV7H / KG-UV8H / KG-UV86 KG-UV3D / KG-UV9D Mate / KG-UV7 **KG-UV6D** KG-UV899 / KG-UVD1P / KG-UV66 / KG-UV9**KG-UV6D** / KG-UV899 / KG-UVD1P / KG-UV66 f UV9KKG-UV...

lang:es **score:13** filesize: 24.6 M page_count: 68 document date: 2021-09-15

Aktuelle Preisliste vom 12.09.2022

Neuner Funk
Markus Hartmannstr. 25
D-91330 Eggolsheim
Tel. 09545 445290
Fax 09545 445292
E-Mail kontakt@neuner.de
Webshop www.neuner.de

NEUNER

Adapter dr.

Best.Nr.	Bezeichnung	Einheit	Preis	Preis
10000	Adapter für 10000-10000 Adapter	Adapter	1,00	1,00
10001	Adapter für 10001-10001 Adapter	Adapter	1,00	1,00
10002	Adapter für 10002-10002 Adapter	Adapter	1,00	1,00
10003	Adapter für 10003-10003 Adapter	Adapter	1,00	1,00
10004	Adapter für 10004-10004 Adapter	Adapter	1,00	1,00
10005	Adapter für 10005-10005 Adapter	Adapter	1,00	1,00
10006	Adapter für 10006-10006 Adapter	Adapter	1,00	1,00
10007	Adapter für 10007-10007 Adapter	Adapter	1,00	1,00
10008	Adapter für 10008-10008 Adapter	Adapter	1,00	1,00
10009	Adapter für 10009-10009 Adapter	Adapter	1,00	1,00
10010	Adapter für 10010-10010 Adapter	Adapter	1,00	1,00
10011	Adapter für 10011-10011 Adapter	Adapter	1,00	1,00
10012	Adapter für 10012-10012 Adapter	Adapter	1,00	1,00
10013	Adapter für 10013-10013 Adapter	Adapter	1,00	1,00
10014	Adapter für 10014-10014 Adapter	Adapter	1,00	1,00
10015	Adapter für 10015-10015 Adapter	Adapter	1,00	1,00
10016	Adapter für 10016-10016 Adapter	Adapter	1,00	1,00
10017	Adapter für 10017-10017 Adapter	Adapter	1,00	1,00
10018	Adapter für 10018-10018 Adapter	Adapter	1,00	1,00
10019	Adapter für 10019-10019 Adapter	Adapter	1,00	1,00
10020	Adapter für 10020-10020 Adapter	Adapter	1,00	1,00
10021	Adapter für 10021-10021 Adapter	Adapter	1,00	1,00
10022	Adapter für 10022-10022 Adapter	Adapter	1,00	1,00
10023	Adapter für 10023-10023 Adapter	Adapter	1,00	1,00
10024	Adapter für 10024-10024 Adapter	Adapter	1,00	1,00
10025	Adapter für 10025-10025 Adapter	Adapter	1,00	1,00
10026	Adapter für 10026-10026 Adapter	Adapter	1,00	1,00
10027	Adapter für 10027-10027 Adapter	Adapter	1,00	1,00
10028	Adapter für 10028-10028 Adapter	Adapter	1,00	1,00
10029	Adapter für 10029-10029 Adapter	Adapter	1,00	1,00
10030	Adapter für 10030-10030 Adapter	Adapter	1,00	1,00
10031	Adapter für 10031-10031 Adapter	Adapter	1,00	1,00
10032	Adapter für 10032-10032 Adapter	Adapter	1,00	1,00
10033	Adapter für 10033-10033 Adapter	Adapter	1,00	1,00
10034	Adapter für 10034-10034 Adapter	Adapter	1,00	1,00
10035	Adapter für 10035-10035 Adapter	Adapter	1,00	1,00
10036	Adapter für 10036-10036 Adapter	Adapter	1,00	1,00
10037	Adapter für 10037-10037 Adapter	Adapter	1,00	1,00
10038	Adapter für 10038-10038 Adapter	Adapter	1,00	1,00
10039	Adapter für 10039-10039 Adapter	Adapter	1,00	1,00
10040	Adapter für 10040-10040 Adapter	Adapter	1,00	1,00
10041	Adapter für 10041-10041 Adapter	Adapter	1,00	1,00
10042	Adapter für 10042-10042 Adapter	Adapter	1,00	1,00
10043	Adapter für 10043-10043 Adapter	Adapter	1,00	1,00
10044	Adapter für 10044-10044 Adapter	Adapter	1,00	1,00
10045	Adapter für 10045-10045 Adapter	Adapter	1,00	1,00
10046	Adapter für 10046-10046 Adapter	Adapter	1,00	1,00
10047	Adapter für 10047-10047 Adapter	Adapter	1,00	1,00
10048	Adapter für 10048-10048 Adapter	Adapter	1,00	1,00
10049	Adapter für 10049-10049 Adapter	Adapter	1,00	1,00
10050	Adapter für 10050-10050 Adapter	Adapter	1,00	1,00
10051	Adapter für 10051-10051 Adapter	Adapter	1,00	1,00
10052	Adapter für 10052-10052 Adapter	Adapter	1,00	1,00
10053	Adapter für 10053-10053 Adapter	Adapter	1,00	1,00
10054	Adapter für 10054-10054 Adapter	Adapter	1,00	1,00
10055	Adapter für 10055-10055 Adapter	Adapter	1,00	1,00
10056	Adapter für 10056-10056 Adapter	Adapter	1,00	1,00
10057	Adapter für 10057-10057 Adapter	Adapter	1,00	1,00
10058	Adapter für 10058-10058 Adapter	Adapter	1,00	1,00
10059	Adapter für 10059-10059 Adapter	Adapter	1,00	1,00
10060	Adapter für 10060-10060 Adapter	Adapter	1,00	1,00
10061	Adapter für 10061-10061 Adapter	Adapter	1,00	1,00
10062	Adapter für 10062-10062 Adapter	Adapter	1,00	1,00
10063	Adapter für 10063-10063 Adapter	Adapter	1,00	1,00
10064	Adapter für 10064-10064 Adapter	Adapter	1,00	1,00
10065	Adapter für 10065-10065 Adapter	Adapter	1,00	1,00
10066	Adapter für 10066-10066 Adapter	Adapter	1,00	1,00
10067	Adapter für 10067-10067 Adapter	Adapter	1,00	1,00
10068	Adapter für 10068-10068 Adapter	Adapter	1,00	1,00
10069	Adapter für 10069-10069 Adapter	Adapter	1,00	1,00
10070	Adapter für 10070-10070 Adapter	Adapter	1,00	1,00
10071	Adapter für 10071-10071 Adapter	Adapter	1,00	1,00
10072	Adapter für 10072-10072 Adapter	Adapter	1,00	1,00
10073	Adapter für 10073-10073 Adapter	Adapter	1,00	1,00
10074	Adapter für 10074-10074 Adapter	Adapter	1,00	1,00
10075	Adapter für 10075-10075 Adapter	Adapter	1,00	1,00
10076	Adapter für 10076-10076 Adapter	Adapter	1,00	1,00
10077	Adapter für 10077-10077 Adapter	Adapter	1,00	1,00
10078	Adapter für 10078-10078 Adapter	Adapter	1,00	1,00
10079	Adapter für 10079-10079 Adapter	Adapter	1,00	1,00
10080	Adapter für 10080-10080 Adapter	Adapter	1,00	1,00
10081	Adapter für 10081-10081 Adapter	Adapter	1,00	1,00
10082	Adapter für 10082-10082 Adapter	Adapter	1,00	1,00
10083	Adapter für 10083-10083 Adapter	Adapter	1,00	1,00
10084	Adapter für 10084-10084 Adapter	Adapter	1,00	1,00
10085	Adapter für 10085-10085 Adapter	Adapter	1,00	1,00
10086	Adapter für 10086-10086 Adapter	Adapter	1,00	1,00
10087	Adapter für 10087-10087 Adapter	Adapter	1,00	1,00
10088	Adapter für 10088-10088 Adapter	Adapter	1,00	1,00
10089	Adapter für 10089-10089 Adapter	Adapter	1,00	1,00
10090	Adapter für 10090-10090 Adapter	Adapter	1,00	1,00
10091	Adapter für 10091-10091 Adapter	Adapter	1,00	1,00
10092	Adapter für 10092-10092 Adapter	Adapter	1,00	1,00
10093	Adapter für 10093-10093 Adapter	Adapter	1,00	1,00
10094	Adapter für 10094-10094 Adapter	Adapter	1,00	1,00
10095	Adapter für 10095-10095 Adapter	Adapter	1,00	1,00
10096	Adapter für 10096-10096 Adapter	Adapter	1,00	1,00
10097	Adapter für 10097-10097 Adapter	Adapter	1,00	1,00
10098	Adapter für 10098-10098 Adapter	Adapter	1,00	1,00
10099	Adapter für 10099-10099 Adapter	Adapter	1,00	1,00
10100	Adapter für 10100-10100 Adapter	Adapter	1,00	1,00

Neuner Funk

Markus Hartmannstr. 25
D-91330 Eggolsheim
Tel. 09545 445290
Fax 09545 445292
E-Mail kontakt@neuner.de
Webshop www.neuner.de

[pdf]

Preisliste Kunde 12 09 2022 18 Aktuelle vom 28 08 pmr funkgeraete de Neuner Funk Markus Hartmannstr 25 D 91330 Eggolsheim 09545 445290 Fax 445292 E Mail kontakt@neuner preisliste neuner kunde index fc loadpricelist ||| Aktuelle Preisliste vom 12.09.2022 Neuner-Funk Markus Neuner Hartmannstr. 25 D-91330 Eggolsheim Tel. 500-E Alinco DJ-CRX-7 VHF/UHF-Handfunkgert Team Tecom Duo-H VHF/UHF AFU-Handfunkgert PR808: Wouxun **KG-UV6DE** 2m/70cm-Handfunkgert Wouxun KG-UV6 4m/2m-Handfunkgert Wouxun KG-UV8DE F 2600mAh Dualband...

lang:de **score:11** filesize: 290.84 K page_count: 66 document date: 2022-09-12

R&L Electronics
www.randl.com 800-221-7735

 Yaesu FT-1000D \$1499.99 Free Shipping	 Yaesu FT-1000R \$1498.99 Free Shipping
 Kenwood TS-590S \$378.99 Free Shipping	 Kenwood TS-590S \$378.99 Free Shipping
 LDG Z-Mini II \$479.95 Free Shipping	 Alpha Delta 4-Port USB Switch \$92.95 Free Shipping
 Jetstream JTS-1000 \$79.95 Free Shipping	 Jetstream JTS-1000 \$79.95 Free Shipping
 TYT TH-888 \$199.95 Free Shipping	 TYT TH-888 \$199.95 Free Shipping
 TYT TH-888 \$199.95 Free Shipping	 TYT TH-888 \$199.95 Free Shipping
 TYT TH-888 \$199.95 Free Shipping	 TYT TH-888 \$199.95 Free Shipping
 TYT TH-888 \$199.95 Free Shipping	 TYT TH-888 \$199.95 Free Shipping

Prices in this catalog were current as of 04/14/2020
Prices are subject to change without notice.

R&L Electronics Ham Radio Equipment Catalog

Explore the comprehensive catalog from R&L Electronics, featuring a wide range of ham radio equipment including power supplies, watt meters, coax switches, antenna tuners, external speakers, and cables. Find detailed specifications and pricing for products from brands like Yaesu, Kenwood, Icom, LDG, Jetstream, T Astron, Alpha Delta, and MFJ.

lang:en **score:11** filesize: 2.59 M page_count: 95 document date: 2020-04-14