

## Faithfull FLICKHD

# Faithfull FLICKHD Heavy-Duty Hand Sprayer Instruction Manual

Model: FLICKHD

## INTRODUCTION

---

This manual provides essential instructions for the safe and effective use of your Faithfull FLICKHD Heavy-Duty Hand Sprayer. Please read this manual thoroughly before operating the device to ensure proper setup, operation, and maintenance. Retain this manual for future reference.

## SAFETY INFORMATION

---

Always observe basic safety precautions when using any tool. Failure to follow these instructions may result in injury or damage to the product.

- Wear appropriate personal protective equipment (PPE), including safety glasses and gloves, to protect against splashes and debris.
- Ensure the work area is well-ventilated, especially when working with materials that produce fumes.
- Keep children and bystanders away from the work area.
- Do not use the sprayer for purposes other than its intended use (applying Tyrolean or roughcast wall coatings).
- Clean the sprayer thoroughly after each use to prevent material buildup and ensure proper function.

## PRODUCT OVERVIEW

---

The Faithfull FLICKHD Hand Sprayer is designed for applying Tyrolean and roughcast wall coatings. It features a robust plastic body and user-friendly adjustments for various applications.

# KEY FEATURES



**Adjustable Pressure Bar**  
Control over texture offering versatility on a variety of wall coating projects



**Removable Comb Roller**  
Easy to withdraw for quick, hassle-free cleaning

**Left or Right-Handed Set Up**  
Ensuring comfort and control for any user

**Heavy-Duty Plastic Body**  
Resists impact and wear while remaining lightweight and easy to handle

**Image:** Diagram illustrating the key features of the Faithfull FLICKHD Hand Sprayer. It highlights the removable comb roller for easy cleaning, an adjustable pressure bar for texture control, and the option for left or right-handed setup for user comfort. The sprayer features a heavy-duty plastic body designed for durability.

## Key Features:

- **Heavy-Duty Plastic Body:** Resists impact and wear while remaining lightweight for easy handling.
- **Removable Comb Roller:** Designed for quick and hassle-free cleaning.
- **Adjustable Pressure Bar:** Allows control over texture, offering versatility for various wall coating projects.
- **Left or Right-Handed Set Up:** Ensures comfort and control for any user.

## SETUP

Before beginning application, ensure your sprayer is correctly set up and your material is prepared.

### 1. Material Preparation:

Prepare your Tyrolean or roughcast material according to the manufacturer's instructions. The consistency of the mix is crucial for proper application and texture. A creamy, lump-free consistency is generally recommended.

## 2. Adjusting for Handedness:



**Image:** A collage showing the Faithfull FLICKHD Hand Sprayer being used and highlighting its dual-sided setup capability.

This feature allows for optimal control and precision, accommodating both left and right-handed users for various wall coating projects.

The sprayer can be configured for either left or right-handed operation. Adjust the handle and crank mechanism as needed for comfortable and efficient use.

## 3. Texture Control Adjustment:



## Dual Sided Set Up Allowing for Optimum Control & Precision in a Variety of Wall Coating Projects

**Image:** A close-up of the Faithfull FLICKHD Hand Sprayer's adjustable pressure bar mechanism, with examples of 'Fine', 'Medium', and 'Heavy' textures. This illustrates how the pressure bar can be adjusted to achieve different surface finishes. Use the adjustable pressure bar to control the texture of the applied coating. Experiment on a test surface to achieve the desired finish (fine, medium, or heavy) before applying to your main project area.

## OPERATING INSTRUCTIONS

---

Follow these steps for effective application of wall coatings.

### 1. Filling the Sprayer:

Carefully scoop the prepared material into the hopper of the sprayer. Avoid overfilling to prevent spills and ensure smooth operation.

### 2. Application Technique:



**Image:** A person demonstrating the use of the Faithfull FLICKHD Hand Sprayer to apply Tyrolean or roughcast material onto a wall. The image shows the sprayer in action, emphasizing its ease of use for achieving a durable and even finish on both interior and exterior surfaces.

- Hold the sprayer firmly and maintain a consistent distance from the wall surface.
- Turn the crank handle at a steady pace. The internal mechanism will flick the material onto the wall.
- Apply the material in even, overlapping passes to ensure uniform coverage.
- Periodically check the texture and adjust the pressure bar if necessary.

### 3. Working in Sections:

For larger areas, work in manageable sections to maintain a wet edge and prevent visible seams. This also helps in managing the weight of the filled sprayer.

## MAINTENANCE

---

Proper maintenance ensures the longevity and optimal performance of your hand sprayer.

# TEXTURE CONTROL



**Fine**



**Medium**



**Heavy**



**Image:** An image highlighting the key attributes of the Faithfull FLICKHD Hand Sprayer: Lightweight, Durable & Hardwearing, Rust Resistant, and Easy Clean. These features contribute to the product's overall performance and ease of maintenance.

## 1. Cleaning After Use:

- Immediately after each use, empty any remaining material from the hopper.
- Rinse the hopper and all internal components thoroughly with water.
- Remove the comb roller for easier and more effective cleaning. Ensure all material residue is removed from the comb and the housing.
- Clean the adjustable pressure bar mechanism to prevent seizing.
- Allow all parts to dry completely before reassembling and storing.

## 2. Storage:

Store the sprayer in a clean, dry place, away from direct sunlight and extreme temperatures. Ensure it is free of any residual material to prevent damage or malfunction during future use.

## TROUBLESHOOTING

Refer to the following table for common issues and their solutions.

Problem	Possible Cause	Solution
Uneven spray pattern	Inconsistent cranking speed; material too thick or thin; clogged comb roller.	Maintain steady cranking speed. Adjust material consistency. Clean comb roller thoroughly.
Material not flicking out	Comb roller clogged; material too dry or lumpy; pressure bar set incorrectly.	Clean comb roller. Adjust material consistency. Check pressure bar setting.
Difficulty turning crank	Material buildup in mechanism; dry bearings; damaged parts.	Clean all moving parts. Ensure no material is hardened. If persistent, inspect for damage.

## SPECIFICATIONS

---

- **Model:** FLICKHD
- **Manufacturer:** Faithfull
- **Material:** Heavy-Duty Plastic
- **Item Weight:** 2.3 Kilograms
- **Product Dimensions:** 19 x 33 x 32 cm
- **Included Components:** Heavy-Duty Plastic Body Hand Sprayer
- **Style:** Single

## WARRANTY AND SUPPORT

---

The Faithfull FLICKHD Heavy-Duty Hand Sprayer comes with a **5-year guarantee**. For warranty claims or technical support, please contact your retailer or the manufacturer directly. Keep your proof of purchase for warranty validation.



**Image:** The product packaging for the Faithfull Heavy-Duty Flicker Machine Wall Coating Sprayer, clearly displaying a '5 YEAR GUARANTEE' badge. This confirms the warranty period for the product.