

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [AOR](#) /

› [AOR Ortho Eyes 2x5ml 25-Day Supply - NAC N-Acetyl-Carnosine Eye Drops User Manual](#)

AOR AOR Ortho Eyes 2x5ml

AOR Ortho Eyes Instruction Manual

NAC N-Acetyl-Carnosine Eye Drops

PRODUCT OVERVIEW

AOR Ortho Eyes are eye drops formulated with NAC N-Acetyl-Carnosine, designed to support clear vision, reduce light sensitivity, and provide hydration for dry eyes. This product aims to assist in maintaining overall eye health and comfort.



Image: AOR Ortho Eyes product packaging, containing two 5ml sterile vials.

Key Benefits:

- Supports clear vision and may help reduce cloudiness.
- Aids in reducing glare and light sensitivity, particularly in low-light conditions.
- Provides hydration and relief for dry, tired eyes.
- Offers proactive support for maintaining long-term eye health.
- Easy to use and integrate into daily routines.

Ortho Eyes®

Improves visual acuity against age related effects such as cataracts



- Eye drops backed by clinical research
- Helps improve flexibility of the eye lens to slow macular degeneration and other age-related conditions
- Alleviates eye tiredness
- Improves visual clarity, optimizes vision and improves night driving
- Speeds recovery from and reduces glare associated with laser eye surgery
- Reduces build-up of damaging proteins in the eyes



Vegetarian

Image: Visual representation of Ortho Eyes benefits, highlighting improved visual acuity and reduced glare.

SAFETY INFORMATION

To avoid contamination, do not touch tip of the container to your eyes or any other surface. Replace the cap immediately after using. Open only one container of solution at a time. Do not allow other people to use your container. Once open, discard container and any contents after 30 days. Do not heat beyond room temperature; keep the extra container in the box away from light, especially sunlight. Do not use if seal is broken or if solution changes colour or becomes cloudy. Not recommended for children under the age of 12. Application may cause temporary irritation of the eye. If the eye tissue becomes more inflamed, red, irritated or uncomfortable after using this product, or if the condition worsens or persists for more than 72 hours, discontinue use and consult a physician. Keep this and all drugs out of the reach of children. Use before expiration date marked on container.

INGREDIENTS

Medicinal Ingredients: Serving Size: 2 drops per eye. N-Acetyl-carnosine (NAC) 1.0%.

Non-medical Ingredients: Sterile water (ophthalmic grade isotonic solution pH 6.3 to 6.4), glycerin (lubricant), citric acid, boric acid, hypromellose, potassium bicarbonate, benzyl alcohol (preservative).



AORTM

Advanced Orthomolecular Research

Serving Size: Two Drops per Eye

N-Acetyl-carnosine (NAC)

1.0%

Non-medicinal Ingredients: Sterile water (ophthalmic grade isotonic solution pH 6.3 to 6.4), glycerin (lubricant), citric acid, boric acid, hypromellose, potassium bicarbonate, benzyl alcohol (preservative).

Image: Ingredient list as displayed on the product packaging.

DIRECTIONS FOR USE (OPERATING)

Instill 2 drops in each eye twice per day, or as directed by a qualified health care practitioner.

Application Steps:

1. Wash your hands thoroughly with soap and water before handling the eye drops.
2. Carefully remove the cap from the vial.
3. Tilt your head back slightly and pull down your lower eyelid to create a small pocket.
4. Hold the vial directly over your eye, ensuring the tip does not touch your eye or any other surface.
5. Gently squeeze the vial to release 2 drops into the pocket of your lower eyelid.
6. Close your eye gently for a few seconds to allow the drops to spread.
7. Repeat the process for the other eye.
8. Replace the cap immediately after use.



Image: A single vial of AOR Ortho Eyes.

Active Ingredients / Ingrédients actifs

N-acetyl-carnosine (NAC)	1.0%
N-acétyl-carnosine (NA)	1,0%

Inactive Ingredients / Ingrédients inactifs

Sterile water (ophthalmic grade isotonic solution pH 6.3 to 6.4), glycerin (lubricant), citric acid, boric acid, hypromellose, potassium bicarbonate, benzyl alcohol (preservative).
Eau stérile (solution isotonique de qualité ophtalmique, pH 6.3 à 6.4), glycérine (lubrifiant), acide citrique, acide borique, hypromellose, bicarbonate de potassium, alcool benzyllique (agent de conservation).

Directions

2 drops in each eye twice per day or as directed by a qualified health care practitioner. Not recommended for children under the age of 12. Application may cause temporary irritation of the eye. If the eye tissue becomes more inflamed, red, irritated or uncomfortable after using this product, or if the condition worsens or persists for more than 72 hours, discontinue the use of product and consult a physician. **Keep this and all drugs out of the reach of children.**

Appliquer 2 gouttes dans chaque œil deux fois par jour, ou selon les recommandations d'un professionnel de la santé. Ce produit n'est pas recommandé pour les enfants de moins de 12 ans. Peut causer une irritation temporaire de l'œil. Si l'inflammation, la rougeur, l'irritation ou l'inconfort du tissu oculaire s'intensifient après l'utilisation de ce produit, ou si l'état s'aggrave ou persiste au-delà de 72 heures, cessez l'utilisation et consultez un médecin. **Gardez ce produit et tout autre médicament hors de la portée des enfants.**

Please read enclosed product insert for important safety information and instructions on opening containers.
Avant d'utiliser, veuillez lire attentivement les avertissements et consignes de sécurité à l'intérieur.

Image: Back of the product box, detailing directions for use.

SETUP AND STORAGE (MAINTENANCE)

Initial Setup:

Upon receiving your AOR Ortho Eyes, ensure the packaging seal is intact. The product comes in two sterile vials. Only open one vial at a time for use.

Storage Guidelines:

- Store unopened vials in the original box to protect them from light, especially direct sunlight.
- Do not heat the product beyond room temperature.
- Once a vial is opened, discard any remaining contents after 30 days to prevent contamination and ensure efficacy.
- Keep the product out of reach of children.
- Always check the expiration date marked on the container before use.

TROUBLESHOOTING

Issue	Possible Cause / Solution
Temporary eye irritation after application.	This can be a normal, temporary side effect. If irritation persists or worsens, discontinue use and consult a physician.

Issue	Possible Cause / Solution
Eye tissue becomes inflamed, red, or uncomfortable.	If these symptoms occur or persist for more than 72 hours, discontinue use immediately and consult a physician.
Solution changes color or becomes cloudy.	Do not use the product. This indicates contamination or degradation. Discard the vial.
Product not lasting 25 days (for 2x5ml supply).	Ensure you are instilling only 2 drops per eye, twice daily. Over-application will deplete the supply faster. Also, ensure proper storage to prevent premature degradation.
Difficulty opening the vial or dispensing drops.	Ensure hands are clean and dry. Apply firm, steady pressure to open. If drops come out too quickly, try a gentler squeeze or consult the manufacturer for advice on dispensing.

PRODUCT SPECIFICATIONS



- **Brand:** AOR (Advanced Orthomolecular Research)
- **Model:** Ortho Eyes 2x5ml
- **Form:** Eye Drops (Sterile Vials)
- **Key Ingredient:** N-Acetyl-carnosine (NAC) 1.0%
- **Supply:** 2 x 5ml vials (25-Day Supply based on recommended usage)
- **Product Dimensions:** 2.54 x 7.62 x 7.62 cm; 20 g
- **Diet Type:** Vegetarian
- **Country of Origin:** Canada
- **Manufacturer:** Advanced Orthomolecular Research inc.
- **Date First Available:** October 18, 2005

WARRANTY AND SUPPORT

Specific warranty information for AOR Ortho Eyes is not provided in this manual. For details regarding product warranty, returns, or further support, please contact Advanced Orthomolecular Research directly through their official website or customer service channels.

You can visit the AOR Store for more information:[AOR Official Store](#)

Related Documents - AOR Ortho Eyes 2x5ml

	<p>AOR AR880 VHF-UHF Scanner: Operating Manual and Specifications</p> <p>Comprehensive guide to operating the AOR AR880 VHF-UHF Radio Scanner, including manual searching, frequency storage, and detailed specifications.</p>
	<p>AOR AR7030 Shortwave Receiver Operating Manual Features & Specifications</p> <p>Comprehensive operating manual for the AOR AR7030 shortwave receiver. Discover its features, controls, technical specifications, and usage guides for optimal performance.</p>
	<p>WA7000 Wide Range Receiving Aerial User Manual</p> <p>This document provides instructions for the installation, operation, and troubleshooting of the WA7000 wide range receiving aerial, designed for frequencies from 30 kHz to 2 GHz.</p>
	<p>SDU5500 Operating Manual Addendum: Enhancements and Updates</p> <p>This document provides essential addenda and updates for the AOR SDU5500 Spectrum Display Unit operating manual, covering AR3000A compatibility, CPU flash upgrades, RS232 command changes, and free PC software.</p>
	<p>AR2002 Service Manual</p> <p>This service manual provides detailed information on the specifications, theory of operation, maintenance, troubleshooting, and component lists for the AR2002 receiver.</p>
	<p>AR5700D Firmware Update Instructions</p> <p>Detailed instructions for updating the firmware of the AOR AR5700D radio receiver, including hardware and software requirements, step-by-step procedures, and troubleshooting tips.</p>