Manuals+
Q & A | Deep Search | Upload

Mastech M300

Mastech M300 Mini Digital Pocket Multimeter User Manual

Model: M300

1. Introduction

Thank you for choosing the Mastech M300 Mini Digital Pocket Multimeter. This compact and versatile instrument is designed for basic electrical measurements, offering reliability and ease of use for hobbyists, students, and professionals. Please read this manual thoroughly before operation to ensure safe and proper use.

2. Safety Information

Always adhere to safety precautions when using any electrical testing equipment. Failure to do so may result in injury or damage to the meter or equipment under test.

- **Do not** exceed the maximum input values for any range.
- **Always** disconnect the test leads from the circuit before changing functions.
- **Ensure** the battery is properly installed and has sufficient charge.
- **Do not** use the meter if it appears damaged or if the case is open.
- This meter is rated **CAT.II 600V**. Adhere to these safety standards.
- The device complies with **CE** and **RoHS** standards.

3. Product Features

The Mastech M300 Multimeter offers the following key features:

- **Measurement Capabilities:**
  - DC Voltage: 2V, 20V, 200V, 500V ranges
  - AC Voltage: 200V, 500V ranges
  - DC Current: 200mA range
  - Resistance: 2KΩ, 20KΩ, 200KΩ, 2MΩ ranges
- **Display:** 2000 Counts Digital Display
- **Special Functions:** Diode Test, Continuity Buzzer
- **Safety Rating:** CE ETL CAT.II 600V RoHS compliant

- **Accessories Included:** Protective Case, 1 x 12V Battery, User's Manual



Figure 1: Front view of the Mastech M300 Mini Digital Pocket Multimeter, showing the LCD display, rotary dial, function switch, and safety markings.

4. Setup

4.1 Battery Installation

1. Locate the battery compartment on the back of the multimeter.

2. Use a small screwdriver to open the battery cover.
3. Insert the provided 12V battery, observing the correct polarity (+ and -).
4. Replace the battery cover and secure it with the screw.

4.2 Connecting Test Leads

The multimeter comes with a set of test leads. Connect them as follows:

- Insert the **black** test lead into the **COM** (common) jack.
- Insert the **red** test lead into the **VΩmA** jack for most measurements (Voltage, Resistance, Current).

5. Operating Instructions

Before taking any measurements, ensure the meter is set to the correct function and range. If the value is unknown, start with the highest range and work downwards.

5.1 Power On/Off and Function Selection

- To turn on the meter, rotate the central dial from the 'OFF' position to the desired measurement function.
- To turn off the meter, rotate the central dial back to the 'OFF' position.

5.2 DC Voltage Measurement (V=)

1. Set the rotary dial to the desired DC Voltage range (2V, 20V, 200V, or 500V).
2. Connect the red test lead to the positive (+) side of the circuit and the black test lead to the negative (-) side.
3. Read the voltage value on the display.

5.3 AC Voltage Measurement (V~)

1. Set the rotary dial to the desired AC Voltage range (200V or 500V).
2. Connect the test leads across the AC voltage source.
3. Read the voltage value on the display.

5.4 DC Current Measurement (mA=)

Caution: Never connect the meter in parallel for current measurement. Always connect in series with the circuit.

1. Set the rotary dial to the 200mA DC Current range.
2. Break the circuit and connect the meter in series, ensuring the current flows through the meter.
3. Read the current value on the display.

5.5 Resistance Measurement (Ω)

1. Ensure the circuit or component is **de-energized** before measuring resistance.
2. Set the rotary dial to the desired Resistance range (2KΩ, 20KΩ, 200KΩ, or 2MΩ).
3. Connect the test leads across the component to be measured.
4. Read the resistance value on the display.

5.6 Diode Test (→|)

1. Set the rotary dial to the Diode Test function.
2. Connect the red test lead to the anode and the black test lead to the cathode of the diode.

3. The display will show the forward voltage drop. Reverse the leads; an open circuit (OL) reading indicates a good diode.

5.7 Continuity Test ()))

1. Set the rotary dial to the Continuity Test function.
2. Connect the test leads across the circuit or component.
3. An audible beep indicates continuity (low resistance). The display will show the resistance value.

6. Maintenance

6.1 Battery Replacement

When the battery symbol appears on the display, the 12V battery needs to be replaced. Follow the steps in Section 4.1.

6.2 Cleaning

Wipe the meter's case with a damp cloth and mild detergent. Do not use abrasives or solvents. Ensure the meter is dry before use.

6.3 Storage

If the meter is not used for an extended period, remove the battery to prevent leakage. Store the meter in a cool, dry place, away from direct sunlight and extreme temperatures.

7. Troubleshooting

- **No display or faint display:** Check the battery. Replace if necessary.
- **Incorrect readings:**
  - Ensure the test leads are properly connected to the correct jacks.
  - Verify the rotary dial is set to the correct function and range.
  - Check the test leads for damage or breaks.
- **"OL" (Overload) displayed:** The measured value exceeds the selected range. Switch to a higher range or check the circuit.

8. Specifications

Parameter	Value
DC Voltage (DCV)	2V/20V/200V/500V (0.5% +2Dgt)
AC Voltage (ACV)	200V/500V (1.2% +10Dgt)
DC Current (DCA)	200mA (1.0% +2Dgt)
Resistance	2KΩ/20KΩ/200KΩ/2MΩ (0.8% +2Dgt)
Diode Test	Yes

Parameter	Value
Continuity Test	Audible
Maximum Display	1999 Counts
Power Supply	12V Battery (A23 type)
Product Dimensions	120 × 70 × 20 mm (4.72 × 2.76 × 0.79 inches)
Product Net Weight	90g (3.17 oz)
Safety Rating	CE ETL CAT.II 600V RoHS
Manufacturer	Mastech
Minimum Operating Voltage	2 Volts

9. Warranty and Support

Mastech products are designed for reliability and performance. For warranty information or technical support, please refer to the official Mastech website or contact their customer service. Keep your purchase receipt as proof of purchase.
You can visit the official Mastech store on Amazon for more information:Mastech Store

© 2023 Mastech. All rights reserved.

Documents - Mastech – M300



Инструкция к цифровому мультиметру Mastech M300

[pdf]
Инструкция к цифровому мультиметру Mastech M300Mastech M300 Page 2 Информация по безопасности Данный мультиметр отвечает международным стандартам mastech m300 00 00000234 968476cdn vseinstrumenti ru instruction nomenclaturecontent 202006 3281578 mastech 968476 |||
Mastech **M300** Mastech **M300** CAT II. 60 30. . . . , . , IEC-1010 CAT II . , . , . . , 600 . : F 200mA 250V , ...
lang:i-klingon score:39 filesize: 1016.37 K page_count: 4 document date: 2016-12-29



M300

СОДЕРЖАНИЕ

ПРАВИЛА ПО БЕЗОПАСНОСТИ
ХАРАКТЕРИСТИКИ
ОПИСАНИЕ ПАНЕЛИ
ИЗМЕРЕНИЕ ПОСТОЯННОГО НАПРЯЖЕНИЯ
ИЗМЕРЕНИЕ ПЕРЕМЕННОГО НАПРЯЖЕНИЯ
ИЗМЕРЕНИЕ ПОСТОЯННОГО ТОКА
ИЗМЕРЕНИЕ СОПРОТИВЛЕНИЙ
ДИОДНЫЙ ТЕСТ И ПРОЗВОНКА СОЕДИНЕНИЙ
ЗАМЕНА БАТАРЕИ
ЗАМЕНА ПРЕДОХРАНИТЕЛЯ

Этот компактный цифровой мультиметр предназначен для измерения напряжений, переменного тока и напряжения, сопротивлений, проверки диодов, звуковой прозвонки при высокой точности и простоте.
Легкий и маленький по размерам с числом и спрятанными в корпус щупами этот инструмент будет служить Вам многие годы.

ПРАВИЛА ПО БЕЗОПАСНОСТИ
- Всегда убеждайтесь, что переключатель функций установлен в правильной позиции.
- Для того чтобы избежать электрического удара, соблюдайте ОСТОРОЖНОСТЬ при измерении высоких напряжений. Всегда выключайте исследуемую схему перед подсоединением к ней щупов.
- Перед тем, как замкнуть сопротивление, убедитесь, что оно не подсоединено к цепи, которая под напряжением.
- Никогда не работайте с прибором с открытой задней крышкой. - Никогда не подавайте на вход прибора максимально допустимые значения измеряемых напряжений.

ХАРАКТЕРИСТИКИ
ОБЩИЕ

Метод измерения	Режим двойного интегрирования
Дисплей	3,5 разрядный ЖК дисплей
Полярность	Автоматическая индикация
Скорость измерений	2 - 3 раза в секунду
Индикатор разряда батареи	« » появляется на дисплее
Диапазон рабочих температур	0°C - 40°C, влажн. < 80%
Размеры	70 x 120 x 18 мм
Вес	110 гр. (включая батарею)
Батарея	9 12 В, могут использоваться : 6F22, 006P, NEDA 1604, Батарея OP22A, чехол, инструкция
Принадлежности	

ПОСТОЯННОЕ НАПРЯЖЕНИЕ

ДИАПАЗОН	РАЗРЕШАЮЩАЯ СПОСОБНОСТЬ	ТОЧНОСТЬ (Temp 18-28°C)
2 В	1 мВ	±0,5% ± 10 ¹
20 В	10 мВ	
200 В	100 мВ	±0,8% ± 10
500 В	1 В	

¹D - единица младшего разряда
Максимальное допустимое входное напряжение 500 В.

ПЕРЕМЕННОЕ НАПРЯЖЕНИЕ

ДИАПАЗОН	РАЗРЕШАЮЩАЯ СПОСОБНОСТЬ	ТОЧНОСТЬ (Temp 18-28°C)
200 В	0,1 В	±1,2% ± 100
500 В	1 В	±1,2% ± 100

Диапазон рабочих частот: 45 - 1000 Гц
Максимальное допустимое входное напряжение 500 В эфф.
Индикация: индикация среднеквадратического значения переменного напряжения синусоидальной формы.

ПОСТОЯННЫЙ ТОК

ДИАПАЗОН	РАЗРЕШАЮЩАЯ СПОСОБНОСТЬ	ТОЧНОСТЬ (Temp 18-28°C)
200 мА	0,1 мА	±0,5% ± 20

Защита от перегрузки: предохранитель 200 мА/250 В

СОПРОТИВЛЕНИЕ

ДИАПАЗОН	РАЗРЕШАЮЩАЯ СПОСОБНОСТЬ	ТОЧНОСТЬ (Temp 18-28°C)
2 кΩ	1Ω	±1,0% ± 20
20 кΩ	10Ω	
200 кΩ	100Ω	
2000 кΩ	1 Κ	

Напряжение холостого хода: приблизительно 0,65 В.
Защита от перегрузки: 250 В эфф. перем. тока

ДИОДНЫЙ ТЕСТ

РАЗРЕШАЮЩАЯ СПОСОБНОСТЬ	ТЕСТОВЫЙ ТОК	МАКСИМУМ НАПРЯЖЕНИЕ РАЗОМКН. КОНТУРА
1 мВ	0,8мА	3,2 В

Защита от перегрузки: 250 В эфф. перем. тока

ПРОЗВОНКА СОЕДИНЕНИЙ

РАЗРЕШАЮЩАЯ СПОСОБНОСТЬ	ОПИСАНИЕ
1Ω	Зуммер сигнал при сопротив. менее 70 Ω

Защита от перегрузки: 250 В эфф. перем. тока

ОПИСАНИЕ ПАНЕЛИ

1. Переключатель диапазонов: переключатель как для выбора диапазона измерения тока и для включения прибора в работу.
2. Переключатель функций: переключатель для выбора функций.
3. Дисплей 3.5 - разрядный ЖК дисплей ±10 до 1999.
4. Щупы: красный (+) подсоединяется к гнезду, черный для отрицательной (-) полярности.

ИНСТРУКЦИЯ ПО ПРИМЕНЕНИЮ
ИЗМЕРЕНИЕ ПОСТОЯННОГО НАПРЯЖЕНИЯ
1. Установить переключатель функций в положение V=.
2. Установить переключатель предела в желаемое положение. Если величина напряжения неизвестна, выберите максимальное значение и затем уменьшайте предел до достижения требуемой точности.
3. Подсоедините щупы к источнику напряжения или измеряемой нагрузке. Индикатор покажет напряжение и его полярность на красном щупе прибора.

[pdf]

MASTECH M300 Èíñòðóêöèÿ ïî ýêñïëóàòàöèè viva telecom ru m300 org SHOP INSTRUCTION

...

lang:i-klingon score:28 filesize: 59.18 K page_count: 2 document date: 2007-03-16



Инструкция к цифровому мультиметру Mastech M300

[pdf]

Инструкция Купить портативный мультиметр M300 MASTECH в Минске — TM by f457096 tm sites default files content pf 202208 |||

Mastech **M300** Mastech **M300** CAT II. 60 30. . . . , . , IEC-1010 CAT II . , . , . . , 600 . : F 200mA 250V , ...

lang:i-klingon score:26 filesize: 1016.37 K page_count: 4 document date: 2016-12-29

[pdf] Specifications Catalog

untitled Clamp Analog Digital Multimeters DMM 4 1999 — 200mV 1000V 200V 750V 200µA 10A 200Ω 2MΩ Mastech M300 6 2000 1mV 2V 500V 200mA 2kΩ P143 srsltid AfmBOorTzrYgMZR1GuZCRUAtTQ6BWmfrMLoN3ljijhBYmD9SdXSWLu4M jameco Jameco catalogs c112 |||

Clamp, Analog Digital Multimeters See www.Jameco.com for complete specifications 38073 DT830B MN35 381676 DM7 **M300** DVM850BL BP-1562 R DETAILS ON PAGE 189 MAS830L MAS838 BP-1415 Clamp, Analog Digital Multimeters EX330 EX430 EX505 115 117 P/N 1536843 16.95 P/N 1928476 8...

lang:nl score:23 filesize: 381.66 K page_count: 1 document date: 2011-04-26



[pdf] Specifications Catalog

Pg 148 149 was Venus Clamp Analog Digital Multimeters Mastech M300 DMM 6 2000 1mV 2V 500V 200V 200mA — 2kΩ 2MΩ MY64 11 100µV 200mV 1000V 700V 2mA 10A 2mA v1 jameco Jameco catalogs c101 P149 srsltid AfmBOoqT4wUBnMovqyhGXv4tl Ogn9AH9wclghSXbskeBByKuWrGwsUA |||

Clamp, Analog Digital Multimeters See www.Jameco.com for complete specifications 38073 DT830B MN35 381676 DM7 **M300** DVM850BL BP-1562 R DETAILS ON PAGE 190 MAS830L MAS838 BP-1415 Clamp, Analog Digital Multimeters EX330 EX430 EX505 115 P/N 1536843 16.95 P/N 1928476 8.95 P...

lang:nl score:23 filesize: 524.43 K page_count: 1 document date: 2009-12-23

[pdf] Decleration of Conformity

Microsoft Word M300 doc vgavrikov DOC005863209 static chipdip ru lib 863 |||

M300 IEC-1010, CAT II 2. . . , 600 . 60 30 . . .. - . . . , - . F 250/250 . . - . , , , , . . . 1. . . 2. . . 3. ....

lang:i-klingon score:22 filesize: 119.29 K page_count: 2 document date: 2020-06-23

[pdf] User Manual Accessories Catalog

CATALOGUE 2023 mastech group 4 fast selection charts digital multimeters manual ranging cat ii iii iv model ms8233a ms8233b ms8233c ms8360e my70 my74 20231213105827706 resource |||

CATALOGUE 2023 MEASURING INSTRUMENTS CATALOGUE CONTENT INDEX CONTENT INDEX 2 3 4 22 50 66 69 76 ... Measurement Peak Measurement DWELL Test TACH Test Logic Level Test Retractable Tip Double Molding **M300** 43 CAT II 600V CAT III 300V 2000 600V 600V 200mA 20M M320 44 CAT II 600V CAT III 300V 4000 ...

lang:en score:21 filesize: 8.01 M page_count: 136 document date: 2023-12-13

[pdf]

Ръководство на потребителя цифров мултиметър Mastech M300 Джобен mastech bg Pocket Mulimeter LCD 2000 Vdc Vac Adc Ohm VIKIWAT m300 vikiwat userfiles productimages 100543 files |||

1. .....3 1.1 .... .14 5. .....15 2 **M300** 1. 1.1 EN61010-1, EN61010-2-30, EN61010-2-033 EN61010-2-031 CAT II 600V CAT III...

lang:i-klingon score:21 filesize: 539.19 K page_count: 15 document date: 2019-06-15

[pdf] User Manual Catalog

OEM catalogue MGL Mastech LR 2021 02 18 — under our own brands KPS Power Probe and APPA to the complete packaging manuals customization Battery User s Manual mgl euman Euman |||

GENERAL INDEX 04 08 32 37 W ho is MGL P RODUCT OVERVIEW TABLES 44 87 112 116 121 126 1 ... asurement Peak Measurement DWELL Test TACH Test Logic Level Test Retractable Tip Double Molding 50 **M300** CE/ETL CAT II 600V CAT III 300V 2000 600V 600V 200mA 2M 50 **M300**C CE/ETL CAT III 300V 2000 30...

lang:en score:19 filesize: 33.32 M page_count: 166 document date: 2021-03-09



[pdf] Specifications Catalog

untitled Clamp Analog Digital Multimeters DigitalMastech M300 DMM 6 2000 1mV 2V 500V 200V 200mA — 2kΩ 2MΩ ✓ 4 7 x 2 8 355207 Velleman DVM850BL 2000v1jameco Jameco catalogs c112 P143 srsltid AfmBOor86y05j9Gs25hhi9JmnnJ2B9gxM0 UThTHisYkZMcelpeGx8MG |||

Clamp, Analog Digital Multimeters See www.Jameco.com for complete specifications 38073 DT830B MN35 381676 DM7 **M300** DVM850BL BP-1562 R DETAILS ON PAGE 189 MAS830L MAS838 BP-1415 Clamp, Analog Digital Multimeters EX330 EX430 EX505 115 117 P/N 1536843 16.95 P/N 1928476 8...

lang:nl score:19 filesize: 381.66 K page_count: 1 document date: 2011-04-26

[pdf]

Ръководство на потребителя цифров мултиметър Mastech M300 Джобен mastech bg 551 99 KB Цифров мултицет Професионални и любителски измервателни уреди 083e9868aed8a8d55a821292e9d1 media image bf 3b |||

1. .....3 1.1 .... .14 5. .....15 2 **M300** 1. 1.1 EN61010-1, EN61010-2-30, EN61010-2-033 EN61010-2-031 CAT II 600V CAT II...

lang:i-klingon score:19 filesize: 539.06 K page_count: 15 document date: 2019-06-14



Цифровой мультиметр Mastech M300

Цифровой мультиметр Mastech M300, несмотря на свою простоту, является одним из самых любимых и распространенных мультиметров Mastech среди любителей и профессионалов. Он идеально подходит автолюбителям для измерений напряжения бортовой сети автомобиля и проверки качества соединения проводников. Небольшие размеры и маленькая масса измерительного прибора, а так же хорошо продуманный удобный карман в корпусе для хранения щупов позволяют носить мультиметр в кармане или хранить его в "бардачке" автомобиля, не опасаясь, что он займет тут много места. Мультиметр M300 производит измерения силы постоянного тока, величины постоянного и переменного напряжения и сопротивления и проверяет полупроводниковые диоды. Результаты измерений выводятся на цифровой $3^{1/2}$ -разрядный ЖК-дисплей. В комплекте поставки мультиметра Mastech M300 входит комплект щупов и батарея питания.

Технические характеристики цифрового мультиметра Mastech M300

Параметры	
Количество измерений в секунду	2-3
Переключение пределов	ручное
Разрядность	3 ½
Постоянное напряжение =	1 мВ - 500 В
Переменное напряжение ~	0,1 В - 500 В
Постоянный ток	0,1 мА - 0,2 А
Диапазон частот по перем току	50 - 1000 Гц
Сопротивление	0,1 Ом - 2 МОм
Входное сопротивление	1 МОм
Режим «прозвонка»	≤ 50 Ом
Диод-тест	есть
Питание	3В (типа SR44 × 2шт)
Габариты, мм	70 × 120 × 18
Вес, грамм (с батареей)	110
Стрелка	Индикация разряда батарейки Индикация перегрузки «OL» или «1».

[pdf]

chipdip ru e mail sales@chipdip Тел 495 544 00 08 09 ЗАО Чип и Дип Chip Dip™ DOC000299056 static lib 299 |||

Mastech **M300** Mastech **M300**, , Mastech . . , , , . **M300** , . 31/2 - -. Mastech **M300** . Mastech **M300** . U= U- I= . R R - , , Mastech **M300** 2-3 3 1 - 500 0,1 - 500 0,1 ...

lang:i-klingon score:17 filesize: 131.37 K page_count: 1 document date: 2011-02-02



[pdf] User Manual Quick Start Guide Instructions Specifications

1 Administrator GLO M300 mastech group resources QSG GLO |||

M300 POCKET-SIZED DIGITAL MULTIMETER OPERATOR S INSTRUCTION MANUAL **M300** HIGH SAFETY DMM V VA 2 V k 20 V k V k 200 mA 600V 2000k CAT III 300V CAT II 600V 600V 200mA MAX CATIII 300V CATII 600V Safety information This meter has been designed according to EN61010-1, EN61010-2-030,EN61010-2-033,E...

lang:en score:17 filesize: 484.9 K page_count: 2 document date: 2016-06-16



M300 Digital Multimeter Quick Start Guide

A quick start guide for the M300 Digital Multimeter by MASTECH, including safety precautions, specifications, and usage instructions.

lang:en score:16 filesize: 2.37 M page_count: 2 document date: 2021-07-16



[pdf] Specifications Catalog

Pg 148 149 was Venus P149 jameco Jameco catalogs c101 |||

Clamp, Analog Digital Multimeters See www.Jameco.com for complete specifications 38073 DT830B MN35 381676 DM7 **M300** DVM850BL BP-1562 R DETAILS ON PAGE 190 MAS830L MAS838 BP-1415 Clamp, Analog Digital Multimeters EX330 EX430 EX505 115 P/N 1536843 16.95 P/N 1928476 8.95 P...

lang:nl score:15 filesize: 524.43 K page_count: 1 document date: 2009-12-23

[pdf] Specifications Catalog

untitled Clamp Analog Digital MultimetersVelleman DVM850BL DMM 6 2000 100µV 200mV 100V 200V 600V 200µA 10A Velleman DVM890F 11 1000V 2V 700V 2mA 20Av1jameco Jameco catalogs c113 P137 srsltid AfmBOoq8XDp39V8UQk7fTHPEunDFBLZ3U31ZtC okf44mN5cdtCHnUqB |||

Clamp, Analog Digital Multimeters See www.Jameco.com for complete specifications 38073 DT830B MN35 381676 DM7 **M300** DVM850BL BP-1562 R DETAILS ON PAGE 183 MAS830L MAS838 BP-1415 Clamp, Analog Digital Multimeters EX330 EX430 EX505 115 117 P/N 1536843 18.95 P/N 1928476 8...

lang:nl score:15 filesize: 382.45 K page_count: 1 document date: 2011-08-15

[pdf] Specifications Catalog

Pg 122 123 was indd yuneshome Clamp Analog Digital Multimeters 3 LEVELS OF SAVINGS NAME HOUSE BRANDS FACTORY OVERRUN Test Tools Order by phone at 1 800 831 4242 or online Jameco R RoHS compliant product obtains compliance status information from its suppliers solely and does not verify confirm such P123 jameco catalogs c132 |||

Clamp, Analog Digital Multimeters See www.Jameco.com for complete specifications 3 LEVELS OF SAVINGS NAME HOUSE FACTORY BRANDS BRANDS OVERRUN 38073 DT830B MN35 381676 DM7 **M300** DVM850BL BP-1562 MAS830L MAS838 BP-1415 Clamp, Analog Digital Multimeters EX330 EX430 EX505 115 11...

lang:nl score:15 filesize: 348.35 K page_count: 1 document date: 2013-05-02

[pdf] Specifications Catalog

Pg 122 123 was indd yuneshome Clamp Analog Digital MultimetersVelleman DVM850BL DMM 6 2000 100µV 200mV 100V 200V 600V 200µA 10A Velleman DVM890F 11 1000V 2V 700V 2mA 10Av1jameco Jameco catalogs c132 P123 srsltid AfmBOoqQClvF fHa lsZdmIdocJO85Gir1NfKf5DXqnIv5HL332d0w0W MultimetersClamp 10AMastech MAS830L 7 — 200Ω 2MΩ ✓ 5 x 3 1 4 2113471 Fluke 87 7v1v1jameco lsZdmIdocJO85Gir1NfKf5DXqnIv5HL332d0w0Wjameco AfmBOoqMfBvzf28QPjigiSH nDsVXn81klGgBKaLZb0HOIaJhe wut1t |||

Clamp, Analog Digital Multimeters See www.Jameco.com for complete specifications 3 LEVELS OF SAVINGS NAME HOUSE FACTORY BRANDS BRANDS OVERRUN 38073 DT830B MN35 381676 DM7 **M300** DVM850BL BP-1562 MAS830L MAS838 BP-1415 Clamp, Analog Digital Multimeters EX330 EX430 EX505 115 11...

lang:nl score:15 filesize: 348.35 K page_count: 1 document date: 2013-05-02

[pdf]

Ïðàéñ ëèñò íà îáîðóäîâàíèå îò ÇÀÎ Âèâà Òåëåêîì Öåíû VIVA TELECOM CJSC TEL 7 3812 38 12 50 60 00 Прайс лист Мультиметры Ударопрочный мультиметр CEM DT 660 viva telecom 9 141 org prices |||

- viva-telecom.org - : . , 3812 50-60-00, 38-12-12, omsk viva-telecom.org. - : . , 499 392- ... . 5 . . : CAT IV 600 V, CAT III 1000 V. . 1 . : -15.. 55 C. Mastech **M300**. : 780 . strong, Mastech **M300** /strong, , , Mastech . . ...

lang:i-klingon score:15 filesize: 234.85 K page_count: 52 document date: 2023-03-03

[pdf] Accessories Catalog

CATALOGUE 20231026152727744 mastech group resource |||

CATALOGUE 2021 MEASURING INSTRUMENTS CATALOGUE CONTENT INDEX CONTENT INDEX 2 3 4 29 96 134 138 ... f True RMS DC Voltage AC Voltage DC Current AC Current Resistance Capacitance Frequency Duty Cycle **M300** 80 CAT II 600V CAT III 300V 2000 500V 500V 200mA 20M M320 81 CAT II 600V CAT III 300V 4000 6...

lang:en score:14 filesize: 37.73 M page_count: 228 document date: 2023-10-26

[pdf] Accessories Catalog

CATALOGUE 20240130145126813 mastech group resource |||

CATALOGUE 2024 MEASURING INSTRUMENTS CATALOGUE CONTENT INDEX CONTENT INDEX 2 3 4 29 97 135 139 1 ... f True RMS DC Voltage AC Voltage DC Current AC Current Resistance Capacitance Frequency Duty Cycle **M300** 81 CAT II 600V CAT III 300V 2000 600V 600V 200mA 20M M320 82 CAT II 600V CAT III 300V 4000 6...

lang:en score:14 filesize: 12.42 M page_count: 223 document date: 2024-01-30

[pdf] Specifications Catalog

Pg 120 121 was 122 123 indd yuneshome Clamp Analog Digital Multimeters Jameco Electronics Mastech MY64 DMM 11 2000 100µV 200mV 1000V 700V 2mA 10A 64 5 32 1 8 9 $2 95 59 34059 BenchPro 6 pc precision v1 jameco catalogs c133 testtools srsltid AfmBOopsdfZViBuUGlCXQ0lKN7bL5BY8YioeQFcr9fSv3R4 YG94IrZV precision Order by phone at 800 831 4242 or online R RoHS WP30 WP35 soldering irons and stations Precision ground copper tips plated jameco YG94IrZVjameco AfmBOopcvXZotSEwkAtWTrOdVypA8YEaupWa7lXGEnFfU1ZcWnOW dAz plated 60 Watt Replacement Soldering Iron Compatible with the following XYtronic 168 3C 3CD 60A 60D Part No Mfr 1jameco dAzjameco AfmBOoot3w3r9y1x6TdzacwggNsGacwxEIP 5uLYz1a8RMB81WaJ2udg 1From a new aluminum case to advanced triggering adjustable threshold more memory wider voltage range DV3100 is best value in aportable jameco 5uLYz1a8RMB81WaJ2udgjameco AfmBOopFmMpCEgVUREILTM9LPTKmrANtnW2M6UIir7aL3a9485iuDfrV 1Mastech M300 1mV 2V 500V 200V 200mA — 2kΩ 2MΩ HY3005D 3R 30 3 195 115 230 ±10% 4 LCD YFrom AfmBOop aya7xuLLNnsPWexmDTOiCaRA3NWJjv6gryq rE0taD 7YK6Ojameco |||

Clamp, Analog Digital Multimeters See www.Jameco.com for complete specifications 3 LEVELS OF SAVINGS NAME HOUSE FACTORY BRANDS BRANDS OVERRUN 38073 DT830B MN35 381676 DM7 **M300** DVM850BL BP-1562 MAS830L MAS838 BP-1415 Clamp, Analog Digital Multimeters EX330 EX430 EX505 115 11...

lang:nl score:14 filesize: 2.75 M page_count: 20 document date: 2013-08-26

[pdf] Accessories Catalog

CATALOGUE 2 3 4 29 96 134 138 148 154 159 165 171 177 183 185 197 217 WHO IS MGL ABOUT MASTECH FAST SELECTION CHARTS DIGITAL MULTIMETERS CLAMP METERS LINE SPLITTERS 20211001162225783 mastech group resource |||

CATALOGUE 2021 MEASURING INSTRUMENTS CATALOGUE CONTENT INDEX CONTENT INDEX 2 3 4 29 96 134 138 ... f True RMS DC Voltage AC Voltage DC Current AC Current Resistance Capacitance Frequency Duty Cycle **M300** 80 CAT II 600V CAT III 300V 2000 500V 500V 200mA 20M M320 81 CAT II 600V CAT III 300V 4000 6...

lang:en score:13 filesize: 38.32 M page_count: 228 document date: 2021-08-01

[pdf]

Ръководство на потребителя цифров мултиметър Mastech M300C Джобен mastech bg m300c 5 При измерване Tv оборудване и източници импулсни напрежения внимавайте за импулси с висока амплитуда във 89a37eff9927d0fe02533bbaf5be media image 70 cd |||

1. .....3 1.1 .... .14 5. .....15 2 **M300**C 1. 1.1 EN61010-1, EN61010-2-30, EN61010-2-033 EN61010-2-031 CAT III 300V . ...

lang:i-klingon score:12 filesize: 518.72 K page_count: 15 document date: 2020-01-23



[pdf] Warranty Catalog

123 book indb yuneshome TestTools ftp jameco Archive PreviousCatalogs Catalog |||

Lead Acid Batteries Battery Chargers Lead Acid Batteries Use with UPS Backup Systems, Security F ... ital Multimeters See www.Jameco.com for complete specifications 38073 DT830B MN35 381676 DM7 **M300** DVM850BL BP-1562 MAS830L MAS838 BP-1415 Clamp, Analog Digital Multimeters EX330 EX430...

lang:en score:12 filesize: 3.8 M page_count: 23 document date: 2012-08-31



[pdf] Specifications Catalog

Pg 62 was 64 Pandora TestTools ftp jameco Archive PreviousCatalogs Catalog 261 |||

DMMs See www.Jameco.com/DMM for accuracy and complete specifications Extech MN35 Mastech **M300** 2000 count 2000 count 5 functions 6 functions Temperature Extremely low cost function acSroeizmfeosprasrhreioslaowtninvse. Velleman DVM850BL 2000 count 6 functions Jameco JE110 2000 co...

lang:en score:11 filesize: 3.08 M page_count: 30 document date: 2005-12-15



[pdf] Catalog

254FrontCover Final Michelle Trinh TestTools ftp jameco Archive PreviousCatalogs Catalog 254 |||

Test Leads Banana Plugs and Jacks Threaded Insulated Banana Plugs Male Various sizes Contact m ... 2 241 Test/Tools DMMs See www.Jameco.com/DMM for accuracy and complete specifications Mastech **M300** 2000 count 6 functions Extremely low cost Velleman DVM850BL 2000 count 6 functions acSro...

lang:en score:11 filesize: 2.91 M page_count: 30 document date: 2005-09-21

[pdf] Catalog Label

Pg 147 was 148 Kathy Falabella TestTools ftp jameco Archive PreviousCatalogs Catalog 294 |||

R DETAILS ON PAGE 190 Environmental Meters,Testers Converters Environmental Meters Testers ... gital Multimeters See www.Jameco.com for complete specifications 38073 DT830B MN35 381676 DM7 **M300** DVM850BL BP-1562 R DETAILS ON PAGE 190 MAS830L M320 Clamp, Analog Digital Multimet...

lang:en score:11 filesize: 3.57 M page_count: 20 document date: 2009-11-25



[pdf] Specifications Catalog

Pg 146 147 was 134 135 Venus TestTools ftp jameco Archive PreviousCatalogs Catalog 293 |||

Clamp, Analog Digital Multimeters See www.Jameco.com for complete specifications 38073 DT830B MN35 381676 DM7 **M300** DVM850BL BP-1562 R DETAILS ON PAGE 189 MAS830L M320 Clamp, Analog Digital Multimeters MAS838 BP-1415 MV110 EX330 EX430 115 P/N 1536843 16.95 P/N 1928476 8...

lang:nl score:11 filesize: 3.47 M page_count: 20 document date: 2009-06-15

[pdf] Specifications Catalog

141 book indb yuneshome TestTools ftp jameco Archive Catalog |||

Clamp, Analog Digital Multimeters See www.Jameco.com for complete specifications 3 LEVELS OF SAVINGS NAME HOUSE SPECIAL BRANDS BRANDS BUY 38073 DT830B MN35 381676 **M300** DVM850BL BP-1562 MAS830L MAS838 BP-1415 Clamp, Analog Digital Multimeters EX330 EX430 EX505 115 117 PSoic...

lang:en score:11 filesize: 2.61 M page_count: 20 document date: 2014-01-03

[pdf] Catalog

untitled TestTools ftp jameco Archive PreviousCatalogs Catalog 113 |||

Environmental Meters Data Loggers 2095040 2095074 2095082 2113201 2116509 2116584 Drill Mou ... ital Multimeters See www.Jameco.com for complete specifications 38073 DT830B MN35 381676 DM7 **M300** DVM850BL BP-1562 R DETAILS ON PAGE 183 MAS830L MAS838 BP-1415 Clamp, Analog Digit...

lang:en score:11 filesize: 3.72 M page_count: 21 document date: 2011-08-12



[pdf] Specifications Catalog

Pg 150 151 was 148 149 Yune Oh TestTools ftp jameco Archive PreviousCatalogs Catalog 103 |||

Clamp, Analog Digital Multimeters See www.Jameco.com for complete specifications 38073 DT830B MN35 381676 DM7 **M300** DVM850BL BP-1562 R MAS830L DETAILS ON PAGE 197 MAS838 BP-1415 Clamp, Analog Digital Multimeters EX330 EX430 EX505 115 117 P/N 1536843 16.95 P/N 1928476 8.95 ...

lang:de score:11 filesize: 2.89 M page_count: 21 document date: 2010-08-13



[pdf] Specifications Catalog

Pg 150 151 was Yune Oh TestTools ftp jameco Archive PreviousCatalogs Catalog 111 |||

Clamp, Analog Digital Multimeters See www.Jameco.com for complete specifications 38073 DT830B MN35 381676 DM7 **M300** DVM850BL BP-1562 R MAS830L DETAILS ON PAGE 199 MAS838 BP-1415 Clamp, Analog Digital Multimeters EX330 EX430 EX505 115 117 P/N 1536843 16.95 P/N 1928476 8.95 ...

lang:nl score:11 filesize: 3.32 M page_count: 21 document date: 2010-12-28

[pdf] Dimension Guide Catalog Label

133 book indb yuneshome TestTools ftp jameco Archive Catalog 132 |||

Panel Meters Environmental Meters 3-Digit LED Panel Meter Easy to setup with no additional compo ... 3 LEVELS OF SAVINGS NAME HOUSE FACTORY BRANDS BRANDS OVERRUN 38073 DT830B MN35 381676 DM7 **M300** DVM850BL BP-1562 MAS830L MAS838 BP-1415 Clamp, Analog Digital Multimeters EX330 EX430...

lang:en score:11 filesize: 2.86 M page_count: 21 document date: 2013-05-01

[pdf] Dimension Guide Catalog Label

131 book indb yuneshome TestTools ftp jameco Archive PreviousCatalogs Catalog |||

Panel Meters Environmental Meters 3-Digit LED Panel Meter Easy to setup with no additional compo ... ital Multimeters See www.Jameco.com for complete specifications 38073 DT830B MN35 381676 DM7 **M300** DVM850BL BP-1562 MAS830L MAS838 BP-1415 Clamp, Analog Digital Multimeters EX330 EX430...

lang:en score:11 filesize: 3.52 M page_count: 21 document date: 2012-12-14

[pdf] Catalog

Pg 147 was Pandora TestTools ftp jameco Archive PreviousCatalogs Catalog 101 |||

R DETAILS ON PAGE 190 Environmental Meters Testers Environmental Meters Testers 1537299 1 ... gital Multimeters See www.Jameco.com for complete specifications 38073 DT830B MN35 381676 DM7 **M300** DVM850BL BP-1562 R DETAILS ON PAGE 190 MAS830L MAS838 BP-1415 Clamp, Analog Digit...

lang:en score:11 filesize: 2.63 M page_count: 20 document date: 2009-12-22

[pdf] Catalog

122 book indb yuneshome TestTools ftp jameco Archive PreviousCatalogs Catalog 121 |||

Environmental Meters Data Loggers 2095040 2095074 2095082 2113201 2116509 2116584 Drill Mou ... ital Multimeters See www.Jameco.com for complete specifications 38073 DT830B MN35 381676 DM7 **M300** DVM850BL BP-1562 R DETAILS ON PAGE 184 MAS830L MAS838 BP-1415 Clamp, Analog Digit...

lang:en score:11 filesize: 3.61 M page_count: 21 document date: 2011-12-16

[pdf] Specifications Catalog

Pg 120 121 was 122 123 indd yuneshome TestTools ftp jameco Archive Catalog 133 |||

Clamp, Analog Digital Multimeters See www.Jameco.com for complete specifications 3 LEVELS OF SAVINGS NAME HOUSE FACTORY BRANDS BRANDS OVERRUN 38073 DT830B MN35 381676 DM7 **M300** DVM850BL BP-1562 MAS830L MAS838 BP-1415 Clamp, Analog Digital Multimeters EX330 EX430 EX505 115 11...

lang:nl score:11 filesize: 2.75 M page_count: 20 document date: 2013-08-26



[pdf] Specifications Catalog

Pg 148 149 was Yune Oh TestTools ftp jameco Archive PreviousCatalogs Catalog 102 |||

Clamp, Analog Digital Multimeters See www.Jameco.com for complete specifications 38073 DT830B MN35 381676 DM7 **M300** DVM850BL BP-1562 R MAS830L DETAILS ON PAGE 193 MAS838 BP-1415 Clamp, Analog Digital Multimeters EX330 EX430 EX505 115 117 P/N 1536843 16.95 P/N 1928476 8.95 ...

lang:nl score:11 filesize: 2.82 M page_count: 21 document date: 2010-04-23

[pdf] Catalog

122 book indb yuneshome TestTools ftp jameco Archive PreviousCatalogs Catalog |||

Environmental Meters Data Loggers 2095040 2095074 2095082 2113201 2116509 2116584 Drill Mou ... ital Multimeters See www.Jameco.com for complete specifications 38073 DT830B MN35 381676 DM7 **M300** DVM850BL BP-1562 R DETAILS ON PAGE 180 MAS830L MAS838 BP-1415 Clamp, Analog Digit...

lang:en score:11 filesize: 4.91 M page_count: 21 document date: 2012-04-25

[pdf] Catalog

untitled TestTools ftp jameco Archive PreviousCatalogs Catalog 112 |||

Environmental Meters Data Loggers 2095040 2095074 2095082 2113201 Drill Mountable Panel Meter ... ital Multimeters See www.Jameco.com for complete specifications 38073 DT830B MN35 381676 DM7 **M300** DVM850BL BP-1562 R DETAILS ON PAGE 189 MAS830L MAS838 BP-1415 Clamp, Analog Digit...

lang:en score:11 filesize: 3.38 M page_count: 21 document date: 2011-04-25

[pdf] User Manual Catalog

Cover 133 indd yuneshome catalog Jameco Electronics manual and 9V battery 16R JVP 10 16 5 x 11 2 ✳ 09 07 05 94212 5R10 25R 25 4 1 15 12 1946367 R10 25ATR x 133Catalog ftp jameco Archive Catalog |||

JAMECO ELECTRONICS WWW.JAMECO.COM REACH FOR JAMECO FIRST CATALOG 133 October 2013 FEATURED PROD ... y: 12VDC 2A recommend P/N 2006879, pg 23 Part No. Mfr. Part No. Color 1 5 25 2128631 35285**M300**PW12V Pure white ..... 49.95 47.49 44.95 Assembled Flex-Lite Colored LED...

lang:en score:10 filesize: 19.14 M page_count: 172 document date: 2013-08-26

[pdf] Catalog

PRODUCTS CATALOG 52c482531c137f4d5fc9ba18918c1982 solislux eu site files |||

BUILD TO PRECISION PRODUCTS CATALOG BUILD TO PRECISION Director s Message Mr Kai-Yin Ip, founder ... asurement Peak Measurement DWELL Test TACH Test Logic Level Test Retractable Tip Double Molding 46 **M300** CE/ETL CAT II 600V CAT III 300V 2000 600V 600V 200mA 2M 46 **M300**C CE/ETL CAT III 300V 2000 30...

lang:en score:10 filesize: 9.33 M page_count: 86 document date: 2018-10-08



[pdf] User Manual Catalog

untitled CATALOG 121 FEBRUARY 2012 JAMECO ELECTRONICS WWW Manual switch or microprocessor controllable Directly cascadable for 16R 21 26 2 Black Orange 1 79 55 29 108792 14R 19 25 121Catalog ftp jameco Archive PreviousCatalogs Catalog |||

JAMECO ELECTRONICS WWW.JAMECO.COM REACH FOR JAMECO FIRST CATALOG 121 FEBRUARY 2012 HOT NEW PROD ... ital Multimeters See www.Jameco.com for complete specifications 38073 DT830B MN35 381676 DM7 **M300** DVM850BL BP-1562 R DETAILS ON PAGE 184 MAS830L MAS838 BP-1415 Clamp, Analog Digit...

lang:en score:10 filesize: 24.04 M page_count: 191 document date: 2011-12-16



[pdf] User Manual Catalog

MASTECH CATALOGE 2023 GLO Cover Fast select Back indd DOC020837108 static chipdip ru lib 837 |||

FAST SELECTION CHARTS DIGITAL MULTIMETERS MANUAL RANGING CAT II CAT III CAT IV Model Page Safety ... f True RMS DC Voltage AC Voltage DC Current AC Current Resistance Capacitance Frequency Duty Cycle **M300** 82 CAT II 600V CAT III 300V 2000 600V 600V 200mA 20M M320 83 CAT II 600V CAT III 300V 4000 6...

lang:tl score:10 filesize: 961.08 K page_count: 17 document date: 2022-11-17

[pdf] Specifications Catalog

Pg 184 185 was Pandora DMMs TestTools ftp jameco Archive Catalog 274 |||

Test/Tools Test/Tools DMMs aScroeizmefopsrasrrehisloaowtnivnse. See www.Jameco.com for accuracy and complete specifications Mastech **M300** 2000 count 6 functions Extremely low cost Velleman DVM850BL 2000 count 6 functions Jameco JE110 2000 count 6 functions 100V resolution BP-1562 2000...

lang:nl score:9 filesize: 1.56 M page_count: 18 document date: 2007-09-13



[pdf] Specifications Catalog

Pg 176 177 was 184 185 Pandora TestTools ftp jameco Archive PreviousCatalogs Catalog 281 |||

DMMs aScroeizmefopsrasrrehisloaowtnivnse. See www.Jameco.com for accuracy and complete specifications Additional Digital Multimeters are available online at www.Jameco.com/Test Mastech **M300** 2000 count 6 functions Extremely low cost Velleman DVM850BL 2000 count 6 functions Jameco JE110 20...

lang:en score:9 filesize: 1.92 M page_count: 19 document date: 2007-12-11



[pdf] Datasheet

00 05 3347 M300 CE10 CAT II 600V cdr Administrator 2080 340000 multimeter MASTECH panda bg datasheet |||

...

lang:en score:9 filesize: 1.78 M page_count: 2 document date: 2013-10-30

[pdf] Catalog

Pg 145 was 178 Pandora TestTools ftp jameco Archive PreviousCatalogs Catalog 283 |||

DMMs Additional Digital Multimeters are available online at www.Jameco.com/Test 400A AC/DC Clamp M ... specifications Additional Digital Multimeters are available online at www.Jameco.com/Test Mastech **M300** 2000 count 6 functions Extremely low cost Velleman DVM850BL 2000 count 6 functions Jamec...

lang:en score:9 filesize: 5.29 M page_count: 21 document date: 2008-03-03

[pdf] Catalog

Pg 131 was 132 Pandora TestTools ftp jameco Archive PreviousCatalogs Catalog 291 ||| DETAILS ON PAGE 161 Digital Clamp Multimeters 400A AC/DC Clamp Meter/Multimeter Passive-Compone ... racy and complete specifications DT830B 1999 count 4 functions Diode transistor test Mastech **M300** 2000 count 6 functions Extremely low cost Velleman DVM850BL 2000 count 6 functions BP-15... lang:en score:9 filesize: 2.43 M page_count: 20 document date: 2008-12-11