TOTO THU294

TOTO THU294 Stainless Steel Fill Valve Hose Instruction Manual

For WT151M and WT152M In-Wall Tank Systems

Introduction

This manual provides detailed instructions for the installation, operation, and maintenance of the TOTO THU294 Stainless Steel Fill Valve Hose. This component is specifically designed for use with TOTO WT151M and WT152M in-wall tank systems. Please read this manual thoroughly before installation to ensure proper function and longevity of your product.

Important Safety Information

- Always shut off the main water supply before beginning any plumbing work.
- Wear appropriate personal protective equipment, such as safety glasses and gloves.
- Ensure all connections are hand-tightened first, then gently tightened with a wrench to prevent leaks. Do not overtighten.
- If you are unsure about any part of the installation process, consult a qualified plumber.
- Inspect the hose for any visible damage before installation. Do not install damaged components.

Package Contents

Verify that all components are present and undamaged before proceeding with installation.

- 1 x TOTO THU294 Stainless Steel Fill Valve Hose



Image: The TOTO THU294 Stainless Steel Fill Valve Hose, featuring a braided stainless steel exterior and two threaded connectors at each end. One end has a hexagonal nut, and the other has a knurled nut for connection to the fill valve.

Installation Instructions

This hose connects the water supply to the fill valve within TOTO WT151M and WT152M in-wall tank systems.

1. **Prepare the Area:** Ensure the main water supply to the toilet system is turned off. Flush the toilet to drain the tank.
2. **Access the Tank:** Open the access panel for your TOTO WT151M or WT152M in-wall tank system to expose the fill valve and water supply connection.
3. **Remove Old Hose (if applicable):** If replacing an existing hose, carefully disconnect it from both the water supply shut-off valve and the fill valve. Be prepared for residual water.
4. **Connect to Fill Valve:** Attach one end of the TOTO THU294 hose to the inlet port of the fill valve. Hand-tighten first, then use a wrench for a snug fit. Do not overtighten.
5. **Connect to Water Supply:** Attach the other end of the hose to the water supply shut-off valve. Hand-tighten first, then use a wrench for a snug fit. Do not overtighten.
6. **Check for Leaks:** Slowly turn on the main water supply. Carefully inspect all connections for any signs of leaks. If leaks are present, gently tighten the connections further. If leaks persist, turn off the water supply and re-check the connections and seals.
7. **Test Operation:** Once all connections are secure and leak-free, allow the tank to fill. Flush the toilet to ensure proper operation of the fill valve and hose.
8. **Close Access Panel:** Once satisfied with the installation and operation, close the in-wall tank access panel.

Operation

The TOTO THU294 Stainless Steel Fill Valve Hose functions as a critical conduit for water delivery from your home's water supply line to the fill valve within your TOTO in-wall toilet tank. Once properly installed, it ensures a continuous and secure flow of water to refill the tank after each flush. No direct user interaction is required for its operation beyond initial installation and periodic inspection.

Maintenance

The TOTO THU294 fill valve hose is designed for durability and requires minimal maintenance. However, periodic inspection is recommended to ensure optimal performance and prevent potential issues.

- **Visual Inspection:** Periodically check the hose and its connections for any signs of wear, corrosion, kinks, or leaks. Look for discoloration, bulges, or drips.
- **Connection Integrity:** Ensure that the connections at both the fill valve and the water supply shut-off valve remain snug. If any looseness is detected, gently tighten the connection.
- **Cleaning:** If necessary, wipe the exterior of the hose with a soft, damp cloth. Avoid using harsh abrasive cleaners or chemicals, as these can damage the stainless steel finish.
- **Replacement:** If any damage, significant wear, or persistent leaks are observed, the hose should be replaced immediately with a genuine TOTO THU294 replacement part.

Troubleshooting

Problem	Possible Cause	Solution
Water leak at hose connection points.	Loose connection, damaged washer/gasket, or overtightened connection.	• Ensure water supply is off. • Gently tighten the connection with a wrench. Do not overtighten. • Inspect the washer/gasket for damage and replace if necessary. • If overtightened, the connection may be stripped; replacement may be required.
No water flow to the tank.	Water supply shut off, kinked hose, or clogged hose.	• Verify the main water supply and the shut-off valve are fully open. • Check the hose for any kinks or bends that might restrict water flow. • If suspected clog, turn off water, disconnect hose, and inspect for debris. Replace if severely clogged.
Visible damage to the hose (e.g., fraying, bulges).	Wear and tear, physical damage, or manufacturing defect.	• Immediately turn off the water supply. • Replace the damaged hose with a new TOTO THU294 Stainless Steel Fill Valve Hose.

Specifications

Model Number	THU294
Brand	TOTO
Material	Stainless Steel
Compatibility	TOTO WT151M and WT152M In-Wall Tank Systems
Item Weight	4.8 ounces (approx. 0.14 kg)
UPC	739268188068

Warranty Information

For specific warranty details regarding the TOTO THU294 Stainless Steel Fill Valve Hose, please refer to the warranty documentation included with your original TOTO in-wall tank system or visit the official TOTO website. Warranty terms and conditions may vary.

Customer Support

If you have any questions, require technical assistance, or need to order replacement parts, please contact TOTO customer support:

- **Website:** www.totousa.com
- **Phone:** Refer to the TOTO website for regional contact numbers.

When contacting support, please have your product model number (THU294) and any relevant purchase information available.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question