

Miller WP-225-25-R

Miller W-225MOD TIG Torch Kit (WP-225-25-R) Instruction Manual

1. INTRODUCTION

This manual provides essential instructions for the safe and effective use of the Miller W-225MOD TIG Torch Kit, model WP-225-25-R. This water-cooled TIG torch kit is designed for Gas Tungsten Arc Welding (GTAW) applications, offering robust performance for various welding tasks. Please read this manual thoroughly before installation, operation, or maintenance to ensure proper handling and to prevent injury or damage.

2. SAFETY INFORMATION

Welding operations involve inherent risks. Always adhere to all applicable safety standards and regulations. Failure to follow safety precautions can result in serious injury or death.

- **Electric Shock Can Kill:** Ensure proper grounding. Do not touch live electrical parts. Wear dry insulating gloves and protective clothing.
- **Fumes and Gases Can Be Hazardous:** Keep your head out of the fumes. Use ventilation or exhaust to remove fumes and gases from the breathing zone.
- **Arc Rays Can Burn Eyes and Skin:** Wear a welding helmet with a proper shade filter. Wear appropriate eye protection with side shields. Protect exposed skin with appropriate protective clothing.
- **Fire and Explosion Hazard:** Remove all flammables from the welding area. Have a fire extinguisher readily available.
- **Hot Parts Can Cause Severe Burns:** Allow equipment to cool before handling. Wear insulated gloves.
- **Cylinders Can Explode If Damaged:** Secure cylinders properly. Keep cylinders away from heat and mechanical shock.

Consult your welding machine's manual for additional safety guidelines.

3. KIT COMPONENTS

The Miller W-225MOD TIG Torch Kit (WP-225-25-R) includes the following components:

- TIG Torch Body (W-225MOD series)
- Torch Handle

- 25-foot Braided Power Cable
- 9-70 Head
- 1726 Head



Figure 1: Overview of the Miller W-225MOD TIG Torch Kit components. This image displays the coiled blue, black, and red braided power cables, along with the black torch handle and two distinct torch heads, illustrating the complete kit contents.

4. SETUP AND INSTALLATION

Proper setup is crucial for safe and efficient operation. Refer to your welding power source manual for specific connection points.

1. **Connect Power Cable:** Attach the 25-foot braided power cable to the appropriate output terminal on your TIG welding power source. Ensure a secure, tight connection.
2. **Connect Water Lines:** As this is a water-cooled kit, connect the water inlet and outlet lines from the torch to your water cooler unit. Ensure proper flow direction and leak-free connections.
3. **Connect Gas Line:** Attach the shielding gas hose from the torch to your gas regulator and cylinder. Verify all gas connections are tight to prevent leaks.
4. **Install Torch Head:** Select either the 9-70 head or the 1726 head based on your application requirements and securely attach it to the torch body.
5. **Install Consumables:** Insert the collet, collet body, tungsten electrode, and ceramic cup into the torch head. Ensure the tungsten is properly ground and extends the correct distance.

6. **Check for Leaks:** Before welding, activate the water cooler and gas flow to check for any leaks in the water or gas lines. Address any leaks immediately.

5. OPERATING INSTRUCTIONS

This section outlines general operating procedures for TIG welding with the W-225MOD torch. Always refer to your welding power source manual for specific settings and procedures.

1. **Prepare Workpiece:** Clean the workpiece thoroughly to remove any contaminants, rust, or paint.
2. **Set Welding Parameters:** Adjust the amperage, gas flow rate, and post-flow time on your welding power source according to the material thickness and type, and tungsten size. The torch supports an output range of 225/200/160 Amp DC and 160/140/115 Amp AC (100% Duty Cycle).
3. **Initiate Arc:** Use either lift-arc or high-frequency (HF) start, depending on your power source capabilities, to initiate the welding arc.
4. **Maintain Arc Length:** Keep a consistent arc length, typically equal to the diameter of the tungsten electrode.
5. **Add Filler Metal (if required):** Introduce filler rod into the weld puddle as needed, maintaining a consistent feed rate.
6. **Terminate Arc:** Gradually reduce amperage at the end of the weld to prevent crater cracking. Allow the shielding gas to flow for the set post-flow time to protect the cooling weld and tungsten.

6. MAINTENANCE

Regular maintenance ensures optimal performance and extends the life of your TIG torch kit.

- **Inspect Cables and Hoses:** Regularly check the power cable, water lines, and gas hose for cuts, abrasions, or leaks. Replace damaged components immediately.
- **Clean Torch Body and Handle:** Wipe down the torch body and handle to remove any spatter or debris.
- **Inspect Consumables:** Check the collet, collet body, and ceramic cup for wear or damage. Replace as necessary. Ensure the tungsten electrode is clean and properly ground.
- **Water Cooler Maintenance:** Follow the manufacturer's instructions for your water cooler, including checking coolant levels and cleaning the filter.
- **Storage:** Store the torch kit in a clean, dry environment when not in use to protect it from dust and damage.

7. TROUBLESHOOTING

This section addresses common issues that may arise during TIG welding. For more complex problems, consult a qualified technician or your welding power source manual.

Problem	Possible Cause	Solution
Poor Arc Start / Unstable Arc	Contaminated tungsten, incorrect tungsten grind, insufficient gas flow, poor ground connection.	Regrind tungsten, check gas flow and connections, clean workpiece and ground clamp.
Tungsten Contamination	Tungsten touching weld puddle, insufficient gas shielding, incorrect gas post-flow.	Maintain proper arc length, increase gas flow, extend post-flow time.

Problem	Possible Cause	Solution
Porosity in Weld	Inadequate gas shielding, gas leaks, contaminated workpiece, excessive gas flow.	Check gas connections for leaks, clean workpiece, adjust gas flow rate.
Torch Overheating	Insufficient water flow, clogged water lines, exceeding duty cycle.	Check water cooler operation and coolant level, inspect water lines for obstructions, reduce amperage or allow torch to cool.

8. TECHNICAL SPECIFICATIONS

- **Model:** W-225MOD (Kit Model: WP-225-25-R)
- **Type:** Water-cooled TIG Torch Kit
- **Power Cable Length:** 25 feet, Braided
- **Included Heads:** 9-70 Head, 1726 Head
- **Output Range (Amps):**
 - DC: 225/200/160 Amp (100% Duty Cycle)
 - AC: 160/140/115 Amp (100% Duty Cycle)
- **Application:** Electrode Range 0.020" to 1/8" TIG / GTAW
- **Manufacturer:** Miller Electric
- **Package Dimensions:** 21 x 18 x 18 inches
- **Weight:** 4 Pounds

9. WARRANTY INFORMATION

Warranty information for the Miller W-225MOD TIG Torch Kit (WP-225-25-R) was not provided in the product data. Please refer to the official Miller Electric website or contact your authorized dealer for specific warranty terms and conditions.

10. CUSTOMER SUPPORT

For technical assistance, replacement parts, or further inquiries regarding your Miller W-225MOD TIG Torch Kit, please contact Miller Electric customer support or visit their official website. Specific contact details were not provided in the product data.

Note: Always provide the model number (WP-225-25-R) and product description when contacting support.



	<p>Miller 2022 Full-Line Catalog: Welding Equipment and Solutions</p> <p>Discover the Miller 2022 Full-Line Catalog, featuring a comprehensive selection of advanced welding equipment for industrial and professional use. This catalog details MIG, Stick, TIG, and Multiprocess welders, wire feeders, MIG guns, TIG torches, and automation solutions. Miller emphasizes innovation, quality, and ease of use, offering solutions like Auto-Line, Auto-Set, and ArcReach technology to enhance productivity and weld performance.</p>
	<p>Miller Bobcat™ Welder/Generators: Process Quick Start Guide</p> <p>Get started quickly with your Miller Bobcat™ welder/generator. This guide covers initial setup, stick welding, MIG/FCAW-G welding, FCAW-S welding, TIG welding, battery jump start, air compressor setup, and plasma cutting capabilities. Includes accessory information and part numbers.</p>
	<p>Miller Bobcat 250 Operator's Manual</p> <p>This manual provides comprehensive operating instructions, safety precautions, and maintenance guidelines for the Miller Bobcat 250 welding generator. Learn about its features, processes, and how to ensure safe and efficient use.</p>
	<p>Miller Big Blue 600DX Owner's Manual - Installation, Operation, and Maintenance Guide</p> <p>Comprehensive owner's manual for the Miller Big Blue 600DX engine-driven welding generator. Covers installation, safety, operation, maintenance, troubleshooting, and specifications for optimal performance.</p>
	<p>Miller Bobcat Welder/Generator Process Quick Start Guide</p> <p>A concise quick start guide for Miller Bobcat welder/generators, detailing initial setup, accessories for Stick, MIG/FCAW-G, FCAW-S, and TIG welding, as well as battery jump start, air compressor, and plasma cutting equipment. Includes part numbers and specifications.</p>
	<p>Miller MTTC Series Owner's Manual - Welding Torch Guide</p> <p>Comprehensive owner's manual for Miller MTTC series welding torches, covering installation, operation, maintenance, safety, and parts. Essential guide for Gas Tungsten Arc Welding (GTAW) processes.</p>

[illegible]

[\[pdf\]](#) Specifications

Dynasty 210 Series Graphics DNA Miller TIGRunner w CPS 907816002 Baker s Gas Welding Supplies
IncAD481 English f1a5b032 8a10 40b2 a6b8 1ed05d40f060cdn shopify files 1 0252 1176 4789 AD481
1ed05d40f060 v 1688564977 |||

Dynasty210 Series Issued June 2023 Index No. AD/4.81 TIG/Stick Welding Power Source Quick Specs ... GL gas lens torch accessory kit. Weldcraft™ W-225 Modular WP-225 TIG Torch WP-225-12-R 12 ft. **WP-225-25-R** 25 ft. 225-amp water-cooled torch. Includes 1726 and 9-70 torch heads. Note: W-225 Mod...

lang:en score:15 filesize: 2.77 M page_count: 8 document date: 2023-05-31

Dynasty Serie 510

Publicado en 07/2007 - 07/2008 - 07/2009 - 07/2010

Fuente de poder
TIG, MIG y Plasma

Principales características

Autómatas industriales
 Automatizado
 Automatizable
 Automatizable en posición
 Automatizable en posición
 Automatizable en posición
 Automatizable en posición

Proceso
 TIG/MIG (GTAW)
 TIG/MIG (GMAW)
 Plasma (PAW)
 Plasma (PAW)

Principio de acción
 100-400 V (línea trifásica)
 100-400 V (línea trifásica)
 100-400 V (línea trifásica)
 100-400 V (línea trifásica)
 100-400 V (línea trifásica)

Volts
 100-400 V (línea trifásica)
 100-400 V (línea trifásica)
 100-400 V (línea trifásica)
 100-400 V (línea trifásica)
 100-400 V (línea trifásica)

Presión
 210 - 270 PSI

Recomendamos para la búsqueda de perfección.

Desarrollamos un método de ajuste de precisión idéntico al que se utiliza en la industria para producir los mejores resultados. Con esta tecnología, podemos garantizar que cada máquina Dynasty TIG/MIG y Plasma será la mejor en su clase. Con esta tecnología, podemos garantizar que cada máquina Dynasty TIG/MIG y Plasma será la mejor en su clase.

Después de haber estado en el mercado durante más de 20 años, Dynasty TIG/MIG y Plasma sigue siendo la mejor en su clase. Con esta tecnología, podemos garantizar que cada máquina Dynasty TIG/MIG y Plasma será la mejor en su clase.

Después de haber estado en el mercado durante más de 20 años, Dynasty TIG/MIG y Plasma sigue siendo la mejor en su clase. Con esta tecnología, podemos garantizar que cada máquina Dynasty TIG/MIG y Plasma será la mejor en su clase.

Después de haber estado en el mercado durante más de 20 años, Dynasty TIG/MIG y Plasma sigue siendo la mejor en su clase. Con esta tecnología, podemos garantizar que cada máquina Dynasty TIG/MIG y Plasma será la mejor en su clase.

Después de haber estado en el mercado durante más de 20 años, Dynasty TIG/MIG y Plasma sigue siendo la mejor en su clase. Con esta tecnología, podemos garantizar que cada máquina Dynasty TIG/MIG y Plasma será la mejor en su clase.

Después de haber estado en el mercado durante más de 20 años, Dynasty TIG/MIG y Plasma sigue siendo la mejor en su clase. Con esta tecnología, podemos garantizar que cada máquina Dynasty TIG/MIG y Plasma será la mejor en su clase.

Después de haber estado en el mercado durante más de 20 años, Dynasty TIG/MIG y Plasma sigue siendo la mejor en su clase. Con esta tecnología, podemos garantizar que cada máquina Dynasty TIG/MIG y Plasma será la mejor en su clase.

Después de haber estado en el mercado durante más de 20 años, Dynasty TIG/MIG y Plasma sigue siendo la mejor en su clase. Con esta tecnología, podemos garantizar que cada máquina Dynasty TIG/MIG y Plasma será la mejor en su clase.

Después de haber estado en el mercado durante más de 20 años, Dynasty TIG/MIG y Plasma sigue siendo la mejor en su clase. Con esta tecnología, podemos garantizar que cada máquina Dynasty TIG/MIG y Plasma será la mejor en su clase.

Después de haber estado en el mercado durante más de 20 años, Dynasty TIG/MIG y Plasma sigue siendo la mejor en su clase. Con esta tecnología, podemos garantizar que cada máquina Dynasty TIG/MIG y Plasma será la mejor en su clase.

Después de haber estado en el mercado durante más de 20 años, Dynasty TIG/MIG y Plasma sigue siendo la mejor en su clase. Con esta tecnología, podemos garantizar que cada máquina Dynasty TIG/MIG y Plasma será la mejor en su clase.

Después de haber estado en el mercado durante más de 20 años, Dynasty TIG/MIG y Plasma sigue siendo la mejor en su clase. Con esta tecnología, podemos garantizar que cada máquina Dynasty TIG/MIG y Plasma será la mejor en su clase.

Después de haber estado en el mercado durante más de 20 años, Dynasty TIG/MIG y Plasma sigue siendo la mejor en su clase. Con esta tecnología, podemos garantizar que cada máquina Dynasty TIG/MIG y Plasma será la mejor en su clase.

Después de haber estado en el mercado durante más de 20 años, Dynasty TIG/MIG y Plasma sigue siendo la mejor en su clase. Con esta tecnología, podemos garantizar que cada máquina Dynasty TIG/MIG y Plasma será la mejor en su clase.

Auto Line
 Auto Line es una empresa líder en el mercado de la soldadura automática. Con más de 20 años de experiencia, Auto Line ofrece soluciones de soldadura automática para una amplia gama de aplicaciones industriales.

Auto Line
 Auto Line es una empresa líder en el mercado de la soldadura automática. Con más de 20 años de experiencia, Auto Line ofrece soluciones de soldadura automática para una amplia gama de aplicaciones industriales.

Auto Line
 Auto Line es una empresa líder en el mercado de la soldadura automática. Con más de 20 años de experiencia, Auto Line ofrece soluciones de soldadura automática para una amplia gama de aplicaciones industriales.

Auto Line
 Auto Line es una empresa líder en el mercado de la soldadura automática. Con más de 20 años de experiencia, Auto Line ofrece soluciones de soldadura automática para una amplia gama de aplicaciones industriales.

Auto Line
 Auto Line es una empresa líder en el mercado de la soldadura automática. Con más de 20 años de experiencia, Auto Line ofrece soluciones de soldadura automática para una amplia gama de aplicaciones industriales.

Auto Line
 Auto Line es una empresa líder en el mercado de la soldadura automática. Con más de 20 años de experiencia, Auto Line ofrece soluciones de soldadura automática para una amplia gama de aplicaciones industriales.

Auto Line
 Auto Line es una empresa líder en el mercado de la soldadura automática. Con más de 20 años de experiencia, Auto Line ofrece soluciones de soldadura automática para una amplia gama de aplicaciones industriales.

Miller Electric Mfg. Co.
 Auto Line es una empresa líder en el mercado de la soldadura automática. Con más de 20 años de experiencia, Auto Line ofrece soluciones de soldadura automática para una amplia gama de aplicaciones industriales.

Auto Line
 Auto Line es una empresa líder en el mercado de la soldadura automática. Con más de 20 años de experiencia, Auto Line ofrece soluciones de soldadura automática para una amplia gama de aplicaciones industriales.

[\[pdf\]](#) Specifications

Dynasty 210 Series Graphics DNA AD481S Spanish millerwelds media miller electric import specsheets
file ad481s dynasty series spanish |||

Dynasty Serie 210 Publicado en julio de 2022 N. de índice AD/4.81S Fuente de poder TIG/SMAW Principales características A-150 WP-17 requieren el conector 195378. Weldcraft™ W-225 WP-225 WP-225-12-R 12 pies **WP-225-25-R** 25 pies Antorcha enfriada por agua de 225 A. Incluye cabezales de antorcha 1726 y 9-70...

lang:es score:15 filesize: 2.76 M page_count: 8 document date: 2022-09-29

[illegible]

[\[pdf\]](#) User Manual Specifications

Layout 1 Graphics DNA AD481 Dynasty 210 Series English millerwelds media miller electric imported
mam assets spec sheets 6 3 e ad481 dynasty series english

Dynasty210 Series Issued Dec. 2016 Index No. AD/4.81 TIG/Stick Welding Power Source Quick Specs ... zles, collets and collet bodies . Weldcraft™ W-225 Modular WP-225 TIG Torch WP-225-12-R 12 ft. **WP-225-25-R** 25 ft. 225-amp water-cooled torch. Includes 1726 and 9-70 torch heads. Note: W-225 Mod...

lang:en score:15 filesize: 1.83 M page count: 8 document date: 2016-12-02

[illegible]

[\[pdf\]](#) Specifications

Dynasty 210 Series Graphics DNA Dynasty® 282 Miller Welders Kits for sale from \$959 00 Welder Supply MIL Dynasty210 2024 weldersupply Content files Product ||| ||| Dynasty210 Series Issued June 2023 Index No. AD/4.81 TIG/Stick Welding Power Source Quick Specs Industrial Applications Aerospace Heavy fabrication Precision fabrication Aluminum ship repair Pipe and tube fabrication Anodized aluminum fabri

Dynasty210 Series Issued June 2023 Index No. AD/4.81 TIG/Stick Welding Power Source Quick Specs ... GL gas lens torch accessory kit. Weldcraft™ W-225 Modular WP-225 TIG Torch WP-225-12-R 12 ft. **WP-225-25-R** 25 ft. 225-amp water-cooled torch. Includes 1726 and 9-70 torch heads. Note: W-225 Mod...

lang:en score:14 filesize: 2.77 M page count: 8 document date: 2023-05-31

[pdf] Specifications

Layout 1 Graphics DNA Weldcraft ModularSeries Miller 3 W 225 Modular Series Torch Packages

Applications Aerospace dairy food and beverage industry light heavy manufacturing maintenance repair petro chemical precision fabrication shipbuilding tube pipe vocational AY360 TIG Torches English millerwelds media inriver ay360 weldcraft modular tig torches english Spec Sheet ENG Weldcraft™ A 150 MillerWelds Order Literature AY36 0 miller electric import specsheets file ~ files literature ordering form ay36 6 Quick change torch Welding Discussion Forums imported mam assets spec sheets 9 contentauthor |||

Issued Aug. 2016 Index No. AY/36.0 Weldcraft Modular Series TM Hand-Held TIG Welding Torches Qu ... WP-225 Models New Name W-225 Modular 12.5 ft. 3.8 m WP-225-12-R Braided Rubber 25 ft. 7.6 m **WP-225-25-R** 12.5 ft. 3.8 m WP-225-12 Torch packages include torch body, handle, power cable, gas... lang:en score:13 filesize: 1.35 M page_count: 8 document date: 2016-08-02

[pdf] Specifications Datasheet

Layout 1 Graphics DNA Weldcraft 200A Modular Valve Rubber 12 5 ft WP 200V R Baker s Gas Welding Supplies IncAY360 TIG Torches English fcb86167 ac39 4ea6 85da d0511c98d617cdn shopify files 0252 1176 4789 AY360 d0511c98d617 v 1691003330 DatasheetAirgas MILWP 25 Miller® Weldcraft™ A 200 Amp Air Cooled Torch Package With Rigid Head And CableWeldcraft IncAY36 0AY360 d0511c98d617asset productmarketingcloud api assetstorage 1905 eb676670 6a6f 473b 801b 8c29f77aa402 AY36 0cdn |||

Issued Aug. 2016 Index No. AY/36.0 Weldcraft Modular Series TM Hand-Held TIG Welding Torches Qu ... WP-225 Models New Name W-225 Modular 12.5 ft. 3.8 m WP-225-12-R Braided Rubber 25 ft. 7.6 m **WP-225-25-R** 12.5 ft. 3.8 m WP-225-12 Torch packages include torch body, handle, power cable, gas... lang:en score:12 filesize: 1.35 M page_count: 8 document date: 2016-08-02

[pdf] User Manual Specifications


Dynasty 210 Series Graphics DNA AD481 English millerwelds media inriver ad481 dynasty series english ||| Dynasty210 Series Issued Dec. 2021 Index No. AD/4.81 TIG/Stick Welding Power Source Quick Specs ... GL gas lens torch accessory kit. Weldcraft™ W-225 Modular WP-225 TIG Torch WP-225-12-R 12 ft. **WP-225-25-R** 25 ft. 225-amp water-cooled torch. Includes 1726 and 9-70 torch heads. Note: W-225 Mod... lang:en score:12 filesize: 1.58 M page_count: 8 document date: 2021-11-30

Weldcraft Modular Series

Quick Specs

Models	Type	Rated Output ¹	Duty Cycle	Electrode Range ²
A 150 Modular A 150 Modular Torch	Hand-held	50-150 A AC, 100 A DC	60%	100-150 in (2.5-3.8 m)
A 200 Modular Torch	Hand-held	50-200 A AC, 100 A DC	60%	100-150 in (2.5-3.8 m)
A 225 Modular	Hand-held	50-225 A AC, 100 A DC	100%	100-150 in (2.5-3.8 m)

Modular Series TIG torches
The Modular Series is engineered with high performance control and water-cooled torch bodies for use in most applications and configurations for various applications and ranges.



¹Min. Torch delivered up to very heavy torch ranges shown.

Build in, efficient cooling system reduces overheating to extend parts and component life.

Easy compatible lead system provides greater versatility and portability, and prevents damage to torch components.

Gas valve provides greater checking gas flow control (A 150 Modular Torch and A 225 Modular Torch).

Miller Electric Mfg. Co.
1475 West 18th Street
Appleton, WI 54912-1099
Phone: 920.735.5000
Fax: 920.735.5001
Email: sales@mler.com
Website: www.millerwelds.com

Equipment Sales US and Canada
Phone: 800.221.2212
Fax: 800.221.2213
Email: sales@mler.com
Website: www.millerwelds.com

MillerWelds.com
Facebook Twitter LinkedIn YouTube

Weldcraft Modular Series

Quick Specs

Models	Type	Rated Output ¹	Duty Cycle	Electrode Range ²
A 150 Modular A 150 Modular Torch	Hand-held	50-150 A AC, 100 A DC	60%	100-150 in (2.5-3.8 m)
A 200 Modular Torch	Hand-held	50-200 A AC, 100 A DC	60%	100-150 in (2.5-3.8 m)
A 225 Modular	Hand-held	50-225 A AC, 100 A DC	100%	100-150 in (2.5-3.8 m)

Modular Series TIG torches
The Modular Series is engineered with high performance control and water-cooled torch bodies for use in most applications and configurations for various applications and ranges.



¹Min. Torch delivered up to very heavy torch ranges shown.

Build in, efficient cooling system reduces overheating to extend parts and component life.

Easy compatible lead system provides greater versatility and portability, and prevents damage to torch components.

Gas valve provides greater checking gas flow control (A 150 Modular Torch and A 225 Modular Torch).

Miller Electric Mfg. Co.
1475 West 18th Street
Appleton, WI 54912-1099
Phone: 920.735.5000
Fax: 920.735.5001
Email: sales@mler.com
Website: www.millerwelds.com

Equipment Sales US and Canada
Phone: 800.221.2212
Fax: 800.221.2213
Email: sales@mler.com
Website: www.millerwelds.com

MillerWelds.com
Facebook Twitter LinkedIn YouTube

Dynasty 210 Series

Quick Specs

Industrial Applications	Processes	Input Power	Rated Output	Weight
Power Generation Power Distribution Power Conversion Power Conversion Power Conversion Power Conversion	AC/DC TIG (GTAW) Shielded Metal Arc Welding (MMA) Stick (SMAW) Stick (SMAW) Stick (SMAW) Stick (SMAW)	120-480 V 3-Phase or 1-Phase power Average Range 1-210 A (200-210 A) 2-210 A (200-210 A)	210 A (200-210 A) 2-210 A (200-210 A)	17 lb. (7.7 kg)

Rated Output 210 A (200-210 A)
Weight 17 lb. (7.7 kg)

Features
• 120-480 V 3-Phase or 1-Phase power
• 210 A (200-210 A)
• 2-210 A (200-210 A)
• 17 lb. (7.7 kg)

Specifications
• 120-480 V 3-Phase or 1-Phase power
• 210 A (200-210 A)
• 2-210 A (200-210 A)
• 17 lb. (7.7 kg)

Miller Electric Mfg. Co.
1475 West 18th Street
Appleton, WI 54912-1099
Phone: 920.735.5000
Fax: 920.735.5001
Email: sales@mler.com
Website: www.millerwelds.com

Equipment Sales US and Canada
Phone: 800.221.2212
Fax: 800.221.2213
Email: sales@mler.com
Website: www.millerwelds.com

MillerWelds.com
Facebook Twitter LinkedIn YouTube

Dynasty 210 Series

Available 2010 - 2011, to \$33.98

TG/SSWelding Power Source

Quick Specs

Industrial Applications
 Aluminum fabrication
 Steel and stainless steel
 Pipe and tube fabrication
 Aluminum ship repair
 Industrial equipment fabrication

Phases
 120V AC, 15/20/25/30/40/50/60/70/80/90/100/125/150/175/200/225/250/275/300/325/350/375/400/450/500/550/600/650/700/750/800/850/900/950/1000/1100/1200/1300/1400/1500/1600/1700/1800/1900/2000/2100/2200/2300/2400/2500/2600/2700/2800/2900/3000/3100/3200/3300/3400/3500/3600/3700/3800/3900/4000/4100/4200/4300/4400/4500/4600/4700/4800/4900/5000/5100/5200/5300/5400/5500/5600/5700/5800/5900/6000/6100/6200/6300/6400/6500/6600/6700/6800/6900/7000/7100/7200/7300/7400/7500/7600/7700/7800/7900/8000/8100/8200/8300/8400/8500/8600/8700/8800/8900/9000/9100/9200/9300/9400/9500/9600/9700/9800/9900/10000/10100/10200/10300/10400/10500/10600/10700/10800/10900/11000/11100/11200/11300/11400/11500/11600/11700/11800/11900/12000/12100/12200/12300/12400/12500/12600/12700/12800/12900/13000/13100/13200/13300/13400/13500/13600/13700/13800/13900/14000/14100/14200/14300/14400/14500/14600/14700/14800/14900/15000/15100/15200/15300/15400/15500/15600/15700/15800/15900/16000/16100/16200/16300/16400/16500/16600/16700/16800/16900/17000/17100/17200/17300/17400/17500/17600/17700/17800/17900/18000/18100/18200/18300/18400/18500/18600/18700/18800/18900/19000/19100/19200/19300/19400/19500/19600/19700/19800/19900/20000/20100/20200/20300/20400/20500/20600/20700/20800/20900/21000/21100/21200/21300/21400/21500/21600/21700/21800/21900/22000/22100/22200/22300/22400/22500/22600/22700/22800/22900/23000/23100/23200/23300/23400/23500/23600/23700/23800/23900/24000/24100/24200/24300/24400/24500/24600/24700/24800/24900/25000/25100/25200/25300/25400/25500/25600/25700/25800/25900/26000/26100/26200/26300/26400/26500/26600/26700/26800/26900/27000/27100/27200/27300/27400/27500/27600/27700/27800/27900/28000/28100/28200/28300/28400/28500/28600/28700/28800/28900/29000/29100/29200/29300/29400/29500/29600/29700/29800/29900/30000/30100/30200/30300/30400/30500/30600/30700/30800/30900/31000/31100/31200/31300/31400/31500/31600/31700/31800/31900/32000/32100/32200/32300/32400/32500/32600/32700/32800/32900/33000/33100/33200/33300/33400/33500/33600/33700/33800/33900/34000/34100/34200/34300/34400/34500/34600/34700/34800/34900/35000/35100/35200/35300/35400/35500/35600/35700/35800/35900/36000/36100/36200/36300/36400/36500/36600/36700/36800/36900/37000/37100/37200/37300/37400/37500/37600/37700/37800/37900/38000/38100/38200/38300/38400/38500/38600/38700/38800/38900/39000/39100/39200/39300/39400/39500/39600/39700/39800/39900/40000/40100/40200/40300/40400/40500/40600/40700/40800/40900/41000/41100/41200/41300/41400/41500/41600/41700/41800/41900/42000/42100/42200/42300/42400/42500/42600/42700/42800/42900/43000/43100/43200/43300/43400/43500/43600/43700/43800/43900/44000/44100/44200/44300/44400/44500/44600/44700/44800/44900/45000/45100/45200/45300/45400/45500/45600/45700/45800/45900/46000/46100/46200/46300/46400/46500/46600/46700/46800/46900/47000/47100/47200/47300/47400/47500/47600/47700/47800/47900/48000/48100/48200/48300/48400/48500/48600/48700/48800/48900/49000/49100/49200/49300/49400/49500/49600/49700/49800/49900/50000/50100/50200/50300/50400/50500/50600/50700/50800/50900/51000/51100/51200/51300/51400/51500/51600/51700/51800/51900/52000/52100/52200/52300/52400/52500/52600/52700/52800/52900/53000/53100/53200/53300/53400/53500/53600/53700/53800/53900/54000/54100/54200/54300/54400/54500/54600/54700/54800/54900/55000/55100/55200/55300/55400/55500/55600/55700/55800/55900/56000/56100/56200/56300/56400/56500/56600/56700/56800/56900/57000/57100/57200/57300/57400/57500/57600/57700/57800/57900/58000/58100/58200/58300/58400/58500/58600/58700/58800/58900/59000/59100/59200/59300/59400/59500/59600/59700/59800/59900/60000/60100/60200/60300/60400/60500/60600/60700/60800/60900/61000/61100/61200/61300/61400/61500/61600/61700/61800/61900/62000/62100/62200/62300/62400/62500/62600/

[\[pdf\]](#) User Manual Specifications

Dynasty 210 Series Graphics DNA MIL907686001 josefgases product ref spec sheets |||

Dynasty210 Series Issued March 2021 Index No. AD/4.81 TIG/Stick Welding Power Source Quick Specs ... 4GL gas lens torch accessory kit. Weldcraft™ W-225 Modular WP-225 TIG Torch WP-225-12-R 12 ft. **WP-225-25-R** 25 ft. 225-amp water-cooled torch. Includes 1726 and 9-70 torch heads. Note: W-225 Mod...

lang:en score:11 filesize: 1.43 M page_count: 8 document date: 2021-03-26

Dynasty 210 Series

Input: 200V-240V AC, 50/60 Hz

TDS/Soft Welding
Power Source

Quick Specs

Intended Applications
Process Technology
Stick and Flux Cored
Shielded Metal Arc
Automatic Stick
Shielded Metal Arc
Automatic Stick

Processes
Stick (E6010, E6011)
Flux Cored (E70C18)
Shielded Metal Arc
(E70C18)

Input Power 200-240 V, 50/60 Hz, 1 Phase
Power 2.0 - 5.8 kVA

Input Output 200-240 V, 50/60 Hz

Net Weight 61.2 (21.2) kg

Update and Upgrade Your power source

With the Dynasty 210 Series, you can upgrade your power source to meet the needs of your shop. The Dynasty 210 Series is designed to be upgraded to meet the needs of your shop.

Power Source Upgrade

The Dynasty 210 Series is designed to be upgraded to meet the needs of your shop. The Dynasty 210 Series is designed to be upgraded to meet the needs of your shop.

Drop-In Upgrade

The Dynasty 210 Series is designed to be upgraded to meet the needs of your shop. The Dynasty 210 Series is designed to be upgraded to meet the needs of your shop.

NEW! **Auto-Reverse**

Auto-Reverse is a new feature that allows the Dynasty 210 Series to automatically reverse the direction of the arc when the electrode is reversed.

Power Source Upgrade (PSU)

The Dynasty 210 Series is designed to be upgraded to meet the needs of your shop. The Dynasty 210 Series is designed to be upgraded to meet the needs of your shop.

Drop-In Upgrade

The Dynasty 210 Series is designed to be upgraded to meet the needs of your shop. The Dynasty 210 Series is designed to be upgraded to meet the needs of your shop.

Auto-Reverse

Auto-Reverse is a new feature that allows the Dynasty 210 Series to automatically reverse the direction of the arc when the electrode is reversed.

Power Source Upgrade (PSU)

The Dynasty 210 Series is designed to be upgraded to meet the needs of your shop. The Dynasty 210 Series is designed to be upgraded to meet the needs of your shop.

Power Source Upgrade (PSU)

The Dynasty 210 Series is designed to be upgraded to meet the needs of your shop. The Dynasty 210 Series is designed to be upgraded to meet the needs of your shop.

Drop-In Upgrade

The Dynasty 210 Series is designed to be upgraded to meet the needs of your shop. The Dynasty 210 Series is designed to be upgraded to meet the needs of your shop.

Auto-Reverse

Auto-Reverse is a new feature that allows the Dynasty 210 Series to automatically reverse the direction of the arc when the electrode is reversed.

Power Source Upgrade (PSU)

The Dynasty 210 Series is designed to be upgraded to meet the needs of your shop. The Dynasty 210 Series is designed to be upgraded to meet the needs of your shop.

Drop-In Upgrade

The Dynasty 210 Series is designed to be upgraded to meet the needs of your shop. The Dynasty 210 Series is designed to be upgraded to meet the needs of your shop.

DC Stick Features

Reverse and control electrode
Reverse and control electrode during welding to prevent electrode sticking.

Electrode holder
Electrode holder with a built-in electrode holder.

Electrode holder
Electrode holder with a built-in electrode holder.

Electrode holder
Electrode holder with a built-in electrode holder.

Electrode holder
Electrode holder with a built-in electrode holder.

Electrode holder
Electrode holder with a built-in electrode holder.

Electrode holder
Electrode holder with a built-in electrode holder.

Electrode holder
Electrode holder with a built-in electrode holder.

Electrode holder
Electrode holder with a built-in electrode holder.

Electrode holder
Electrode holder with a built-in electrode holder.

Electrode holder
Electrode holder with a built-in electrode holder.

Electrode holder
Electrode holder with a built-in electrode holder.

Electrode holder
Electrode holder with a built-in electrode holder.

Electrode holder
Electrode holder with a built-in electrode holder.

Electrode holder
Electrode holder with a built-in electrode holder.

Miller Electric Mfg. Co.
635 S. Paulina Street
Appleton, WI 54912-0001
USA

Technical Sales and Service
Phone: 920.835.7000
Fax: 920.835.7001
E-Mail: techsales@mler.com


Worldwide Sales
Phone: 920.835.7000
Fax: 920.835.7001
E-Mail: techsales@mler.com

[\[pdf\]](#) User Manual Specifications

Layout 1 Graphics DNA AD4 81 millerwelds 80 spec sheets

Dynasty210 Series Issued June 2015 Index No. AD/4.81 TIG/Stick Welding Power Source Quick Specs ... es, collets and collet bodies . Weldcraft™ W-225 Modular WP-225 TIG Torch #WP-225-12-R 12 ft. #**WP-225-25-R** 25 ft. 225-amp water-cooled torch. Includes 1726 and 9-70 torch heads. Note: W-225 Mod...

lang:en score:11 filesize: 2.02 M page count: 8 document date: 2015-07-14

Parts Catalog 2018
MillerWelds.com

[\[pdf\]](#) Catalog

Miller 079595 Catalog bostwick pim s3 amazonaws Damroot Original 10002 |||

2018 Parts Catalog MillerWelds.com SERIAL NUMBER REFERENCE The letters of the serial numbers are ... Id Model WP-225 New Name W-225 Modular Braided Rubber 12.5 ft 3.8 m WP-225-12-R 25 ft 7.6 m **WP-225-25-R** Torch packages include torch body, handle, power cable, gas hose, water hose and 1726 a...

lang:en score:10 filesize: 25.17 M page count: 124 document date: 2019-01-29



[pdf] Catalog

Miller Electric Full line Catalog 2021 Spanish 21FullLine ES millerwelds media miller electric files

literature ordering form catalogs 21fullline es |||

JUNTOS 2021 CATALOGO COMPLETO MILLERWELDS.COM JUNTOS Juntos construimos, reparamos y creamos para ... P-150-25-R WP-150V-25-R Goma con refuerzo trenzado 12,5 pies 3,8 m 25 pies 7,6 m WP-225-12-R **WP-225-25-R** Vinilo 25 pies 7,6 m WP-225-25 Tipo Refrigeradas por aire Tipo Refrigeradas con agua... lang:es score:10 filesize: 20.13 M page_count: 128 document date: 2021-04-08




[pdf] Catalog

Miller Electric Full line Catalog 2022 Graphics DNA 22FullLine ES millerwelds media miller electric files

literature ordering form catalogs 22fullline es |||

PROGRESO. GRACIAS A USTED. 2022 CATLOGO GENERAL MILLERWELDS.COM PRODUCTOS MILLER. HECHOS POR PER ... m WP-150-25-R WP-150V-25-R Goma con refuerzo trenzado 12,5 ft 3,8 m 25 ft 7,6 m WP-225-12-R **WP-225-25-R** Vinilo 25 ft 7,6 m WP-225-25 Tipo Enfriados por aire Tipo Enfriados por agua Salida... lang:es score:10 filesize: 21.3 M page_count: 128 document date: 2022-03-28




[pdf] Specifications

Layout 1 Graphics DNA 141305827 ecat eleknet PIM Docs STEP ASSETS |||

Issued Aug. 2016 Index No. AY/36.0 Weldcraft Modular Series TM Hand-Held TIG Welding Torches Qu ... WP-225 Models New Name W-225 Modular 12.5 ft. 3.8 m WP-225-12-R Braided Rubber 25 ft. 7.6 m **WP-225-25-R** 12.5 ft. 3.8 m WP-225-12 Torch packages include torch body, handle, power cable, gas...

lang:en score:10 filesize: 1.32 M page_count: 8 document date: 2019-09-30




[pdf] Specifications

Weldcraft Modular Series Graphics DNA 28f517e634e6366d08e91a7c87a17677501c0ca9 dds lock8 ca files products |||

Issued Sept. 2023 Index No. AY/36.0 Weldcraft Modular Series TM Hand-Held TIG Welding Torches Q ... -225 Models New Name W-225 Modular Braided Rubber 12.5 ft. 3.8 m 25 ft. 7.6 m WP-225-12-R **WP-225-25-R** 12.5 ft. 3.8 m WP-225-12 Torch packages include torch body, handle, power cable, gas...

lang:en score:10 filesize: 1.84 M page_count: 8 document date: 2023-09-07



[pdf] Specifications

Weldcraft Modular Series Graphics DNA WP 150 25 R josefgases product ref spec sheets ||| Issued Sept. 2023 Index No. AY/36.0 Weldcraft Modular Series TM Hand-Held TIG Welding Torches Q ... -225 Models New Name W-225 Modular Braided Rubber 12.5 ft. 3.8 m 25 ft. 7.6 m WP-225-12-R **WP-225-25-R** 12.5 ft. 3.8 m WP-225-12 Torch packages include torch body, handle, power cable, gas...

lang:en score:10 filesize: 1.84 M page_count: 8 document date: 2023-09-07



[pdf] Specifications

Layout 1 Graphics DNA AY36 0 millerwelds spec sheets Issued Jan. 2015 Index No. AY/36.0 Weldcraft Modular Series TM Hand-Held TIG Welding Torches Qu ... WP-225 Models New Name W-225 Modular 12.5 ft. 3.8 m WP-225-12-R Braided Rubber 25 ft. 7.6 m **WP-225-25-R** Torch packages include torch body, handle, power cable, gas hose, water hose, and 1726 ...

lang:en score:10 filesize: 1.45 M page_count: 8 document date: 2015-01-30



Miller 2022 Full-Line Catalog: Welding Equipment and Solutions

Discover the Miller 2022 Full-Line Catalog, featuring a comprehensive selection of advanced welding equipment for industrial and professional use. This catalog details MIG, Stick, TIG, and Multiprocess welders, wire feeders, MIG guns, TIG torches, and automation solutions. Miller emphasizes innovation, quality, and ease of use, offering solutions like Auto-Line, Auto-Set, and ArcReach technology to enhance productivity and weld performance.

lang:en score:9 filesize: 30.09 M page_count: 128 document date: 2022-01-24



[pdf] Accessories Catalog

Accessories and Consumables Catalog 2024 millerwelds media miller electric import literature file accessories consumables catalog ||| 2024 ACCESSORIES AND CONSUMABLES CATALOG 2024 Accessories and Consumables Catalog SERIAL NUMBER R ... 3.8 m 25 ft 7.6 m Vinyl 25 ft 7.6 m Textured Handle -- WP-225 W-225 Modular WP-225-12-R **WP-225-25-R** WP-225-25 53N06 Torch packages include torch body, handle, power cable, gas hose, wat...

lang:en score:9 filesize: 34.61 M page_count: 108 document date: 2024-06-28



[\[pdf\]](#) Accessories Catalog


ACCESSORIES AND CONSUMABLES CATALOG 2025 Accessories and Consumables Catalog

millerwelds media miller electric import literature file accessories consumables catalog |||

2025 ACCESSORIES AND CONSUMABLES CATALOG MILLERWELDS.COM 2025 ACCESSORIES AND CONSUMABLES CATALOG ... 3.8 m 25 ft 7.6 m Vinyl 25 ft 7.6

m Textured Handle -- WP-225 W-225 Modular WP-225-12-R **WP-225-25-R** WP-225-25 53N06 Torch packages include torch body, handle, power cable, gas hose, wat...

lang:en score:9 filesize: 35.25 M page_count: 112 document date: 2025-04-08



[\[pdf\]](#) Catalog

2023 FULL LINE CATALOG millerwelds media miller electric import literature file full line catalog |||

2023 Full-line Catalog MillerWelds.com MILLER DISTRIBUTORS KNOWLEDGE

ADVICE SUPPORT. MILLER PRODU ... Braided Rubber 12.5 ft. 3.8 m WP-225-12-R 25 ft. 7.6 m WP-150-25-R WP-150V-25-R 25 ft. 7.6 m **WP-225-25-R** Vinyl 25 ft. 7.6 m

WP-225-25 Type Air-cooled Type Water-cooled Rated Output Torch ...

lang:en score:9 filesize: 29.57 M page_count: 132 document date: 2023-04-13



[\[pdf\]](#) Catalog

2024 FULL LINE CATALOG millerwelds media miller electric import literature file full line catalog |||

2024 CATALOG ITW WELDING SOLUTIONS BUILT BY PEOPLE LIKE YOU, FOR

PEOPLE LIKE YOU Careful planning ... Braided Rubber 12.5 ft. 3.8 m WP-225-12-R

25 ft. 7.6 m WP-150-25-R WP-150V-25-R 25 ft. 7.6 m **WP-225-25-R** Vinyl 25 ft. 7.6 m

WP-225-25 Type Air-cooled Type Water-cooled Rated Output Torch ...

lang:en score:9 filesize: 24.44 M page_count: 132 document date: 2024-02-26



[\[pdf\]](#) Accessories Catalog

Accessories and Consumables Catalog 2023 millerwelds media miller electric import literature file

accessories consumables catalog |||

5 4 3 2 7 2023 Accessories and Consumables Catalog SERIAL NUMBER

REFERENCE The letters of the ser ... 3.8 m 25 ft 7.6 m Vinyl 25 ft 7.6 m Textured

Handle -- WP-225 W-225 Modular WP-225-12-R **WP-225-25-R** WP-225-25 53N06

Torch packages include torch body, handle, power cable, gas hose, wat...

lang:en score:9 filesize: 32.89 M page_count: 108 document date: 2023-09-26



[\[pdf\]](#) Catalog

CATALOG 2025 Full Line Catalog millerwelds media miller electric import literature file full line catalog |||
 20 25 CATALOG ITW Welding ITW WELDING SOLUTIONS BUILT BY PEOPLE
 LIKE YOU, FOR PEOPLE LIKE YOU Car ... Braided Rubber 12.5 ft. 3.8 m WP-225-
 12-R 25 ft. 7.6 m WP-150-25-R WP-150V-25-R 25 ft. 7.6 m **WP-225-25-R** Vinyl 25 ft.
 7.6 m WP-225-25 Type Air-cooled Type Water-cooled Rated Output Torch ...
 lang:en score:9 filesize: 29.06 M page_count: 132 document date: 2025-01-15



[\[pdf\]](#) Accessories Catalog

Accessories and Consumables Catalog 2023 contentauthor millerwelds media miller electric import
 literature file accessories consumables catalog |||
 5 4 3 2 7 2023 Accessories and Consumables Catalog SERIAL NUMBER
 REFERENCE The letters of the ser ... 3.8 m 25 ft 7.6 m Vinyl 25 ft 7.6 m Textured
 Handle -- WP-225 W-225 Modular WP-225-12-R **WP-225-25-R** WP-225-25 53N06
 Torch packages include torch body, handle, power cable, gas hose, wat...
 lang:en score:9 filesize: 33.01 M page_count: 108 document date: 2023-10-19



[\[pdf\]](#) Accessories Catalog

2022 Accessories and Consumables Catalog millerwelds media miller electric files literature ordering form
 catalogs accessories consumables catalog |||
 TTthree PPoowweerr ooff BBlluuuee 5 1 2 3 4 5 2 7 6 10 9 7 6 10 9 4 5 2 1 2 3 9 8 7 7 6
 5 11 1 ... 3.8 m 25 ft 7.6 m Vinyl 25 ft 7.6 m Textured Handle -- WP-225 W-225
 Modular WP-225-12-R **WP-225-25-R** WP-225-25 53N06 Torch packages include
 torch body, handle, power cable, gas hose, wat...
 lang:en score:9 filesize: 27.73 M page_count: 112 document date: 2022-05-02



[\[pdf\]](#) Catalog

Dave Weber Order Literature MillerWelds Full line Catalog 2022 contentauthor millerwelds media miller
 electric import literature file full catalog |||
 PROGRESS. POWERED BY YOU. 2022 FULL-LINE CATALOG
 MILLERWELDS.COM MILLER PRODUCTS. BUILT BY PEOPL ... Braided Rubber
 12.5 ft. 3.8 m WP-225-12-R 25 ft. 7.6 m WP-150-25-R WP-150V-25-R 25 ft. 7.6 m
WP-225-25-R Vinyl 25 ft. 7.6 m WP-225-25 Type Air-cooled Type Water-cooled Rated
 Output Torch ...
 lang:en score:9 filesize: 29.87 M page_count: 128 document date: 2022-08-04

