Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

SK 86335

SK Tools USA 4 Piece Cushion Grip Stubby Combination Screwdriver Set

Model: 86335

Product Overview

The SK Tools USA 4 Piece Cushion Grip Stubby Combination Screwdriver Set (Model 86335) is designed for professional and home use, offering a compact solution for various fastening tasks. This set includes four stubby screwdrivers, featuring both Phillips and slotted tips, engineered for durability and user comfort.



Image: The SK Tools 4 Piece Cushion Grip Stubby Screwdriver Set, featuring two Phillips head and two flat head screwdrivers. Each screwdriver has a black handle with green accents, designed for a comfortable grip.

Key Features:

- **Dual Durometer Handle:** Engineered for enhanced comfort and superior control during use, minimizing user fatigue.
- **Butyrate Handle:** Provides excellent strength and resistance to most common automotive chemicals, ensuring longevity.
- **Vapor Blasted Tips:** Tips are treated to ensure optimal fastener grip, reducing cam-out.
- **Chrome-Vanadium Shaft:** Constructed from high-quality chrome-vanadium steel for heavy-duty use and extended tool life.
- **Nickel Chrome Plated:** Shafts are nickel chrome plated for superior corrosion resistance.

Setup and Initial Use

This screwdriver set requires no complex assembly or setup. The tools are ready for immediate use upon removal from their packaging.

Unpacking:

1. Carefully remove the screwdriver set from its packaging.
2. Inspect each screwdriver for any signs of damage during transit. If any damage is observed, contact customer support.
3. Store the screwdrivers in a dry, secure location when not in use.

Operating Instructions

Proper use of screwdrivers ensures safety, efficiency, and extends the life of the tool and fastener.

General Usage Guidelines:

- **Select the Correct Tip:** Always match the screwdriver tip (Phillips or slotted) to the corresponding fastener head. Using the wrong size or type can damage both the fastener and the screwdriver tip.
- **Ensure Proper Fit:** The screwdriver tip should fit snugly into the fastener head, minimizing play.
- **Apply Firm Pressure:** Apply firm, consistent downward pressure while turning the screwdriver to prevent cam-out (the tip slipping out of the fastener head).
- **Turn Clockwise to Tighten:** Turn the screwdriver clockwise to tighten most standard fasteners.
- **Turn Counter-Clockwise to Loosen:** Turn the screwdriver counter-clockwise to loosen most standard fasteners.
- **Safety First:** Always wear appropriate personal protective equipment, such as safety glasses, when using hand tools. Do not use screwdrivers as pry bars or chisels.

Maintenance

Regular maintenance will help preserve the quality and extend the lifespan of your SK Tools screwdrivers.

- **Cleaning:** After each use, wipe down the screwdrivers with a clean, dry cloth to remove dirt, grease, or debris. For stubborn grime, a mild degreaser can be used, followed by thorough drying.
- **Storage:** Store screwdrivers in a dry environment to prevent rust. The included foam insert or a tool roll/box is recommended to protect the tips and handles from damage.
- **Inspection:** Periodically inspect the screwdriver tips for wear or damage. A worn tip can lead to cam-out and damage to fasteners. Inspect handles for cracks or damage that could affect grip or safety.
- **Corrosion Resistance:** While the shafts are nickel chrome plated for corrosion resistance, prolonged exposure to moisture or harsh chemicals should be avoided.

Troubleshooting

This section addresses common issues that may arise during the use of screwdrivers.

Problem	Possible Cause	Solution

Problem	Possible Cause	Solution
Screwdriver tip slips out of fastener (cam-out)	Incorrect tip size/type; insufficient downward pressure; worn tip.	Ensure correct tip size and type for the fastener. Apply firm, consistent downward pressure. Replace screwdriver if tip is excessively worn.
Difficulty turning fastener	Fastener is seized or overtightened; incorrect tip size; insufficient leverage.	Ensure correct tip size. For seized fasteners, consider penetrating oil or alternative tools if necessary. These stubby screwdrivers are designed for tight spaces, not maximum torque.
Screwdriver handle feels slippery	Handle is oily or dirty.	Clean the handle thoroughly with a degreaser and dry completely.

Specifications

Attribute	Detail
Brand	SK
Model Number	86335
Set Contents	4 Piece Stubby Combination Screwdriver Set (Phillips #1, Phillips #2, Slotted 1/4", Slotted 3/16")
Handle Material	Dual Durometer Butyrate with Cushion Grip
Shaft Material	Chrome Vanadium Steel
Shaft Finish	Nickel Chrome Plated
Tip Treatment	Vapor Blasted
Item Dimensions (L x W x H)	Approximately 10.75 x 7.25 x 1.5 inches (packaging dimensions)
Item Weight	Approximately 0.16 ounces (total set weight, or individual tool, data unclear)
Recommended Uses	Auto Repair, Construction, Furniture Assembly, Home Improvement
Manufacturing Origin	Made in USA with American steel

Warranty and Support

SK Tools products are known for their durability and are backed by a comprehensive warranty.

Limited Lifetime Warranty:

All SK Tools, including this screwdriver set, are backed by a limited lifetime warranty. This warranty covers defects in material and workmanship for the life of the tool. For specific terms and conditions, or to initiate a warranty claim, please refer to the official SK Tools website or contact their customer service department.

Customer Support:

For further assistance, technical questions, or support regarding your SK Tools product, please visit the official SK Tools website or contact their customer service. Contact information can typically be found on the product packaging or the manufacturer's website.

Note: Always refer to the most current warranty information provided by the manufacturer.

© 2024 SK Tools. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B007PBB9GQ

More documents and user manuals: **https://manuals.plus/**