

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Moen](#) /

› [Moen Voss Chrome Two-Handle Deck Mount Roman Tub Faucet Trim Kit T693 Instruction Manual](#)

## Moen T693

# Moen Voss Chrome Two-Handle Deck Mount Roman Tub Faucet Trim Kit

MODEL T693

Brand: Moen

## Introduction

---

This instruction manual provides detailed guidance for the installation, operation, and maintenance of your Moen Voss Chrome Two-Handle Deck Mount Roman Tub Faucet Trim Kit, Model T693. Please read all instructions carefully before beginning installation and retain this manual for future reference.

The Voss collection features crisp edges and an uncomplicated style, bringing a confident transitional aesthetic to your bathroom. This trim kit is designed for deck-mounted Roman tubs and requires a compatible Moen M-PACT valve system for complete installation.

## Product Overview

---

The Moen Voss Chrome Two-Handle Deck Mount Roman Tub Faucet Trim Kit (Model T693) offers a highly reflective chrome finish that complements various decorating styles. It features two lever handles for precise control over water flow and temperature.




Image: Moen Voss Chrome Two-Handle Roman Tub Faucet Trim Kit, showcasing the high-arc spout and two lever handles.

## Setup and Installation

---

This trim kit is designed to be installed on a deck-mounted Roman tub. It is crucial to note that this trim kit requires a separate Moen M-PACT common valve system for complete installation. Compatible valve models include #4792, 4793, 4794, 4796, 4797, or 4798.

The M-PACT common valve system allows for future updates to your faucet style without needing to replace the underlying plumbing, offering long-standing flexibility.



## REQUIRED VALVE SOLD SEPARATELY

Image: Illustration showing the required valve system, which is sold separately, for the Moen Roman Tub Faucet Trim Kit.

For detailed step-by-step installation instructions, please refer to the specific manual provided with your chosen Moen M-PACT valve system.

### Operating Instructions

The Moen Voss Roman Tub Faucet features two lever handles for easy operation. The left handle typically controls the hot water, and the right handle controls the cold water. Rotate the handles to adjust the water flow and temperature to your desired setting.

The high-arc spout provides ample clearance and delivers water at a maximum flow rate of 13 gallons per minute, ensuring efficient tub filling.

Your browser does not support the video tag.

Video: An official Moen video demonstrating the operation and features of a Moen Voss widespread faucet, including water flow and handle usage.

### Maintenance

---

To maintain the chrome finish and ensure the longevity of your Moen Voss faucet, follow these guidelines:

- Clean regularly with a soft cloth and mild soap. Avoid abrasive cleaners, harsh chemicals, or scouring pads, as these can damage the finish.
- Rinse thoroughly with clean water after cleaning and dry with a soft cloth to prevent water spots.
- Periodically check for any leaks or drips. If detected, consult the troubleshooting section or contact customer support.

## Troubleshooting

---

If you encounter any issues with your Moen Voss faucet, consider the following common troubleshooting steps:

- **Low Water Flow:** Check if the aerator is clogged with debris. Remove and clean the aerator. Ensure water supply valves are fully open.
- **Leaks or Drips:** Inspect connections for tightness. If leaks persist from the handles or spout, internal components may need inspection or replacement. Refer to the valve system manual or contact customer support.
- **Temperature Control Issues:** Verify that both hot and cold water supply lines are connected correctly and fully open.

For persistent problems, it is recommended to contact Moen customer support or a qualified plumber.

## Specifications

---

Feature	Detail
Brand	Moen
Model Name	Voss Collection
Part Number	T693
Finish Type	Chrome
Material	Metal
Number of Handles	2
Mounting Type	Deck Mount
Hole Count	3
Spout Height	8.5 Inches
Spout Reach	8.25 Inches
Maximum Flow Rate	13 Gallons Per Minute
Item Weight	3 Pounds
Product Dimensions	18.62 x 11.12 x 3.62 inches
UPC	026508230701

## Warranty Information

---

The Moen Voss Chrome Two-Handle Deck Mount Roman Tub Faucet Trim Kit is backed by Moen's Limited Lifetime Warranty. This warranty covers defects in material and manufacturing workmanship for the original consumer purchaser. For full details and terms of the warranty, please refer to the official Moen warranty documentation or visit the Moen website.

## Support

---

For further assistance, technical support, or warranty claims, please contact Moen customer service:

- **Phone:** Refer to the contact information provided in your product packaging or on the official Moen website.
- **Website:** Visit [www.moen.com](http://www.moen.com) for FAQs, product registration, and additional support resources.