

3M FAPF02

3M Filtrete Ultra Clean Air Purifier Replacement Filter FAPF02 User Manual

Model: FAPF02

INTRODUCTION

This manual provides essential instructions for the proper installation and maintenance of your 3M Filtrete Ultra Clean Air Purifier Replacement Filter, model FAPF02. Adhering to these guidelines ensures optimal performance and longevity of your air purification system.

PRODUCT OVERVIEW

The 3M Filtrete Ultra Clean Air Purifier Replacement Filter (FAPF02) is designed to maintain the air cleaning effectiveness of compatible 3M Filtrete air purifiers. This filter is a critical component for capturing airborne particles and improving indoor air quality.

Compatibility: This filter is compatible with the following 3M Filtrete Air Purifier models:

- Small Ultra Clean Air Purifier Model FAP02-RS
- Small Ultra-Quiet Air Purifier Model FAP01-RS

SETUP AND INSTALLATION

Follow these steps to correctly install the replacement filter into your compatible 3M Filtrete air purifier.

1. **Power Off:** Before beginning, ensure your air purifier is unplugged from the electrical outlet to prevent accidental operation.
2. **Access Filter Compartment:** Refer to your specific air purifier model's manual for instructions on how to open the filter compartment. This typically involves removing a front panel or cover.
3. **Remove Old Filter:** Carefully remove the used filter. Dispose of the old filter according to local regulations.
4. **Unpack New Filter:** Remove the new 3M Filtrete FAPF02 replacement filter from its packaging.
5. **Insert New Filter:** Insert the new filter into the compartment, ensuring it is oriented correctly. There may be arrows indicating airflow direction or specific grooves for proper fit. Do not force the filter into place.

6. **Close Compartment:** Securely close the filter compartment cover or panel.
7. **Restore Power:** Plug the air purifier back into the electrical outlet.
8. **Reset Filter Indicator (if applicable):** If your air purifier has a filter change indicator light, consult your air purifier's manual for instructions on how to reset it.



Image: The 3M Filtrete Ultra Clean Air Purifier Replacement Filter FAPF02. This image shows the filter's design, which is crucial for correct orientation during installation.

OPERATING (FILTER FUNCTION)

Once installed, the FAPF02 filter operates passively within your air purifier. Its primary function is to capture microscopic particles from the air as it passes through the air purifier's system. No direct user operation is required for the filter itself beyond proper installation.

MAINTENANCE

Regular filter replacement is essential for maintaining the efficiency and effectiveness of your 3M Filtrete air purifier.

- **Replacement Schedule:** The FAPF02 filter should be changed after no more than 90 days of continuous use. This timeframe may vary depending on air quality conditions and frequency of use.

- **Filter Indicator:** Pay attention to your air purifier's filter change indicator light, if equipped. This light signals when a replacement is due.
- **Cleaning:** Do not attempt to wash or clean the FAPF02 filter. It is designed for single-use and should be replaced when dirty. Cleaning can damage the filter media and reduce its effectiveness.

TROUBLESHOOTING

If you experience issues after replacing your filter, consider the following:

- **Reduced Airflow:** Ensure the filter is installed correctly and not obstructed. Check that the air purifier's intake and output vents are clear.
- **Persistent Odors/Poor Air Quality:** Verify that the filter is the correct model (FAPF02) for your air purifier and that it has been replaced within the recommended 90-day period.
- **Filter Indicator Light Not Resetting:** Consult your air purifier's specific user manual for instructions on how to reset the filter change indicator. This process varies by model.
- **Unusual Noises:** Ensure the filter is seated properly and not loose within its compartment.

For issues unrelated to filter installation or performance, refer to your air purifier's main instruction manual or contact 3M customer support.

SPECIFICATIONS

Model Number	FAPF02
Compatible Air Purifiers	FAP02-RS, FAP01-RS
Dimensions (Approximate)	9-1/16" x 15-3/8"
MERV Rating	13
Material	Cardboard (frame), Synthetic filter media
Item Weight	7.52 ounces (approx.)
Recommended Replacement	Every 90 days of continuous use

WARRANTY AND SUPPORT

For specific warranty information regarding the 3M Filtrete Ultra Clean Air Purifier Replacement Filter FAPF02, please refer to the documentation provided with your 3M Filtrete air purifier or visit the official 3M website. Replacement filters typically carry a limited warranty against manufacturing defects.

For technical assistance, product inquiries, or to locate authorized service centers, please contact 3M Customer Support:

- **Online Support:** [Visit 3M.com/contact](https://www.3m.com/contact)
- **Phone Support:** Refer to the 3M website for regional contact numbers.

When contacting support, please have your product model number (FAPF02) and, if applicable, your air purifier's model number readily available.

