

## Intex 29000E/59900E

# Intex 29000E/59900E Type A or C Pool Filter Cartridge Instruction Manual

Model: 29000E/59900E

## 1. INTRODUCTION

This manual provides essential information for the proper use, installation, and maintenance of your Intex Type A or C Pool Filter Cartridges (Models 29000E/59900E). Following these instructions will help ensure optimal performance and longevity of your pool filtration system.

## 2. PRODUCT OVERVIEW

Intex Type A or C Filter Cartridges are designed to keep your pool water clean and clear by effectively filtering out debris and particles. These cartridges are made from durable Dacron material, ensuring efficient filtration.



Image: Intex Type A or C Filter Cartridge, showing its pleated design and blue end caps.

Key features include:

- Compatible with Intex 59900E and 29000E filter systems.
- Constructed from Dacron material for effective water filtration.
- Designed for easy cleaning and replacement.
- Suitable for smaller pumps ranging from 530 GPH to 1,500 GPH.

### 3. COMPATIBILITY

These filter cartridges are compatible with various Intex filter pump models. Ensure your pump model is listed below or consult your pump's owner's manual to confirm compatibility.


# INTEX®



**MODELS C530 & C600**  
(603 & #604/G)



**MODELS C1000 & C900**  
(#637R & #638R/G)



**MODELS C1500**  
(#635T & #636T/G)

Image: Diagram illustrating compatible Intex filter pump models for Type A or C cartridges.

Compatible with filter pump item numbers:

- 58603
- 58604
- 56637
- 56638
- 56635
- 56636

Also compatible with Intex Cartridge Filter Pumps 28603EG (530 GPH), 28637EG (1000 GPH), and 28635EG (1500 GPH).

## 4. INSTALLATION

Installing your Intex filter cartridge is a straightforward process. Always ensure the pump is turned off and unplugged before beginning installation or maintenance.

1. **Turn off and unplug the filter pump:** Disconnect the pump from its power source to prevent accidental operation.
2. **Remove the filter housing lid:** Unscrew or unlatch the top cover of your filter pump housing.
3. **Remove the old cartridge:** Carefully lift out the used filter cartridge. Dispose of it according to local

regulations or clean it for reuse if applicable (see Maintenance section).

4. **Insert the new cartridge:** Place the new Intex Type A or C filter cartridge into the filter housing, ensuring it sits properly at the bottom.
5. **Replace the filter housing lid:** Securely fasten the lid back onto the filter pump housing.
6. **Restore power:** Plug the filter pump back into its power source and turn it on.



Image: A person demonstrating the installation of an Intex filter cartridge into a pool pump.

## 5. MAINTENANCE

Regular maintenance of your filter cartridges is crucial for maintaining clean pool water and extending the life of your filter pump. It is recommended to replace the filter cartridge with a new one every two weeks for best results.



**Easy Maintenance**  
Replace every 2 weeks for  
maximum efficiency

Image: Graphic illustrating the recommendation to replace the filter every two weeks for maximum efficiency.

To clean your filter cartridge:

- Turn off and unplug the filter pump.
- Remove the filter housing lid and carefully take out the cartridge.
- Use a garden hose to thoroughly rinse the pleated material of the cartridge, removing any accumulated dirt and debris.
- Inspect the cartridge for any damage or excessive wear. If damaged, replace it with a new one.
- Reinsert the cleaned cartridge into the pump housing and secure the lid.
- Restore power to the pump.



**Easy to Clean**  
Made with Dacron paper for  
ultimate filtration

Image: Close-up of the Dacron paper filter material, highlighting its easy-to-clean design.


**Note:**

While cartridges can be rinsed, their filtration efficiency decreases over time. Regular replacement ensures the best water quality and pump performance.

## 6. SPECIFICATIONS

Feature	Detail
Product Dimensions	0.75 x 4 x 8 inches
Item Weight	2 pounds
Item Model Number	29000E/59900E
Manufacturer	Calsplash Pools
Material	Dacron
Recommended Replacement	Every two weeks

## Replacement Filter Cartridge **SPECS**



### **Dimensions**

4.25 in x 8 in



### **Compatible with**

INTEX Cartridge Filter Pumps  
28603EG (530 GPH), 28637EG  
(1000 GPH), 28635EG (1500 GPH)



### **Easy to Clean**

Made with Dacron paper for  
ultimate filtration



### **Easy Maintenance**

Replace every 2 weeks for  
maximum efficiency

**INTEX<sup>®</sup>**

Image: Diagram detailing the dimensions and compatibility of the Intex filter cartridge.

## **7. SUPPORT**

For further assistance, troubleshooting, or warranty information, please refer to the contact details provided in your original product packaging or visit the official Intex website.