

Tripp Lite N230-100

TRIPP LITE Cat6 RJ45 Modular Connector Plug (N230-100) Instruction Manual

Model: N230-100 | Brand: Tripp Lite

1. INTRODUCTION

This manual provides comprehensive instructions for the proper use and installation of the Tripp Lite N230-100 Cat6 RJ45 Modular Connector Plugs. These connectors are designed for terminating Cat6 Ethernet cables, accommodating both solid and stranded conductor wires. The integrated load bar facilitates easier and more reliable termination, ensuring optimal network performance.



Image 1.1: Tripp Lite N230-100 Cat6 RJ45 Modular Connector Plugs, 100-pack packaging.

This image displays the packaging for the Tripp Lite N230-100 Cat6 RJ45 Modular Connector Plugs, showing a clear plastic jar containing 100 connectors. The label highlights "TRIPP-LITE 100-Pack Cat6 RJ45 Modular

Connector Plugs" and mentions compatibility with "Stranded Conductor Wire and Round Cables," along with a "Lifetime Warranty" badge.

2. PRODUCT FEATURES

The Tripp Lite N230-100 connectors are engineered with specific features to enhance performance and ease of use:

- Unshielded CAT-6 RJ45 plug with load bar for simplified termination.
- Compatible with most standard RJ45 crimp tools (excluding AMP tools).
- Features 50-micron gold contacts for enhanced durability and reliable signal transmission.
- Staggered nose pattern designed to reduce Near-End Cross-talk (NEXT), improving signal integrity.
- Suitable for use with both solid and stranded conductor 4-pair Cat6 cables.
- Constructed with durable polycarbonate housing, rated UL94-V2.



Image 2.1: Detailed feature focus of the N230-100 RJ45 connector.

This diagram highlights key features of the N230-100 RJ45 connector. It points out the durable plastic construction, the 50-micron gold-plated contacts, and the shatterproof plastic jar packaging. An illustration of an RJ45 (Male) connector is also included.

3. SETUP AND INSTALLATION

Proper termination of RJ45 connectors is crucial for network performance. Follow these steps carefully:

1. **Prepare the Cable:** Using a cable stripper, carefully remove approximately 0.5 to 0.75 inches (1.2 to 1.9 cm) of the outer jacket from the end of the Cat6 cable. Be cautious not to cut or nick the inner wires.
2. **Untwist and Straighten Wires:** Untwist the four pairs of wires and straighten each individual wire.
3. **Arrange Wires (T568B Standard Recommended):** Arrange the wires according to either the T568A or T568B wiring standard. T568B is the most common standard for new installations.
 - **T568B Order (Left to Right, with clip facing down):** White/Orange, Orange, White/Green, Blue, White/Blue, Green, White/Brown, Brown.
 - **T568A Order (Left to Right, with clip facing down):** White/Green, Green, White/Orange, Blue, White/Blue, Orange, White/Brown, Brown.
4. **Trim Wires:** Once arranged, hold the wires flat and trim them straight across, ensuring all wires are the same length. The trimmed length should allow the wires to reach the end of the connector's pins while the cable jacket is seated firmly inside the connector.
5. **Insert into Load Bar:** Carefully insert the arranged and trimmed wires into the provided load bar. The load bar helps maintain the correct wire order and separation, especially for Cat6 cables. Ensure each wire passes through its designated channel in the load bar.
6. **Insert into Connector:** Slide the load bar with the wires into the RJ45 connector body. Ensure the cable jacket enters the connector body for strain relief. The wires should be fully seated, with the copper conductors making contact with the gold pins inside the connector. Verify the wire order one last time through the clear connector body.
7. **Crimp the Connector:** Place the assembled connector into a compatible RJ45 crimping tool. Squeeze the handles firmly until the crimping tool fully compresses the connector. This action pushes the gold pins down, piercing the wire insulation and making electrical contact, and also secures the cable jacket for strain relief.
8. **Test the Connection:** After crimping, use a cable tester to verify continuity and proper wiring for all eight conductors.



Image 3.1: A single Tripp Lite Cat6 RJ45 modular connector.

This image shows a clear, transparent Tripp Lite Cat6 RJ45 modular connector. The eight gold-plated contacts are visible at the front, and the internal structure designed to accommodate the load bar and wires is apparent. The flexible tab for securing the connector in a port is also clearly depicted.

4. OPERATING INSTRUCTIONS

Once the Cat6 RJ45 connector is properly terminated onto a cable, it functions as a standard Ethernet patch cable.

- **Connection:** Insert the terminated RJ45 connector into any compatible RJ45 port on network devices such as computers, routers, switches, modems, or wall jacks. Ensure the connector clicks securely into place.
- **Disconnection:** To remove the connector, gently press down on the flexible tab (clip) on the top of the connector and pull it straight out from the port. Avoid pulling the cable directly without depressing the tab, as this can damage the connector or the port.
- **Cable Management:** Route cables neatly to prevent strain on the connectors and ports. Avoid sharp bends or kinks in the cable, which can degrade signal quality.

5. MAINTENANCE

The Tripp Lite N230-100 RJ45 connectors require minimal maintenance.

- **Cleaning:** If connectors become dusty, gently wipe them with a clean, dry, lint-free cloth. Avoid using liquid cleaners directly on the contacts.
- **Inspection:** Periodically inspect connectors for any signs of damage, such as bent pins, cracked housing, or a broken retention clip. Damaged connectors should be replaced to ensure reliable network connectivity.
- **Storage:** Store unused connectors in their original packaging or a clean, dry container to protect them from dust and physical damage.

6. TROUBLESHOOTING

If you experience issues with your terminated Cat6 cables, consider the following troubleshooting steps:

- **No Network Connection:**
 - **Verify Crimp:** Ensure the connector was fully crimped and all pins made proper contact with the wires. Re-crimp if necessary, or replace the connector.
 - **Check Wiring Order:** Confirm that the wires are arranged according to the T568A or T568B standard at both ends of the cable. An incorrect order will prevent communication.
 - **Cable Tester:** Use an Ethernet cable tester to identify breaks, shorts, or miswires.
 - **Port Functionality:** Test the cable with a different network port or device to rule out issues with the equipment.
- **Intermittent Connection / Slow Speeds:**
 - **Cable Length:** Ensure the cable length does not exceed the maximum recommended length for Cat6 (100 meters or 328 feet).
 - **Signal Interference:** Check for sources of electromagnetic interference (EMI) near the cable, such as power lines or fluorescent lights.
 - **Damaged Cable/Connector:** Inspect the cable for physical damage or the connector for bent pins or a loose fit.
- **Connector Does Not Stay in Port:**
 - **Broken Clip:** The flexible retention clip on the connector may be broken. Replace the connector.
 - **Port Damage:** The RJ45 port on the device may be damaged.

7. SPECIFICATIONS

Specification	Detail
Model Number	N230-100
Brand	Tripp Lite
Connector Type	RJ45 (8P8C)
Cable Compatibility	Cat6, Solid or Stranded Conductor, 4-pair Round Cable
Contact Plating	50-micron Gold
Housing Material	Polycarbonate, UL94-V2 rated
Features	Integrated Load Bar, Staggered Nose Pattern (NEXT reduction)
Item Weight	0.64 ounces (per 100-pack, approximate)
Product Dimensions	0.5 x 7.1 x 8.7 inches (packaging dimensions)



Image 7.1: Side view of the Tripp Lite Cat6 RJ45 connector.

This image provides a side profile of the clear Tripp Lite Cat6 RJ45 connector, showcasing its robust polycarbonate housing and the internal channels designed for wire guidance and the load bar. The precise molding of the connector body is visible, indicating its durable construction.

8. WARRANTY AND SUPPORT

Tripp Lite provides a **Lifetime Warranty** for the N230-100 Cat6 RJ45 Modular Connector Plugs, ensuring long-term reliability and customer satisfaction.



For technical support, product information, or warranty claims, please visit the official Tripp Lite website or contact their customer service department. Refer to your product packaging or the Tripp Lite website for the most current contact information.


Related Documents - N230-100



[Tripp Lite U236-000-R USB 2.0 Ethernet NIC Adapter - 10/100 Mbps](#)

Connect any USB-enabled computer or laptop to a wired 10/100 Mbps Ethernet network with the Tripp Lite U236-000-R USB 2.0 Ethernet NIC Adapter. Plug-and-play, no external power required.

	Tripp Lite N236-004-WH/N236-006-WH Pre-Configured Cat6 Surface-Mount Box Quick Start Guide Quick start guide for Tripp Lite's N236-004-WH and N236-006-WH pre-configured Cat6 surface-mount boxes. Includes package contents, installation instructions, and warranty information.
	Tripp Lite N516-02M Duplex Multimode 50/125 Fiber Patch Cable (LC/SC), 2M Detailed specifications and features for the Tripp Lite N516-02M, a 2-meter duplex multimode 50/125 fiber patch cable with LC/SC connectors. This cable is designed for high-bandwidth gigabit and 10Gbps networks and is backward compatible with 62.5 micron fiber.
	Tripp Lite External Battery DC Connector Cable Assembly Instructions Detailed instructions for assembling and connecting the Tripp Lite External Battery DC Connector Cable for SMART1524ET and SMART1548ET UPS systems. Includes safety warnings, symbol explanations, and step-by-step assembly guidance.
	Tripp Lite 24-Port PoE+ 1U Rack-Mount Patch Panel Quick Start Guide Quick start guide for Tripp Lite 24-Port 1U Rack-Mount Power over Ethernet (PoE) 110 Patch Panels (Models N052-P24 Cat5e, N252-P24 Cat6). Includes installation instructions, warranty, and product registration information.
	Tripp Lite B127A-1A1-BDBD/BDBH 4K DisplayPort over Cat6 Extender Kit - Owner's Manual Owner's manual for Tripp Lite's B127A-1A1-BDBD and B127A-1A1-BDBH 4K DisplayPort over Cat6 Extender Kits. Covers package contents, product features, installation, mounting, controls, and warranty information.




[\[pdf\]](#) User Manual Owner's Manual Quick Start Guide Guide Warranty Accessories

Quick Start Guide 2 Stripping Round Cable Insert the cable into slot located in front of lower scoring Squeeze tool s handles and rotate around to score jacket Tripp Lite Owners Manual 871294 tripplite support owners manual

Quick Start Guide Crimping Tool with Cable Stripper for Pass-Through RJ45 Plugs Model: T100-PT1 Pack ... nductor Cable 100 Pack N222-Series Cat6 Solid Conductor Plenum-Rated Bulk Cable, Gray 1,000 ft. **N230-100** Cat6 RJ45 Plugs for Solid / Stranded Conductor Cable 100 Pack Opening / Closing the Tool ...

lang:en **score:47** filesize: 1.15 M page_count: 20 document date: 2021-03-30




[\[pdf\]](#) User Manual Owner's Manual Quick Start Guide Guide Accessories

Quick Start Guide Tripp Lite T100 001 To open the tool handles simply squeeze them together and release lock in place slightly one or two clicks only You can also by turning knob between counterclockwise Optional Accessories Package Includes Opening Closing Tool RJ11 RJ12 RJ45

Crimping with Cable Stripper Model Owners Manual 753524 tripplite support owners manual m markertek Attachments Manuals Tripplite

Quick Start Guide RJ11/RJ12/RJ45 Crimping Tool with Cable Stripper Model: T100-001 Package Include ... r Bulk Cable 1,000 ft. N224-01K-GY Cat6 Solid Conductor Plenum-Rated Bulk Cable, Gray 1,000 ft. **N230-100** Cat6 RJ45 Plugs for Solid / Stranded Conductor Cable 100 Pack Cutting Cable To open the t...

lang:en **score:41** filesize: 235.34 K page_count: 2 document date: 2015-10-01




[\[pdf\]](#) User Manual Owner's Manual Warranty

Tripp Lite Owners Manual 811261 tripplite support owners manual

Owner s Manual 1-Port Gigabit PoE Water-Resistant Extender Model: NPOE-EXT-1G30WP Espaol 12 Franai ... cable. 2. Insert the neatly trimmed wires into an RJ45 modular connector plug such as Tripp Lite s **N230-100** in the correct order. Use your crimping tool such as Tripp Lite s T100-001-TST to press ...

lang:en **score:40** filesize: 1.78 M page_count: 44 document date: 2019-10-18



[pdf] User Manual Quick Start Guide Guide Warranty Accessories

TRIPP LITE T100 PT1 01 MANUAL Manual Hub drive google file d

1xxgBrpYpYvrsEmmN53tDpSyhefvWbDA preview |||

Quick Start Guide Crimping Tool with Cable Stripper for Pass-Through RJ45 Plugs
Model: T100-PT1 Pack ... nductor Cable 100 Pack N222-Series Cat6 Solid Conductor
Plenum-Rated Bulk Cable, Gray 1,000 ft. **N230-100** Cat6 RJ45 Plugs for Solid /
Stranded Conductor Cable 100 Pack Opening / Closing the Tool ...

lang:en score:39 filesize: 1.73 M page_count: 20 document date: 2023-10-28



[pdf] Datasheet

N230 100 STR von Tripp Lite Komponentensätze Arrow de datasheet n230100str static6 arrow aro
conversion 5856c23070a3546856451d8a8705006414624244 |||


Cat6 RJ45 Modular Plug for Round Stranded UTP Conductor 4-Pair, 100 Pack
MODEL NUMBER: **N230-100-STR** Clear RJ45 connector terminates Cat6 round
stranded conductor cabling in data and voice applications. Description The **N230-100-STR**
contains 100 unshielded RJ45 modular plugs for round stranded UTP co...
lang:en score:36 filesize: 162.5 K page_count: 2 document date: 2022-04-24



[pdf] Datasheet

N230 100 STR Tripp Lite CAT6 RJ45 MODULAR PLUGS ROUND ST YIC Electronics yic electronics
datasheet a4 |||

Cat6 RJ45 Modular Plug for Round Stranded UTP Conductor 4-Pair, 100 Pack
MODEL NUMBER: **N230-100-STR** Clear RJ45 connector terminates Cat6 round
stranded conductor cabling in data and voice applications. Description The **N230-100-STR**
contains 100 unshielded RJ45 modular plugs for round stranded UTP con...
lang:en score:36 filesize: 161.83 K page_count: 2 document date: 2018-08-18



[pdf] User Manual Owner's Manual Quick Start Guide Guide Warranty Accessories
Diagram

Crimping Tool with Cable Stripper for Pass Through RJ45 Plugs 20 09 066 933D10 indd 2 10 23 2020 12
19 24 PM 3 Assembly Diagram 1 4 7 5 8 6 9 Keep the wires neat Separate Cut at an oblique angle Tripp
Lite Owners Manual 862484 tripplite support owners manual T100 PT1 Quick Start Guide WARRANTY
REGISTRATION Register your product today and be automatically entered to win ISOBAR ® surge
Dieses Handbuch ist in deutscher Sprache auf der Website verfügbar

Quick Start Guide Crimping Tool with Cable Stripper for Pass-Through RJ45 Plugs
Model: T100-PT1 Pack ... nductor Cable 100 Pack N222-Series Cat6 Solid Conductor
Plenum-Rated Bulk Cable, Gray 1,000 ft. **N230-100** Cat6 RJ45 Plugs for Solid /
Stranded Conductor Cable 100 Pack Opening / Closing the Tool ...

lang:en score:36 filesize: 638.13 K page_count: 4 document date: 2020-10-23



[pdf] Specifications Datasheet Warranty

N230 100 Electronics in YIC Stock Tripp Lite Components Distributor at 200MDP1T1B7VS2RE yic electronics datasheet d4 |||


Cat6 RJ45 Modular Connector Plug with Load Bar, Solid/Stranded Conductor Round Cat6 Wire, 100-pack MODEL NUMBER: **N230-100** Highlights 100 Pack Cat6 RJ45 Plug with Load Bar 50 Micron Gold Contacts Staggered design reduces NEXT Package Includes 100 each RJ45 Cat6 Plugs and Load-Bars Description Tripp... lang:en score:36 filesize: 412.05 K page_count: 2 document date: 2017-03-03



[pdf] Specifications Datasheet

Tripp Lite N230 100 ET10066914 Enrgtech LTD n230100 assets tripplite product s en aname datasheetUrl avalue Contact |||

Cat6 RJ45 Modular Connector Plug with Load Bar, Solid/Stranded Conductor Round Cat6 Wire, 100-pack MODEL NUMBER: **N230-100** Highlights q 100 Pack Cat6 RJ45 Plug with Load Bar q 50 Micron Gold Contacts q Staggered design reduces NEXT q Supports cable jacket OD s between 4.5mm to 6.3mm q Supports indiv... lang:en score:35 filesize: 148.94 K page_count: 2 document date: 2022-07-04



[pdf] User Manual Quick Start Guide Guide Warranty Accessories

User Manual Tripp Lite Crimping Tool with Cable Stripper for Pass Through RJ45 Plugs antonline 1066853884 content utilize |||

Quick Start Guide Crimping Tool with Cable Stripper for Pass-Through RJ45 Plugs Model: T100-PT1 Pack ... nductor Cable 100 Pack N222-Series Cat6 Solid Conductor Plenum-Rated Bulk Cable, Gray 1,000 ft. **N230-100** Cat6 RJ45 Plugs for Solid / Stranded Conductor Cable 100 Pack Opening / Closing the Tool ... lang:en score:35 filesize: 629.14 K page_count: 4 document date: 2021-01-07



Tripp Lite
1111 West 35th Street
Chicago, IL 60609 USA
Phone: 773.869.1234
Fax: 773.869.1235
Email: sales@triplite.com

Cat6 RJ45 Modular Connector Plug with Load Bar, Solid/Stranded Conductor Round Cat6 Wire, 100-pack

MODEL NUMBER: **N230-100**




Highlights

- 100-Pack Cat6 RJ45 Plug with Load Bar
- 50 Micron Gold Contacts
- Staggered design reduces NEXT
- Supports cable jacket OD's between 4.5mm to 6.3mm
- Supports individual wire sizes up to 1.1mm

Package Includes

100 each RJ45 Cat6 Plug and Load Bar

Description

These Cat6 RJ45 plugs can be used with both solid or stranded conductor Cat6 wire. Includes Load Bar and a range of termination and crimping tools. Staggered design reduces NEXT and improves performance and isolation in Near-End Crosstalk (NEXT). Staggered gold contacts for durability and longevity. Phosphor bronze housing. UL94V-0.

Features

- Unshielded Cat6 RJ45 plug with Load Bar for easy termination
- 50 Micron Gold Plating
- Inserts with Solid or Stranded conductor Round Cat6 wire
- Supports cable jacket OD's between 4.5mm to 6.3mm
- Works with most standard RJ45 crimp tools (including RDP)
- Supports individual wire sizes up to 1.1mm
- Supports individual twisted pair conductor wire sizes up to 1.1mm

Specifications

OVERVIEW	
LINE CODE	10BASE-T/100BASE-T
Technology	Cat6
PHYSICAL	
1-1	



Tripp Lite
1111 West 35th Street
Chicago, IL 60609 USA
Phone: 773.869.1234
Fax: 773.869.1235
Email: sales@triplite.com

Cat6 RJ45 Modular Plug for Round Stranded UTP Conductor 4-Pair, 100 Pack

MODEL NUMBER: **N230-100-STR**




Highlights

- 100-Pack Cat6 RJ45 Plug in an ESD/Static-Free Bag
- 50 Micron Gold Plating
- Staggered design reduces NEXT
- Supports cable jacket OD's between 4.5mm to 6.3mm
- Supports individual wire sizes up to 1.1mm

Package Includes

100 each RJ45 Cat6 Plug

Description

Clear RJ45 connector terminates Cat6 round stranded conductor cabling in data and voice applications. Includes Load Bar and a range of termination and crimping tools. Staggered design reduces NEXT and improves performance and isolation in Near-End Crosstalk (NEXT). Staggered gold contacts for durability and longevity. Phosphor bronze housing. UL94V-0.

Features

- Unshielded Cat6 RJ45 plug with Load Bar for easy termination
- 50 Micron Gold Plating
- Inserts with Solid or Stranded conductor Round Cat6 wire
- Supports cable jacket OD's between 4.5mm to 6.3mm
- Works with most standard RJ45 crimp tools (including RDP)
- Supports individual wire sizes up to 1.1mm
- Supports individual twisted pair conductor wire sizes up to 1.1mm

Specifications

OVERVIEW	
LINE CODE	10BASE-T/100BASE-T
PHYSICAL	
1-1	



Tripp Lite
1111 West 35th Street
Chicago, IL 60609 USA
Phone: 773.869.1234
Fax: 773.869.1235
Email: sales@triplite.com

Model # N230-100

Cat6 RJ45 Modular Connector Plug with Load Bar, Solid or Stranded Conductor Round Cat6 Wire




Highlights

- 100-Pack Cat6 RJ45 Plug with Load Bar
- 50 Micron Gold Contacts
- Staggered design reduces NEXT
- Supports cable jacket OD's between 4.5mm to 6.3mm
- Supports individual wire sizes up to 1.1mm

Package Includes

100 each RJ45 Cat6 Plug and Load Bar

Description

These Cat6 RJ45 plugs can be used with both solid or stranded conductor Cat6 wire. Includes Load Bar and a range of termination and crimping tools. Staggered design reduces NEXT and improves performance and isolation in Near-End Crosstalk (NEXT). Staggered gold contacts for durability and longevity. Phosphor bronze housing. UL94V-0.

Features

- Unshielded Cat6 RJ45 plug with Load Bar for easy termination
- 50 Micron Gold Plating
- Inserts with Solid or Stranded conductor Round Cat6 wire
- Supports cable jacket OD's between 4.5mm to 6.3mm
- Works with most standard RJ45 crimp tools (including RDP)
- Supports individual wire sizes up to 1.1mm
- Supports individual twisted pair conductor wire sizes up to 1.1mm

Specifications

OVERVIEW	
LINE CODE	10BASE-T/100BASE-T
PHYSICAL	
1-1	

[pdf] Specifications Borchure

Manufacturer Brochure Tripp Lite N230 100 Cat 6 Network Connector CareTek Information Technology Solutions 1013851467 content etilize Manufacturer |||

Cat6 RJ45 Modular Connector Plug with Load Bar, Solid/Stranded Conductor Round Cat6 Wire, 100-pack MODEL NUMBER: **N230-100** Highlights q 100 Pack Cat6 RJ45 Plug with Load Bar q 50 Micron Gold Contacts q Staggered design reduces NEXT q Supports cable jacket OD s between 4.5mm to 6.3mm q Supports indiv... lang:en score:34 filesize: 148.91 K page_count: 2 document date: 2021-03-23

[pdf]

Spec Sheet Tripp Lite N230 100 STR Cabling Cat 5 6 Cables n230100str spec assetserver net assets eaton corp |||

1000 Eaton Boulevard Cleveland, OH 44122 United States Cat6 RJ45 Modular Plug for Round Stranded UTP Conductor 4-Pair, 100 Pack MODEL NUMBER: **N230-100-STR** Clear RJ45 connector terminates Cat6 round stranded conductor cabling in data and voice applications. Description The **N230-100-STR** contains 100... lang:en score:34 filesize: 40.83 K page_count: 2 document date: 2023-03-02

[pdf] Specifications Datasheet Warranty

Connector N230 100 Cat6 RJ45 Modular Plug with Load Bar Solid Stranded Conductor Round Wire pack Tripp Lite AV iQ Australia Datasheet cdn docs av iq dataSheet |||

Tripp Lite 1111 West 35th Street Chicago, IL 60609 USA Telephone: 773 869 1234 E-mail: saleshelp tripplite.com Model #: **N230-100** Cat6 RJ45 Modular Connector Plug with Load Bar, Solid or Stranded Conductor Round Cat6 Wire Highlights 100 Pack Cat6 RJ45 Plug with Load Bar 50 Micron Gold Contacts Sta...

lang:en score:32 filesize: 101.95 K page_count: 2 document date: 2013-11-22

Tripp Lite
11111 W. 35th Street
Chicago, IL 60609 USA
Phone: 773.334.3333
www.triplite.com

Cat6 RJ 45 Modular Plug for Round Stranded UTP Conductor 4-Pair, 100 Pack
MODEL NUMBER: N230-100-STR

Description
The N230-100-STR contains 100 unshielded RJ45 modular plugs for round stranded UTP conductor 4-pair Cat6 cable. Recommended for creating your own custom-length Cat6 cable runs. These clear connectors come in a sturdy clear plastic bag that's easy to pack in your toolbox and carry to your next installation.

Features
• RJ45 Cat6 Connector for Creating a Custom-Length Cat6 Cable
• RJ45 Cat6 RJ45 modular plug in easy-to-pack bag
• Meets the data and power requirements
• Designed for terminating Cat6 cable (shielded UTP) installation applications, such as Tripp Lite N230-100-STR

Applications
• Creating custom-length cables
• RJ45 Cat6 cable with or without shield
• For use with Cat6 equipment

Package Includes
• 100 Cat6 RJ45 Modular Plugs

Specifications

ENVIRONMENTAL	
Operating Temperature Range	-40 TO 104 F / -40 TO 40 C
Storage Temperature Range	-40 TO 104 F / -40 TO 40 C

[pdf] Datasheet Borchure

Tripp Lite N230 100 STR Product Data Sheet Brochure Cat6 RJ45 Modular Plug for Round Stranded UTP Conductor 4 Pair Pack Network connector RJ 45 M CAT 6 round stranded clear pack of 97c4dc6f3622 49e0 b358 6b8d1ff5d729 cdn cnetcontent 97 c4 |||

Cat6 RJ45 Modular Plug for Round Stranded UTP Conductor 4-Pair, 100 Pack
MODEL NUMBER: **N230-100-STR** Description The **N230-100-STR** contains 100 unshielded RJ45 modular plugs for round stranded UTP conductor 4-pair Cat6 cable. Recommended for creating your own custom-length Cat6 cable runs, these clear...

lang:en **score:31** filesize: 440.63 K page_count: 2 document date: 2017-11-23

Tripp Lite
11111 W. 35th Street
Chicago, IL 60609 USA
Phone: 773.334.3333
www.triplite.com

Clavija de Conector Modular Cat6 RJ45 con Barra de Carga, Alambre Cat6 Redondo de Conductor Sólido / Trenzado, Paquete de 100
NÚMERO DE MODELO: N230-100

General
Este conector Cat6 RJ45 de Tripp Lite conecta conductores alámbricos Cat6 Sólidos o trenzados. Gracias a la barra de carga modular para facilitar la terminación y reducir el riesgo de daños. Diseño escalonado para facilitar la inserción de los cables. Recomendado para crear sus propias longitudes personalizadas de cable Cat6. Conector con un cable de 50 micras para reducir NEXT. Conector de almacenamiento en un paquete de 100.

Características
• Clavija de Conector Cat6 RJ45 con Barra de Carga para facilitar la terminación
• Diseño de cable de 50 micras
• Fácil uso con Cable Cat6 de 4 Pares Conductor Sólido o Trenzado
• Fácil de almacenar en el paquete de 100
• Tripp Lite es la líder en la fabricación de Equipos de Red de alta calidad.

Especificaciones

FISICAS	
Dimensiones de Envase (An x Al x P) (mm)	87 x 71 x 13
Dimensiones de Envase (An x Al x P) (in)	3.43 x 2.8 x 0.51
Peso de Envase (g)	0.30
Peso de Envase (oz)	0.01

[pdf]

Ficha técnica Tripp Lite N230 100 Clavija de Conector Modular Cat6 RJ45 con Barra Carga Alambre Redondo Conductor Sólido Trenzado Paquete Kipmion Tecnología mmo 14709503 1517587732 060513058 objects icecat biz |||

Clavija de Conector Modular Cat6 RJ45 con Barra de Carga, Alambre Cat6 Redondo de Conductor Slido / Trenzado, Paquete de 100 NMERO DE MODELO: **N230-100** Destacado q Empaque de 100 Clavija Cat6 RJ45 con Barra de Carga q Contactos con Oro de 50 Micras q Diseo escalonado que reduce NEXT El Paquete Inclu...

lang:es **score:31** filesize: 148.32 K page_count: 2 document date: 2018-02-02

Owner's Manual

1-Port Gigabit PoE+ Water-Resistant Extender
Model: NPOE-EXT-1G30WP

Este manual está disponible en español en la página de Tripp Lite:
www.triplite.com/support

Ce manuel est disponible en français sur le site Web de Tripp Lite :
www.triplite.com/support

Ручководство доступно в переводе с английского на русский язык на сайте Tripp Lite, см. www.triplite.com/support

WARRANTY REGISTRATION
Register your product today and be automatically entered to win an iGBRIDGE sledge or selector in our monthly drawing!
www.triplite.com/warranty

TRIPP-LITE 95th Anniversary

11111 W. 35th Street, Chicago, IL 60609 USA • www.triplite.com/support
Copyright © 2019 Tripp Lite. All rights reserved.
All trademarks are the property of their respective owners.

[pdf] User Manual Owner's Manual Warranty

Owner s Manual Tripp Lite Save time and money by extending data power over existing network cables past the 100 m 328 ft limit Extend a 10 1000 Mbps application longer distances cascading multiple extenders up to 500 1640 Supports all IEEE 802.3at 3af compliant PoE Owners 804648 tripplite support owners manual

Owner s Manual 1-Port Gigabit PoE Water-Resistant Extender Model: NPOE-EXT-1G30WP Este manual esta ... cable. 2. Insert the neatly trimmed wires into an RJ45 modular connector plug such as Tripp Lite s **N230-100** in the correct order. Use your crimping tool such as Tripp Lite s T100-001-TST to press ...

lang:en **score:30** filesize: 886.93 K page_count: 12 document date: 2019-07-10

Tripp Lite
11111 W. 35th Street
Chicago, IL 60609 USA
Phone: 773.334.3333
www.triplite.com

Cat6 RJ45 Modular Connector Plug with Load Bar, Solid/Stranded Conductor Round Cat6 Wire, 100-pack
MODEL NUMBER: N230-100

Description
Tripp Lite Cat6 RJ45 plugs can be used with both solid and stranded conductors. Includes Load Bars with crimpers or terminators and sturdy, industrial-grade, staggered design for enhanced performance and reduction of NEXT (Near End Crosstalk). Recommended for creating your own custom-length Cat6 cable runs.

Features
• Industrial Cat6 RJ45 plug with Load Bar for easy termination
• 50 micron Gold plating
• Load Bar with crimpers or terminators in easy-to-pack bag
• Staggered design reduces NEXT
• Works with most standard RJ45 crimp tools (including RJ45)

Specifications


ENVIRONMENTAL	
Operating Temperature Range	-40 TO 104 F / -40 TO 40 C

[pdf] Specifications Dimension Guide



N230 100 Specifications markertek Attachments TRIPPLITE |||

Cat6 RJ45 Modular Connector Plug with Load Bar, Solid/Stranded Conductor Round Cat6 Wire, 100-pack MODEL NUMBER: **N230-100** Highlights q 100 Pack Cat6 RJ45 Plug with Load Bar q 50 Micron Gold Contacts q Staggered design reduces NEXT Package Includes 100 each RJ45 Cat6 Plugs and Load-Bars Description...

lang:en **score:30** filesize: 151.63 K page_count: 2 document date: 2019-04-19



lang:en score:25 filesize: 148.67 K page count: 2 document date: 2018-02-16





[pdf] Specifications Datasheet Warranty

n030 100 Tripp Lite RJ45 Plugs for Round Solid Stranded Conductor 4 pair Cat5e Cable Pack Wire

Connectors netstoredirect data sheet id attachment 12008 |||

Tripp Lite 1111 West 35th Street Chicago, IL 60609 USA Telephone: 773 869 1234 E-mail: saleshelp ... K-GY N022-01K-GY N024-01K N028-01K-GY Optional Products Related Model N030-010 N030-100-FL N031-050 **N230-100** Description Qty. 1000-ft. Cat5e 350MHz Bulk Stranded-core PVC Cable - Gray 1 1000-ft. ...

lang:en score:24 filesize: 104.07 K page_count: 2 document date: 2012-06-23




[pdf] Specifications Datasheet Warranty

N030 100 FL RJ45 Plugs for Flat Solid Stranded Conductor Cable Pack Tripp Lite AV iQ cdn docs av iq dataSheet |||

Tripp Lite 1111 West 35th Street Chicago, IL 60609 USA Telephone: 773 869 1234 E-mail: saleshelp ... -01K-GY N022-01K-GY N024-01K N028-01K-GY Optional Products Related Model N030-010 N030-100 N031-050 **N230-100** Description Qty. 1000-ft. Cat5e 350MHz Bulk Stranded-core PVC Cable - Gray 1 1000-ft. ...


lang:en score:24 filesize: 104.7 K page_count: 2 document date: 2013-07-23



[pdf] Datasheet

N220 01K BL N222 Tripp Lite Stock available The distributor Micro Semiconductor offer the best price with new original products 71 micro semiconductor datasheet |||



Cat6 Gigabit Bulk Stranded 24 AWG CMR PVC Cable, Blue, 1000 ft., TAA MODEL NUMBER: N220-01K-BL Premi ... d on solid conductor Cat6 cabling, RJ45 plug termination is made easier when used with Tripp Lite s **N230-100** RJ45 connectors. At a mere 0.22 inches in diameter, this is a very flexible patch cable. Ne... lang:en score:24 filesize: 169.18 K page_count: 3 document date: 2018-08-17



[pdf] Datasheet

N220 01K GY N223 BL Tripp Lite Stock available The distributor Micro Semiconductor offer the best price with new original products 52 micro semiconductor datasheet |||

Cat6 Gigabit Bulk Stranded 24 AWG CMR PVC Cable, Gray, 1000 ft., TAA MODEL NUMBER: N220-01K-GY Premi ... d on solid conductor Cat6 cabling, RJ45 plug termination is made easier when used with Tripp Lite s **N230-100** RJ45 connectors. At a mere 0.22 inches in diameter, this is a very flexible patch cable. Ne... lang:en score:24 filesize: 169.59 K page_count: 3 document date: 2018-08-17



[\[pdf\]](#) Datasheet

N220 01K WH N223 BL Tripp Lite Stock available The distributor Micro Semiconductor offer the best price with new original products ec micro semiconductor datasheet |||

Cat6 Gigabit Bulk Stranded 24 AWG CMR PVC Cable, White, 1000 ft., TAA MODEL
NUMBER: N220-01K-WH Prem ... d on solid conductor Cat6 cabling, RJ45 plug
termination is made easier when used with Tripp Lite s **N230-100** RJ45 connectors.
At a mere 0.22 inches in diameter, this is a very flexible patch cable. Ne...
lang:en **score:24** filesize: 169.23 K page_count: 3 document date: 2018-08-17

[\[pdf\]](#)

TRIPP LITE ПКС Компоненти РАДІОМАГ n230100 static6 arrow aro conversion
84fab1346b3570269ba1742f063cc00d97b83cb4 |||

1000 Eaton Boulevard Cleveland, OH 44122 United States Cat6 RJ45 Modular
Connector Plug with Load Bar, Solid/Stranded Conductor Round Cat6 Wire, 100-pack
MODEL NUMBER: **N230-100** Highlights q 100 Pack Cat6 RJ45 Plug with Load Bar q
50 Micron Gold Contacts q Staggered design reduces NEXT q Supports c...
lang:en score:24 filesize: 28.68 K page_count: 2 document date: 2022-11-07

[\[pdf\]](#) Datasheet

N220 01K GY 1 Tripp Lite ĐÑĐ»ÑĐĐ° ĐĴÑĐ¾Đ²ÑĐ´Đ½ĐĐ²Đ¾Đ²ĐÑ ĐĐĐ°Đ±ĐμĐ»ÑĐ² RX

Electronics Limited n220 01k gy rxelectronics ua datasheet 28 ||

Cat6 Gigabit Bulk Stranded 24 AWG CMR PVC Cable, Gray, 1000 ft., TAA MODEL NUMBER: N220-01K-GY Premi ... d on solid conductor Cat6 cabling, RJ45 plug termination is made easier when used with Tripp Lite s **N230-100** RJ45 connectors. At a mere 0.22 inches in diameter, this is a very flexible patch cable. Ne...

lang:en score:23 filesize: 169.93 K page count: 3 document date: 2019-09-22

[\[pdf\]](#) Datasheet

N220 01K BL 1 Tripp Lite ĐÑĐ»ÑĐ°Đ° ĐĐÑĐ¾Đ²ÑĐ'Đ½ĐĐ°Đ¾Đ²ĐÑ Đ°Đ°Đ±ĐμĐ»ÑĐ² RX

Electronics Limited n220 01k bl rxelectronics ua datasheet 20 |||

Cat6 Gigabit Bulk Stranded 24 AWG CMR PVC Cable, Blue, 1000 ft., TAA MODEL NUMBER: N220-01K-BL Premi ... d on solid conductor Cat6 cabling, RJ45 plug termination is made easier when used with Tripp Lite s **N230-100** RJ45 connectors. At a mere 0.22 inches in diameter, this is a very flexible patch cable. Ne...

lang:en score:23 filesize: 169.51 K page count: 3 document date: 2019-08-28




[pdf]

Tripp Lite Bobina Cable Cat6 UTP 4 Pares 305 Metros Gris N220 01K GY Cyberpuerta mx n22001kgycdn cyberpuerta storage articles multimedia |||

Cable de PVC CMR 24 AWG a Ganel Cat6 Gigabit Trenzado, Gris, 304.8 m 1000 pies TAA NMERO DE MODEL ... slido Cat6, la terminacin de la clavija RJ45 se hace ms fcil cuando se utiliza con conectores RJ45 **N230-100** de Tripp Lite. Con solo 5.59 mm 0.22 de dimetro, este es un cable patch muy flexible. Lo...

lang:es score:23 filesize: 169.87 K page_count: 3 document date: 2021-09-30




[pdf] Datasheet Borchure

Tripp Lite N220 01K WH Product Data Sheet Brochure 1000 ft Cat6 Gigabit Bulk Cable Stranded CMR PVC 24AWG White TAA cable Compliant 304 8 m UTP CAT 6 IEEE 802 3ab 5 stranded white 3372a7d2ccdf 4343 bfd3 273b22d4a1ad cdn cnetcontent 33 72 |||

Cat6 Gigabit Bulk Stranded 24AWG CMR PVC Cable, White, 1000 ft. MODEL NUMBER: N220-01K-WH Highlight ... 2 in diameter, an extremely flexible patch cable. When used with Tripp Lite CAT6 rated RJ45 plugs, **N230-100**, Near-end crosstalk NeXT levels are kept to a minimum, making the N220-01K-WH ideal for 1...


lang:en score:23 filesize: 523.54 K page_count: 2 document date: 2017-01-07



[pdf] Datasheet Borchure

Tripp Lite N220 01K BL Product Data Sheet Brochure 1000ft Cat6 Gigabit Bulk Cable Stranded CMR PVC 24AWG Blue 1000 cable TAA Compliant 304 8 m UTP CAT 6 IEEE 802 3ab 5 stranded blue 1dd1b809 5abc 4491 953e a16bd1218285 cdn cnetcontent 1d d1 |||

Cat6 Gigabit Bulk Stranded 24AWG CMR PVC Cable, Blue, 1000 ft. MODEL NUMBER: N220-01K-BL Highlights ... 2 in diameter, an extremely flexible patch cable. When used with Tripp Lite CAT6 rated RJ45 plugs, **N230-100**, Near-end crosstalk NeXT levels are kept to a minimum, making the N220-01K-BL ideal for 1... lang:en score:23 filesize: 521.65 K page_count: 2 document date: 2017-01-07



[pdf] Catalog

Catalogue solutions Eaton Tripp Lite Series catalogue tripp lite france eaton content dam products backup power ups surge it distribution series bc |||

Connectez tous vos quipements informatiques avec Eaton Catalogue solutions Eaton Tripp Lite Series ... : Monobrin Multibrin Monobrin Structure de cble monobrin Multibrins Structure de cble monobrin **N230-100** N238-001-BL Cordon RJ45 Cblage rseau mur / goulottes / faux plafonds Swicth rseau Bai...

lang:fr **score:22** filesize: 3.2 M page_count: 31 document date: 2023-10-18

Tripp Lite MSRP				
PRODUCT	DESCRIPTION	MSRP	Quantity	Unit Price
0DT23001	Tripp Lite Monobrin 230V 1000W 1000VA 1000W 1000VA 1000W 1000VA	1,500.00	40	37.50
0DT23008	Tripp Lite Monobrin 230V 1000W 1000VA 1000W 1000VA 1000W 1000VA	1,500.00	40	37.50
0DT23010	Tripp Lite Monobrin 230V 1000W 1000VA 1000W 1000VA 1000W 1000VA	1,500.00	40	37.50
0DT60001	Tripp Lite Monobrin 600V 1000W 1000VA 1000W 1000VA 1000W 1000VA	1,500.00	40	37.50
0DT60002	Tripp Lite Monobrin 600V 1000W 1000VA 1000W 1000VA 1000W 1000VA	1,500.00	40	37.50
0SU00018	Tripp Lite Monobrin 18V 1000W 1000VA 1000W 1000VA 1000W 1000VA	1,500.00	40	37.50
0SU00019	Tripp Lite Monobrin 19V 1000W 1000VA 1000W 1000VA 1000W 1000VA	1,500.00	40	37.50
0SU22081	Tripp Lite Monobrin 22V 1000W 1000VA 1000W 1000VA 1000W 1000VA	1,500.00	40	37.50
0SU ...	Tripp Lite Monobrin 23V 1000W 1000VA 1000W 1000VA 1000W 1000VA	1,500.00	40	37.50
010-BL-LA	Tripp Lite Monobrin 23V 1000W 1000VA 1000W 1000VA 1000W 1000VA	1,500.00	40	37.50
N204-010-BL-RA	Tripp Lite Monobrin 23V 1000W 1000VA 1000W 1000VA 1000W 1000VA	1,500.00	40	37.50
N204-010-BL-UP	Tripp Lite Monobrin 23V 1000W 1000VA 1000W 1000VA 1000W 1000VA	1,500.00	40	37.50
N210-007-GY	Tripp Lite Monobrin 23V 1000W 1000VA 1000W 1000VA 1000W 1000VA	1,500.00	40	37.50
N210-010-GY	Tripp Lite Monobrin 23V 1000W 1000VA 1000W 1000VA 1000W 1000VA	1,500.00	40	37.50
N222-01K-BL	Tripp Lite Monobrin 23V 1000W 1000VA 1000W 1000VA 1000W 1000VA	1,500.00	40	37.50
N222-01K-GY	Tripp Lite Monobrin 23V 1000W 1000VA 1000W 1000VA 1000W 1000VA	1,500.00	40	37.50
N224-01K-GY	Tripp Lite Monobrin 23V 1000W 1000VA 1000W 1000VA 1000W 1000VA	1,500.00	40	37.50
N230-100	Tripp Lite Monobrin 23V 1000W 1000VA 1000W 1000VA 1000W 1000VA	1,500.00	40	37.50
N235-001	Tripp Lite Monobrin 23V 1000W 1000VA 1000W 1000VA 1000W 1000VA	1,500.00	40	37.50
N235-001-SH	Tripp Lite Monobrin 23V 1000W 1000VA 1000W 1000VA 1000W 1000VA	1,500.00	40	37.50
N238-001-BL	Tripp Lite Monobrin 23V 1000W 1000VA 1000W 1000VA 1000W 1000VA	1,500.00	40	37.50
N238-001-GN	Tripp Lite Monobrin 23V 1000W 1000VA 1000W 1000VA 1000W 1000VA	1,500.00	40	37.50
N238-001-RD	Tripp Lite Monobrin 23V 1000W 1000VA 1000W 1000VA 1000W 1000VA	1,500.00	40	37.50
N238-001-WH	Tripp Lite Monobrin 23V 1000W 1000VA 1000W 1000VA 1000W 1000VA	1,500.00	40	37.50
N238-001-WH-TF	Tripp Lite Monobrin 23V 1000W 1000VA 1000W 1000VA 1000W 1000VA	1,500.00	40	37.50
N238-00...	Tripp Lite Monobrin 23V 1000W 1000VA 1000W 1000VA 1000W 1000VA	1,500.00	40	37.50

[pdf]

Tripp Lite MSRP xls Lenovo Laptop down documentine d767ac7412d4f9a4769d195f7bf0e4c3 |||




Tripp Lite MSRP PRODUCT 0DT23001 0DT23008 0DT23010 0DT60001 0DT60002 0SU00018 0SU00019 0SU22081 0SU ... 010-BL-LA N204-010-BL-RA N204-010-BL-UP N210-007-GY N210-010-GY N222-01K-BL N222-01K-GY N224-01K-GY **N230-100** N235-001 N235-001-SH N238-001-BL N238-001-GN N238-001-RD N238-001-WH N238-001-WH-TF N238-00...

lang:en **score:20** filesize: 337.03 K page_count: 73 document date: 2015-03-23

[illegible]

lang:en score:20 filesize: 107.62 K page count: 1 document date: 2023-03-21

lang:en score:20 filesize: 100.72 K page count: 1 document date: 2023-03-21



[\[pdf\]](#)

n230100str assets tripplite product s en

Cat6 RJ45 Modular Plug for Round Stranded UTP Conductor 4-Pair, 100 Pack
MODEL NUMBER: **N230-100**-STR Clear RJ45 connector terminates Cat6 round
stranded conductor cabling in data and voice applications. Description The **N230-100**-
STR contains 100 unshielded RJ45 modular plugs for round stranded UTP con...
lang:en score:19 filesize: 161.86 K page_count: 2 document date: 2019-02-24

[\[pdf\]](#)

```
mmo 40203481 1640197386 5417 23283 objects icecat biz |||
```

Cat6 RJ45 Modular Plug for Round Stranded UTP Conductor 4-Pair, 100 Pack
MODEL NUMBER: **N230-100**-STR Clear RJ45 connector terminates Cat6 round
stranded conductor cabling in data and voice applications. Description The **N230-100**-
STR contains 100 unshielded RJ45 modular plugs for round stranded UTP co...
lang:en score:19 filesize: 161.92 K page_count: 2 document date: 2021-12-21

[\[pdf\]](#)

248d3f0b8e37c97857275ade26a7c572 alliedelec m d |||

Cat6 RJ45 Modular Plug for Round Stranded UTP Conductor 4-Pair, 100 Pack
MODEL NUMBER: **N230-100**-STR Clear RJ45 connector terminates Cat6 round
stranded conductor cabling in data and voice applications. Description The **N230-100**-
STR contains 100 unshielded RJ45 modular plugs for round stranded UTP con...
lang:en score:19 filesize: 161.83 K page_count: 2 document date: 2018-09-27

N230CH18 Electronics in YIC Stock Components Distributor at Download Details IGBT Modules yic electronics f552876844 |||

Image may be representation. See specs for product details. Specifications Part Number Manufacturer ... x / UPS HongKong Info YIC-Electronics.com You May Be Also Be interested In: N230CH18 Details PDF **N230-100**-STR Tripp Lite CAT6 RJ45 MODULAR PLUGS ROUND ST N230CH08 WESTCODE IGBT Modules N235-001-S...

lang:en score:18 filesize: 101.97 K page_count: 1 document date: 2023-03-21