

Kuryakyn 3233

Kuryakyn 3233 LED Trunk Accent Swoops Instruction Manual

For 2006-2017 Honda Gold Wing GL1800 Motorcycles

1. PRODUCT OVERVIEW

The Kuryakyn 3233 LED Trunk Accent Swoops are designed to integrate seamlessly with your Honda Gold Wing GL1800, enhancing its rear lighting. These LED accents function as both running lights and turn signals, contributing to increased visibility and a refined aesthetic.



Figure 1: Kuryakyn 3233 LED Trunk Accent Swoops

2. PACKAGE CONTENTS

Verify that all components are present before beginning installation:

- 1x Chrome Right Trunk Accent Swoop
- 1x Chrome Left Trunk Accent Swoop
- 1x “Y” Run-Brake Harness
- 1x Double “Y” Adapter
- 6x 4" Black Nylon Cable Ties
- 2x Alcohol Pads
- 1x Dielectric Grease Pack

Note: Installation may require additional tools not included in this package, such as a set of metric hex wrenches, a rattail file, masking tape, and a non-permanent marker.

3. COMPATIBILITY

These LED Trunk Accent Swoops are compatible with Honda Gold Wing GL1800 models from 2006 to 2017, with the exception of F6B models. Some installations may require a separate rear accessory light adapter (not included).

4. INSTALLATION INSTRUCTIONS

Before starting, ensure the motorcycle's ignition is off and the battery is disconnected to prevent electrical shorts. Always refer to your motorcycle's service manual for specific panel removal and wiring diagrams.

Step-by-Step Guide

1. **Prepare the Installation Area:** Carefully remove any necessary panels or existing lighting components from the motorcycle's trunk area to access the wiring and mounting points.
2. **Connect Wiring Harness:** Utilize the provided “Y” Run-Brake Harness and Double “Y” Adapter to connect the LED Trunk Accent Swoops to the motorcycle's existing wiring. Ensure all connections are secure and properly insulated, using dielectric grease as needed.
3. **Test Functionality:** Before final assembly, temporarily reconnect the battery and test the running light and turn signal functions of the newly connected accent swoops. Verify that all LEDs illuminate correctly and respond to turn signal inputs.
4. **Secure the Accent Swoops:** Carefully position the LED Trunk Accent Swoops onto the motorcycle's trunk. Secure them using appropriate fasteners or adhesive as per the product design. Ensure a snug fit and proper alignment.
5. **Final Assembly:** Reinstall any panels or components that were removed during the initial preparation. Ensure all screws and fasteners are tightened to the manufacturer's specifications.



Figure 2: Installed LED Trunk Accent Swoops (Close-up)



Figure 3: Rear View with Illuminated Accent Swoops

5. OPERATION

Once installed, the Kuryakyn 3233 LED Trunk Accent Swoops will operate in conjunction with your motorcycle's existing lighting system. They are designed to function as:

- **Running Lights:** Providing continuous illumination when the motorcycle's lights are on.
- **Turn Signals:** Flashing in sync with your motorcycle's turn signals to indicate directional changes.

6. MAINTENANCE

To ensure the longevity and optimal performance of your LED Trunk Accent Swoops, follow these maintenance guidelines:

- **Cleaning:** Clean the accent swoops regularly with a soft cloth and mild, non-abrasive cleaner. Avoid harsh chemicals that could damage the chrome finish or LED lenses.
- **Inspection:** Periodically inspect the wiring connections for any signs of wear, corrosion, or looseness. Ensure the accent swoops remain securely mounted.
- **Waterproofing:** The product is designed to be waterproof. However, avoid directing high-pressure water sprays directly at the LED units or wiring connections during washing.

7. TROUBLESHOOTING

If you experience issues with your Kuryakyn 3233 LED Trunk Accent Swoops, consider the following:

- **Lights Not Illuminating:** Check all electrical connections for proper seating and continuity. Verify that the motorcycle's fuses are intact. Ensure the battery is fully charged and properly connected.
- **Incorrect Flashing (Turn Signals):** If turn signals flash too quickly or too slowly, it may indicate an issue with the motorcycle's flasher relay or a load imbalance. Consult a qualified technician if this persists.
- **Dim or Intermittent Lighting:** Inspect wiring for damage or loose connections. Ensure no moisture has entered the electrical components.

For persistent issues, contact Kuryakyn customer support or a certified motorcycle technician.

8. SPECIFICATIONS






Feature	Detail
Brand	Kuryakyn
Model Number	3233
Vehicle Service Type	Motorcycle (Honda Gold Wing GL1800, 2006-2017)
Auto Part Position	Rear
Special Feature	Waterproof
Lens Color	Clear
Lens Material	Plastic
Item Dimensions (L x W x H)	17 x 13 x 2 inches

Item Weight	12 ounces
UPC	191209016197, 748264392553

9. WARRANTY AND SUPPORT

For information regarding product warranty, returns, or technical assistance, please contact Kuryakyn customer support directly. Details can typically be found on the official Kuryakyn website or through your product retailer.

Related Documents - 3233

	<p>Kuryakyn LED Mirror Lights for GL1800 (7513) Installation Guide</p> <p>Step-by-step installation instructions for Kuryakyn LED Mirror Lights (Model 7513) for Honda GL1800 motorcycles. Includes parts, tools, wiring, warranty, and contact information.</p>
	<p>Kuryakyn Omni Transmission Covers for GL1800 Installation Instructions</p> <p>Detailed installation guide for Kuryakyn Omni Transmission Covers (models 3274 Chrome, 3275 Satin Black) for the Honda GL1800 motorcycle. Includes parts list, step-by-step instructions, warnings, and warranty information.</p>
	<p>Kuryakyn Handlebar Risers/Setbacks GL1800 (7438) Installation Guide</p> <p>Detailed installation instructions for Kuryakyn Handlebar Risers/Setbacks model 7438 for the Honda GL1800 motorcycle. Includes parts list, tools, step-by-step guide, and warranty information.</p>
	<p>Kuryakyn Fairing Light II for GL1800 Installation Guide</p> <p>Comprehensive installation instructions for the Kuryakyn Fairing Light II (Part #7316) designed for Honda GL1800 motorcycles. This guide covers fitting details, included components, necessary tools, step-by-step assembly, and warranty information.</p>
	<p>Kuryakyn Ergo II Unlighted Floorboards 4059 Installation Guide</p> <p>Detailed installation instructions for Kuryakyn Ergo II Unlighted Floorboards (Model 4059) for Honda GL1800 motorcycles, including parts list, tools, procedure, and safety warnings.</p>

Küryakyn Small Red L.E.D. Silver Bullets Installation Guide

Comprehensive installation guide for Küryakyn Small Red L.E.D. Silver Bullets (Part Number 1647), including parts list, tools needed, step-by-step instructions, wiring information, and important safety warnings.