



Manuals.plus /

› **BabyDan** /

› BabyDan MultiDan Extendable Safety Gate User Manual

BabyDan 57314-2400-06-75

BabyDan MultiDan Extendable Safety Gate User Manual

MODEL: 57314-2400-06-75

Manufactured by BabyDan - Safety since 1947

Product Overview

The BabyDan MultiDan Extendable Metal Safety Gate is a versatile and high-quality solution designed to secure openings in your home, protecting children and pets. This gate is engineered for adaptability, fitting a wide range of spaces, and is manufactured in Denmark to high safety standards.



Image: The BabyDan MultiDan Safety Gate, designed for both child and pet safety, shown with a baby and a golden retriever puppy.

- **Adjustable Width:** Fits openings between 62.5 cm and 106.8 cm (24.7" - 42"), making it suitable for various doorways, hallways, and staircases.
- **Multi-Purpose Design:** Ideal as a stair gate, baby gate, or pet gate.
- **One-Handed Operation:** Designed for convenient opening and closing with a single hand.
- **Two-Way Opening:** Gate opens in both directions for flexible use.
- **Wall-Mounted:** Ensures maximum stability and security through screw-in installation.
- **Quick Release:** Features a quick-release mechanism for easy removal when the gate is not needed.
- **No Bottom Bar:** Designed without a bottom trip bar, reducing the risk of tripping.
- **Certified Safety:** Complies with European standard EN 1930:2011 and American standard ASTM F1004-18.
- **Danish Quality:** Manufactured in Denmark from high-quality steel and PVC-free plastic components.

Important Safety Information

Always read and follow all instructions carefully before installation and use. Failure to do so could result in serious injury or death. Keep these instructions for future reference.

- This safety barrier is designed for domestic use only.
- Never leave children unattended near the gate.
- Regularly check that the gate is securely installed and all fittings are tightened.
- Do not use the safety barrier if any components are damaged or missing.
- The gate is tested and approved free from harmful substances like BHA, Phthalates, and PVC.
- This safety barrier must not be fitted across windows.
- If the safety barrier is used at the top of stairs, it should not be positioned below the top level.
- If the safety barrier is used at the bottom of stairs, it should be positioned at the front of the lowest tread.

Certified Safety



EN 1930:2011
ASTM F1004

Complies with the latest, highest and strictest safety standards. Both European and American standards.

MADE IN
DENMARK
PREMIUM QUALITY

Designed and manufactured in Denmark from European steel to ensure Danish quality and less climate impact.

Image: The BabyDan MultiDan gate meets stringent safety standards, including EN 1930:2011 and ASTM F1004.

Setup and Installation

The BabyDan MultiDan gate is designed for secure wall-mounted installation. For detailed, interactive video instructions, download the free "Onbox" app and use code **5731**.

1. Measure Your Opening

Accurate measurement is crucial for a perfect fit. Measure the width of the opening where you intend to install the gate. The MultiDan gate fits openings between 62.5 cm and 106.8 cm.



Image: Guide on how to accurately measure the opening for the safety gate, considering wall and skirting board distances.

Note: The distance between the wall and skirting board can differ. Choose a gate that fits within both distances.

2. Prepare for Installation

Ensure you have the necessary tools. The gate comes with all required fittings, including screws for mounting in wood and an adjusting tool.

How to measure for best fit



Image: All components included for installation: an adjusting tool, screws for mounting in wood, and various fittings.

3. Wall Mounting

The gate is mounted with screws on both sides, providing a very secure installation that will withstand daily use for years. Follow the detailed instructions provided in the Onbox app or the included manual for precise placement and drilling.



Image: The BabyDan MultiDan gate securely installed at the top of a staircase, providing a safe barrier.

Tip: Many users find it easier to install the hinge side first, then adjust the gate to the correct width before marking and installing the latch side.

Operating the Gate

Opening and Closing

The BabyDan MultiDan gate is designed for easy, one-handed operation. Simply press the handle and pull to open. This allows you to carry your child or other items while operating the gate.



Image: The gate features a simple, one-handed opening mechanism for convenience.

The gate can open in both directions, providing flexibility depending on your needs and the location of installation.



Image: The gate opens in both directions and is designed without a bottom bar to prevent tripping hazards.

Quick Release Function

When the gate is not needed, it can be easily removed from its wall fittings using the quick-release mechanism, without requiring any tools.



Image: The quick-release feature allows for simple and tool-free removal of the gate when not in use.

Maintenance

To ensure the longevity and proper function of your BabyDan MultiDan safety gate, follow these simple maintenance guidelines:

- **Cleaning:** Wipe the gate regularly with a damp cloth and mild soap. Avoid using abrasive cleaners or harsh chemicals, as these can damage the finish or materials.
- **Inspection:** Periodically check all screws, fittings, and moving parts to ensure they are secure and functioning correctly. Tighten any loose screws.
- **Lubrication:** If the hinges become stiff, apply a small amount of silicone-based lubricant to ensure smooth operation.
- **Storage:** If removing the gate for extended periods, store it in a dry place away from direct sunlight and extreme temperatures to prevent material degradation.

Troubleshooting

If you encounter any issues with your BabyDan MultiDan safety gate, consider the following common solutions:

- **Gate not closing properly:**
 - Check that the gate is level and the wall fittings are aligned.
 - Ensure no obstructions are preventing the gate from latching.
 - Verify that all mounting screws are securely tightened.
- **Difficulty opening/closing:**
 - Inspect hinges for dirt or debris; clean if necessary.
 - Apply a small amount of lubricant to the hinges if they feel stiff.
 - Confirm that the gate is not installed too tightly or loosely.
- **Gate feels wobbly after installation:**
 - Re-check all wall mounting screws for tightness.
 - Ensure the wall surface is sturdy and appropriate for screw mounting.
 - If installing into drywall, ensure proper anchors or studs were used.

If problems persist, refer to the Onbox app for video troubleshooting guides or contact BabyDan customer support.

Specifications

Brand	BabyDan
Model Number	57314-2400-06-75
ASIN	B008MVF5WW
UPC	796629365933
Material	95% Steel, 5% Plastic (PVC-free)
Color	White
Dimensions (L x W x H)	106.8 x 106.8 x 72.5 cm (42 x 42 x 28.5 inches)
Weight	4 Kilograms (8.8 lbs)
Fits Openings	62.5 cm - 106.8 cm (24.7" - 42")
Mounting Type	Wall-mounted (screw-in)
Safety Standards	EN 1930:2011, ASTM F1004-18
Assembly Time (Approx.)	50 minutes

Warranty and Support

BabyDan has been a trusted name in child safety since 1947, committed to producing high-quality and safe products. Your BabyDan MultiDan safety gate is manufactured with premium materials and undergoes rigorous testing to meet international safety standards.

For any questions, concerns, or support needs regarding your product, please refer to the official BabyDan website or

contact their customer service directly. Details for contacting support are typically found on the product packaging or the manufacturer's official website.

Note: Specific warranty terms and conditions may vary by region. Please retain your proof of purchase for warranty claims.

Official Product Videos

No official product videos from the seller were found in the provided data. For installation guides and product demonstrations, please refer to the "Onbox" app (code 5731) or the official BabyDan website.