

PWR+ 840-PWR55-36993

PWR+ 12 Ft Extra Long 3.5mm AV Cable

User Manual for Dual-Screen Portable DVD Players

Model: 840-PWR55-36993

1. INTRODUCTION

This manual provides comprehensive instructions for the PWR+ 12 Ft Extra Long 3.5mm AV Cable. This cable is designed to facilitate audio and video transmission between compatible portable DVD players, enabling a synchronized viewing experience across multiple screens.

The PWR+ AV Cable ensures reliable signal transfer, minimizing loss and noise for clear audio and video output. Its robust construction is engineered for durability and consistent performance.

2. PRODUCT FEATURES

- **Connector Type:** 3.5mm to 3.5mm Male-to-Male connection.
- **Cable Type:** Composite Audio/Video for combined signal transmission.
- **Length:** Extra-long 12 feet (approximately 3.66 meters) for flexible placement.
- **Signal Integrity:** Engineered to transmit audio and video seamlessly, reducing signal loss and noise.
- **Durability:** Features reinforced stress points for enhanced longevity.
- **Safety Certifications:** CE/FCC/RoHS certified, ensuring adherence to safety and quality standards.




Image: The PWR+ 12 Ft Extra Long 3.5mm AV Cable, coiled for storage.



Image: Close-up view of the right-angle 3.5mm male connectors on the PWR+ AV cable.

3. SETUP INSTRUCTIONS

1. **Identify Ports:** Locate the 3.5mm AV output port on your primary portable DVD player and the 3.5mm AV input port on your secondary portable DVD player. These ports are typically labeled 'AV OUT' and 'AV IN' or similar.
2. **Connect Primary Player:** Insert one end of the PWR+ 3.5mm AV cable into the 'AV OUT' port of your primary portable DVD player.
3. **Connect Secondary Player:** Insert the other end of the PWR+ 3.5mm AV cable into the 'AV IN' port of your secondary portable DVD player.
4. **Secure Connections:** Ensure both connectors are firmly seated in their respective ports to prevent signal interruption.



Image: Two portable DVD players displaying synchronized content, demonstrating a typical setup with an AV cable connection.

Your browser does not support the video tag.

Video: A short demonstration showcasing the internal construction and features of a PWR+ power cord, highlighting its quality materials and design. This video provides insight into the build quality of PWR+ cables.

4. OPERATING INSTRUCTIONS

1. **Power On Devices:** Ensure both the primary and secondary portable DVD players are powered on.
2. **Insert Media:** Insert your desired DVD or other media into the primary portable DVD player.
3. **Select Output Mode:** On the primary DVD player, ensure the AV output mode is activated. Refer to your DVD player's manual for specific instructions on selecting AV output.
4. **Select Input Mode:** On the secondary DVD player, select the AV input mode. Refer to your DVD player's manual for specific instructions on selecting AV input.
5. **Playback:** Begin playback on the primary DVD player. The audio and video should now be mirrored on the secondary DVD player.
6. **Adjust Volume:** Adjust the volume independently on each DVD player as needed.

5. COMPATIBILITY

This PWR+ 3.5mm AV Cable is designed for broad compatibility with portable DVD players that feature a 3.5mm AV input/output jack. It has been tested and validated for use with various models, including but not limited to:

- **Philips Portable DVD Players:** Pb9001/37, Pb9011/37, Pd7012/37, Pd7016/37, Pd9012/37, Pd9016/37, Pet1030, Pet702, Pet706, Pet708, Pet710, Pet723, Pet726, Pet729/37, Pet7402/37, Pet741, Pet7422, Pet749/37, Pet824, Pet9402/37, Pet941, Pet941b/37, Pet9422, Pvd700/37, Pvd900/37, Pet9042/37b, Pet941a, Pet941d/37, Dcp852/37, Dcp855, Pd700/37, Pd700/37b, Pd7012/37, Pd7016/07, Pd703, Pd703/37, Pd9000/37, Pd9003, Pd9012, Pd9016/37, Pd9030/37, Pt902/37, Pvd900, Ly02, Ly-02, Ay4128, Ay4133, Ay4197.
- **Sony Portable DVD Players:** Dvp-fx5, Dvp-fx700, Dvp-fx701, Dvp-fx705, Dvp-fx805k, Dvp-fx810/p, Dvp-fx810/r, Dvp-fx811k, Dvp-fx820/l, Dvp-fx820/p, Dvp-fx820/r, Dvp-fx820/w, Dvp-fx921, Dvp-fx921k, Dvp-fx930/l, Dvp-fx930/p, Dvp-fx930/r, Dvp-fx930/w, Dvp-fx94/b, Dvp-fx955, Dvp-fx96/s, Dvp-fx970,

Dvp-fx975, DVP Fx710, Fx830, Fx850, Fx910, Fx920, Dvp-fx750, Dvpfx750/l, Dvp-fx750/p, Dvp-fx750/r, Dvp-fx750/w, Dvp-fx810/l, Dvp-fx810/p, Dvp-fx810/r, Dvp-fx811k, Dvpfx810, Dvpfx811, Dvpfx820, Dvpfx921, Dvpfx930, Dvpfx940, Dvpfx955, Dvpfx960, Dvpfx970, Dvpfx975.

For other brands and models, verify that your device has a 3.5mm AV input/output port.

6. SPECIFICATIONS

Specification	Detail
Brand	PWR+
Model	840-PWR55-36993
Connector Type	3.5mm to 3.5mm
Cable Type	Composite (Audio + Video)
Cable Length	12 Feet (approx. 3.66 meters)
Connector Gender	Male-to-Male
Number of Pins	3
Color	Black
Indoor/Outdoor Usage	Indoor, Outdoor
Certifications	CE, FCC, RoHS

7. MAINTENANCE

- **Storage:** When not in use, coil the cable loosely to prevent kinks and damage. Avoid tight coiling or sharp bends.
- **Cleaning:** Wipe the cable and connectors with a soft, dry cloth to remove dust or debris. Do not use liquid cleaners directly on the connectors.
- **Handling:** Always grasp the connector housing when plugging or unplugging the cable, rather than pulling on the cable itself.
- **Protection:** Avoid placing heavy objects on the cable or exposing it to extreme temperatures or direct sunlight for prolonged periods.

8. TROUBLESHOOTING

- **No Audio/Video Signal:**
 - Ensure both ends of the cable are securely connected to the correct input/output ports.
 - Verify that both portable DVD players are powered on.
 - Check the AV input/output settings on both DVD players to ensure they are correctly configured.
 - Test the cable with another compatible device if possible to rule out a cable issue.
- **Poor Audio/Video Quality:**
 - Ensure the cable is not damaged or kinked.

- Check for any interference from other electronic devices.
- Clean the connectors on both the cable and the DVD players to ensure good contact.
- **Cable Does Not Fit:**
 - Confirm that your devices use a standard 3.5mm AV jack. Some devices may use proprietary connectors.
 - Ensure you are attempting to connect to an AV port, not a headphone jack (though they may look similar).

9. WARRANTY AND SUPPORT

The PWR+ 12 Ft Extra Long 3.5mm AV Cable comes with the following warranty and support:

- **Warranty:** 30 Days Refund - 24 Months Exchange.
- **Customer Support:** PWR+ is a WA, USA based company with dedicated customer support experts available to assist you.



Image: A badge indicating a 2-year warranty from a US seller, representing PWR+'s commitment to product quality and customer satisfaction.