

LEDVANCE 75268

Sylvania 75268 LED Outdoor Wall Fixture Instruction Manual

Model: 75268 | Brand: LEDVANCE (Sylvania)

1. PRODUCT OVERVIEW

The Sylvania 75268 is an outdoor LED wall fixture designed for decorative illumination. It features a traditional mission-style design with an old penny bronze finish and amber glass panels. This fixture integrates an energy-efficient LED light source, providing long-lasting and consistent lighting for outdoor environments.



An image showing the Sylvania 75268 LED Outdoor Wall Fixture. The fixture features a dark bronze finish with a curved top and rectangular amber glass panels on the front and sides, designed for outdoor wall mounting.

2. SAFETY INFORMATION

- **WARNING:** Risk of electric shock. Disconnect power at the fuse or circuit breaker before installation or servicing.
- Installation must be performed by a qualified electrician in accordance with all local electrical codes.
- Ensure the fixture is securely mounted to a suitable surface.
- Do not attempt to modify the integrated LED light source. It is not user-replaceable.
- This fixture is suitable for outdoor use in wet locations.

3. PACKAGE CONTENTS

- 1 x Sylvania 75268 LED Outdoor Wall Fixture
- Mounting Hardware (screws, wire nuts)
- Instruction Manual

4. SPECIFICATIONS

Feature	Detail
Model	75268
Manufacturer	OSRAM Sylvania Products, Inc.
Dimensions (W x D x H)	40.01 cm x 13.02 cm x 12.38 cm (15.75 in x 4.875 in x 5.125 in)
Weight	2.77 kg (6.1 lbs)
Power Source	AC
Voltage	120 Volts
Wattage	5 Watts
Light Type	Integrated LED
Brightness	300 Lumens
Mounting Type	Wall Mount
Color	Bronze
Style	Mission
Usage	Outdoor, Decorative
Special Features	Up to 80% energy savings, long-lasting LED light source

5. SETUP AND INSTALLATION

Tools Required: Screwdriver, wire strippers, electrical tape, safety glasses, ladder (if necessary).

Step 1: Prepare for Installation

1. Turn off power to the electrical circuit at the main circuit breaker or fuse box before beginning installation.
2. Ensure the mounting surface is clean, dry, and structurally sound to support the fixture's weight.

Step 2: Mount the Fixture

1. Attach the mounting bracket (if separate) to the electrical junction box using the provided screws. Ensure it is securely fastened.
2. Connect the fixture's electrical wires to the house wiring:
 - Connect the black wire from the fixture to the black (live) wire from the junction box.

- Connect the white wire from the fixture to the white (neutral) wire from the junction box.
- Connect the bare copper or green ground wire from the fixture to the bare copper or green ground wire from the junction box.

Secure all connections with wire nuts and electrical tape.

3. Carefully tuck all wires into the junction box.
4. Align the fixture with the mounting bracket and secure it in place using the provided screws. Do not overtighten.

Step 3: Restore Power

1. Once the fixture is securely installed, restore power at the circuit breaker or fuse box.
2. Test the fixture to ensure proper operation.

6. OPERATING INSTRUCTIONS

The Sylvania 75268 LED Outdoor Wall Fixture operates via a standard wall switch connected to its power supply. Simply flip the switch to turn the light on or off.

This fixture does not include integrated dimming capabilities. If dimming functionality is desired, it must be connected to a compatible external LED dimmer switch (not included). Consult a qualified electrician for dimmer installation to ensure compatibility and proper wiring.

7. MAINTENANCE

- **Cleaning:** To clean the fixture, ensure the power is turned off at the circuit breaker. Wipe the exterior with a soft, damp cloth. Do not use abrasive cleaners, solvents, or harsh chemicals, as these can damage the finish or glass.
- **LED Light Source:** The LED light source is integrated into the fixture and is designed for a long operational life. It is not user-serviceable or replaceable. If the LED fails, the entire fixture may require replacement.
- **Inspection:** Periodically inspect the fixture for any signs of damage, loose connections, or wear. Address any issues promptly to ensure safe and proper operation.

8. TROUBLESHOOTING

Problem	Possible Cause	Solution
Light does not turn on	No power to the fixture Loose wire connections Faulty wall switch	Check if the circuit breaker is ON. Ensure all wire connections are secure. Test or replace the wall switch.
Light flickers	Loose wire connections Unstable voltage supply Incompatible dimmer switch	Verify all wire connections are tight. Ensure the voltage supply is stable (120V AC). If using a dimmer, ensure it is compatible with LED fixtures.
Reduced light output	Dirt or debris on glass panels	Clean the glass panels with a soft, damp cloth.

If issues persist after attempting these solutions, it is recommended to consult a qualified electrician for





further assistance.

9. WARRANTY AND SUPPORT

This Sylvania 75268 LED Outdoor Wall Fixture is covered by a **90-Day Woot Limited Warranty**. Please refer to the warranty documentation provided at the time of purchase for complete terms and conditions regarding coverage and limitations.

For technical support, warranty claims, or any product-related inquiries, please contact LEDVANCE customer service. Contact information can typically be found on the product packaging or the official LEDVANCE website.

Related Documents - 75268

	<p>LED Retrofit Downlight 6" Installation and Operation Manual - LEDVANCE</p> <p>Comprehensive guide for installing and operating the LEDVANCE 6-inch LED Retrofit Downlight (Model LEDRT561000ST9SC3WH), including safety instructions, troubleshooting, and warranty information.</p>
	<p>LEDVANCE LED Microdisk 4" Installation and Operation Guide</p> <p>This guide provides detailed instructions for installing, operating, and troubleshooting the LEDVANCE LED Microdisk 4-inch downlight. It includes safety warnings, electrical connection steps, color temperature adjustment, and warranty information. Model: LEDMD4500ST9SC3WH.</p>
	<p>LEDVANCE LED Tube T8 and T5 HF Ballast Compatibility Guide 2025</p> <p>This guide provides ballast compatibility information for LEDVANCE LED Tube T8 Universal, T8 HF, and T5 HF products, ensuring optimal performance and avoiding potential issues.</p>
	<p>LEDVANCE Luminaire Safety, Usage, and Disposal Guide</p> <p>Essential safety, usage, and disposal information for LEDVANCE luminaires, covering non-replaceable light sources, electrical connections, cable integrity, dimmability, thermal insulation, and WEEE compliance.</p>

DECOR COROLLE PENDANT E27

Model	Power (W)	Color Temperature (K)	Beam Angle (°)	Height (mm)	Weight (kg)
Decor Corolle Pendant E27	10	2700	120	150	0.15
Decor Corolle Pendant E27	10	3000	120	150	0.15
Decor Corolle Pendant E27	10	3500	120	150	0.15
Decor Corolle Pendant E27	10	4000	120	150	0.15
Decor Corolle Pendant E27	10	4500	120	150	0.15
Decor Corolle Pendant E27	10	5000	120	150	0.15
Decor Corolle Pendant E27	10	5500	120	150	0.15
Decor Corolle Pendant E27	10	6000	120	150	0.15
Decor Corolle Pendant E27	10	6500	120	150	0.15
Decor Corolle Pendant E27	10	7000	120	150	0.15
Decor Corolle Pendant E27	10	7500	120	150	0.15
Decor Corolle Pendant E27	10	8000	120	150	0.15
Decor Corolle Pendant E27	10	8500	120	150	0.15
Decor Corolle Pendant E27	10	9000	120	150	0.15
Decor Corolle Pendant E27	10	9500	120	150	0.15
Decor Corolle Pendant E27	10	10000	120	150	0.15

[LEDVANCE Decor Corolle Pendant E27: Specifications & Installation Guide](#)

Comprehensive guide for the LEDVANCE Decor Corolle Pendant E27, featuring detailed technical specifications, dimensions, and step-by-step installation instructions for safe and proper setup.

ORBIS MIRROR

Model	Power (W)	Color Temperature (K)	Beam Angle (°)	Height (mm)	Weight (kg)
Orbis Mirror	10	2700	120	150	0.15
Orbis Mirror	10	3000	120	150	0.15
Orbis Mirror	10	3500	120	150	0.15
Orbis Mirror	10	4000	120	150	0.15
Orbis Mirror	10	4500	120	150	0.15
Orbis Mirror	10	5000	120	150	0.15
Orbis Mirror	10	5500	120	150	0.15
Orbis Mirror	10	6000	120	150	0.15
Orbis Mirror	10	6500	120	150	0.15
Orbis Mirror	10	7000	120	150	0.15
Orbis Mirror	10	7500	120	150	0.15
Orbis Mirror	10	8000	120	150	0.15
Orbis Mirror	10	8500	120	150	0.15
Orbis Mirror	10	9000	120	150	0.15
Orbis Mirror	10	9500	120	150	0.15
Orbis Mirror	10	10000	120	150	0.15

[LEDVANCE ORBIS Mirror: Installation Guide and Specifications](#)

Comprehensive installation guide and technical specifications for the LEDVANCE ORBIS Mirror lighting fixture, featuring adjustable color temperature (CCT) and dimming capabilities.