

Kinzo 29281

Impuls Sprinkler Mini Lawn Sprinkler User Manual

Model: 29281 | Brand: Kinzo

INTRODUCTION

This manual provides essential information for the setup, operation, and maintenance of your Kinzo Impuls Sprinkler. This mini lawn sprinkler is designed for efficient irrigation of areas up to 36 m². It features a simple hose coupling for convenient connection to your garden hose and an integrated ground spike for stable placement.

Key features include:

- Compact dimensions: approximately 10 x 12.4 x 3.2 cm.
- Retractable ground spike for secure placement, approximately 6.4 cm in length.
- Durable plastic construction in blue and yellow.
- Designed for maximum coverage of 36 m².
- Standard 1/2 inch hose connection.



Figure 1: The Kinzo Impuls Sprinkler. This image displays the compact design of the sprinkler, featuring its blue base, yellow sprinkler head with water outlets, and the integrated ground spike for stability. The hose connection point is visible on the side.

SETUP

1. **Unpack:** Carefully remove the Impuls Sprinkler from its packaging.
2. **Positioning:** Select a suitable location in your lawn or garden that requires irrigation. Ensure the area is within the sprinkler's maximum coverage of 36 m².
3. **Ground Spike Insertion:** Extend the retractable ground spike. Firmly push the ground spike into the soil until the sprinkler base is stable and level.
4. **Hose Connection:** Connect your garden hose to the 1/2 inch connection point on the side of the sprinkler. Ensure the connection is secure to prevent leaks.

OPERATING INSTRUCTIONS

Once the sprinkler is set up and connected to a water source:

1. **Turn on Water:** Slowly turn on the water supply from your faucet.
2. **Adjust Water Pressure:** Observe the spray pattern. Adjust the water pressure at the faucet to achieve the desired coverage and spray intensity. The sprinkler is designed to provide even coverage for areas up to 36 m².
3. **Monitor Coverage:** Ensure that the water is reaching all intended areas and not overspraying onto paved surfaces or areas that do not require irrigation.
4. **Turn off Water:** When irrigation is complete, turn off the water supply at the faucet before disconnecting the hose.

MAINTENANCE

Regular maintenance will ensure the longevity and optimal performance of your Impuls Sprinkler:

- **Cleaning:** Periodically check the sprinkler head for any debris, such as dirt or small leaves, that might obstruct the water outlets. Clean gently with a soft brush or cloth.
- **Storage:** During colder months or when not in use for extended periods, disconnect the sprinkler from the hose, drain any remaining water, and store it in a dry, protected area to prevent damage from freezing temperatures.
- **Hose Connection:** Inspect the hose connection point and any rubber washers for wear or damage. Replace worn washers to prevent leaks.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Uneven or weak spray pattern	Low water pressure; clogged nozzles.	Increase water pressure at the faucet; clean sprinkler nozzles.
Water leaking from connection	Loose connection; worn washer.	Tighten hose connection; replace rubber washer.
Sprinkler unstable	Ground spike not fully inserted; soft soil.	Push spike deeper into the ground; consider relocating to firmer soil if possible.

SPECIFICATIONS

Attribute	Detail
Model Number	29281
Brand	Kinzo
Dimensions (L x W x H)	Approx. 10 x 12.4 x 3.2 cm (3.94 x 4.88 x 1.26 inches)
Ground Spike Length	Approx. 6.4 cm (2.52 inches) retractable
Material	Plastic (Synthetics)
Color	Blue, Yellow
Maximum Coverage Area	36 m²

Attribute	Detail
Connection Type	1/2 inch hose connection
Item Weight	2.12 ounces

WARRANTY INFORMATION

This product is covered by the standard manufacturer's warranty. Please refer to your purchase documentation or contact the retailer for specific warranty terms and conditions applicable to your region.

CUSTOMER SUPPORT

For further assistance, technical support, or inquiries regarding your Kinzo Impuls Sprinkler, please contact the retailer or visit the official Kinzo website. Have your model number (29281) ready when contacting support.

