

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Toa](#) /

› [TOA A-912MK2 8-Channel 120 watt Modular Mixer Amplifier User Manual](#)

Toa A-912MK2

TOA A-912MK2 8-Channel 120 watt Modular Mixer Amplifier

Model: A-912MK2 | Brand: Toa

INTRODUCTION

This manual provides essential information for the safe and efficient operation of your TOA A-912MK2 8-Channel 120 watt Modular Mixer Amplifier. Please read this manual thoroughly before use and retain it for future reference.

SAFETY INFORMATION

Always observe the following safety precautions to prevent electric shock, fire, or injury.

- Do not expose this appliance to rain or moisture.
- Do not block any ventilation openings.
- Ensure proper grounding.
- Refer all servicing to qualified service personnel.
- Disconnect power before cleaning or servicing.

SETUP

Unpacking

Carefully remove the amplifier from its packaging. Inspect for any signs of damage during transit. Retain the original packaging for future transport or storage.

Physical Placement

Place the amplifier on a stable, flat surface. Ensure adequate ventilation around the unit. Avoid placing it near heat sources, direct sunlight, or areas with excessive dust or moisture.

Connections

Before making any connections, ensure the amplifier is powered off and unplugged from the mains supply.

- **Input Modules:** The A-912MK2 is a modular mixer amplifier. Insert appropriate input modules (e.g., microphone, line, telephone) into the designated slots on the rear panel. Ensure modules are securely seated.
- **Speaker Outputs:** Connect your speakers to the amplifier's output terminals. Observe correct polarity (+ to + and - to -). This amplifier supports various speaker impedances; refer to the specifications for compatible loads.

- **External Devices:** Connect any external audio processing equipment (e.g., equalizers, effects units) to the amplifier's send/return jacks if available.
- **Power Connection:** Once all audio connections are made, connect the power cord to the amplifier and then to a suitable AC power outlet.

OPERATING INSTRUCTIONS



Figure 1: Front panel view of the TOA A-912MK2 Modular Mixer Amplifier, showing input level controls, tone controls, master volume, and power switch.

Powering On/Off

- To power on, ensure all volume controls are at their minimum setting, then press the power switch located on the front panel. The power indicator will illuminate.
- To power off, turn down all volume controls, then press the power switch.

Input Level Adjustment

Each input channel has a dedicated level control knob on the front panel. Adjust these knobs to set the individual volume for each connected source. Start with low levels and gradually increase to avoid sudden loud sounds.

Tone Controls

The amplifier features bass and treble tone controls. Use these to adjust the overall tonal balance of the audio output. Turn clockwise to boost frequencies and counter-clockwise to cut them.

Master Volume

The large master volume knob controls the overall output level of the amplifier. Adjust this to set the final listening volume for your speakers.

MAINTENANCE

- **Cleaning:** Use a soft, dry cloth to clean the exterior of the amplifier. Do not use liquid cleaners or abrasive materials.
- **Ventilation:** Periodically check that the ventilation openings are free from dust and debris to ensure proper airflow.
- **Storage:** If storing the unit for an extended period, disconnect it from power and store it in a cool, dry place, ideally in its original packaging.

TROUBLESHOOTING

Problem	Possible Cause	Solution
No power	Power cord disconnected; power outlet faulty; power switch off.	Check power cord connection; try a different outlet; ensure power switch is on.
No sound output	Volume controls too low; speaker connections faulty; input module not seated correctly.	Increase master and input volumes; check speaker wiring; re-seat input modules.
Distorted sound	Input level too high; speaker impedance mismatch; faulty speaker.	Reduce input levels; verify speaker impedance matches amplifier; test with different speakers.

SPECIFICATIONS

Feature	Detail
Brand	Toa
Model	A-912MK2
Output Wattage	120 Watts
Channels	8-Channel (Modular)
Material	Plastic
Color	Black
Compatible Devices	All
ASIN	B008ZTABSY
Date First Available	August 19, 2012

WARRANTY INFORMATION

TOA products are designed for reliability and performance. This product is covered by a standard manufacturer's warranty against defects in materials and workmanship. Specific warranty terms and duration may vary by region. Please retain your proof of purchase for warranty claims.

For detailed warranty information, please refer to the warranty card included with your product or visit the official TOA website.

CUSTOMER SUPPORT


If you encounter issues not covered in the troubleshooting section or require further assistance, please contact TOA customer support. Have your product model number (A-912MK2) and serial number ready when contacting support.

For the most up-to-date contact information, please visit the official TOA website or refer to the contact details provided in your product packaging.

Related Documents - A-912MK2

	TOA Electronics Amplifier Guide: Selection, Wiring, and Troubleshooting A comprehensive guide from TOA Electronics covering amplifier selection, basic concepts, matching, wiring best practices, troubleshooting, and product specifications for sound system installations.
---	---






[\[pdf\]](#) User Manual Instructions Specifications

TOA 900 SERIES II MIXER POWER AMPLIFIER Operating Instructions A 903MK2 906MK2 912MK2 TO REDUCE THE RISK OF ELECTRICAL SHOCK DO NOT REMOVE Manual m markertek Attachments Manuals

Operating Instructions TOA 900 SERIES II MIXER POWER AMPLIFIER A-903MK2 A-906MK2 **A-912MK2** TO REDUCE THE RISK OF ELECTRICAL SHOCK, DO NOT REMOVE COVER. NO USER SERVICEABLE PARTS INSIDE. REFER SERVICING TO QUALIFIED SERVICE PERSONNEL. THE LIGHTNING FLASH WITH ARROWHEAD WITHIN A TRIANGLE IS INTENDE...

lang:en **score:52** filesize: 207.33 K page_count: 12 document date: 2016-01-08




[\[pdf\]](#) User Manual Guide

Download Toa ZM 104A Manuals Manual TOA Amplifier Guide proaudiosuperstore |||

TOA Electronics Amplifier Guide Guide INPUT 1 INPUT 2 INPUT 3 INPUT 4 INPUT 5 INPUT 6 INPUT ... ver-heating Five year warranty 18 TOA Electronics Amplifier Guide 900 Series A-903MK2 A-906MK2 **A-912MK2** 30/60/120 WATT 8-CHANNEL MIXER/AMPLIFIERS Modular design allows fast and easy custom confi...

lang:de **score:52** filesize: 1.02 M page_count: 28 document date: 2004-05-27




[\[pdf\]](#) Guide

TOA Amplifier Guide toaelectronics 80 media manuals products amplifier

TOA Electronics Amplifier Guide Guide INPUT 1 INPUT 2 INPUT 3 INPUT 4 INPUT 5 INPUT 6 INPUT ... ver-heating Five year warranty 18 TOA Electronics Amplifier Guide 900 Series A-903MK2 A-906MK2 **A-912MK2** 30/60/120 WATT 8-CHANNEL MIXER/AMPLIFIERS Modular design allows fast and easy custom confi...

lang:de **score:49** filesize: 1.03 M page_count: 28 document date: 2007-01-25




[\[pdf\]](#) User Manual Instructions Specifications

Provided by ManualsAndMore Download User Manual Toa A 903MK2 Operating Instructions A903MK2 manualsandmore |||

Operating Instructions TOA 900 SERIES II MIXER POWER AMPLIFIER A-903MK2 A-906MK2 **A-912MK2** TO REDUCE THE RISK OF ELECTRICAL SHOCK, DO NOT REMOVE COVER. NO USER SERVICEABLE PARTS INSIDE. REFER SERVICING TO QUALIFIED SERVICE PERSONNEL. THE LIGHTNING FLASH WITH ARROWHEAD WITHIN A TRIANGLE IS INTENDE...

lang:en **score:48** filesize: 238.15 K page_count: 12 document date: 2019-07-23




[\[pdf\]](#) User Manual Instructions Specifications

Provided by ManualsAndMore Download User Manual Toa P 906MK2 Operating Instructions P906MK2 manualsandmore |||

TOA 900 SERIES II POWER AMPLIFIER Operating Instructions P-906MK2 P-912MK2 P-924MK2 TO REDUCE THE RISK OF ELECTRICAL SHOCK, DO NOT REMOVE COVER. NO USER SERVICEABLE PARTS INSIDE. REFER SERVICING TO QUALIFIED SERVICE PERSONNEL. THE LIGHTNING FLASH WITH ARROWHEAD WITHIN...


lang:en score:48 filesize: 223.32 K page_count: 12 document date: 2019-07-23



[\[pdf\]](#) User Manual Instructions Specifications Diagram

a903mk2 906mk2 912mk2 e TOA Corporation 900 series MIXER POWER AMPLIFIERS A 903MK2 INPUT 1 BASS OPERATING INSTRUCTIONS Thank you for purchasing s Series Mixer Power Installer conformément aux instructions du fabricant 5489 a 900mk2 manual toaelectronics document OPERATING INSTRUCTIONS 900 series MIXER POWER AMPLIFIERS A-903MK2 A-906MK2 **A-912MK2** INPUT 1 BASS INPUT 2 TREBLE INPUT 3 TONE DEFEAT OFF ON INPUT 4 LOW CUT OFF ON INPUT 900 5 SERIES INAPMUTPL6IFIER A903MK2 INPUT 7 INPUT 8 SIGNAL MASTER NORMAL PROTECT PEAK POWER ON OFF This figure rep...


lang:en score:47 filesize: 704.36 K page_count: 16 document date: 2014-05-28



[\[pdf\]](#) User Manual Instructions Specifications

TOA 900 SERIES II P 906MK2 POWER AMPLIFIER 912MK2 924MK2 Full Compass Systems operating instructions p 906mk2 912mk2 924mk2 to reduce the risk of electrical shock do not remove cover no user serviceable parts inside refer servicing qualified service personnel lightning flash with arrowhead within a triangle is intended tell that product are For details Plug in Module Instruction Manual Low Cut Switch off unnecessary low frequency Input Level Selects toa electronics 120 watt single channel modular power amplifier 21195 manual 906 12 24MK2 search toaelectronics media TOA 900 SERIES II POWER AMPLIFIER Operating Instructions P-906MK2 P-912MK2 P-924MK2 TO REDUCE THE RISK OF ELECTRICAL SHOCK, DO NOT REMOVE COVER. NO USER SERVICEABLE PARTS INSIDE. REFER SERVICING TO QUALIFIED SERVICE PERSONNEL. THE LIGHTNING FLASH WITH ARROWHEAD WITHIN...

lang:en score:45 filesize: 196.57 K page_count: 12 document date: 2003-10-17




[\[pdf\]](#) User Manual Instructions Specifications Diagram

900 series POWER AMPLIFIERS P 906MK2 912MK2 924MK2 Thank you for purchasing TOA s Series Power Amplifier Please carefully follow the instructions in this manual to ensure long trouble free p 906mk2 mt1e toa products international 80

900 series POWER AMPLIFIERS OPERATING INSTRUCTIONS P-906MK2 P-912MK2 P-924MK2 SIGNAL NORMAL PEAK MASTER PROTECT POWER OOFNF P-924MK2 SIGNAL MASTER NORMAL PROTECT PEAK POWER ON OFF P-906MK2 P-912MK2 TABLE OF CONTENTS 1. IMPORTANT SAFETY INSTRUCTIONS 2 2. SAFETY PRECAUTIONS

lang:en score:45 filesize: 421.95 K page_count: 16 document date: 2019-04-17




[\[pdf\]](#) User Manual Instructions Specifications

Provided by ManualsAndMore Download User Manual Toa M 900MK2 Operating Instructions M900MK2 manualsandmore |||

TOA 900 SERIES II MIXER PREAMPLIFIER Operating Instructions M-900MK2 TO REDUCE THE RISK OF ELECTRI ... rol and connections for another mixer preamplifier or mixer power amplifiers A-903MK2, A-906MK2 and A-912MK2.

Features 1. 8-channel mixer preamplifier 2. Wide frequency response : 20-20,000 Hz 1 dB 3...

lang:en score:43 filesize: 187.38 K page_count: 11 document date: 2019-07-23




[\[pdf\]](#) User Manual Instructions Borchure

Provided by ManualsAndMore Download User Manual Toa P 912MK2 Brochure P912MK2 manualsandmore |||

UNSWITCHED AC 120V 60Hz MAX 500W 4A CAUTION SEE OPERATING INSTRUCTIONS. 70V DIRECT 4 25V 8 COM 120V AC 60Hz 180W CLASS 2 WIRING MAY BE USED. model P-912MK2 OUTPUT RATED 120W TOA Corporation ENGINEERED IN JAPAN ASSEMBLED IN TAIWAN DYNATRON CAUTION RISK OF ELECTRIC SHOCK DO NOT OPEN WARNING REDU...

lang:i-klnglon score:40 filesize: 21.28 K page_count: 1 document date: 2019-07-23




[\[pdf\]](#) User Manual Instructions Specifications

MIXER PREAMPLIFIER TOA Corporation Electronics For details refer to Plug in Module Instruction Manual AUX Out Provides connections for a booster amplifier or tape recorder The input impedance of the M 900MK2 m markertek Attachments Manuals

TOA 900 SERIES II MIXER PREAMPLIFIER Operating Instructions M-900MK2 TO REDUCE THE RISK OF ELECTRI ... rol and connections for another mixer preamplifier or mixer power amplifiers A-903MK2, A-906MK2 and **A-912MK2**.

Features 1. 8-channel mixer preamplifier 2. Wide frequency response : 20-20,000 Hz 1 dB 3...


lang:en **score:39** filesize: 159.52 K page_count: 11 document date: 2016-01-08



[TOA Electronics Amplifier Guide: Selection, Wiring, and Troubleshooting](#)

A comprehensive guide from TOA Electronics covering amplifier selection, basic concepts, matching, wiring best practices, troubleshooting, and product specifications for sound system installations.


lang:de **score:38** filesize: 1.05 M page_count: 28 document date: 2016-06-28



[\[pdf\]](#) Guide

Module Guide TOA P 924A amplifier AVS Forum 900 module guide toaelectronics spec sheets ||| 900 SERIES Module Guide PAGE II TABLE OF CONTENTS TABLE OF CONTENTS INTRODUCTION..... Connector: dual RCA jack, removable terminal block E-07S . Connection Methods: A-903MK2, A-906MK2, **A-912MK2** Mixer/Amplifiers Connect the Pre-amp Out jack to the E module s In jack and the E modul...

lang:en **score:37** filesize: 1.52 M page_count: 37 document date: 2002-01-22



[pdf] Instructions Specifications Diagram

900 series MIXER POWER AMPLIFIERS A 903MK2 906MK2 ATOA s and 912MK2 Mixer Power

Amplifiers feature 8 input slots that permit the use of various optional plug in modules The most a 903mk2

OPERATING INSTRUCTIONstoaelectronics toa assets a INSTRUCTIONS |||

OPERATING INSTRUCTIONS 900 series MIXER POWER AMPLIFIERS A-903MK2


A-906MK2 **A-912MK2** INPUT 1 BASS INPUT 2 TREBLE INPUT 3 TONE DEFEAT

OFF ON INPUT 4 LOW CUT OFF ON INPUT 900 5 SERIES INAPMUTPL6IFIER

A903MK2 INPUT 7 INPUT 8 SIGNAL MASTER NORMAL PROTECT PEAK POWER

ON OFF This figure rep...

lang:en score:37 filesize: 430.41 K page_count: 16 document date: 2019-04-17



[pdf] User Manual Instructions Specifications

See TOA Electronics INC P 924MK2 Manual Specs 240 Watt Power Amplifier markertek Attachments

Manuals |||

TOA 900 SERIES II POWER AMPLIFIER Operating Instructions P-906MK2 P-


912MK2 P-924MK2 P-906MK2 P-912MK2 P-924MK2 TO REDUCE THE RISK OF

ELECTRICAL SHOCK, DO NOT REMOVE COVER. NO USER SERVICEABLE

PARTS INSIDE. REFER SERVICING TO QUALIFIED SERVICE PERSONNEL. THE

LIGHTNING FLASH WITH ARROWHEAD WITHIN...

lang:en score:35 filesize: 192.63 K page_count: 12 document date: 2016-01-08



[pdf] User Manual Instructions Specifications

See TOA Electronics INC A 906MK2 Manual Specs 60 Watt Modular Mixer Amplifier markertek

Attachments Manuals |||

Operating Instructions TOA 900 SERIES II MIXER POWER AMPLIFIER A-903MK2


A-906MK2 **A-912MK2** TO REDUCE THE RISK OF ELECTRICAL SHOCK, DO NOT

REMOVE COVER. NO USER SERVICEABLE PARTS INSIDE. REFER SERVICING

TO QUALIFIED SERVICE PERSONNEL. THE LIGHTNING FLASH WITH

ARROWHEAD WITHIN A TRIANGLE IS INTENDE...

lang:en score:35 filesize: 207.33 K page_count: 12 document date: 2016-01-08




[\[pdf\]](#) User Manual Instructions Specifications

See TOA Electronics INC A 903MK2UL Manual Specs 903MK2 30 Watt Modular Mixer Amplifier markertek Attachments Manuals |||


Operating Instructions TOA 900 SERIES II MIXER POWER AMPLIFIER A-903MK2 A-906MK2 **A-912MK2** TO REDUCE THE RISK OF ELECTRICAL SHOCK, DO NOT REMOVE COVER. NO USER SERVICEABLE PARTS INSIDE. REFER SERVICING TO QUALIFIED SERVICE PERSONNEL. THE LIGHTNING FLASH WITH ARROWHEAD WITHIN A TRIANGLE IS INTENDED...

lang:en score:35 filesize: 207.33 K page_count: 12 document date: 2016-01-08



[\[pdf\]](#) Guide Catalog

TOA Electronics Amplifier GuideTOA GuideAmplifier GuideSound system don davis eBook Downloads3d Monitor Philippines 3D Tips3D TipsGeometry Net Technology Intercom Systems More NEW Products! NX 100S Network Audio awarded Best Routing product at Infocomm 2005 How To Buy Search Order Tracking Quick Reference 166kb Catalog 892kbTOA Guidetoaelectronics manuals Guide ||| TOA Electronics Amplifier Guide Guide INPUT 1 INPUT 2 INPUT 3 INPUT 4 INPUT 5 INPUT 6 INPUT ... ver-heating Five year warranty 18 TOA Electronics Amplifier Guide 900 Series A-903MK2 A-906MK2 **A-912MK2** 30/60/120 WATT 8-CHANNEL MIXER/AMPLIFIERS Modular design allows fast and easy custom confi... lang:de score:34 filesize: 1.03 M page_count: 28 document date: 2007-01-25




[\[pdf\]](#) User Manual Instructions Specifications

See TOA Electronics INC P 906MK2UL Manual Specs 906MK2 Power Amplifier 60W with 1 Module Port Black 2U markertek Attachments Manuals |||

TOA 900 SERIES II POWER AMPLIFIER Operating Instructions P-906MK2 P-912MK2 P-924MK2 P-906MK2 P-912MK2 P-924MK2 TO REDUCE THE RISK OF ELECTRICAL SHOCK, DO NOT REMOVE COVER. NO USER SERVICEABLE PARTS INSIDE. REFER SERVICING TO QUALIFIED SERVICE PERSONNEL. THE LIGHTNING FLASH WITH ARROWHEAD WITHIN...

lang:en score:34 filesize: 192.63 K page_count: 12 document date: 2016-01-08




[\[pdf\]](#) User Manual Instructions Specifications

Toa 906 II Manual 12p casa co nz Equipment Audio Amps |||

TOA 900 SERIES II POWER AMPLIFIER Operating Instructions P-906MK2 P-912MK2 P-924MK2 TO REDUCE THE RISK OF ELECTRICAL SHOCK, DO NOT REMOVE COVER. NO USER SERVICEABLE PARTS INSIDE. REFER SERVICING TO QUALIFIED SERVICE PERSONNEL. THE LIGHTNING FLASH WITH ARROWHEAD WITHIN...

lang:en score:34 filesize: 197 K page_count: 12 document date: 2003-10-17




[\[pdf\]](#) User Manual Instructions Specifications Diagram

a 903mk2 mt1e toa products 80 international manual

OPERATING INSTRUCTIONS 900 series MIXER POWER AMPLIFIERS A-903MK2 A-906MK2 **A-912MK2** INPUT 1 BASS INPUT 2 TREBLE INPUT 3 TONE DEFEAT OFF ON INPUT 4 LOW CUT OFF ON INPUT 900 5 SERIES INAPMUTPL6IFIER A903MK2 INPUT 7 INPUT 8 SIGNAL MASTER NORMAL PROTECT PEAK POWER ON OFF This figure rep...

lang:en score:33 filesize: 430.41 K page_count: 16 document date: 2019-04-17



[\[pdf\]](#) Datasheet Guide

900 Series Module Datasheet toa l 41s Guide cdn docs av iq dataSheet avguy 80 toaelectronics media

2007 PAGE II TABLE OF CONTENTS TABLE OF CONTENTS

INTRODUCTION..... Connector: dual RCA jack, removable terminal block E-07S . Connection Methods: A-903MK2, A-906MK2, **A-912MK2** Mixer/Amplifiers Connect the Pre-amp Out jack to the E module s In jack and the E modul...

lang:en score:32 filesize: 2.3 M page_count: 36 document date: 2007-05-16




[pdf] Datasheet

Click to View TOA Electronics A 912MK2 UL 8 Channel Modular Mixer and Am Data Sheet

alldataresource assets files toa |||

900 SERIES MIXER/ AMPLIFIERS: A-903MK2 A-906MK2 **A-912MK2** THE TOA 900 SERIES are widely recognized as the industry standard in installed sound system amplification. When reliability and performance are critical such as in paging and music distribution for airport, hospital, and industrial sound syst...

lang:en score:31 filesize: 61.48 K page_count: 4 document date: 2019-06-06



[pdf] Guide

900 module guide toacanada assets files |||

2007 PAGE II TABLE OF CONTENTS TABLE OF CONTENTS

INTRODUCTION..... Connector: dual RCA jack, removable terminal block E-07S . Connection Methods: A-903MK2, A-906MK2, **A-912MK2** Mixer/Amplifiers Connect the Pre-amp Out jack to the E module s In jack and the E modul...

lang:en score:31 filesize: 2.1 M page_count: 36 document date: 2017-03-03




[pdf] Specifications

See TOA Electronics INC A 912MK2 Specifications 120 Watt Modular Mixer Amplifier markertek

Attachments TOAElectronics |||

900 SERIES MIXER/ AMPLIFIERS: A-903MK2 A-906MK2 **A-912MK2** THE TOA 900 SERIES are widely recognized as the industry standard in installed sound system amplification. When reliability and performance are critical such as in paging and music distribution for airport, hospital, and industrial sound syst...

lang:en score:30 filesize: 61.33 K page_count: 4 document date: 2015-06-23



[pdf] User Manual


2007 Markertek introduction 1 module selection 3 L 01ST Manual m markertek Attachments Manuals

TOA

2007 PAGE II TABLE OF CONTENTS TABLE OF CONTENTS

INTRODUCTION..... Connector: dual RCA jack, removable terminal block E-07S . Connection Methods: A-903MK2, A-906MK2, **A-912MK2** Mixer/Amplifiers Connect the Pre-amp Out jack to the E module s In jack and the E modul...

lang:en score:30 filesize: 2.11 M page_count: 36 document date: 2016-01-08




[\[pdf\]](#) User Manual Specifications

See TOA Electronics INC U 21S Manual Specs Unbalanced Line Input Module markertek Attachments Manuals |||

2007 PAGE II TABLE OF CONTENTS TABLE OF CONTENTS

INTRODUCTION..... Connector: dual RCA jack, removable terminal block E-07S . Connection Methods: A-903MK2, A-906MK2, **A-912MK2** Mixer/Amplifiers Connect the Pre-amp Out jack to the E module s In jack and the E modul...

lang:en **score:30** filesize: 2.11 M page_count: 36 document date: 2016-01-08




[\[pdf\]](#) User Manual Instructions Specifications

MIXER PREAMPLIFIER TOA Corporation Electronics Full Compass Please follow the instructions in this manual to obtain optimum results from unit We also recommend that you keep handy for future reference General Description The M 900MK2 Mixer Preamplifier controls and mixes up eight independent input signals delivers 20 dBm of output power 42260 TOA900SeriesMixerManual 742707 proacousticsusa media wysiwyg fullcompass common files bhphotovideo lit toaelectronics 80

TOA 900 SERIES II MIXER PREAMPLIFIER Operating Instructions M-900MK2 TO REDUCE THE RISK OF ELECTRI ... rol and connections for another mixer preamplifier or mixer power amplifiers A-903MK2, A-906MK2 and **A-912MK2**. Features 1. 8-channel mixer preamplifier 2. Wide frequency response : 20-20,000 Hz 1 dB 3...

lang:en **score:30** filesize: 162.93 K page_count: 11 document date: 2003-08-15




[\[pdf\]](#) User Manual Instructions Specifications

MIXER PREAMPLIFIER TOA Corporation Full Compass SystemsPlease follow the instructions in this manual to obtain optimum results from unit We also recommend that you keep handy for future 42260 TOA900SeriesMixerManualfullcompass common files 42260 TOA900SeriesMixerManual srsltid AfmBOoo 9ejW0TeyO 8TaRz2Um Uhe5vnYfUiWqT b8lvFHF79YjyBAM SystemsMIXER future The M 900MK2 Mixer Preamplifier controls and mixes up eight independent input signals delivers 20 dBm of output powerfullcompass b8lvFHF79YjyBAMfullcompass AfmBOopIAUVdP4X7EUeYgBX6V70WK9 P79EDYKxstjCi3OD0SeenJnsa |||

TOA 900 SERIES II MIXER PREAMPLIFIER Operating Instructions M-900MK2 TO REDUCE THE RISK OF ELECTRI ... rol and connections for another mixer preamplifier or mixer power amplifiers A-903MK2, A-906MK2 and **A-912MK2**. Features 1. 8-channel mixer preamplifier 2. Wide frequency response : 20-20,000 Hz 1 dB 3...

lang:en **score:30** filesize: 162.93 K page_count: 11 document date: 2003-08-15



[\[pdf\]](#) User Manual Specifications

See TOA Electronics INC ML 11T Manual Specs Mic Line Input with Mute Send Receive markertek


Attachments Manuals |||

2007 PAGE II TABLE OF CONTENTS TABLE OF CONTENTS

INTRODUCTION..... Connector: dual RCA jack, removable terminal block E-07S . Connection Methods: A-903MK2, A-906MK2, **A-912MK2**

Mixer/Amplifiers Connect the Pre-amp Out jack to the E module s In jack and the E modul...

lang:en **score:30** filesize: 2.11 M page_count: 36 document date: 2016-01-08



[\[pdf\]](#) User Manual Specifications

See TOA Electronics INC M 01F Manual Specs Balanced XLR Female Module 200 ohm markertek


Attachments Manuals |||

2007 PAGE II TABLE OF CONTENTS TABLE OF CONTENTS

INTRODUCTION..... Connector: dual RCA jack, removable terminal block E-07S . Connection Methods: A-903MK2, A-906MK2, **A-912MK2**

Mixer/Amplifiers Connect the Pre-amp Out jack to the E module s In jack and the E modul...

lang:en **score:30** filesize: 2.11 M page_count: 36 document date: 2016-01-08



[\[pdf\]](#) User Manual Specifications

See TOA Electronics INC U 61ST Manual Specs 61S Unbalanced Line In Module with Compressor


Screw Terminals markertek Attachments Manuals |||

2007 PAGE II TABLE OF CONTENTS TABLE OF CONTENTS

INTRODUCTION..... Connector: dual RCA jack, removable terminal block E-07S . Connection Methods: A-903MK2, A-906MK2, **A-912MK2**

Mixer/Amplifiers Connect the Pre-amp Out jack to the E module s In jack and the E modul...

lang:en **score:30** filesize: 2.11 M page_count: 36 document date: 2016-01-08




[\[pdf\]](#) User Manual Specifications

See TOA Electronics INC U 01F Manual Specs Line Input Module Unbalanced 220k Ohms Female XLR markertek Attachments Manuals |||

2007 PAGE II TABLE OF CONTENTS TABLE OF CONTENTS

INTRODUCTION..... Connector: dual RCA jack, removable terminal block E-07S . Connection Methods: A-903MK2, A-906MK2, **A-912MK2** Mixer/Amplifiers Connect the Pre-amp Out jack to the E module s In jack and the E modul...

lang:en score:29 filesize: 2.11 M page_count: 36 document date: 2016-01-08




[\[pdf\]](#) User Manual Specifications

See TOA Electronics INC U 01R Manual Specs Line Input Module Unbalanced 220k Ohms with RCA Jack markertek Attachments Manuals |||

2007 PAGE II TABLE OF CONTENTS TABLE OF CONTENTS

INTRODUCTION..... Connector: dual RCA jack, removable terminal block E-07S . Connection Methods: A-903MK2, A-906MK2, **A-912MK2** Mixer/Amplifiers Connect the Pre-amp Out jack to the E module s In jack and the E modul...

lang:en score:29 filesize: 2.11 M page_count: 36 document date: 2016-01-08




[\[pdf\]](#) User Manual Specifications

See TOA Electronics INC U 01P Manual Specs Line Input Module Unbalanced 220k Ohms with Phone Jack markertek Attachments Manuals |||

2007 PAGE II TABLE OF CONTENTS TABLE OF CONTENTS

INTRODUCTION..... Connector: dual RCA jack, removable terminal block E-07S . Connection Methods: A-903MK2, A-906MK2, **A-912MK2** Mixer/Amplifiers Connect the Pre-amp Out jack to the E module s In jack and the E modul...

lang:en score:29 filesize: 2.11 M page_count: 36 document date: 2016-01-08




[\[pdf\]](#) User Manual Specifications

See TOA Electronics INC M 61ST Manual Specs TOA 61S 200ohm Balanced Mic Input Module With Compressor and Screw Terminals markertek Attachments Manuals |||

2007 PAGE II TABLE OF CONTENTS TABLE OF CONTENTS

INTRODUCTION..... Connector: dual RCA jack, removable terminal block E-07S . Connection Methods: A-903MK2, A-906MK2, **A-912MK2** Mixer/Amplifiers Connect the Pre-amp Out jack to the E module s In jack and the E modul...

lang:en score:29 filesize: 2.11 M page_count: 36 document date: 2016-01-08




[\[pdf\]](#) User Manual Specifications

See TOA Electronics INC M 01ST Manual Specs 01S Balanced Microphone Input Module w Removable Teminal Block markertek Attachments Manuals |||

2007 PAGE II TABLE OF CONTENTS TABLE OF CONTENTS

INTRODUCTION..... Connector: dual RCA jack, removable terminal block E-07S . Connection Methods: A-903MK2, A-906MK2, **A-912MK2** Mixer/Amplifiers Connect the Pre-amp Out jack to the E module s In jack and the E modul...

lang:en score:29 filesize: 2.11 M page_count: 36 document date: 2016-01-08




[\[pdf\]](#) User Manual Specifications

See TOA Electronics INC U 03R Manual Specs Stereo Line Summing Low Hi Cut Filters and Dual RCA markertek Attachments Manuals |||

2007 PAGE II TABLE OF CONTENTS TABLE OF CONTENTS

INTRODUCTION..... Connector: dual RCA jack, removable terminal block E-07S . Connection Methods: A-903MK2, A-906MK2, **A-912MK2** Mixer/Amplifiers Connect the Pre-amp Out jack to the E module s In jack and the E modul...

lang:en score:29 filesize: 2.11 M page_count: 36 document date: 2016-01-08




[\[pdf\]](#) User Manual Specifications

See TOA Electronics INC U 14R Manual Specs 2 Line In Module Automute with Stereo Summing Dual RCA Jacks markertek Attachments Manuals |||

2007 PAGE II TABLE OF CONTENTS TABLE OF CONTENTS

INTRODUCTION..... Connector: dual RCA jack, removable terminal block E-07S . Connection Methods: A-903MK2, A-906MK2, **A-912MK2** Mixer/Amplifiers Connect the Pre-amp Out jack to the E module s In jack and the E modul...

lang:en score:29 filesize: 2.11 M page_count: 36 document date: 2016-01-08




[\[pdf\]](#) User Manual Specifications

See TOA Electronics INC U 13R Manual Specs Stereo Line In Module Mute Receive With Summing Dual RCA Jacks markertek Attachments Manuals |||

2007 PAGE II TABLE OF CONTENTS TABLE OF CONTENTS

INTRODUCTION..... Connector: dual RCA jack, removable terminal block E-07S . Connection Methods: A-903MK2, A-906MK2, **A-912MK2**
Mixer/Amplifiers Connect the Pre-amp Out jack to the E module s In jack and the E modul...

lang:en **score:29** filesize: 2.11 M page_count: 36 document date: 2016-01-08




[\[pdf\]](#) User Manual Specifications

See TOA Electronics INC U 43R Manual Specs Stereo Line In Module With Mute Send and Summing Dual RCA Jacks markertek Attachments Manuals |||

2007 PAGE II TABLE OF CONTENTS TABLE OF CONTENTS

INTRODUCTION..... Connector: dual RCA jack, removable terminal block E-07S . Connection Methods: A-903MK2, A-906MK2, **A-912MK2**
Mixer/Amplifiers Connect the Pre-amp Out jack to the E module s In jack and the E modul...

lang:en **score:29** filesize: 2.11 M page_count: 36 document date: 2016-01-08




[\[pdf\]](#) User Manual Specifications

See TOA Electronics INC U 43S Manual Specs Line In Module with Hi Low Cut Filters Mute Send and Screw Terminals markertek Attachments Manuals |||

2007 PAGE II TABLE OF CONTENTS TABLE OF CONTENTS

INTRODUCTION..... Connector: dual RCA jack, removable terminal block E-07S . Connection Methods: A-903MK2, A-906MK2, **A-912MK2**
Mixer/Amplifiers Connect the Pre-amp Out jack to the E module s In jack and the E modul...

lang:en **score:29** filesize: 2.11 M page_count: 36 document date: 2016-01-08




[\[pdf\]](#) User Manual Specifications

See TOA Electronics INC U 03S Manual Specs Line Input Module w Lo High Cut Filters Screw Terminals markertek Attachments Manuals |||

2007 PAGE II TABLE OF CONTENTS TABLE OF CONTENTS

INTRODUCTION..... Connector: dual RCA jack, removable terminal block E-07S . Connection Methods: A-903MK2, A-906MK2, **A-912MK2**
Mixer/Amplifiers Connect the Pre-amp Out jack to the E module s In jack and the E modul...

lang:en **score:29** filesize: 2.11 M page_count: 36 document date: 2016-01-08



[pdf] User Manual Specifications

See TOA Electronics INC U 12ST Manual Specs 12S Unbalanced Line Input Module Variable Mute Receive with Screw Terminals markertek Attachments Manuals |||

2007 PAGE II TABLE OF CONTENTS TABLE OF CONTENTS

INTRODUCTION..... Connector: dual RCA jack, removable terminal block E-07S . Connection Methods: A-903MK2, A-906MK2, **A-912MK2** Mixer/Amplifiers Connect the Pre-amp Out jack to the E module s In jack and the E modul...

lang:en score:29 filesize: 2.11 M page_count: 36 document date: 2016-01-08




[pdf]

Power Amplifier 120 watt P 912MK2 p 912mk2 cs1e toacanada assets files |||

TOA 900 MK2 SERIES POWER AMPLIFIER 120-WATT P-912MK2 Approved DESCRIPTION The TOA P-912MK2 Power Amplifier delivers up to 120 watts of power at less than 0.5 total harmonic distortion THD from 20 to 20,000Hz transformerless 4-ohm output . Optional plug-in modules are available for use with t...

lang:en score:29 filesize: 82.17 K page_count: 2 document date: 2013-05-14




[pdf] User Manual Specifications

See TOA Electronics INC U 01ST Manual Specs 01S Line Input Module Unbalanced 220k Ohms w Removable Terminal Block markertek Attachments Manuals |||

2007 PAGE II TABLE OF CONTENTS TABLE OF CONTENTS

INTRODUCTION..... Connector: dual RCA jack, removable terminal block E-07S . Connection Methods: A-903MK2, A-906MK2, **A-912MK2** Mixer/Amplifiers Connect the Pre-amp Out jack to the E module s In jack and the E modul...

lang:en score:29 filesize: 2.11 M page_count: 36 document date: 2016-01-08




[pdf] User Manual Specifications

See TOA Electronics INC M 21S Manual Specs 200 Ohm Balanced Mic Input Module Remote Volume Control Terminal Block markertek Attachments Manuals |||

2007 PAGE II TABLE OF CONTENTS TABLE OF CONTENTS

INTRODUCTION..... Connector: dual RCA jack, removable terminal block E-07S . Connection Methods: A-903MK2, A-906MK2, **A-912MK2** Mixer/Amplifiers Connect the Pre-amp Out jack to the E module s In jack and the E modul...

lang:en score:29 filesize: 2.11 M page_count: 36 document date: 2016-01-08



[\[pdf\]](#) User Manual Specifications


See TOA Electronics INC U 13S Manual Specs Unbalanced Line Input with High Low Cut Filters and Mute Receive removable terminal block markertek Attachments Manuals |||

2007 PAGE II TABLE OF CONTENTS TABLE OF CONTENTS

INTRODUCTION..... Connector: dual RCA jack, removable terminal block E-07S . Connection Methods: A-903MK2, A-906MK2, **A-912MK2**

Mixer/Amplifiers Connect the Pre-amp Out jack to the E module s In jack and the E modul...

lang:en **score:28** filesize: 2.11 M page_count: 36 document date: 2016-01-08



[\[pdf\]](#) User Manual Specifications


See TOA Electronics INC L 11ST Manual Specs 11S 600 Ohm Balanced Line Input Module Mute Receive w Screw Terminals markertek Attachments Manuals |||

2007 PAGE II TABLE OF CONTENTS TABLE OF CONTENTS

INTRODUCTION..... Connector: dual RCA jack, removable terminal block E-07S . Connection Methods: A-903MK2, A-906MK2, **A-912MK2**

Mixer/Amplifiers Connect the Pre-amp Out jack to the E module s In jack and the E modul...

lang:en **score:28** filesize: 2.11 M page_count: 36 document date: 2016-01-08



[\[pdf\]](#) User Manual Specifications

See TOA Electronics INC L 41ST Manual Specs 41S 600 Ohm Balanced Line Input Module Mute Send w Screw Terminals markertek Attachments Manuals |||

2007 PAGE II TABLE OF CONTENTS TABLE OF CONTENTS

INTRODUCTION..... Connector: dual RCA jack, removable terminal block E-07S . Connection Methods: A-903MK2, A-906MK2, **A-912MK2**

Mixer/Amplifiers Connect the Pre-amp Out jack to the E module s In jack and the E modul...

lang:en **score:28** filesize: 2.11 M page_count: 36 document date: 2016-01-08