



Manuals.plus /

› Protech /

› Protech 455067 Wire & Cable Ties User Manual

Protech 455067

Protech 455067 Wire & Cable Ties User Manual

Model: 455067 | Brand: Protech

INTRODUCTION

This manual provides instructions for the proper use and handling of Protech 455067 Wire & Cable Ties. These ties are designed for securing wires and cables, ensuring organization and safety in various applications. They are made from durable nylon and come in a natural color, measuring 7-1/2 inches in length.

SAFETY INFORMATION

Please read and understand all safety information before using this product.

- **Keep out of reach of children:** Small parts may pose a choking hazard.
- **Use appropriate tools:** When trimming excess tie material, use a suitable cutting tool to avoid injury.
- **Avoid over-tightening:** Do not overtighten cable ties around sensitive wires or cables, as this may cause damage.
- **Inspect before use:** Ensure ties are free from defects before application.

SETUP

The Protech 455067 Wire & Cable Ties are ready for immediate use upon removal from the packaging. No assembly or special preparation is required.

1. **Unpack:** Carefully remove the desired number of cable ties from the bag.
2. **Inspect:** Briefly check each tie for any visible damage or manufacturing defects. Discard any damaged ties.



Image 1: Protech 455067 Wire & Cable Ties, showing a bag of 100 ties and a single tie.

OPERATING INSTRUCTIONS

Follow these steps to effectively use the Protech 455067 Wire & Cable Ties:

1. **Gather Wires/Cables:** Collect the wires or cables you wish to bundle or secure. Ensure they are neatly arranged.
2. **Position the Tie:** Wrap the cable tie around the bundle of wires or cables. The smooth side of the tie should be against the bundle.
3. **Insert the Tail:** Feed the pointed end (tail) of the cable tie through the head (locking mechanism) of the tie.
4. **Tighten:** Pull the tail of the tie until the bundle is secured to the desired tightness. Avoid excessive force to prevent damage to the wires or the tie itself. The locking mechanism will prevent the tie from loosening.
5. **Trim Excess (Optional):** If there is a significant amount of excess tail, use a pair of flush cutters or scissors to trim it close to the head for a neat finish. Be careful not to cut any wires or cables.

MAINTENANCE

Protech 455067 Wire & Cable Ties require minimal maintenance. To ensure their longevity and performance:

- **Storage:** Store unused cable ties in their original packaging or a sealed container in a cool, dry place, away from direct sunlight and extreme temperatures. This helps prevent material degradation.
- **Cleaning:** If ties become dirty, wipe them with a damp cloth. Avoid harsh chemicals.
- **Disposal:** Dispose of used or broken cable ties according to local waste disposal regulations.

TROUBLESHOOTING

Here are solutions to common issues you might encounter:

Problem	Possible Cause	Solution
Tie does not lock securely.	Debris in locking mechanism, tie is damaged, or incorrect insertion.	Ensure the locking mechanism is clear. Inspect the tie for damage and use a new one if necessary. Confirm the tail is inserted correctly into the head.
Tie breaks during tightening.	Excessive force, tie material degradation, or tie is too small for the bundle.	Reduce tightening force. Check storage conditions for unused ties. Use a larger tie if the bundle is too thick for the 7.5-inch tie.
Bundle is not tight enough.	Tie not pulled sufficiently, or bundle is too small for the tie.	Pull the tie tail further through the head until the desired tightness is achieved. For very small bundles, consider a smaller tie if available.

SPECIFICATIONS

Model Number: 455067

Brand: Protech

Material: Nylon

Color: Natural

Length: 7-1/2 inches (7.5 inches)

Quantity: Bag of 100

UPC/GTIN: 662766265774

Item Weight: Approximately 0.5 Pounds (for the bag of 100)

WARRANTY AND SUPPORT

Protech 455067 Wire & Cable Ties are manufactured to high-quality standards. For specific warranty information or technical support, please refer to the official Protech website or contact their customer service department. Keep your purchase receipt for warranty claims.

For further assistance, you may visit the manufacturer's website: www.protech.com (*Note: This is a placeholder link as no specific support link was provided.*)