

[Manuals+](#)

[Q & A](#) | [Deep Search](#) | [Upload](#)

Rust-Oleum 269038

Rust-Oleum Specialty Camouflage Spray Paint Kit User Manual

Model: 269038

PRODUCT OVERVIEW

The Rust-Oleum Specialty Camouflage 6-Pack Spray Kit is designed for ultimate concealment on various surfaces. Its oil-based formula provides a non-reflective, ultra-flat finish, ideal for blending into natural environments.

This kit includes six 12-ounce cans, with specific colors: 2 Forest Green, 2 Earth Brown, 1 Army Green, and 1 Khaki. Each 12 oz. can covers approximately 12 square feet and dries to the touch in as little as 20 minutes.



Image: Rust-Oleum Specialty Camouflage Spray Paint Kit, showing the product packaging with color indicators.



Image: A set of six Rust-Oleum Camouflage spray paint cans, displaying the different shades included in the pack.

SAFETY INFORMATION

WARNING: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. Always use in a well-ventilated area and wear appropriate personal protective equipment, including gloves and eye protection.

- Keep out of reach of children.
- Flammable liquid and vapor. Keep away from heat, sparks, open flames, and hot surfaces.

- Vapors may cause flash fire.
- Harmful if swallowed.
- Avoid breathing spray mist. Use only outdoors or in a well-ventilated area.
- If swallowed, call a Poison Control Center or doctor immediately. Do not induce vomiting.
- In case of eye contact, flush thoroughly with water for 15 minutes.
- For skin contact, wash thoroughly with soap and water.

SETUP AND PREPARATION

1. **Surface Preparation:** Ensure the surface is clean, dry, and free of loose paint, rust, wax, or grease. Lightly sand glossy surfaces for better adhesion. For bare wood, metal, or plastic, priming may be beneficial for optimal results and durability.
2. **Protection:** Protect surrounding areas from overspray with drop cloths or newspaper.
3. **Ventilation:** Use in a well-ventilated area, preferably outdoors.
4. **Shake Can:** Shake the can vigorously for one minute after the mixing ball begins to rattle. Continue to shake occasionally during use.
5. **Test Spray:** Test spray on an inconspicuous area or scrap material to check color and spray pattern.

OPERATING INSTRUCTIONS

1. **Application Temperature:** Apply when temperature is between 50-90°F (10-32°C) and humidity is below 85% to ensure proper drying.
2. **Holding Distance:** Hold can upright 10-16 inches from the surface.
3. **Spray Technique:** Spray with a steady, back-and-forth motion, slightly overlapping each stroke. Apply two or more light coats a few minutes apart rather than one heavy coat to avoid drips and ensure even coverage.
4. **Drying Time:** Dries to the touch in 20 minutes. Can be handled in 1 hour. Allow 24 hours for full cure before heavy use.
5. **Pattern Application (Optional):** For camouflage patterns, use natural materials like leaves, branches, or stencils. Apply different colors in layers, allowing each layer to dry to the touch before applying the next.




Image: A visual representation of the color palette for Rust-Oleum camouflage paints, showing shades of green, brown, and khaki.

MAINTENANCE

- **Cleaning Nozzle:** After each use, clear the spray valve by inverting the can and spraying for 5 seconds or until only clear gas comes out. If the valve clogs, twist and pull off the spray tip and rinse it in mineral spirits. Do not insert a pin or other object into the stem. Replace the tip with the can inverted and spray again.
- **Storage:** Store cans in a cool, dry place away from direct sunlight and heat sources.

TROUBLESHOOTING

Problem	Possible Cause	Solution
---------	----------------	----------

Problem	Possible Cause	Solution
Uneven Spray / Drips	Can held too close; too much paint applied in one coat; inconsistent spray motion.	Hold can 10-16 inches from surface. Apply multiple light coats instead of one heavy coat. Use a steady, even spray motion.
Clogged Nozzle	Paint dried in the nozzle.	Invert can and spray for 5 seconds after each use. If clogged, remove tip and clean with mineral spirits.
Poor Adhesion	Surface not properly cleaned or prepared; surface too smooth.	Ensure surface is clean, dry, and free of contaminants. Lightly sand glossy surfaces. Consider using a primer for optimal adhesion.
Slow Drying Time	High humidity; low temperature; too heavy a coat.	Apply in temperatures between 50-90°F (10-32°C) and humidity below 85%. Apply lighter coats. Ensure good ventilation.

SPECIFICATIONS

Feature	Detail
Brand	Rust-Oleum
Model Number	269038
Paint Type	Oil-based
Finish Type	Ultra-flat, Non-reflective Matte
Kit Contents	6 x 12 Fl Oz cans (2 Forest Green, 2 Earth Brown, 1 Army Green, 1 Khaki)
Item Volume (per can)	12 Fluid Ounces
Coverage (per can)	Approx. 12 sq. ft.
Dry to Touch Time	20 minutes
Full Cure Time	24 hours
Recommended Surfaces	Wood, Metal, Masonry, Plaster, Plastic
Usage	Interior/Exterior
Item Weight (total)	6 pounds
Product Dimensions	8.38 x 5.63 x 8.25 inches

WARRANTY INFORMATION

Specific warranty details for the Rust-Oleum Specialty Camouflage Spray Paint Kit are typically provided with the product packaging or can be found on the official Rust-Oleum website. Please refer to these sources for the most accurate and up-to-date warranty information.


SUPPORT AND CONTACT

For further assistance, product inquiries, or safety data sheets, please refer to the official Rust-Oleum resources:

- **Official User Guide (PDF):** [Download User Guide](#)
- **Rust-Oleum Website:** Visit the [Rust-Oleum Store on Amazon](#) or their official corporate website for contact information and additional product details.

© 2024 Rust-Oleum. All rights reserved.

Documents - Rust-Oleum – 269038



[\[pdf\]](#) Guide

6 Joe Muccianti Rust Oleum Corportion User Guide 269038 PK Specialty Camouflage Spray Pack 12 Ounce Paints 51 qKp68THL m media amazon images I |||

TECHNICAL DATA SPECIALTY CAMOUFLAGE SPRAYS SPC-02 .DESCRIPTION AND USES . Rust-Oleum Specialty Camouflage Sprays are designed to provide a non-reflective finish on hunting and sporting equipment. Various colors can be combined in a variety of patterns to blend with any terrain. Camouflage Sprays... lang:en score:36 filesize: 37.29 K page_count: 2 document date: 2020-05-04